

OPHIUROIDEA.

Stegophiura nodosa (Lütken).

Port Burwell, Ungava; *Neptun* Expedition; July 28, 1901. Dredged. 1 specimen.

Ophiozea robusta (Ayres).

Port Burwell, Ungava; *Neptun* Expedition, July 28, 1901. Dredged. 15 specimens.

Nottingham island, Hudson strait. J. McKenzie, 1886. 1 medium-sized specimen.

Ophiura sarsii (Lütken).

Port Burwell, Ungava; *Neptun* Expedition, July 28, 1901. Dredged. 21 specimens.

Near Fort Churchill, Hudson bay, 20 miles off river in 30 fathoms; bottom clay with gravel; *Diana* Expedition, September 2, 1897. Disc, 21 mm. in diameter. 1 specimen.

Port Burwell, Ungava; 15 fathoms. Dr. Robert Bell, August, 1884. 14 specimens.

Richmond gulf, east side of Hudson bay; 15-30 fathoms. A. P. Low, June, 1899. 1 specimen.

Ophiocten sericeum (Forbes).

Winter harbour, Melville island, Northwest Territories; *Arctic* Expedition; May, 1909. "Attached to ship's anchor, in 7 fathoms." 8 specimens.

Richmond gulf, east side of Hudson bay; 15-30 fathoms. A. P. Low, June, 1899. 8 specimens.

Ophiopholis aculeata (Linnaeus).

Southampton island, Hudson bay; south shore harbour; Captain George Comer, 1907-09. 3 specimens.

Richmond gulf, east side of Hudson bay; 15-30 fathoms. A. P. Low, June, 1899. 1 specimen.

King George sound, Hudson strait, Ungava; 40 fathoms. *Diana* Expedition, Low and Wakcham, September 9, 1897. 1 small specimen.