CUNNABELL'S NOVA (8) SCOTIA ALMANAC.

Phases of the Moon for February, 1850.

- Last Quarter, 3rd day, 9th hour, 4 minutes, evening.
- New Moon, 12th day, 2d hour, 15 minutes, morning.

 First Quarter 19th day, 3d hour, 57 minutes, afternoon.

 Full Moon, 26th day, 7th hour, 46 minutes. morning.

FEBRUARY.

DaysMonth	Week		MOON					HIGH					
Mol	M	CALENDAR.					-	-	lace.	WATER			
Ys		CABERDAR.		Rises.		South		Sets.		Halifax.			
Da	Days									morn. aft.			
1	Fri	Ignatius.	11	0	3	56	9	57	2	10	26	10	47
2	Sat	Purification B. V. M.	mo	rn.	4	44	10	28	5	11	7	11	28
3	F	Sexagesima Sun. Blasius.	0	3	5	31	10	59	m	11	51	-	-
4	Mo	Fair and clear.		4	6	17	11	30	m	0	14	0	36
5	Tu	Agatha.	2	4	7	3	aft	. 2	1	1	4	1	35
6		1	3	2	7	50	0	38	1	2	22	2	48
7	Th	♥ great. HLN. ♥ inf. 6 ⊙	3	.55	8	37	1	19	1	3	25	4	5
8	Fri	apogee 11h. morn.	4	45	9	25	2	5	bo	4	42	4	17
9	Sat	\$ 6 3	5	31	10	12	2	53	30	5	44	6	6
10	F	Shrove Sunday. Q in aph.	6	13	11	0	3	47	***	6	28		50
11	Mo	Shrove Monday. & & C.	6	51	11	47	4	43	***	7	9	7	27
12	Tu	Shrove Tuesday. Hard frost	7	24	aft.	33	5	42	***	7	43	8	2
13	W	Ash Wednesday.	7	55	1	19	6	43	×	8	17	8	33
14	l'h	Valentine	8	25	2	4	7	44	×	8	43	9	4
15			8.	54	2	49	8	44	go	9	20	9	37
16	Sat	₩ 8 €	9	22	3	35	9	48	go	9	53	10	11
17	F	1st Sunday in Lent.	9	55	4	23	10	51	90	10	28	10	48
18	Mo		10	28	5	13	11	53	8	11	7	11	27
19	La	& stationary . Rather	11	5	6	6	mo	rn.	8	11	49	-	-
20	W	⊙ enters ¥. Ember Day.	11	50	7	2	1	7	п	0	14	0	41
21	Th	₹ 6 C milder.	aft	46	8	6	2	14		1	15	1	53
22	Fri	Ember Day.	1	41	9	0	3	26	50		36	3	17
23	Sat	Ember Day.	2	47	10	0	4	19	00	4	1	4	44
24	F	2d Sun.in Lent.St. Matthias,	3	59	11	0	5		8	5	20	5	51
25	Mo	[C perigee 5h morn.	5	13	11	57	6	1	8	6	20	6	46
26	Tu		6	25	mo	rn.	6	41	m	7	10	7	33
27		21 & C Stormy.	7	36	0	51	7	17		7	57	8	18
28	Th	"	8	44	1	44	7	52	2	8	40	9	0

the earliest varieties that can be had should be selected. Some of the earliest varieties have not been known to be attacked with disease, which probably may be accounted for upon the principle that the potatoes ripen, and the stalks become thoroughly dead, before the usual season arrives for the tubers to be attacked with disease. The use of gypsum, to be sown broad-cast upon the plants, when a few inches high, and frequent hoeing, either by hand or horse power, will hurry the crops forward to early maturity. It will be found, upon trial, that the great point to be aimed at, in the cultivation of this important teachers towa bright little fe thought his te

" Nor, thir " Do you k " Of coath

putation upor " Well, wh

onth			SU				
DaysMc		ses.	Sets.				
1	7	11		49			
2	7	9	4	50			
3	7	8	4	52			
2 3	777	6	4	52 54			
5	7	5	4	55			
6	7777	3	4	57			
7	7	2	4	58			
8	1	1	4	59			
9	7	0	5	0			
10	6	59	5	1			
11	6	57	5	3			
12	6	55	5	5			
13	6	54	9	6			
14	6	52	5	8			
15	6	50	5	10			
16	6	49	5	11			
17	6	48	5	12			
18	6	46	5	14			
19	6	45	5	15			
20	6	44	5	16			
21	6	42	5	18			
22	6	41	5	19			
23	6	40	5	20			
24	6	38	5	22			
25	6	36	5	24			
26	6	34	5	26			
27	6	33		27			
28	6	31	5	29			

edible, is ear. tion, and earl plants evince

SEASONS ber of all kin vour their di non-resinifer are stronger a the pores con