

sissement de la membrane séreuse et des escarres."—*Dict. Scien. Med.* v. 40. p. 507, et seq.

Le défaut d'exudation n'a lieu que dans les première périodes de l'inflammation, ou les membranes séreuses sont chargées de sang, qui empêche la sérosité de suinter de leur surface libre.

Les membranes séreuses ordinairement si blanches et si tennes, &c.

Les surfaces séreuses enflammées ne sont presque susceptibles d'aucun gonflement dans les premiers jours de la maladie; elles sont alors sèches, et aucune exhalation ne s'y effectue.—*Ibid*, 41. 431.

Ecchymosis not unfrequently takes place when the inflammatory action is very violent.—*Macintosh* v. 1, p. 22.

Sometimes the membrane seems as if it were minutely injected.—*Good*, v. 1, p. 505.

moyen d'union toujours sans organisation; 3^o. une exudation liquide tantôt trouble, tantôt limpide ou rougeâtre. On a trouvé presque toujours, dans la cavité abdominale, plus ou moins de matière séreuse, purulente, &c.

La plupart des Péritonites aiguës, qui sont suivies du retour à la santé, déterminent par des adhérences organisées.—p. 512, 513.

D'après l'opinion de Bichat, ces adhérences intimes sont occasionnée par un défaut d'exudation dans les deux portions contiguës d'une membrane séreuse enflammée. Or, le défaut d'exudation n'a lieu, &c.—p. 508.*

On the next page (432) occurs the following passage:—

"Les adhérences organiques sont une suite très commune de la résolution dans les phlegmasies séreuses: il paraît même que cette terminaison (i. e. resolution) NE PEUT AVOIR LIEU QUE DE CETTE MANIÈRE et par une sorte de cicatrization ou d'union des parties enflammées."—*Dict. Sc. Med.* 41, 432.

(Serous membranes.)—When inflamed, red vessels are seen during life, and an effusion takes place either of serum or of lymph, or of both. Sometimes the effusion is limpid; at others turbid, like whey; at other times, &c. Often large masses of coagulable lymph are discovered gluing the parts together. The quantity of the effused matter is sometimes small, amounting only to a few ounces; at others, there are several pounds. It has occurred to me frequently to see ten, twelve, and twenty pounds in one side of the chest. A bloody effusion is sometimes found, more particularly in the abdomen. Ecchymosis not unfrequently takes place when the inflammatory action is very violent.†—*Macintosh on Inflammation*.

Sometimes the membrane seems as if it were minutely injected, while, &c.

This passage in Good is a mere translation of that already quoted from *Dict. Sc. Med.* It is immediately followed by its continuation beginning, "Bayle, Broussais, et autres," &c.

* This is certainly an unfortunate passage, for Dr. N.'s idea "that those (viz. adhesions, &c.) are the products of slow or sub-acute inflammatory action,"—especially when it is known that the author is speaking of cases which got well, i. e. terminated by resolution.

† Be it remarked that this is spoken not of the peritoneum particularly, but of inflammation of serous membranes generally, and refers to ecchymosis on the free surface or into the cavity and not on the outer surface as occurred slightly in C.'s case.