39. Haplidus testaceous LeConte.

One specimen has been taken by Van Dyke in Nevada County.

40. Achryson surinamum Linné.

Found normally in Southern Arizona; probably occurs in the Colorado desert. June 10–July 18. (Dates for Arizona).

41. Hammaticherus mexicanus Thomson.

Found at Cape San Lucas, Lower California.

42. Brothylus gemmulatus LeConte.

This has been taken by Van Dyke on the beach at San Francisco and at Mt. Wilson, Los Angeles County.

43. Brothylus conspersus LeConte.

This rarity has been taken by Kusche on dead white valley oak in Sonoma County. It is found about San Francisco Bay and north.

44. Osmidus guttatus LeConte.

Taken at San José del Cabo, Lower California.

45. Gnaphalodes trachyderoides Thomson.

Taken at San José del Cabo, Lower California.

46. Eburia ulkei Bland.

Taken at Cape San Lucas, Lower California.

47. Eburia conspersa Horn.

Found at San José del Cabo, Lower California.

48. Romaleum simplicolle Hald.

Taken on Catalina Island by H. C. Fall, and at Sama Monica by E. C. Van Dyke.

49. Romaleum seminitidum Horn.

Taken by H. C. Fall along the Colorado River.

50. Elaphidion punctatum LeConte.

Taken at Cape San Lucas, Lower California.

51. Elaphidion imbelle LeConte.

Found in Sonoma and San Diego Counties. Has been bred by Dr. Blaisdell from live oak. June 16-August 3.

52. Elaphidion albofasciatum Linnell.

Taken by Coquillett in the foothills along the southern border of the Moiave Desert.

(To be continued)