gray, irrorate, with discal spot and line. *Expanse* 30 mil. Nevada, Mr. Tepper.

Hadena chryselectra, n. s.

 \mathcal{J} . Head, thorax, base of primaries and subterminal space of a pale golden brown, or fawn color. Median lines propinquitous, black, denticulate or lunulate, double, enclosing a whitish ochrey line. Median space shaded with whitish ochrey, especially beyond the reniform and along the anterior line. Orbicular small, spherical, black ringed, bluish; reniform of the usual shape, moderate, black outlined with blue center; claviform outlined, small. Median shade black, heavily marked on cost., faint below where it runs near the posterior line. Median space narrow below median vein; the posterior line exserted opposite the cell and running inwardly inferiorly where it is followed by black and white venular points. Subterminal space smooth, concolorous, wide; terminal space narrow, shaded with pale, with a terminal black dotted line; subterminal line black, interrupted with pale, more even and equidistant from the margin than usual. Fringes fawn color, paler externally. Hind wings pale ochrey with rather broad blackish borders and faint discal mark: beneath pale with a dotted line within the border. Collar with black scales in front, and there are black scales on the tufts on dorsum and at the sides of the tegulæ. Eyes naked ; tibiæ unarmed. Length of primary 13 mil. Hab. Colorado, Mr. Neumoegen.

Oncocnemis cibalis, n. s.

 \mathcal{J} . Allied to *Chandleri*, but with the primaries more pointed, the collar whitish with a superior blackish line, the subterminal line preceded by a blackish shade which recalls Polia illepida. Eyes naked; tibiæ unarmed; fore tibiæ with a rather short claw. Gray, shaded with dusky; thorax pale gray. Fore wings gray with the veins marked ; median vein and its two superior branches whitish. Orbicular elongate, white-ringed, fusing with the moderate, upright, blackish-centered, white-ringed reniform. Lines obliterate, indicated on costa by double fuscous streaks. A dusky streak from the base runs into the narrow white-outlined claviform. The jagged white subterminal line preceded by a blackish shading. Fringes with a pale line at base; interlined with fuscous. Hind wings whitish; with a discal lunule, vague external fuscous shading, and white, faintly interlined fringes. Expanse 33 mil. Colorado, Mr. Graef.