

LIST OF CHEMICALS RELEVANT TO THE CONVENTION USED  
BY THE ITALIAN CHEMICAL INDUSTRY IN 1987

## A. LIST 2

1. 2,2 - Diphenyl - 2 - hydroxyacetic acid (Benzilic acid): used in 3 plants located in northern Italy, for a total amount of less than 1 ton per plant. \*/
2. Quinuclidin-3-ol: used in 2 of the aforementioned plants located in northern Italy, for a total amount of less than 1 ton.
3. N.N - Diisopropylaminoethyl - 2 chloride: used in one plant located in northern Italy, for a total amount of less than 1 ton.

## B. LIST 3

1. Phosphorus trichloride: used in 12 plants located in northern and central Italy, for the following amounts:  
1 plant: less than 1 ton  
1 plant: 2 tons  
6 plants: less than 30 tons  
4 plants: more than 30 tons.
2. Phosphorus oxychloride: used in 3 plants, located in northern and central Italy, for a total of less than 30 tons for each of the plants. \*\*/
3. Phosgene: used for a total amount of 110,470 tons in the 3 plants that produce this chemical in northern Italy, as indicated in Attachment 2, item 1B.
4. Hydrogen cyanide: captively used for an amount of 25,720 tons in 1 plant. The remaining amount of 24,000 tons is completely burned on site in 2 plants (see Attachment 2, item 2B).

\* \* \*

---

\*/ One of the 2 plants also uses Phosphorus trichloride and is thus included in the 12 plants that use this chemical (see item 1B in List 3).

\*\*/ The 3 plants also used Phosphorus trichloride and are thus also included in the 12 plants that use this chemical (see item 1B in List 3).