

While working at the facility, the inspectors should be informed of the safety rules and required to sign a statement to that effect.

(f) Data on clean-up procedures and general overhauls:

Preventive maintenance - for seven days once a year.

General overhaul - in accordance with a schedule (kept at the facility) depending on the type of equipment.

(g) Data on feedstocks used in the production or processing of declared chemicals (type and capacity of storage):

Dialkylamines and ethylene oxide are stored in 10-50 m³ steel containers.

(h) Maps and plans of the facility:

Layout diagram of "Sintez" P.A. (fig. 1)

Layout diagram of unit producing dialkylaminoethanols (fig. 2) at "Sintez" P.A.

Diagram of the principal material flows at dialkylaminoethanol production facility (fig. 3)

Plan of the dialkylaminoethanol production facility (fig. 4)

Schematic of the material flows in production of dialkylaminoethanols (fig. 5)

Schematic of arrangements for systematic monitoring of chemical plants (fig. 6)

Schematic of arrangements for systematic monitoring of production of dialkylaminoethanols (fig. 7).

2.1. Storage of information

The information mentioned in 2 (a)-(g) above, except for that in 2 (f), shall be kept in the Technical Secretariat at the degree of confidentiality established for such information.

The information mentioned in 2 (h) shall be kept at the facility by the management under lock and key. If needed, this information may be placed at the disposal of the head of the inspection team and the specialist in chemical technology.

3. Number and modalities of inspections

Four routine inspections per year seem necessary and sufficient. Specific dates for making the inspections shall not be planned in advance.