

WHITE-WINGED SCOTER (*Oidemia deglandi*).—Mr. Spreadborough reported this species as common at Lake Ste. Anne on June 9, 1898, not far from Edmonton.

RUDDY DUCK (*Erismatura jamaicensis*).—Fairly common in spring. Arrives about May 1. Apparently does not breed in the vicinity.

CANADA GOOSE (*Branta canadensis*).—Migrants observed in spring about May 10.

AMERICAN BITTERN (*Botaurus lentiginosus*).—Common breeder about all the sloughs.

CAROLINA RAIL (*Porzana carolina*).—Fairly common summer resident. On November 10, 1912, I found an individual with a fractured wing-bone, frequenting an open spring.

AMERICAN COOT (*Fulica americana*).—The most common breeding water-fowl at Edmonton. Arrives about May 1; nests May 20, eight to eleven eggs to the clutch; young born about June 6.

NORTHERN PHALAROPE (*Phalaropus lobatus*).—Mr. Atkinson noted this species at Edmonton, August, 1906.

WILSON PHALAROPE (*Steganopus tricolor*).—A female was taken by Mr. Spreadborough, at Edmonton, on May 26, 1897.

WILSON SNIPE (*Gallinago delicata*).—Uncommon. Evidently does not breed in the vicinity.

DOWITCHER (*Macrorhamphus griseus*).—Mr. Spreadborough collected both the male and the female at Edmonton, on May 3, 1897. These are undoubtedly the Long-billed *scolopaceus*.

PECTORAL SANDPIPER (*Pisobia maculata*).—Reported by Mr. Atkinson as abundant after August 6, 1906.

LEAST SANDPIPER (*Pisobia minutilla*).—Rather uncommon; individuals observed as late as July.

SANDERLING (*Calidris arenaria*).—Noted in considerable numbers by Mr. Atkinson, between Saskatoon and Edmonton, in 1906.

MARbled GODWIT (*Limosa fedoa*).—Noted as far west as Edmonton, in 1906, by Mr. Atkinson.

GREATER YELLOW-LEGS (*Totanus melanoleucus*).—Occurs as a migrant.

LESSER YELLOW-LEGS (*Totanus flavipes*).—Usually a few flocks observed about April 25. They may breed, as I have observed them as late as July.

SOLITARY SANDPIPER (*Helodromas solitarius*).—During the spring of 1897, Mr. Spreadborough saw numbers at Edmonton. He believes they breed.

WILLET (*Symphemia semipalmata*).—A male bird was collected by Mr. Spreadborough on May 5, 1897. Presumably this is referable to *inornata*.