Ontario Agricultural College for suspected tuberculosis, owing to being given.—Concluded.

| Lungs. | Liver. | Intestines and other abdominal organs. | Udder. | Remarks. |
|--|--|--|----------|--|
| Right extensively diseased. Left with numerous caseating nodules. | Small, rather cirrhotic, otherwise healthy. | Healthy | Healthy. | |
| Adherent to diaphragm. | Adherent extensively diseased, several abcesses, one large suppur- | One small tuberculous gland. | | P. M. retnrns not yet in. No bacilli in milk. |
| Right apex infiltrated, also caseating nodules. Left several small nodules necrotic, and well marked. | ating cyst. Several nodules with enveloping fibroid areas. | Healthy | Healthy. | Evidences of case- ating action. |
| Diffused tubercles in both lungs, left extensively hepa- | Healthy | Healthy | | P. M. returns not yet in. P. M. returns not yet in. |
| tized. | | | | P. M. returns not yet in. P. M. returns not |
| Several small tuber- cles in left lung. Healthy | Two or three tuber- cles. Extensively involved also scattered tu- bercles in lymph | | | yet in. |
| Healthy | glands. Healthy | picious, remaining organs | | |
| Healthy | One small caseating nodule. | healthy. Healthy | | |