

- Uterus** *continued*.
 exhaustion of, in labour, 408
 fibro-myoma in body of, in labour, 394
 for hours after normal delivery, 490
 from a case of a placenta prævia and puerperal septicaemia, 510
 immediately after delivery from a frozen section, 488
 gravid, 57
 hernia of, 123
 incarceration of, 117
 inertia of, 401
 in third stage of labour, 249, 251
 inversion of, in labour, 429
 inversion of, three degrees, 430
 irregular contraction of, preventing expulsion of placenta, 459, 460, 463
 lateral obliquity, 59
 lower segment of, 62, 406, 114, 415
 manipulation of, per abdomen in post-partum hæmorrhage from inertia, 467
 obliquity of, 264
 painful contractions of, 214
 precipitate labour, 400
 premature rupture of membranes, 407
 retroflexion of, 115, 116
 retroversion of, 115, 116
 rupture of, in labour, 413
 sacculation of, 117
 souffle of, 81, 82
 structural changes in, during puerperium, 493
 suture of (first attempts), 654
 tetanus of, 405
 tonic contraction of, 405, 406, 445
 two and a half days after delivery, 491
 with ovum of four weeks gestation, natural size, 20
- Uterus, cervix of**, 63
 cancer in labour, 396
 changes characteristic of pregnancy traced into, 63
 digital dilatation of, 604
 division of, 605
 lacerations of, in labour, 427
 of a multipara at term before commencement of labour, 215
 of a multipara who died of eclampsia at the beginning of labour, 216
 rapid dilatation of, 587
 rigidity of, 396—398
 'softening of,' 63
 vagina and vulva in puerperal infection, 514
- Uterus, infection of**, 511, 515
 diagnosis, 523
- Uterus, infection of—continued**.
 onset, 516
 prognosis, 524
 sapremia, 516, 518
 septicæmia, 516, 520
 treatment, 525
- Uterus, malformations of**, bicornute uterus with rudimentary horn, 123
 double uterus, 123
 uterus didelphys, uterus bicornis, 123
- VACCINES** and vaccine treatment, 529
 530
- Vagina**, and vulva in pregnancy, 66
 and vulva in puerperal infection, 514
 examination of, in diagnosis of face presentations, 312
 lacerations of, in labour, 427
 secretion of, in pregnancy, 66
- Van Beneden**, bi-laminar and tri-laminar blastoderm, 11
- Veit**, 105
- Venesectio** in treatment of convulsions in eclampsia complicating labour, 478
- Venous system** in pregnancy, 68
- Vernix caseosa**, 51, 552
- Version**, 607
 bi-polar, 623
 cephalic, 607, 612
 combined or bi-polar, 623, 624
 external, 346, 607—611
 internal, 347, 611—624
 podalic, 379, 607, 612
 pulling down a leg, 449
- Vertex presentation**, 238
 causes of, 254
 occipito-posterior, 268, 303, 304, 305, 307
 positions in, 251, 260, 263, 264, 287, 291, 292
- Vesicle**, amniotic, 19
 bi-laminar blastodermic of rabbit (Van Beneden), 11
 blastodermic or blastocyst, 11
 entodermic, 19
 umbilical, 46
- Villi**, atrophied, 36, 37
 fully formed from placenta at term showing wide capillaries, 30
 showing proliferation of syncytium, 28
 present in placenta, 32
- Virehow**, 107
- Volsella** forceps, 207
- Vomiting**, after feeding, 567
 projectile, 567
 of pregnancy, associated, 110
 clinical features of, 112
 diagnosis, 112