The same was noted some years ago in connexion with typhoid fever and that not merely after recovery but during the progress of the disease. We utilize the fact now as a most useful means in diagnosing doubtful cases. In typhoid the bacilli grow more particularly in the lymphoid tissue of the intestine-for here is an interesting point to remember that the different bacteria of disease have their seats of election. Once they gain a footing in the body there are certain tissues in which they grow in greatest abundance, while at first they do not grow to any extent in other tissues, or in other words, if they do find their way into the other tissues they are easily destroyed. But while the typhoid bacilli thus grow locally, if we take the fluid of the blood of a typhoid fever patient on the fifth day of his disease or so, we find that this now has new or greatly exalted Although we dilute that blood 40 or 50 times, if we properties. place in it some of the actively growing typhoid bacilli they become motionless and clump together in masses. The blood fluid has acted upon them. Nothing of this kind occurs in similarly diluted blood from one who has not had typnoid. What does this all mean? It means that during the course of the disease there is gradually developed on the part of the organism as a whole, the power of coping with and neutralizing or destroying the micro-organisms of that disease. Something has developed, not locally but generally, which either was not there before or which now is developed in greater quantity than before. There is an adaptation to changed conditions. The body as a whole reacts and produces substances which tend to give it the advantage in the fight against its foes.

Need I remind you that the modern treatment of diphtheria makes use of this fact. We utilize the fluid of the blood of animals which have been inoculated with the diphtheria bacillus in order to give to the diseased human being antitoxic substances which those animals have produced, and produced in excess, in order to cope with the inoculated microbes. Where precisely these antitoxic substances are produced we are still engaged in determining. We know that the leucocytes produce one set, but the substance or substances which activate these and render them effective we know less about. Some are inclined to believe that the leucocytes also give origin to these. Recent evidence tends to show that certain tissue cells—of the liver, brain, etc.—elaborate them. It may be that in tuberculosis the muscle cells play some part.

So now to return to the case of pneumonia. Let us try to translate what happens there. Through some lowering of vitality the tissues of the air sacs, which in health can destroy individual bacilli, finding an entrance into the lungs, are overcome and the bacteria multiply and set up disturbance. This the second line of defence comes into action—not so much the lung tissue itself as the leucocytes which belong to the gen-