

BLACK-THROATED GREEN WARBLER (*Dendroica virens*).—Tolerably common and breeding in the spruce woods that flank the rivers. First observed about May 16.

OVEN BIRD (*Seiurus aurocapillus*).—Breeds at Edmonton along the timbered river banks. Arrives about May 15, common by the 24th.

GRINNELL WATER-THRUSH (*Seiurus noveboracensis notabilis*). This sub-species was noted as far west as Edmonton, in 1906, by Mr. Atkinson.

MOURNING WARBLER (*Oporornis philaedelpia*).—Mr. Spreadborough collected a male specimen on June 4, 1897.

MARYLAND YELLOW-THROAT (*Geothlypis trichas*).—Common summer resident. Arrives about May 24. The form inhabiting this region probably referable to the Northern Yellow-Throat *G. t. brachidactyla*.

WILSON WARBLER (*Wilsonia pusilla*).—Mr. Spreadborough first observed this species at Edmonton on May 29, 1897. A few pairs remained to breed.

CANADIAN WARBLER (*Wilsonia canadensis*).—Mr. Spreadborough did not observe this species anywhere west of Manitoba, except at Edmonton, where he took a male specimen on May 29, 1897.

AMERICAN REDSTART (*Setophaga ruticilla*).—Tolerably common. Arrives the latter end of May. Mr. Spreadborough found them nesting in willow thickets along the streams.

AMERICAN PIPIT (*Anthus pensilvanicus*).—Mr. Spreadborough found this species common at Edmonton from April 27 to May 10, 1897.

CATBIRD (*Galeoscoptes carolinensis*).—Common summer resident. Returns about May 24.

HOUSE WREN (*Troglodytes aedon*).—Common summer resident. Arrives about May 11. The form at Edmonton is referable to the sub-specific one *T. a. parkmanii*.

MARSH WREN (*Telmatodytes palustris*).—A very common summer resident about the sloughs. The nest is completed and the eggs laid by June 5. They have a peculiar habit of building several dummy nests in addition to the genuine one. I once found seven perfectly finished nests within a radius of twenty-five yards. Only one contained eggs, and only one pair of wrens frequented that vicinity. The sub-specific form at Edmonton is placed under *I. p. iliacus*.

WHITE-BREASTED NUTHATCH (*Sitta carolinensis*).—Mr. Atkinson records the species as far west as Edmonton in 1906, the reference being referred to *S. c. nelsoni*.

RED-BREASTED NUTHATCH (*Sitta canadensis*).—Mr. Spreadborough found the species tolerably common at Edmonton in the spruce woods, June 12, 1897.