

SAPONARIA, L. Soapwort.

- 275.
- S. officinalis*
- , L. (Bouncing Bet.)

A garden escape. Roadsides and waste places. Billings Bridge, Hull, &c. July—3. (B.)

- 276.
- S. Vaccaria*
- , L. (Common Cow-herb.)

Introduced. Grain fields and waysides. July—2.

ARENARIA, L. Sandwort.

- 284.
- A. MICHAUXII*
- , Hook.

A. stricta, Mx. Gray's Manual.

Dry rocks. Nepean Point, Rockcliffe. July—1.

- 288.
- A. serpyllifolia*
- , L. (Thyme-leaved Sandwort.)

Introduced (?) Dry rocky banks. Rockcliffe, Hull and Aylmer. Ju.—4. (B.)

- 289.
- A. LATERIFLORA*
- . (Broad-leaved Sandwort.)

Mæhringia lateriflora, Fenzl.

Gravelly banks. Green's Creek, Chelsea, Aylmer. Ju.—2. (B.)

STELLARIA, L. Chickweed. Star-wort.

- 293.
- S. media*
- , Smith. (Chickweed.)

Introduced. In cultivated ground, everywhere.

- 294.
- S. LONGIFOLIA*
- , Muhl. (Long-leaved Stitch-wort.)

Low woods and fields. Ju.—1. (B.)

- 2113.
- S. graminea*
- , L. (Narrow-leaved Stitch-wort.)

Introduced. This species, which is abundant in Nova Scotia and New Brunswick, has only been found here once. Casselman. (*Miss I. Grant.*) Aug.—3.

- 295.
- S. BOREALIS*
- , Bigel. (Northern Stitch-wort.)

Swamps and low woods. Ju.—1. (B.)

CERASTIUM, L.

- 306.
- C. viscosum*
- , L. (Mouse-ear Chickweed.)

C. vulgatum. Gray's Manual, p. 94.

Cultivated ground. Introduced. Annual. Nearly erect.