the North-

Timeof Seeding.

July-Sept.

June-July

July Sept.

July · Aug.

.! aly.....

ıl y- Aug.

ly - Sept.

**

ne-Oct.

: igust

.

.-Sept.

ept.

West Territories, with their chief characters.

Celour, Size, Arrangement of Flowers and other Characters of the Plant.	Method of Propagatio and Distribution	n of Growth	Methods of Bradication.
White, 1-11 in, solitary; head of from round.	Seeds and roc stocks.	t- Lowmeadows, he	Plough up sod and follow with hoed erop.
Yellow, ½ in., recome			Summer fallow; cultivate fall &
Yellow; raceme, 1-3 in	Seeds, in hay	Lowlands: grai	
Yellowish-white; racemes slender,	Seeds	fields and hay. Grain and clove fields.	before seeds
gating in fruit; pods angled, 5-in.	"	Summer-fallows.	ripon
smooth, close to stem, only root leaves rough. Yellow, nearly 1-in.; racemes clongating in fruit; pods angied, 5-in. long, spreading; pods argied, 5-in. yellow, 1-in.; racemes clongated; differing from above in the small flowers, short pods, 1-23 in, long, ascending and close to stem, corred with short gray hairs. Yellow, 1-in, raconnes clongated;		. 04 65	66 66
Pour strict, ross chan 1-III. On 8160-	**	Grain fields, sum	
pated toda 4 in ration cions	*********	Grain fields	
Yollow, 1-in.: racemes elongated; pods smooth, spreading, curved, 1-in.: seeds, 1-ranked; leaves thin, green, almost without helical	"	Grain fields and summer fallow	
Yellow, pale, 1-in., racemes cion- gated; pods, 2-4 in., very slender, spreading, seeds greenish brown.	Seeds, wind	Grain fields	
ing: leaves quite smooth, entire, wacculent, glaucous, tollow, i-in.; racemes elengated; pods smooth, spreading, curved, i-in.; seeds, i-ranked; leaves thin, green, almost without hairs. follow, pale, i-in.; racemes eiongated; pods, 2-4 in., very slender, spreading, seeds greenish brown. follow, i-in., racemes; pods erect, 1-ii-in., one-third being empty or 1-seeded, with two-edged beak; stems bristly-hairy, purple at joints.	Seeds, in grain	",	49 66
11-21-in., spreading; stems perfect- ly smooth, glaucous.	,	**	44 44
shaped, many seeded.		Grain, fall wheat, flax and clover fields,	
range yellow, l-in., racemes, much selongated in fruit; peds nearly spherical, 1-seeded.	loeds, in grain	Grain fields	Pull, summer fal- low, hoed crops.
elongated in fruit; peds nearly spherical, leeded. Vhite, i-in., racemes, much elon- gated in fruit; pods, triangular. Vhite, i-in., racemes, much elon- gated in fruit; pods flat and round, over i-in.		Everywhere Grain fields, waste places.	Mow and burn ma-
Vhitish, minute, 1/16 in., racemes, much elongated in fruit; pods flat, roundish, f-in., 2-seeded.	"	Grain fields, after a wet spring.	ough cultivation Plough or culti- vate fall & spring
eddish purple, 1-in., petals 4, s stamens 6, long and conspicuous; race: les; pod flattened, hanging, 1;-in.; leaves 3-parted, strong smelling.			Pull, cultivate.
ink, ‡-in., cymes; calyx 5-angled, Scovering ripe pods; leaves succulent and glaucous; seeds 1/10 in., black, minutely roughened.	eeds, in grain	Grain fields	·
irple, 1-in., solitary; seeds, 1 in., black, rough.		Grain fields, sum- mer fallows.	Pull, sow clean