

FAMILY

TABLETS.

RHUBARB AND SODA TABLETS.

E. I. Rhei 1 part, Soda Bi-carb 2 parts, Jam. Ginger, 1 part.

For Disordered Stomach, Liver and Bowels.

The formula from which these Pills are made will be at once recognized as almost identical with the old and reliable GREGORY'S MIXTURE, that invaluable family remedy.

Put up in this convenient form, the medicine can be easily taken by the most sensitive lady or child.

These Tablets are especially adapted for Constipation, Acidity of the Stomach, Dyspepsia and kindred diseases, affections of the Liver, and in cases where a cathartic is desired, also for Infants teething, and as a corrective for the Stomach they are unequalled.

Manufactured by the

DAVIS & LAWRENCE CO., (Limited,) MONTREAL, P. Q.

PEPTONIC PILLS.

Pepsin, Pancreatin with Lacto-Phosphate of Lime and Lactic Acid.

(COPYRIGHT SECURED.)

This pill will give immediate relief in many forms of Dyspepsia and Indigestion, and will prove of permanent benefit in all cases of enfeebled digestion produced from want of proper secretion of the Gastric Juice. By supplementing the action of the stomach, and rendering the food capable of assimilation, they enable the organ to recover its healthy tone, and thus permanent relief is afforded. One great advantage of the mode of preparation of these pills is the absence of sugar, which is present in all the ordinary Pepsin and Pancreatin compounds—in this form the dose is much smaller, more pleasant to take, and is less apt to offend the already weak and irritable stomach. The results of their use have been so abundantly satisfactory, that we are confident that further trial will secure for them the cordial approval of the Medical Profession and the favor of the general public.

Each pil. contains one grain of pure PEPSIN, and one of pure PANCREATIN, which is equivalent to 10 grains of the ordinary or Saccharated, usually prescribed and dispensed. Physicians will appreciate the great advantage of this mode of administration. The increased benefit to the Dyspeptic being due to a full and effective dose of each, freed from the unnecessary bulk, and really hurtful addition of sugar. A single pill will give immediate relief.

DIRECTIONS.—Take one pill immediately after eating or when suffering from Indigestion, Lump in the Throat or Flatulence. For children, reduce the pill to powder and give a fourth or half, according to age.

**JOHN WYETH & BROTHER, CHEMISTS,
PHILADELPHIA.**

Strip the
pound of bu
Cut the mea
gradually, a
small jars,
three slices
in a dry pla

Select a g
are red, the
and carefull
skin long en
skewer thro
the middle o
onions, sage
secure it firm
well basted.
sauce.

Ducks ma
and then tur
to plump up
make a stuff
as the flavo
very often.
them, and a
accompany

Young coc
are long and
has been lon
the will adm
will greatly i

Have the
bread crumb
some prefer
sew up the o
basting. W
be boiled ten
some like the

Prepare th
mixed with c
truss it, and
two hours, m
with celery s