Sherardized Herringbone Lath

is now on the market. Just look at these galvanizing tests. They are by Prof. C. F. Burgess, of the chair of Metallurgy, University of Wisconsin. He dissolved equal quantities of various coatings in diluted sulphuric acid. Here are the times they took to dissolve:

THE LINES TELL THE STORY

Sherardizing	coating	~	_		304	minutes	
C. P. Zinc	•	-	-		114	minutes	
Electro galva	anized coatii	ıģ	_		50	minutes	
Hot process	dross, C. C.	& G.	Mfg.	Co.	79	minutes	
Hot process	bath, C. C.	& G.	Mfg.	Co.	20	minutes	_
Hot process	coating from	n B—	- hard	dware	21	minutes	

Our right to the Sherardizing process for metal lath is exclusive. If you want the best protection and the best lath — Herringbone of Course

THE TESTING OF EXPERTS

_±,	The second secon
The second se	CANADIAN LABGRATORIES LIMITED
tamen a paralementa per alimination de la companya	ORDER PURIS ALLEGYS, CEMENTS, Pto 1808 NYSS.
rimited	COMMENCIAL PRODUCTS TRATED
Tabaratory. Winter	- a model of the contract of t
The Toronto Testing Laboratory. Limited	24 ADELARCE DE MODERNICO PARE LIGERE//11.
MINING TORONIO	
a susual state of the state of	Glacence M. Hoble, Eng.
TALL TALL TO SEE THE S	117 Home hafe blugs,
Toronto, Pab. 13to 1911.	Taronto, Ont.
	Door Sirt We bog to report the following results on the
Clarence w. wools, Each. Toronto, Ont. Toronto, O	Galvanizing Tento cubmitter to up on Pab 14th, /11.
Torontos Dear Sirie The heal to advisor results of center we heal to advisor results of center and Electro salvanized Test No. 1, 17 Sherardized Test No. 1, 17 Sher	Samples marked "Cheraraned" Test No. 1 15 Dipa.
nactro galvanana la	Tent No. B 16 Dips.
and stand rest 3,	Tent No. 8 18 Dipo.
Sherran Attended to the state of the state o	Tout No. 416 Dips.
Sherardized Tea. 3. 4100	Average for " Sherardised"17 Dipa-
	Sample Harked " Hot Galvaniacd" 4 Dipp.
on Blectro Ballye from	Sample Harked " Sloctro-Galvaniaed " 6 Dipa.
Test places and allowed to place to galvanized law. **Test place and allowed to place to pla	Tours truly.
Justy in pure water House to Chilly Alban	CANADIAN LABORATORING ATP.
Reserved No. of dise of the policy of conference of the policy of the po	por M B. M. Mill
come the different burners	write /
enation and over yourn the Topinion Testing Laboration The Topinion Testing Laboration	Time A MC
The second secon	

Emphasizes the Overwhelming Superiority of Herringbone Sherardized Lath

Clarence W. Noble, - - General Sales Agent

117 Home Life Building, Toronto

The Metal Shingle and Siding Co., Manufacturers