GENERAL DIRECTIONS FOR TAKING MOTHER SEIGEL'S SYRUP.

Dose---Fifteen to Thirty Drops, two or three times a day, in a wine-glass of water

immediately after eating.

The quantity may be regulated by the patient, who will bear in mind that sufficient needs to be taken to operate on the bowels two or three times each day. The blood will thus be purified, the sweat-glands of the skin will be opened, and the flesh made soft and healthy as an infant's. The kidneys and liver will do their duty, and all humors of the blood will be driven out of the system, and the body purified and restored to a sound and healthy condition. The medicine must be taken INSTANTLY after eating, so that it will become mixed with the food while in the stomach.

Commence by taking ten or fifteen drops three times a day INSTANTLY after eating, in a little cold sweetened water. It is best not take the syrup on an empty stomach. If this does not give relief, increase the dose to thirty drops, always to be taken INSTANTLY after eating, so that the syrup may become mixed with the food while being digested. It is essential that the bowels be made to move freely every day, and if the above doses of syrup be not sufficient to effect this take one to four of Mother Seigel's Operating Pills at bedtime. It is better to take the pills than to increase the dose of the syrup.

Mother Seigel's Syrup is put up in a highly concentrated form, the full dose being thirty drops, (half a teaspoonful) and contains sixty average doses, being about One Cent Per Dose.

A. J. White & Co., Herald Building, 6 Beaver Hall Hill, Montreal, Canada, and 168 Duane St., New York.

For Burns, Scalds, and all Inflammations, Piles, Chilblains, &c.

Every family requires some kind of Ointment to be kept in the house, to be used in cases of Burns, Scalds, Sores, Bruises, &c. For this reason we have made SEIGEL'S OINTMENT, which will be found invaluable in such cases.

DIRECTIONS FOR USE.

For Blisters, Burns and Scalds.—Spread a daster with Seigel's Ointment on fine linen cloth, and apply to the part, so as to exclude the air; renew he plaster daily.

For Sprains.—Shower with cold water every day, and apply a plaster spread with the Ointment twice or three times a day.

For Sore Eyes.—Rub the Ointment on the eyelids are or twice a day.

For Sore Eyes.—Rub the Ointment on the eyelids are or twice a day.

For lest.—Wash in cold water every day, and apply a plaster spread with the Ointment several times a day.

Rheumatism.—While waiting for the effect of Seigel's Syrup to operate upon the blood, the pain may be temporarily relieved by rubbing the part with the Ointment. plaster with Seigel's Ointment on fine linen cloth, and apply to the part, so as to exclude the air; renew the plaster daily.

For Sprains.—Shower with cold water every day, and apply a plaster spread with the Ointment twice or three times a day.

For Sore Eyes.—Rub the Ointment on the eyelids once or twice a day.

THE RETAIL PRICES OF THESE MEDICINES ARE AS FOLLOWS:

MOTHER SEIGEL'S SYRUP, Per Bottle, 60 Cts. MOTHER SEIGEL'S OPERATING PILLS, Per Box, 25 Cts. MOTHER SEIGEL'S SOOTHING OINTMENT. .-

The goods mentioned in this book are sold by A. J. WHITE & CO., Herald Building, 6 Beaver Hall Hill, Montreal, P. Q.; and by all Wholesale and Jobbing Drug Houses in the United States and Canada. If the reader cannot obtain a supply in his neighborhood, we will appoint a Local Retail Agent, so that the public can be supplied. Terms for Agencies in Canada can be obtained from A. J. WHITE & CO., 6 Beaver Hall Hill, Montreal, P. Q.

Applications for consignments, in places where we are not already represented, are invited. Such applications should be accompanied by reliable references, and will receive prompt attention.

While -coatused,

nnt of

rough, with nation. ly will

ll find

ly will Sallow

se of s will e will 388.

LLS are bleand ild but sing no tress. aily for

r acts

er box. Drugby mail price.

& CU., ORS, all Hill, P.Q.

system, , while SEIGEL'S ng comver and

ao suffer ere, and hey will

e make

bedtime ir gentle