

H. Americana, L. Common Alum-root.

Indigenous. Rocky woodlands. Malden, Ontario. (Dr. MacLagan).

H. hispida, Pursh.

Indigenous. Rocky ground. Western end of Lake Shebandowan, within sixty miles of Lake Superior, and consequently in the valley of that lake. Westward from this point through the valleys of the Saskatchewan and Peace Rivers to the Rocky Mountains (Macoun).

MITELLA, Tourn. Mitre-wort. Bishop's Cap.**M. diphylla, L.**

Indigenous. Hillsides in rich woods. Vicinity of Quebec and Cemetery of St. Charles (Brunet). River du Loup (Dr. Thomas). St. Valentin, Smith's Falls, Kingston, Chippaw: and Malden (MacLagan). Common near Prescott (Billings). Common in Central Canada (Macoun). Common in Western Ontario (Logie, Ellis, Saunders, Gibson).

M. nuda, L.

Indigenous. Cedar swamps and moist woods in moss. Very common throughout Ontario and Quebec. New Brunswick (Mathews). River Rouge (D'Urban). Hillsides, Fortean Bay, Labrador (Butler). Manitoulin Islands (Dr. Bell). From Lake Superior, through the valleys of the Saskatchewan and Peace Rivers, to Quesnelle on the Fraser, in Upper British Columbia (Macoun).

TIARELLA, L. False Mitre-wort.**T. cordifolia, L.**

Indigenous. Rich rocky woods. Very common throughout Ontario and Quebec. New Brunswick (Dr. Fowler).

CHRYSOSPLENIUM, Tourn. Golden Saxifrage.**C. Americanum, Schwein.**

Indigenous. Cold wet places. Common throughout Ontario and Quebec. New Brunswick (Dr. Fowler).

CRASSULACEÆ.**PENTHORUM, Gronov. Ditch Stone-crop.****P. sedoides, L.**

Indigenous. Open wet places. Lotbinière, Quebec (Brunet). River du Loup (Dr. Thomas). Everywhere (MacLagan). Common in Ontario, Hamilton, London, Owen Sound, Goderich, &c.

SEDUM, Tourn. Stone-crop.**S. acre, L. Mossy Stone-crop.**

Introduced from Europe. Escaped to rocky banks and roadsides. Vicinity of Prescott and Brockville (Billings). New Brunswick (Dr. Fowler). On a rocky hill at Pictou Harbour, Prince Edward County (Macoun). Niagara Falls (G. W. Clinton).