

**Philohela minor** (*Gmel.*) WOODCOCK.

Common from May till November. Nests in suitable localities.

**Gallinago delicata** (*Ord.*) WILSON'S SNIPE.

Common from May till November. Several of these birds spend each winter about a series of sheltered springs which remain open during the entire year and keep the ground soft even in the most severe winter weather.

**Macrorhamphus griseus** (*Gmel.*) DOWITCHER.

A rare fall migrant.

**Tringa canutus** (*Linn.*) KNOT.

Rather rare fall migrant, passing here in August and September.

**Tringa maculata** (*Vieill.*) PECTORAL SANDPIPER.

Common fall migrant. They frequent the salt marshes, but never the mud flats or the beach.

**Tringa fuscicollis** (*Vieill.*) WHITE RUMPED SANDPIPER.

Fairly common during the fall migration which occurs in September and October. They frequent the beach and salt marsh.

**Tringa minutilla** (*Vieill.*) LEAST SANDPIPER.

Abundant during the migrations, especially the autumn. Going northward they pass this locality in late April and early May. On the southward journey they are common from the middle of July till October. They frequent the mud flats and salt marshes.

**Tringa alpina pacifica** (*Coues.*) RED BACKED SANDPIPER.

A rather uncommon autumn migrant. Observed on the Long Island beach during September.

**Ereunetes pusillus** (*Linn.*) SEMI PALMATED SANDPIPER.

Very abundant during the migration. At the height of the fall migration, about August 15th, they are found in myriads on the sand beaches along Minas Basin. By the 1st of October all but a few scattered ones have moved southward.