16S GIRDWOOD-ROENTGEN RAYS IN MEDICINE AND SURGERY.

some ten years' standing has been treated daily with high frequency currents for ten minutes each time, with the result of softening the hardened base, which was apparently adherent to the check bone, being situated to the left side of the nose and below the eye. This patient has not yielded so readily to treatment as others have but was making steady progress and by changing the treatment to X-rays is now quite well.



BEFORE TREATMENT.



AFTER TREATMENT.

In the treatment of *Tubercular Lupus* one case above reported has been cured so far. A very bad case involving the whole of both cheeks, the forehead in large measure and with numerous spots of raised coppery-brown patches of tuberculous skin about the arms and body, and with a duration of upwards of 28 years, was put under treatment by several methods. Two spots were treated by X-rays with a current of 110 volts, and 4 amperes to excite the coil at a distance of the tube of 12 inches. Two other spots were treated for ten minutes with high frequency current, and two more by Lortet and Genaud's modification of the Finsen light, with the are lamp at 3 inches distance from the skin. In all these patches improvement is still going on, and while the patient is still under treatment and will be for some time, from present appearances it will progress to a cure.

The treatment of *Cancer* may be illustrated by the case of a lady of fifty years of age, who had her right breast removed for cancer. One year later the wound broke out again, when a second operation