

1901.

- March 27--PIGEON HAWK, *Falco columbarius*. Mr. Young.
 28--SLATE-COLOURED JUNCO, *Junco hyemalis*. Mr. Young.
 29--SHARP-SHINNED HAWK, *Accipiter velox*. Mr. White.
 30--BRONZED GRACKLE, *Quiscalus quiscula aeneus*. Mr. Kingston.
- April 2--RUSTY BLACKBIRD, *Scolecophagus carolinus*. Mr. Young.
 2--RED-WINGED BLACKBIRD, *Agelaius phoeniceus*. Mr. Young.
 2--AMERICAN GOSHAWK, *Accipiter atricapillus*. Mr. Kingston.
 5--MEADOWLARK, *Sturnella magna*. Mr. Kingston.
 9--PHOEBE, *Sayornis phoebe*. Mr. White. April 11th, Dr. Fletcher.
 10--TREE SWALLOW, *Tachycineta bicolor*. Mr. Kingston.
 13--AMERICAN GOLDEN-EYE, *Glaucionetta clangula americana*. Mr. White.
 15--VESPER SPARROW, *Pooecetes gramineus*. Mr. W. T. Macoun. April 14th, Mr. Kingston.
 13--AMERICAN HERRING GULL, *Larus argentatus smithsonianus*. Mr. White.
 13--BELTED KINGFISHER, *Ceryle alcyon*. Mr. Kingston.
 15--PURPLE FINCH, *Carpodacus purpureus*. Mr. Macoun.
 15--WHITE-THROATED SPARROW, *Zonotrichia albicollis*. Mr. Macoun.
 16--RED-TAILED HAWK, *Buteo borealis*. Mr. White.
 18--COW-BIRD, *Molothrus ater*. Mr. Macoun.
 18--YELLOW-BELLIED SAPSUCKER, *Sphyrapicus varius*. Mr. White.
 18--GOLDEN-CROWNED KINGLET, *Regulus satrapa*. Mr. Kingston.
 18--AMERICAN OSPREY, *Pandion halliaëtus carolinensis*. Mr. Young.
 19--NORTHERN SHRIKE, *Lanius borealis*. Mating at Experimental Farm. Seen at intervals during the latter part of the winter.
 21--FLICKER, *Colaptes auratus*. Mr. Young.
 22--CANADA GOOSE, *Branta canadensis*. Three birds. Mr. Macoun.
 22--BUFFLE-HEADED DUCK, *Charitonetta albeola*. Mr. White.
 23--PURPLE MARTIN, *Progne subis*. Mr. White.
 23--BARN SWALLOW, *Chelidon erythrogaster*. Mr. White.
 23--TREE SPARROW, *Spizella monticola*. Mr. White.

MEADOW-SWEET.—It is doubtful whether the true *Spiraea salicifolia* occurs in Canada. At least two varieties have been collected near Ottawa and others will probably be found. The most common form is var. *latifolia*, Ait., with obovate or elliptical dentate-serrate leaves; the inflorescence is broadly pyramidal. Another variety is *lanceolata*, Ait., with finely serrate oblanceolate leaves.

J. M. M.