

pag. lin.

where it flowered in very high perfection and formed seeds; the other at Messrs. Frasers', Sloane Square. From the latter I have taken the following description.

Bartonia nuda.—*Caulis* ramosus, angulatus, glanduloso-pubescent. *Folia* oblonga, sessilia, basi attenuata, repando-dentata, utrinque scabra, viridia. *Inflorescentia* *B. ornatae*. *Flores* duplo minores, lutescentes, germinis nudo, angusto. *Petala* 10. angusto-lanceolata. *Filamenta* exteriora longiora, plerumque castrata et petaloidea.

333 *Tigarea tridentata*, adde Icon. Tab. 15.

339 8 *ab infer. loco* linearibus lege lineari-

1 *ab infer. adde* Mespilus arborea. Mich. arb. 3. p. 68. t. 11.

340 *Pyrus coronaria*, adde *Malus coronaria*. Mich. arb. 3. p. 65. t. 10.

344 *Rosa blanda*. Differentia specifica lege R. germinibus globosis pedunculisque hispidis, ramis aculeato-hispidissimis, foliis &c.

348 *Rubus spectabilis*, adde Icon. Tab. 16.

350 *Dalibarda fragaroides*, adde Bot. mag. 1567.

VOL. II.

362 *Tilia glabra*, adde *T. americana*. Mich. arb. 3. p. 311. t. 1.

363 *Tilia pubescens*, adde Mich. arb. 3. p. 317. t. 3.

Tilia heterophylla, adde *T. alba*. Mich. arb. 3. p. 315. t. 2.

365 *Talinum teretifolium*, adde Pluk. alm. t. 223. f. 2. secundum Herb. Sherard.

390 *Caltha flabellifolia*, adde Icon. Tab. 17.

404 adde CASTILLEJA. Cal. tubulosus unilabiatus. Cor. bilabiata, labio inferiore trifido, glandulis duabus inter lacinias. Caps. bilocularis.

411 *Prunella pensylvanica*, adde Icon. Mart. cent. t. 5.

423 *Gerardia fruticosa*, adde Icon. Tab. 18.

Gerardia quercifolia, adde Icon. Tab. 19.

424 *Gerardia cassioides* dele. Ejus loco vide Supplementum sub nomine Seymeria.

427 *Mimulus Lewisii*, adde Icon. Tab. 20.

Pentstemon lævigata, adde Bot. mag. 1425.

428 *Pentstemon pubescens*, adde Bot. mag. 1424.