

BAYER'S RMACEUTICAL PRODUCT

SON ATOSE A tasteless, odour- | Solvent. less, nutrient meat powder; it contains all the albuminoid principles of the meat in an easily soluble form. It has been extensively employed and found to be of the greatest service in consumption, diseases of the stomach and intestinal tract, chlorosis and rickets. It is of great value in convales-cence from all diseases. SOMATOSE strengthens the muscles and stimulates the appetite in a remarkable manner. Dose for adults: a level teaspoonful three to four times a day with milk, gruel, coffee, etc.

IRON SOMATOSE Ferro-Somatose).

A first-class tonic, containing the albuminous substances of the meat (albumoses) organically combined with iron. Special indications: Chlorosis and Anaemia. Daily dose: 75 to 150 grains.

(Lacto-Somatose). MILK-SOMATOSE A strength giving food containing the albuminous matter (albumoses) of the milk.

TRIONAL A most reliable and quickly-acting hypnotic of the Sulfonal group. Dose: 16 to 20 grains, in a large cup of hot liquid.

The active prin-IODOTHYRINE ciple of the thyroid gland. It is most efficacious in Strumous Diseases, Myxoedema, Obesity, Rickets, Psoriasis, Eczema, and Uterine Haemorrhages. Dose: 5 grains two to eight times a day for adults; 5 grains one to three times daily for children.

LYCETOL

PHENACETINE-BAYER PIPERAZINE-BAYER

Has a marked effect on the diuresis. Dose: 16 to 32 grains daily.

ARISTOL An Iodine Cicatrisant which is an excellent odourless substitute for Iodoform and highly recommended for Burns, Wounds, Scrofulous Ulcerations, etc.

EUROPHEN A perfect substitute for I od o for m. Odourless and non-toxic. Has a cover-Has a covering power five times greater than Iodo-form. Especially useful in Ulcus molls et durum.

LOSOPHAN cresoltriiodide particularly efficacious in the treatment of all kinds of cutaneous disorders caused by animal parasites.

A new silver pre-paration. Most onorrhoea. Anti-PROTARGOL reliable in cases of Gonorrhoea. septic wound healer. Excellent results in cases of Gonorrhoeal Ophtalmia. Solutions of 1/2 to 2%. Ointments.

TANNIGEN An almost tasteless intestinal astringent. Most efficacious in Chronic, Acute and Summer Diarrhoeas, Adult dose: 8 grains every three hours.

TANNOPINE (Formerly) A new none"). intestinal astringent. Special indications: Tuberculous and non-suberculous Enteritis, Typhus. Dose: 15 grains, three or four times daily.

Specific for Influenza, SALOPHEN Acute Articular Rheumatism, Chorea, Tartrate of Piperazine Sciatica. Dose: 15 grains four to six Anti-Arthritic, Uric times daily. In powders, etc.

SULFONAL-BAYER SALOL-BAYER

Samples and literature may be had on application to the

DYEWOOD & CHEMICAL CO...

le Agency and Depot in Canada for all "BAYER'S" Pharmacouth

(WHOLEBALE ONLY)