Complications. There have been fifteen complicated cases, one with dropsy, case favourable to child, the womar, who was young, ultimately recovered; four cases of puerperal convulsions have occurred, all of them fatal to the mothers, three of the children were saved; ten cases of hœmorrhage; one monstrosity, anencephaloid with single nostril, the presentation was of the shoulder and necessitated turning, the child lived two hours after birth. It is a curious coincidence that this same woman was re-admitted into the Hospital on the 24th of June last, in labour with her second child, the presentation was again of the shoulder. I had to turn, which was accomplished with ease, the liquor cunii not having wholly escaped. The child had been dead for some time, but was perfect as to formation.

KIND OF LABOUR.	DURATION OF LABORS.	DURATION OF PREGNANCY. NO. OF DATS
Preternstural 51	From 24 to 48 do 5	1 200 to 250 days, 23   250 to 250 da, 3   250 to 250 da, 5   260 to 270 da, 57   1 270 to 280 da, 252   1 280 to 300 da, 252   290 to 300 da, 21   Over 300 da, 21
Total	Total,	Cases unreported, 348 Total,
PRESENTATION	s	LENGTH OF FUNIS.
Arm, Elbow, Head, Hand, Foot, Funis, Breech, Feet, Funis,	5 	) do
Placenta, Total,	. 1009 Total.	
CASES FATAL TO CHILD.	PLI RALITY OF BIRTHS.	BORN ALIVE, STILL, DEAD.
Funis,	Twins, 13 Cases Both Head, 2 Cases 4 child Head & Breech 4 do. 8 do.	Born still but savel, 30 Born still but lost, 16 Born Dead, 9 Total, 1009
Tidemorriage, 8 40.	Both Females, 4 do. 8 child Male & Fem. 5 do. 10 child Total, 18 26 child	No. of Males and Females.
Total No. of Children Lost, 25	Triplets 1 Case. 1stMale. Breech 2ndFemale	Total,