

The surface is in many places undermined by this species to such an extent that a horse will repeatedly break through, thus making travelling both very tedious and unpleasant.

THOMOMYS TALPOIDES, var. *bulbivorus*, Rich.

Pacific Pocket Gopher.

*Diplostoma?* *bulbivorum*, Rich.

*Geomys Douglassii*, Rich.

Southern portion of British Columbia.

SCIUROPTERUS VOLUCELLA, Pallas.

Var. *Hudsonius*, Gmel.

Northern Flying Squirrel.

*Pteromys sabrinus*, Rich.

*Pteromys sabrinus*, var. *B. alpinus*, Rich.

*Pteromys Oregonensis*, Bach.

*Sa-ka-skan-da-wa-si*, (a thing that sticks close to anything). Saulteaux.

From the Atlantic to the Pacific as far north as Hudson's Bay, Great Slave Lake and Fort Liard.

SCIURUS HUDSONIUS, Pallas.

Red Squirrel. Chickaree.

*A-ni-wa-chask*. Cree.

*A-chit-a-moo*. Saulteaux.

From the Atlantic westward to the Rocky Mountains and northward to the northern limit of trees.

Var. *Richardsoni*, Bach.

Rocky Mountains to the Cascade Range in the vicinity of the International Boundary Line.

Var. *Douglassi*, Gray.

*Sciurus Hudsonius*, var.  $\beta$ , Rich.

Coast of British Columbia.