JAMES ROBERTSON & CO.

TORONTO, ONTARIO,

MANUFACTURERS OF EVERY VARIETY OF

Circular, Mill and Gang Saws

INSERTED TOOTH SAWS

SPECIALTY.

Emerson Pattern and Lumberman's Clipper.



WARRANTED. EVERY

SEND FOR PRICES.

GL13

EMERY WHEELS FOR SAW GUMMING!

almost in universal use for the purpose of gulletting and gumming saws. 25,000 to 30,000 saw-mills in the United States. Many of these run only a single saw each. A one-saw mill would use one or two wheels a year, costing S to \$i each, and when such small mills order single Emery Wheels from the factory, the express charges often equal the cost of the wheel. There was a time when the quality of Emery Wheels was so uncertain, and the demand so fickle, that storekeepers could not afford to carry them in stock. Now, however, Saw Gumming Wheels have become as staple an article as Files, and every dealer in saws, Hardware and Mill Supplies can afford to carry a few dozen standard sizes in stock. Large dealers order stocks of \$500 to \$750 worth at a time. Saw Gumming Wheels are used with the edge (or face) equare, round, or beveled. Probably seven-eights of all in use are bevoled. Tne principal sizes are:

$$\begin{array}{c} 8x\frac{1}{3} \\ 8x\frac{3}{3} \\ 8x\frac{1}{2} \end{array} \right\} \begin{array}{c} 3 \text{ in, hole.} & \begin{array}{c} 10x\frac{1}{3} \\ 10x\frac{1}{3} \\ 10x\frac{1}{3} \\ 10x\frac{1}{3} \end{array} \right\} \begin{array}{c} 3 \text{ in, hole.} & \begin{array}{c} 12x\frac{1}{3} \\ 12x\frac{1}{3} \\ 12x\frac{1}{3} \\ 12x\frac{1}{3} \\ 12x\frac{1}{3} \end{array} \end{array} \begin{array}{c} 1 \text{ Holes,} \\ \frac{3}{4}, \frac{7}{4} \text{ and } 1 \text{ inch} \end{array}$$

Probably more wheels 12x1, 12x1 and 12x1 are used than all the other sizes together. Saw Gumming Wheels are used, however, of all sizes up to 2[x1]. The most frequent complaint is that Emery Wheels harden the saw so that a file won't touch it. The answer is that you don't want a file to touch it. An expert workman will shape and sharpen the teeth with an Emery Wheel, leaving the teeth case hardened, in which condition the saw will cut about 33 per cent, more lumber than a soft saw will. Those who want to use the file, however, have only to touch the saw lightly a second time (after coing all over it once), and this second tenth and the case hardened scale. touch will cut through the case-hardened scale.

A QUESTION OF QUALITY.

Thirteen years of experience as makers of, dealers in, and actual users of Emery Wheels, have led us to a decided opinion as to what quality is the best. We profer for almost every use an "Extra Soft" wheel like the "Pocone." We believe that money lost through the rapid wear of the wheel is more than made up by the money saved on wages. As we cannot get every one to adopt our views, we make several qualities, so as to meet their views. We say to those who think they can only be satisfied with some other make of wheels (not Tanile), that we can furnish qualities to match any and every other make. If you have got used to some special quality of wheel, let us know what it is, and we can send you a Tanile Wheel to a College.

CLASS 2 MEDIUM-HARD. This Wheel is the Standard Saw Gumming Wheel all over the world. Probably seven-eighths of all the Saw Gumming Wheels used are "Class 2." It outs fast and keeps its shape well. Some think it too hard, some too soft. We prefer the "Pocono,"

CLASS 3. MEDIUM-SOFT.-The same as to coarseness and fineness as "Class 2" but a softer, and therefor freer cutting wheel.

CLASS "POCONO." EXTRA SOFT.-This Wheel we prefer to all others. It is both finer in grain and softer than either of the above. As a Saw Gumming Wheel, Class "Pocono" is specially suited to those practical and experienced Sawyers who know how to grind with a light touch, and who wants free cutting wheel that will not create much heat.

The Tanite Co. Stroudsburg, Monroe Co. Pennsylvania

CANADIAN TRADE SPECIALLY SOLICITED.