

- Arrested breech, 532—534
 Articulations of pelvis, 9
 — — changes in, 89, 90
 Artificial abortion, 504
 — feeding of infants, 561—571
 — removal of placenta, 371, 372
 — respiration, 573—575
 Asepsis in midwifery, 1—8
 Aspect of patient during puerperium, 257
 Asphyxia neonatorum, 572—575
 Aspiration of bladder in retroversion during pregnancy, 268
 — of uterus, 292
 Asynclitism of head, anterior, 158, 159
 — posterior, 160—162
 Atonic post-partum hæmorrhage, 436—441
 Atresia of cervix, 415—417
 — of vagina, 417
 Attitude of fœtus, 41
 Auscultation of fœtal heart, 69, 71
 Auscultatory signs of pregnancy, 97, 98
 Axis-traction forceps, 509—511

 Ballotement, internal, 99—100
 Barnes' bag, 501
 — method in placenta prævia, 362
 Battledore placenta, 287
 Baudelocque's method in face presentation, 207
 Bimanual method of expressing detached ovum, 320
 Bladder, care of, in puerperium, 259
 Blue asphyxia, 572, 575
 Bossi's dilator, 499, 500

 Bouchard's theory of eclampsia, 304
 Bozemann's return catheter, Gibson's modification, 169
 Bowels, care of, after labour, 260
 — — before labour, 105, 265, 266
 Braun's blunt hook, 554
 Braxton Hicks' method of performing version, 523, 524
 Breasts, care of, in pregnancy, 106, 107
 — changes of, in pregnancy, 90, 96
 — inflammation of, 487—490
 — secretion of, 564, 565
 Breech presentation, 220—238
 Bregma, 33
 Bright's disease as cause of decidual endometritis, 275
 — — in pregnancy, 264, 265
 Brow presentation, 44, 209—216
 — — forceps in, 214, 215
 Budin, early and late ligation of cord, 183, 184
 — maximum diameter of, 36
 — method of feeding infants, 569
 Bumm's needle, 543
 — method of performing pubiotomy, 543—545

 Cæsarean section, conservative, 535—538
 — — radical, 538, 539
 — extra-peritoneal, 539, 540
 Caput succedaneum, 135, 162, 204, 214, 219, 228
 Carbolised vaseline, danger of, 4
 Carcinoma of cervix, 411—413
 Catheter, use of, during puerperium, 259, 260
 Catheterisation of uterus for inducing labour, 506—508