

gin. Body gray. Beneath without dots, light gray or whitish, with dark powderings. Arizona. Coll. B. Neumoegen, Esq.

*Tornos Escaria, n. s.*

♂ ♀. Fore wings fuscous gray, with a blackish discal lunule. Median lines hardly visible, apparently sub-parallel, oblique, accented on submedian fold by dots. Hind wings whitish on disc. A mesial dot; a fuscous outer band; internal margin grayish, showing commencement of mesial lines. Head and thorax dark gray; abdomen centrally somewhat ochreous; terminally gray. The male is smaller and darker, grayish fuscous; the dots on disk evident. Arizona. Coll. B. Neumoegen, Esq.

*Tornos Ochrofuscaria.*

♀. Allied to *Interruptaria*, without discal dots. Wholly sordid ochrey fuscous. The lines fine, sub-obsolete. Beneath the hind wings are somewhat whitish, powdery with dark. The entire insect is of this obscure ochrey color, above and below, and should be known by this and the apparent absence of determinate markings. Of *Interruptaria* I have two specimens; when the curious median lines are effaced, the species is known by its gray color and want of discal dots. Of *Escaria* I have two females, one the smaller; the smaller and darker male agrees in the accented median lines on submedian fold and discal dots. Of *ochrofuscaria* I have only one female. Coll. B. Neumoegen, Esq. Arizona.

*Glaucopteryx Aurata.*

Forewings like *Cumatilis*, with transverse lines and olive shading, but hind wings pure orange. Both wings reddish beneath. It is of the same size as *Cumatilis*, and the markings of primaries, while darker, are so alike that a detailed description is quite unnecessary.

*Tamila Tumida* Grote.

Notwithstanding its aberrant color, this species belongs more naturally here, as I find from a specimen in Mr. Neumoegen's collection.

*Heliothis nuchalis* Grote.

I can find no difference that seems to me important between this and the European *Scutosus*.

*Hydriomene Replata, n. s.*

♂ ♀. Male antennæ ciliate; palpi prominent. Size of *Speciosata*. Fore wings sordid gray with distinct black lines. Extreme base black; a slightly waved and outwardly oblique black sub-basal line. A wide black