
CA1 EA409 87C17 c.1 DOCS

Canadian

Steel

Mill

Products





External Affairs Canada Affaires extérieures Canada 1500...

W. S. M. C. ...

प्रसाधाः प्रशासन्तः । प्रस्ति । जिल्लामान् । प्राप्ति । स्व

13-254533

Canadian Steel Mill Products

* 1 - CITCULATING 7

Dept. of External Affairs Min. des Affaires extérieures

JAN 15

RETURN TO DETAILED

nsibers)

For Further Information

For further information regarding the companies and products/services in this directory, please feel free to contact the company directly, or contact the Canadian trade commissioner at the nearest Canadian embassy or consulate, or write to one of the following:

US Trade, Tourism and Investment Development Bureau Department of External Affairs 125 Sussex Drivea Ottawa, Ontario Canada KIA 0G2

or

Industry Science and Technology Canada 235 Queen St. Ottawa, Ontario Canada KIA 0H5

Department of External Affairs Ottawa, Ontario CANADA KIA 0G2

Industry, Science and Technology, Canada Ottawa, Ontario CANADA KIA 0H5

Canadian Steel Mill Products

Contents

Introduction Stamonous amilionness of	2
Product Range of Each Company	6
Corporate Reports	7
Product Dimensions Available	44
Summary of Canadian Steel Industry Operations	57
Geographic Locations of Industry Operations (Map)	63

Introduction

his publication is intended for organizations and individuals seeking a concise description of Canadian steel mills, their technology and products. These would include manufacturers of steel consuming products, engineering firms, economists, potential investors and others.

Details of the major producers of steel pipe and tube are provided in this publication, however, a more complete description of that sector is given in the publication, "The Canadian Metal Pipe and Tube Industry", available through:

Iron and Steel Division

Industry Science and Technology Canada Ottawa, Ontario CANADA KIA 0H5

Published by:

Department of External Affairs through the co-operation of:
Industry, Science and Technology,
Canada
Canadian Steel Producers Association

Canadian Steel Industry — Profile

Market and the second s						
Atlas Specialty Steets	1982	1983	1984	1985	1986	1987
Capacity (000 tons)	23 473	23 519	23 519	23 519	19 815	19 815
Capacity Utilization (%)	55.2	59.7	68.3	68.1	77.8	81.3
Employment (000)	43	42	44	42	41	42
Primary Iron and Steel Shipments (000 tons)	10 306	11 020	12 742	12 854	12 855	14 053
Exports ⁽¹⁾ (000 tons)	3 519	2 960	3 401	3 236	3 843	4 254
Imports (000 tons)	1 260	1 373	1 955	2 204	2 100	2 257
Apparent Domestic Consumption (000 tons)	8 047	9 433	11 296	11 822	11 112	12 056
Imports as % of Apparent Domestic Consumption	15.7	14.6	17.3	18.7	18.9	18.7
Total Imports from U.S. (000 tons)	490	587	583	563	501	688
U.S. Imports as % of Apparent Domestic Consumption	6.1	6.2	5.2	4.8	4.5	5.7

⁽¹⁾ Excludes exports for conversion and return.

Canadian Steel Producers Association

he Association membership comprises fourteen companies across Canada who melt and pour steel. Member companies have kept their capacity consistent with their markets and have continued to invest in the best new technology to maintain world standards of productivity, quality and efficiency. Although some downsizing has been necessary, Canadian mills, by and large, have not experienced the disastrous performance that significant overcapacity and facility obsolescence has brought on in other parts of the world. In fact, Canadian steel 'know how' has proven very successful in other countries. Both Lasco, through its parent Canadian organization Co-Steel, and Ivaco have established significant profitable steel operations in the United States and elsewhere, while Stelco's innovative Coilbox technology has been accepted world-wide. Canadian steel producers are Canadianowned and predominantly have generated capital for investment from private sources. They have worked hard to be world class and world competitive in a very difficult market environment.

The Association's primary focus is on steel trade and trade-related issues in both national and international spheres.

In this context, areas of major activity and interest include:

- continued fair access to the U.S. and other markets;
- minimizing the impact of unfairly traded steel imported into Canada;
- final implementation of the recently signed Free Trade Agreement with the United States;
- maintaining Canadian steel producers' international reputation of world class production and fair trade marketing.

Member Companies

The Algoma Steel Corporation, Limited

Atlas Stainless Steels
(Divisions of Rio Algom Limited)

Courtice Steel Limited

Dofasco Inc.

Ipsco Inc.

Ivaco Inc.

Lake Ontario Steel Company

Manitoba Rolling Mills

QIT-Fer et Titane Inc.

Sidbec-Dosco Inc.

Slater Steels

(Division of Slater Industries Inc.)

Stelco Inc.

Sydney Steel Corporation

Western Canada Steel Limited Managing Director:

Daniel W. Romanko

50 O'Connor Street Suite 1414 Ottawa, Ontario K1P 6L2

Telephone: (613) 238-6049 Facsimile: (613) 238-1832

Product Range of Each Company

	A	В	C	D	E	F	G	н	1	J	K	L	M	N	0	P	Q	R	S	T	U	V	W	X	Y
Algoma Steel Corp. Ltd.	1	•	•	•	-			-	•			-						3	•	•	rain	ibe	•	20	19
Atlas Specialty Steels		•							•	18	8	15	•	•	•		•	2	100	20	Z KS	loi	6.97	28	•
Atlas Stainless Steels		•		•					•	•		22				- 11	redi	mi	MX	Pil	0	of SC	SLA	0121	178
Casteel Inc.						- 18	ST ST	in the		918		0						308	•	ni.	•	132	93	by a	
Courtice Steel (Harris)		•							2		•	•										200			
Dofasco Inc.		•	•	•	•	•	•	•	•													•		•	•
IPSCO Inc.		•	•	88	1.10	ES	je.		•	lin		13										•	27110	•	
lvaco Inc.		•										•				•							ore	.00	•
Lake Ontario Steel Co.		•									•	•	•					•	•		0	nes	me	0.00	100
Laurel Steel Products (Harris)											4		•				•				918	gn	100	199	•
Manitoba Rolling Mills		•									•	•	•					•	•		-		rtm	0151	
QIT — Fer et Titane Inc.	•	•					-19																		
Sidbec-Dosco Inc.		•	•	•							•	•	•			•		•	i Chi	2411		•			
Slater Steels, Hamilton Specialty Bar		•									•	•	•					•		130	1 0	120	0-	80	•
Slater Steels, Sorel Forge		•	6											•	•							las	102	100	•
Stelco Inc.	•	•	•	•		•	•	•	•		•	•	•			•	•	•	216	m	esti		•	•	•
Sydney Steel Corp.		•																		•			ml	-	•
Union Drawn Steel Co. Ltd.																	•								
Western Canada Steel Limited		•									•	•	•				9 17/1	•	(SEA)	190	21	9 3 4	2 8	2011	

- A Pig iron
- B Ingots, billets, blooms, slabs

Flat Products

- C Hot rolled sheet and strip
- D Cold rolled sheet and strip
- **E** Electrical steels
- F Galvanized sheet
- **G** Tin plate (and "tin free")
- **H** Pre-painted steels
- Plate
- J Stainless steel plate, sheet and strip

Rod and Bar Products

- **K** Merchant bars
- L Concrete reinforcing bars
- M Special quality bars
- N Stainless steel bars
- O Tool steels
- P Wire rods
- Cold finished bars, carbon and alloy

Structurals

- R Intermediate structurals
- S Heavy structurals
- T Rails
- **U** Sheet piling

Pipe and Tube

- V Pipe and tube, welded
- W Pipe and tube, seamless
- **X** Hollow Structural Sections

Other Products

Y Refer to Corporate Reports, pages 8 to 42

Corporate Reports

Atlas Stainless Steels Casteel Inc.* Courtice Steel (see Harris Steel) Dofasco Inc. Harris Steel Group Inc.	12
Casteel Inc.* Courtice Steel (see Harris Steel) Dofasco Inc. Harris Steel Group Inc.	
Courtice Steel (see Harris Steel) Dofasco Inc. Harris Steel Group Inc.	14
Dofasco Inc. Harris Steel Group Inc.	
Harris Steel Group Inc.	
	16
	18
IPSCO Inc.	20
	22
Lake Ontario Steel Company (LASCO)	24
Laurel Steel Products (see Harris Steel)	
Manitoba Rolling Mills	26
OIT-Fer et Titane Inc.	28
Sidbec-Dosco Inc.	30
Slater Steels — Hamilton Specialty Bar	32
Slater Steels — Sorel Forge	34
Stelco Inc.	36
Sydney Steel Corporation	88
	0
Western Canada Steel	

^{*}not a member of Canadian Steel Producers Association.



Algoma Steel Corporation

Igoma Steel was formed in 1901 as a rail producer supplying the rapidly expanding Canadian and U.S. railroads. Today, Algoma is a fully integrated steel producer with five principal product lines: Hot Rolled and Cold Rolled Sheet and Strip, Hot Rolled and Heat Treated Plate, Seamless Tubulars, Structural Shapes and Rails. Algoma employs directly and through its United States subsidiaries approximately 9 000 employees.

The Corporation's steelworks and head office are located in Sault Ste. Marie, Ontario. It has a head sales office in Mississauga, Ontario and regional sales offices in Calgary, Alberta and Houston, Texas. Through direct ownership, Algoma can satisfy all its iron ore and the majority of its coal requirements. Dofasco Incorporated of Hamilton, Ontario owns 100 percent of the corporation's shares.

The following products are sold by Algoma or its subsidiaries — ingots, blooms, billets, slabs, heavy rails, tie plates, standard angles, channels and beams, bearing pile shapes, welded wide flange and special shapes, wide flange shapes, seamless tubular products, plate, hot and cold rolled sheet, cold rolled sheet for motor laminations, sinter, coal, coke and coal tar chemicals.

The Corporation has been upgrading its product mix to reflect changes in demand for steel products in the North American steel markets. Demand for more sophisticated products has already resulted in the installation in recent years of a continuous slab casting facility, expansion of seamless tube heat treating capacity and the commissioning of a facility to produce quenched and tempered, and normalized plate.

Algoma's 166" (4216 mm) wide plate mill produces hot rolled plate up to 153" wide (3850 mm) and in thickness up to 4" (100 mm) for a variety of heavy industrial end uses. The normalizing and Quench & Temper facility extends the range of plate into high strength, abrasion resistant, heat treated products.

The Company's computerized 106" (2692 mm) hot strip mill is a six-stand continuous mill which rolls the widest product in North America. The 106" (2692 mm) mill has a unique capability to produce wide coiled plate and hot rolled sheet up to 96" (2439 mm) wide.

As a principal Canadian supplier of rail and track products since the turn of the century, Algoma has recently completed a \$40 million modernization to its Rail Mill. The facilities produce rails up to 82' (25 metres) in length and are equipped with finishing units such as roller straightening, end finishers, and modern ultrasonic and magnetic particle inspection.

A long time producer of seamless tubular products for the North American Oilfields, Algoma has recently completed a \$375,000,000 addition and updating of its seamless tubular mill at Sault Ste. Marie. This new facility came on stream in 1987 and will expand Algoma's range of tubulars to include a full range of casing, line pipe, mechanical tubing and drill pipe.

The Algoma

Steel Corporation,

Limited

395 Queen Street West

Sault Ste. Marie,

Ontario, CANADA

P6A 5P2

Sales Office:

4 Robert Speck Parkway

Mississauga, Ontario

L4Z 1S1

Contact:

G.B. Hudson

Vice-President — Commercial


Telephone:

(416) 276-1400

(Sales Office)

Telex: 06-965531

Facsimile: (416) 276-1452





Continuous casting improves efficiency and quality of steel products. These blooms will become rails, structural sections or tubes.

Algoma's Steel plant at Sault Ste. Marie, Ontario is located on the St. Lawrence Seaway with direct access to North America by road and rail.

Atlas Specialty Steels

tlas Specialty Steels Division, Rio Algom Limited, is Canada's leading producer of Tool Steels including "cold work", "hot work" and "plastic mold" types and other special purpose grades; also of Stainless Steels in 300 and 400 series including precipitation hardening types; of Valve Steels; of Titanium; of Rock Drill Steels in hollow & solid forms; and of Alloy Steels & Special Quality Carbon Steels in all AISI/SAE grades including micro alloy types. Its head office and steelmaking operations are strategically located in the Niagara Peninsula close to major industrial centres in both Canada and the United States.

The wide range of specialty steels produced in the Welland facility are made in all standard bar product forms: round, square, flat, octagon, hexagon and special shapes. These products, in sizes up to 9" (228 mm) diameter, are supplied hot rolled, annealed, heat treated, rough turned, smooth turned, cold drawn or centreless ground and polished, directly to major industries (automotive, construction, mining and agricultural) as well as through a network of metal service centres to

general metal fabricators. In addition, Atlas also supplies the forging industry and other steel processors with their primary requirements for top poured and bottom poured ingots as well as billets and blooms.

Atlas celebrated its 50th anniversary in 1978 with full scale operation of a new melt shop. This facility today combines rapid electric arc melting of carefully selected steel scrap in 60-ton furnaces with a choice of three closely controlled, postmelt down refining treatments; vacuum arc degassing, vacuum oxygen decarburization and argon refining. In combination, these systems provide precision alloying, arc reheating, inert gas stirring, low sulphur control, calcium treatment/inclusion modification, cored wire injection plus full vacuum degassing. Atlas employs a fourth advanced refining process, vacuum arc remelting, to meet stringent specifications for ultra clean steels with special mechanical properties.

In 1954, Atlas was the first steel producer in North America to continuously cast steel on a successful commercial basis. Continuous casting by-passes the conventional ingot route and transforms molten steel into solid sections in minutes. In 1965, Atlas engineers were again first with curved mold continuous slab casting and in 1988 the company began operation of its state-of-the-art, 3-strand billet and bloom caster in the Welland melt shop.

Following melting and casting, ingots are reheated and hot rolled (or press forged) into large bars, blooms and billets. After conditioning, billets are hot rolled into bar products on either a volume production mill or a custom mill. Products are shipped hot rolled or receive further cold finishing in a modern 150 000 sq. ft. facility.

The Atlas Welland plant has a production capacity of 285 000 tons and employs 1 600 people. Quality is emphasized throughout their operations and includes use of statistical process control as well as a permanent commitment to the training of all employees in modern quality assurance procedures and verification of quality performance at each stage of production.

Atlas Specialty

Steels

Division of

Rio Algom Ltd.

P.O. Box 1000

Welland,

Ontario, CANADA

L3B 5R7

Contact:

J. Thompson


V.P. Sales and Marketing

Telephone:

(416) 735-5661

Telex: 061-5114

Facsimile: (416) 735-7282





The post melt-down refining station in Atlas' melt shop where vacuum arc degassing, vacuum oxygen decarburization and argon refining of 60-ton heats of stainless, tool and alloy steel takes place. Atlas also employs vacuum arc remelting to produce ultra clean steels with special mechanical properties.

An aerial view of the mile-long Atlas Specialty Steel mill in Welland with its modern melt shop in the right foreground and the new 150 000 sq. ft. bar finishing facility in the left foreground.

Atlas Stainless Steels

tlas Stainless Steels Division, which is part of Rio Algom Ltd., produces stainless steel flat rolled products. Located on the St. Lawrence Seaway a short distance from Montreal, Atlas Stainless is a fully integrated producer of cold rolled sheet and strip. Stainless steel plate in coil form and semi-finished products such as slab and hot band are also produced and offered for sale.

Selected steel scrap and alloying elements are melted in a sixty-ton electric arc furnace, transferred to a vessel and subjected to a carefully controlled refining process which allows precise control of chemical analysis and purity. Following this, the molten metal is transformed directly to slab using a

52" (1321 mm) wide curved mold continuous casting machine. After slab conditioning, the Atlas hot mill design allows the direct production of stainless slab into coiled hot band in a single rolling pass. Modern Szendimir cold rolling mills equipped with the latest in process control technology round out a complete system allowing precise attention to thickness tolerance with maximum productivity. Rigorous quality control, including statistical process control, allows Atlas Stainless to meet the highest automotive quality standards established for steel plants.

While 300 series sheet and strip continue to account for the major part of Tracy production, 400 series such as T-409, T-410 and T-430 has provided much incremental growth in the past several years. Atlas Stainless has had particular success in developing product variations to meet the demands of specific applications.

With present capacity to produce 80 000 metric tonnes of continuous slab per year, Atlas Stainless will actively pursue both export and Canadian business opportunities. With total employment of less than 550 individuals, Atlas Stainless cannot be regarded as large. However, they have modern facilities, a manufacturing and quality control work force that can respond to individual customer demands and a tradition of supplying high quality specialty steels throughout the world for more than fifty years.

Atlas Stainless

Steels

Division of

Rio Algom Ltd.

1675 Marie-Victorin Road

Tracy,

(Québec) CANADA

J3R 4R4

Contact:

W.I. Pollock

Vice-President


and General Manager

Telephone:

(514) 746-5000

Telex: 055-60825

Facsimile: (514) 746-5323





The composition of the molten stainless steel is quickly provided by this advanced X-Ray Spectrometer at Atlas Stainless Steels.

One of the plant's two cold rolling mills. Operation is guided by an advanced computerized control system that enables the most rigid specification to be consistently met.

Casteel Inc.

asteel, Canada's largest manufacturer of steel sheet piling, is located close to Montreal in Longueuil, Quebec. This privately owned mill is the most modern facility of its kind in the world with an annual rolling capacity of 100 000 tons (90 000 metric tonnes).

Casteel piling is produced in three basic classifications of interlocking sections: Z-shapes, arch (U-shapes and Lightweight L & S shapes). Within each of these classifications, there is the capability of rolling various section profiles with different depths, thicknesses and weight characteristics.

Casteel piling, in particular the Z-shapes, offer the greatest driving widths of any standard section on the market. As a result the user has to handle, place and drive fewer piles for a given length of wall, with significant savings in crew and equipment time. These shapes provide high strength-to-weight ratios. When section modulus and especially bending moment are critical, the user may realize significant savings by reducing the number of tons required.

The design of the Casteel interlock offers high dimensional accuracy, resulting in an excellent and positive interlocking of the pile. Uniformity throughout the interlock ensures consistent threading and running, another potentially significant time-saver.

The Casteel sections have received worldwide acceptance, as evidenced by successful installations in many countries around the world with export shipments representing 50 percent of the Company's total sales.

Casteel Inc.

P.O. Box 555.

Station A

Longueuil,

(Québec) CANADA

J4H 3Z9

Contact:

Mr. F. Blair Shallow,

President

Telephone:

(514) 651-6260

Facsimile: (514) 651-3400



Hotrolled steel, 12.5 mm thick and 1200 mm wide (approx. 0.5", 48"), being formed into Z-shape sheet piling on Casteel's 14-stand mill

Dofasco Inc.

ofasco Inc., founded in 1912, is Canada's second-largest steel producer. Dofasco's completely integrated steel mill employs over 11 500 people and covers 793 acres (320.9 hectares) in the industrial heart of Hamilton at the western end of Lake Ontario.

Dofasco was the first Canadian producer of tin plate (1935), continuously galvanized sheet and strip (1955), 60-inch (1524 mm) wide hot and cold rolled sheet, and high grade electrical steel. Capacity at the end of 1988 was 4 500 000 tons (4 050 000 metric tonnes) of raw steel, entirely produced by the L-D oxygen steelmaking process which Dofasco introduced to North America in 1954.

The introduction of oxygen steelmaking is indicative of Dofasco's long-term commitment to the use of the latest technology available — a commitment that has allowed Dofasco to meet the ever more stringent quality requirements demanded by today's customers.

As a measure of Dofasco's commitment, more than \$1.5 billion has been invested in technology from 1970 through to the early 1980s. Recently, \$750 million has been spent to introduce continuous slab

casting at Dofasco with an additional investment of over \$1 billion expected into the 1990s for expansion and upgrading. Ladle metallurgy is included in the cast slab programme along with modifications to No. 2 Steelmaking Shop and No. 2 Hot Strip Mill to take advantage of the increased capacity and improved quality which the caster provides.

Sophisticated quality monitoring systems and programmes are being adapted and developed throughout the company to make the most of technology and experienced steelmakers' skills.

The plant has four blast furnaces with an annual capacity of three million tons (2 721 000 metric tonnes) and four L-D oxygen steelmaking furnaces with a 4.5 million tons (4 080 000 metric tonnes) yearly capacity.

Major finishing facilities include a 66-inch (1676 mm) hot strip mill with an 88-inch (2235 mm) two-high slabbing mill, 66-inch (1676 mm) two-high roughing mill, seven-stand continuous hot strip mill; a 68-inch (1727 mm) continuous hot strip mill with reversing roughing mill and seven finishing stands; six cold reduction reversing mills, two-five stand continuous cold rolling mills, three temper mills, three galvanizing lines, one Galvalume line, two tinning lines and two silicon electrical steel lines.

The company produces a full range of flat rolled carbon steel products and carbon, alloy and stainless steel castings. Flat rolled steel products include hot rolled sheet and strip, hot rolled skelp, steel plate, checker (floor) plate, cold rolled sheet and strip, cold rolled skelp, electrical (silicon) steel, vitreous enameling sheets, tin mill black plate. Coated steels include Premier (regular) galvanized, Satincoat (galvanneal), galvanized Minimized Spangle, Galvalume steel, electrolytic tin plate (single and double reduced), tin free steel (chromium coated, single and double reduced) and precoat steel (prepainted galvanized, cold rolled or tin plate).

The steel foundry is capable of producing castings up to 25 000 lbs., (11 300 kg) and has complete non-destructive and radiographic testing equipment.

Dofasco products are sold throughout Canada and exported to many countries around the world. The Titan Industrial Corporation, 777 Third Avenue, New York City, NY 10017, is the company's world-wide agent.

Dofasco Inc.

P.O. Box 2460

Hamilton,

Ontario, CANADA

L8N 3J5

Contact:

Mr. Robert C. Varah,

Director

Commercial Development

Telephone:

(416) 544-3761

Telex: 061-8682

Facsimile: (416) 545-3236





An SPC computer at the rolling mill describes how accurately the process is under control. Operators can use the information to make immediate adjustments if necessary.

Charging the BOF with molten iron at Dofasco's No. 2 steelmaking shop.

Harris Steel Group Inc.

arris Steel Group Inc., through its independent operating divisions and subsidiaries, is a major manufacturer, fabricator, supplier and subcontractor of construction steel, grating, rebar, mesh and related products especially suited for heavy industrial and large commercial projects throughout the world. In addition, it is a significant manufacturer of low carbon wire and cold finished bars. The company has approximately 1 100 employees and serves all of Canada and the northeastern and central United States.

Courtice Steel

Courtice Steel operates a mini steel mill. Billets are produced from scrap steel using an electric arc furnace and automated continuous casting of molten steel directly into four-inch (102 mm) square billets. The billets are rolled in a sixteen stand, in-line, rolling mill. Finished products are angles, flats, channels, rounds, squares, reinforcing steel and special sections.

Located in Cambridge, Ontario, Courtice is strategically situated near abundant sources of scrap steel and hydro electric power. Annual capacity is 300 000 tons at maturity.

Courtice has successfully followed a strategy of developing a market for small merchant bars, angles and channels in a variety of sizes which other mills find uneconomical to produce. The company continues to expand its range of steel qualities and shapes.

Laurel Steel Products

Laurel Steel Products, with plants in Burlington, Ontario, and New Hudson, Michigan, manufactures wire, wire products and cold finished bars in both round and hexagonal shapes which are sold to a wide range of customers including automotive and appliance manufacturers, defence contractors and steel distributors. Laurel also makes welded mesh and other wire products used by the construction industry for the reinforcing of concrete.

In 1985, Laurel embarked upon a major program to widen product lines, expand size ranges and develop even higher quality standards. Welding capacity was upgraded to provide heavier welded mesh for the construction, precast and concrete pipe industries. Drawing equipment was installed to produce cold finished bars in various shapes up to three inches in diameter and modifications were made to steel cleaning facilities to enable increased quantities of raw material to be processed. Laurel continues to enlarge its market because of its ability to shorten delivery times, and thereby allow its customers to reduce their inventory investment, as well as pay particular attention to quality control and tests for performance of the finished product.

Harris Steel

Group Inc.

P.O. Box 67

20 Queen Street West,

Suite 2210

Toronto,

Ontario, CANADA

M5H 3R3

Contact:

Milton E. Harris

Chairman and C.E.O.

Telephone:

(416) 585-9425

Telex: 06-217789

Facsimile: (416) 585-9431





Cold finished bar produced by Laurel Steel Products and some of the components produced by its clients.

Four inch [100 mm] square steel billet is automatically cut to length as it leaves the continuous caster at Courtice Steel.

IPSCO Inc.

PSCO Inc. which is Canada's largest, western-based steel company, manufactures a diverse range of steel products including coil, sheet, plate, hollow structural sections, oil country tubular goods, standard pipe, large diameter pipe and line pipe for markets throughout North America.

Milestones in the company's history have been the development of exceptionally fine-grained steels and a line of special products, such as IPSCO Arctic Grade steel and high frequency welded line pipe for sour gas applications. Also, IPSCO produced North America's first large diameter, spiral welded pipe to American Petroleum Institute specifications. Further product development has been made in the transportation industry and the automobile and farm implement manufacturing sectors. These applications include low carbon hot rolled steel for automotive wheels: high strength low alloy steel for cement mixers and road tankers; and a special grade of hollow structural sections for roll-over protection structures in offroad vehicles.

IPSCO's electric arc furnace steelmaking and its secondary steelmaking processes produce microclean steels having more uniform and reproducible mechanical properties and controlled inclusion morphology. The steelmaking processes coupled with controlled temperatures during rolling produce a steel with optimum toughness, increased ductility, and better shear strength.

Of special note in the finishing department, is the company's new high speed slitting facility, consisting of a slitter and coil build-up line commissioned in 1985 and with an annual capacity of 430 000 tonnes.

The North Vancouver facility has an annual capacity of 100 000 tonnes and can convert half-inch (12 mm) thick coils into 96" (2440 mm) wide cut-to-length sheet and plate.

IPSCO's Oil Country Tubular Goods
Centre, is located at Calgary and was
completed in 1983. It produces oil and
gas well casing in diameters from four
and a half inch to ten and three
quarter inch (114 to 273 mm) and has
an annual capacity of 140 000 tonnes.
Their state-of-the-art, gas-fired heat
treatment furnace can produce the

higher grades of casing used for deeper wells and enhanced oil recovery programs. This heat treatment facility coupled with the high speed ERW welding line and advanced non-destructive testing result in a casing product of extreme cleanliness, minimum wall thickness variation, and high collapse strength.

The recent expansion of IPSCO's steelmaking facilities included the installation of an 84-inch (2133 mm) wide continuous caster and a slab reheat furnace. These became operational in 1987 and improved production yields, quality, and costs.

IPSCO operates a quality assurance system based on three fundamental principles:

- consistency of operation through the use of standardized steelmaking and rolling practices;
- independent verification of compliance with specifications through the Canadian Standards Association's Quality Assurance system (CSA Z299.3); and
- statistical process control from raw material to end product.

IPSCO Inc.

P.O. Box 1670

Regina,

Saskatchewan, CANADA

S4P 3C7

Contact:

John R. Tulloch


V.P. & G.M., ERW Sales

Telephone:

(306) 949-3530

Telex: 071-2269

Facsimile: (306) 949-3500





Tapping the furnace at the Regina Steelworks

•

Inspection of the weld at the Calgary Oil Country Tubular Goods Center

lvaco Inc.

Since its incorporation as a public company in 1969, Ivaco has quickly grown to be one of North America's twelve largest steel producers with an annual steelmaking and rolling capacity of two million tons. Its range of primary steel products includes billets, bars, shapes, strips and wire rod. The company employs 12 000 people at 73 plants of which 44 are in Canada, 28 in the U.S. and one in Australia.

The past 17 years have seen the company's sales grow from \$11 million in 1969 to \$2.17 billion in 1987. From 1980 to 1987, Net Additions to Fixed Assets have amounted to over \$438 million which have been directed to extending the quality and metallurgical range of its products as much as to achieving cost efficiencies.

Ivaco is a major producer of wire and wire products including fasteners, ropes, chain and fencing and its plants provide market coverage throughout Canada and to the U.S. eastern seaboard and mid-west. Ivaco is believed to be the largest producer in the world of nails and other standard fasteners and the largest producer in North America of certain other wire related products including rods, welded wire fabric, oil tempered spring wire and pre-stressed strand. The corporation is also heavily engaged in the fabrication and erection of structural steel.

Bolts, nuts and other fastener products are produced at four locations in Canada to serve the automotive, machinery, construction and consumer goods markets in Canada and abroad.

In such a competitive market, it is noteworthy that two of Ivaco's fastener plants have been honoured by some of their leading customers in recognition of their excellent record of high quality and reliability. The Marieville plant has received the General Motors Corporation Spear No. 1 Award and a similar distinction from Caterpillar. The Ingersoll plant was also honoured by

a major automobile manufacturer and consequently raised its suppliers rating, providing the status of a privileged supplier.

Ivaco has recently expanded and upgraded one of its rolling mills to convert high quality steel billets into special quality hot-rolled wire rods and thus create potential to penetrate markets which previously have not been available to it.

In addition to its steel-based products, lvaco and its subsidiaries provide a wide range of other products and services including:

- pipe in plastic, concrete and cast iron;
- machinery for specialized purposes, including railway track maintenance;
- copper and copper alloy products including tube;
- precision machining of industrial components;
- · clothing for paper making machines.

lvaco Inc.

Place Mercantile

770 Sherbrooke

Street West

Montreal,

Quebec, CANADA

H3A 1G1

Contact:

John G. Metrakos,

Director

Marketing of Raw Materials

and Materials Mgt.


Telephone:

(514) 288-4545

Telex: 055-60305


Facsimile: (514) 284-9414 and

(514) 284-9429



The four strand billet caster at L'Orignal, Ontario

Cold headed fasteners produced at the Ingersoll, Ontario plant



Lake Ontario Steel Company

ake Ontario Steel Company,
known as LASCO, is one of the
most modern and efficient continuous
cast steelmaking facilities in the world.
It is the pioneer member of the Canadian based Co-Steel Inc. Since its
inception in 1964, LASCO has maintained a philosophy that it will implement the newest proven technology to
remain cost competitive and lead the
industry in productivity and product
quality. This strategy has singled out
LASCO as a "high-tech" competitor in
a traditionally mature industry.

During the last two decades of facility upgrading and constant innovation, LASCO has evolved from a 109,000 tonne per year mini-mill to what can better be described as a market mill with annual steelmaking capacity of over 900,000 tonnes. In spite of this growth, LASCO has remained a small company in its management style and stresses employee participation and analytical tools such as Statistical Process Control to maximize not only product quality but quality of work-life as well.

Originally a producer of reinforcing bar and light structural sections, the thrust for improving quality has permitted a larger product offering. Now, LASCO produces carbon, alloy, micro-alloyed chemistries; merchant and special quality levels; in rounds, flats, bar size and structural angles and channels, rebar, as well as special sections such as grader blade. Recent facility changes and new product developments have been successful in expanding LASCO's role in supplying special quality bar to customers in the cold drawing and forging industries.

Located on a 365-acre (148 hectares) lakefront site in Whitby, just east of Toronto, the LASCO facility has easy access to major markets around the Great Lakes by water, rail or truck. The plant has two modern melt shops which recycle metal, purify and continuously strand-cast billets used for subsequent rolling. Melt Shop No. 1 contains a 53-ton (48 tonnes) ultra-high powered electric arc furnace and a new state-ofthe-art ladle arc refining furnace. This combination was implemented to provide precision cleanliness, chemistry and temperature controls needed in producing superior quality steel for our most demanding customers. Melt Shop No. 2 contains one 130-ton (118 tonnes) ultra-high powered electric arc furnace

used to produce most of the high volume structural products. This facility was commissioned in 1981 using innovations such as a twin-arm ladle turret to permit sequence casting which improves productivity and product uniformity.

The Rolling Mills transform "high-tech" steel from concast billets into the numerous shapes sold in the market-place. Modern computer-aided design and manufacture of mill rolls combined with sophisticated process controls have made superior product tolerances a standard practice. The 17-stand continuous bar mill produces smaller bars and shapes. The 10-stand structural mill rolls larger sections.

Recent additions to storage and shipping areas have been made to keep up with today's changing needs. Streamlined computer-assisted operations are helping customer efforts to implement "just-in-time" inventories.

Throughout the operation, statistics are used through Operator Process Control to monitor and maximize performance.

Lake Ontario

Steel Company

Division of

Co-Steel Inc.

Hopkins Street South

Whitby,

Ontario, CANADA

LIN 5TI

Contact:

Mr. Rimas J. Gudelis

Marketing Manager

Telephone:

(416) 668-8811

Telex: 06-981265

Facsimile: (416) 668-6469

Cable Address: LASCSO





For their size, LASCO's furnaces are among the highest powered and, therefore, most productive in the world.

This state-of-the-art, twin-arm ladle turret permits sequence casting for productivity and consistent quality

Manitoba Rolling Mills

he widest product range in North America produced from continuously cast billets in a high technology state-of-the-art rolling mill and melt shop, supported by technical and engineering specialists, aptly describes Manitoba Rolling Mills.

More than 80 years of experience in making steel in Selkirk, just north of Winnipeg has made the company well known as a dependable producer of high quality products.

M.R.M. has an annual production capacity of 300 000 tons (272 000 tonnes). The main production facilities include a melting and casting shop having two, 50-ton (45 tonnes) capacity, high productivity, electric arc furnaces and two, twin strand, continuous casting machines, controlled by process computers.

The development of sophisticated ladle metallurgy techniques, micro-alloying, a computerized production and process control system and mechanized billet conditioning all provide for high quality continuous cast steel including alloy and Boron Grades.

The fully automated high speed continuous in-line rolling mill is fitted with universal stands capable of producing to extremely tight tolerances. The mills produce a full range of angles, flats, rounds, squares and channels. In addition, light beam sections and a wide variety of special sections have become a very important part of the product range. M.R.M.'s products are marketed through sales offices in Selkirk, Toronto and Calgary. M.R.M. also has a representative located in Milwaukee.

M.R.M.'s continuing development has included the installation of Universal stands for the production of light weight and standard beams, rail and the capacity to produce heavier special sections. Emphasis is placed on Statistical Process Control, computerized order and scheduling systems to service today's market in quality products.

M.R.M. welcomes inquiries from North America and beyond.

Manitoba Rolling Mills

P.O. Box 2500

Selkirk,

Manitoba, CANADA

RIA 2B4

Contact:

Mr. H. Bruce Irvine

Marketing & Sales Manager

Telephone:

(204) 284-5615

Telex: 07-57506

Facsimile: (204) 785-9011





The operators pulpit in the continuous

The Ladle Treatment Station

QIT-Fer et Titane Inc.

IT-Fer et Titane Inc. was formed in 1948 to mine and smelt ilmenite ore. Originally a joint venture between Kennecott Corporation and Gulf and Western Ind., QIT is today a wholly owned subsidiary of B.P. America, Cleveland.

The ore comes from the world's largest known rock ilmenite deposit. Over three million tons of ore is transported annually from the mine near Havre St. Pierre, Quebec to Sorel, near Montreal. Here it is beneficiated, roasted, mixed with anthracite coal and charged into one of nine electric smelting furnaces.

The smelting technique was developed by QIT and is unique. The two products of the smelting operation, slag and iron, serve different markets. The slag production of nearly one million tons annually is marketed under the registered trade name SORELSLAG and contains 75 to 85 percent of titanium dioxide. QIT is the world's largest supplier of titanium units, mainly to the pigment industry.

The iron portion is of unusually high quality with very low sulphur, phosphorus, manganese and silicon contents. A portion of the iron is pigged and sold under the trade name SORELMETAL to iron foundries throughout the world. Its high purity or absence of significant quantities of tramp elements, makes SORELMETAL the ideal charge material for the production of spheroidal or ductile cast iron. QIT is the world's largest producer of high purity iron.

In 1986, QIT completed a state-ofthe-art steel plant to produce 360 000 tonnes of high quality steel billets. Starting with the high purity iron from its smelter, the steel plant utilizes KOBM ladle metallurgy producing billets for the most critical applications in the wire and bar industries. The QIT plant has its own port facilities, handling over four million tonnes of raw materials and export products.

Nearly 90 percent of QIT's production is exported to more than 1 200 customers in over 47 countries.

To complement its production and marketing facilities, QIT maintains an extensive research facility in Sorel. Staffed with over 100 professional, technical and engineering personnel, QIT conducts basic and applied research in pertinent scientific areas.

QIT-Fer et

Titane Inc.

770 Sherbrooke

Street West

Suite 1800

Montreal,

Quebec, CANADA

H3A 1G1

Contact:

J-M Lapointe

Manager

Sorelmetal Marketing

Telephone:

(514) 288-8400

Telex: 05-268575

Facsimile: (514) 286-9336





The company's laboratory and research facilities are located on the site to provide necessary services.

The ore is transported by vessel from Havre St. Pierre to Sorel, 80 km downstream from Montreal on the south shore of the St. Lawrence River.

Sidbec-Dosco Inc.

n 1968, Sidbec purchased Dominion Steel and Coal Corporation Limited, creating a subsidiary: Sidbec-Dosco Inc.

Today, Sidbec-Dosco operates four plants, including three in the province of Quebec, at Contrecoeur, Montreal and Longueuil, and one in the province of Ontario, at Etobicoke near Toronto. The company has a total steelmaking capacity of 1.3 million tonnes, producing billets at its Montreal mill and billets and slabs at Contrecoeur.

In order to meet the increasingly demanding requirements of its customers, the company has constantly sought to improve its steelmaking and rolling techniques. At the Contrecoeur mill, this has involved the installation of two eccentric bottom tapping furnaces and a ladle furnace. One of the added benefits of the ladle furnace has been the ability of the company to manufacture new grades of steel.

To ensure supply of the consistently high quality products sought by today's steel consumers, Sidbec-Dosco has established a program of quality management with increased emphasis on the prevention of defects during production. Such a program necessitates that all line operators are closely involved in quality. The program comprises several elements including quality

assurance, the use of statistical process controls and quality awareness. Through the expertise of its employees and its use of modern equipment, Sidbec-Dosco is able to offer products of the highest quality.

Sidbec-Dosco invites inquiries from steel consumers abroad concerning their steel requirements and emphasizes that it has favourable access to ocean shipping lines through its plants located on the St. Lawrence Seaway.

Sidbec-Dosco Inc.

300 Léo-Pariseau Street

Montreal,

Quebec, CANADA

H2W 2S7

Contact:

Mr. J.P. Picard

Vice-President,


Marketing and Sales

Telephone:

(514) 286-8600

Telex: 05-24515

Facsimile: (514) 286-8649





Cold rolling at the Contrecoeur plant

1

Tapping of one of the eccentric bottom tapping furnaces at Contrecoeur

Slater Steels — Hamilton Specialty Bar

Situated at Hamilton, Ontario in the heartland of Canada's industrial area this plant is well placed geographically to serve world markets. Major facilities for boat, rail or truck shipment are all readily available nearby.

Annual production capability is 300 000 tonnes. Melting is via electric furnace with secondary refining in a ladle arc unit. Billets are strand cast through one of two triple strand curved mold casters. Following reheating, rolled product is produced on a semi continuous, high speed, multi stand rolling mill. Additional processing capability includes heat treating, sawing, shearing and machine straightening. Two grinding ball mills for the production of forged steel balls are also available.

Formerly known as Burlington Steel and in existence since 1911, these operations currently employ 700 people. Quality at Hamilton Specialty Bar Division starts with its people and their commitment. Statistical process control techniques, laser measuring devices and in-line rolling mill non-destructive testing equipment are all combined with modern laboratory gauging and testing equipment in a computerized environment to ensure product conformity with customer requirements.

In steelmaking, the ladle arc refining unit permits the separation of melting from the more complex refining process. Coupled with sophisticated shrouding techniques during casting the result is consistently cleaner billets with improved internal quality and exacting chemistry control.

Following reheating and guided by computer controlled temperature gauging to maintain specified size tolerances the billets are rolled to a wide array of available product sizes and complex shapes. This mill's capabilities in the field of custom designed special sections rolled to demanding chemical and physical specifications are well known in many parts of the world.

They are also a major producer of spring steel flats currently serving customers in both North America and Mexico. Round bars for varied end uses from bright bar drawing to forging and in grades ranging from plain carbon, resulphurized, or microalloy through to full alloy are also manufactured for customers in the automotive, construction, mining and agricultural industries.

At Hamilton Specialty Bar Division, a continuous improvement in quality of product is the goal. In support of this, extensive capital investments have been made and additional funds are already committed. These technological improvements have been united with education in their use for the workforce to provide the best possible quality in products for their customers.

Slater Steels

Hamilton Specialty Bar

A Division of

Slater Industries Inc.

319 Sherman Avenue North

P.O. Box 2943

Hamilton,

Ontario, CANADA

L8N 3P9

Contact:

Mr. Brian Naber,

Vice-President


Commercial

Telephone:

(416) 549-4774

Telex: 061-8480

Facsimile: (416) 549-3785





The ladle arc refining unit at Hamilton provides the technology for the exacting quality steels that meet today's customer requirements.

Samples of products including billets, rounds, flats, grinding balls and some examples of Slater's special section capability.

Slater Steels — Sorel Forge

Slater Steels — Sorel Forge Division is a major producer of forged tool and die steels and is one of the largest fully integrated open die custom forging operations in Canada. The plant is located in Sorel, Quebec, about 50 miles east of Montreal.

At the plant, a full range of carbon, alloy and stainless steel grades are melted in electric furnaces equipped with degassing facilities. The furnaces feed two open die forging presses with capacities of 2 000 tons and 5 000 tons (1 800 and 4 500 tonnes). Complete heat treating, quenching and rough machining services are available and the machine shop houses modern and efficient lathes, milling and trepanning machines.

Open die forgings are supplied rough machined to a maximum individual weight of 50 000 pounds (22 700 kg) in all AISI and SAE carbon, alloy and stainless grades or their equivalents. Slater's range of custom forgings covers discs up to 90 inches (229 cm) in diameter, rounds (solid, hollow, shaped and plain) up to 52 inches (132 cm) in diameter and flat or square bars with a maximum cross-section of 2 000 square inches (12 900 cm²).

High quality custom forgings are produced to exact customer specifications and have found applications in many industries including steel, shipbuilding, nuclear, machinery building, mining and electrical.

The Sorel Forge Division of Slater Industries Inc. has carved a name for itself in the forged tool and die steel industry with the introduction of its densifying process. This forging method ensures a homogeneous structure

throughout the die block and has created a greater demand for the company's tool and die steel products both in North America and Europe. The company backs its high standards with a guarantee on its CSM-2 (AISI P-20) plastic mold steel — if these blocks are found metallurgically defective, the tool makers are compensated for both material and labour involved in sinking the cavity. Production is rigorously controlled from the time of melting to the final inspection assuring constant high quality. Slater's size range of forged tool and die steels varies from a minimum five inches (12.7 cm) in diameter for rounds and squares and a thickness of four inches (10.16 cm) for flat bars to a maximum weight of 50 000 pounds (22 700 kg) per block.

The company welcomes export inquiries for its custom forgings and tool die steels.

Slater Steels -

Sorel Forge

A Division of

Slater Industries Inc.

P.O. Box 520

201 Montcalm Street

Sorel,

Quebec, CANADA

J3P 5P2

Contact:

Michel Cardin

General Manager

Sales and Marketing

Telephone:

(514) 746-4100

Telex: 052-68603

Facsimile: (514) 746-4092



The 5 000-ton (4 500 tonne) forging press at Sorel

Stelco Inc.

Stelco Inc., Canada's leading steel producer, came into existence in 1910 when Canadian financier, Max Aitken, who went on to become Lord Beaverbrook, eminent British newspaper publisher and politician, brought five steel manufacturers together to form The Steel Company of Canada, Limited. In its first year of operation, the newly-formed company produced 85 000 tonnes of steel; current annual production is in the order of 4.5 million tonnes.

Stelco currently employs about 16 000 people. With its head office in Toronto and general offices in Hamilton, the company has two distinct spheres of operation — a core business comprising Hilton Works in Hamilton, Lake Erie Works at Nanticoke and two minimill complexes in Edmonton, Alberta and Contrecoeur, Quebec which manufacture and roll basic steel products and four separate, entrepreneurially-oriented strategic business units - The Stelco Wire Products Company; The Stelco Fastener and Forging Company, The Stelco Pipe and Tube Company and the Canadian Drawn Steel Company which make and sell finished products for specific markets. The Company also has marketing subsidiaries in the United States,

Switzerland, Argentina and Venezuela, owns outright or has ownership interests in mining properties in the United States and Canada and is involved in a number of joint ventures, the most recent of which is a facility in British Columbia for the production of grinding media for the mining industry. Stelco has had an historic commitment toward continually modernizing and upgrading its manufacturing facilities. In this vein, it has recently completed a major renovation of its Hilton Works basic steel plant in Hamilton involving the installation of two continuous casters, the complete rebuilding of one of its bar mills and modifications to other production facilities.

The Company has also always been noted for its technological leadership. In addition to operating its own research and development centre in Burlington, it maintains very close links with the academic research community and it is the only Canadian steelmaker to have endowed chairs of metallurgy at Canadian universities, one at McMaster University in Hamilton and the other at the University of British Columbia. This relationship is based upon a conviction that a closer integration of the pure research, conceptual and pilot plant skills inherent in the world of academia with the welldemonstrated capacity of corporate researchers to convert these elements

into mature manufacturing and processing technologies can bring very real benefits to both parties involved. One of the most recent examples of Stelcodeveloped technology is the Coilbox, a device that has significantly reduced both the capital and the operating costs of hot strip mills as well as enhancing product quality. This and other Stelco technology is being marketed throughout the world.

Harnessing the power of its human resources is an important component of Stelco's forward planning and particular stress is laid on employee training. A considerable percentage of the Company's workforce has already become proficient in the technique of statistical process control which basically involves monitoring and correcting quality problems at the processing rather than at the inspection stage of the manufacturing sequence. In addition, every manager and supervisor is required to take both initial and refresher courses in inter-action management which, in essence, is the practice of effective human relationships.

Stelco Inc.

Stelco Tower

Hamilton,

Ontario, CANADA

L8N 3T1

Contact:

W.A. Hopkins

V.P. Stelco Steel

Telephone:

(416) 528-2511

Telex: 061-8621/8626

Facsimile: (416) 528-2511 ext. 4994



One of the most recent examples Stelco-developed technology is the Coilbox.

Sydney Steel Corporation

ydney Steel Corporation (Sysco) has been supplying major Canadian railroads and markets throughout the world with quality rail products for more than eighty years.

Sydney Steel operates an integrated steelworks situated on a 260-hectare site at tidewater in Sydney, Nova Scotia, on Canada's Atlantic Coast. With excellent harbour and docking facilities, Sydney is ideally situated to serve world markets and the rail lines of the Canadian National Railway provide access to rail transport throughout the North American Continent. Raw steelmaking capacity is 910 000 tonnes per year.

Primary facilities include iron and steelmaking furnaces, an oxygen plant, vacuum degassing unit, continuous slab/bloom caster, rolling mills, rail finishing facilities and auxiliary shops. Employment totals 1 200. Railroad rails are Sydney's most important product and have been its principal export since 1905. Other products include cast slabs and blooms, rolled blooms, forging and slab ingots, tie plates and mine arch bars.

Sydney has maintained a position of leadership in the rail industry from the outset and has been responsible for many industrial innovations. The controlled cooling process for eliminating shatter cracks in rails was developed at Sydney. Sydney was the first mill in North America to produce rail from vacuum-degassed steel; to manufacture 25-metre rails on a production basis; and to use a roller straightener to process all rails produced.

Sydney rails and tie plates are supplied to railroads around the world and have a proven record over a complete range of operating, climatic and geographic conditions. Sydney manufactures rails to all major national and international specifications, including A.R.E.A., A.S.T.M., B.S.S., C.N.R., C.P.R., I.S.O. and U.I.C.

Sydney rails are produced in carbon, intermediate and premium alloy grades under an exacting clean steel practice.

A capital improvement program, designed to ensure Sydney's capability as a viable, self-sufficient and internationally competitive entity is underway. Costing approximately \$200 million, the plan includes the installation of an electric arc furnace, ladle refining furnace, bloom casting facilities, a universal rail mill and improvements to service and administrative areas. The program is projected for completion during 1989.

Sydney Steel

Corporation

P.O. Box 1450

Sydney,

Nova Scotia, CANADA

B1P 6K5

Contact:

Dr. John Strasser

Vice-President,

Marketing

Telephone:

(902) 564-5471

Telex: 019-35197

Facsimile: (902) 539-6009





Rails being loaded for export.

 Each rail is checked to ensure conformity to specification. Ultrasonic

testing ensures internal soundness.

Union Drawn Steel Co. Ltd.

ounded in 1905, Union Drawn Steel Company, Limited is Canada's largest producer of cold finished carbon and alloy steel bars.

The present plant was opened in 1942 with major expansions to buildings and equipment in 1967-68 and 1980-81. Capacity is rated at 70 000 tonnes annually. This facility is well located with in-plant truck and railcar loading and easy access to the Hamilton docks for water shipments.

Cold drawn bars are produced on three bar drawbench lines, a continuous coil drawing unit and a coil block. A centerless turning unit, six centerless grinders, a bar annealing furnace, and five mechanical descaling units together with supporting systems for straightening, cutting, and quality control, round out this flexible and efficient facility.

Many of the production units are fully automated to provide large volume, high quality cold finished bar products at low cost for the automotive industry. Other manufacturing units produce high quality short run products for machinery and hydraulic cylinder manufacturers.

A full range of carbon steel, cold drawn rounds, hexagons, squares and flats as well as turned and polished rounds and precision ground shafting are processed from purchased wire rod and hot rolled bars. Free machining, high strength and commercial alloy steels are regularly produced. Future plans include processing of stainless and specialty alloy cold finished bars.

Because of the critical end use of many parts produced from cold finished bars, consistency and high quality is emphasized at all production steps. The Statistical Process Control (S.P.C.) Program is expanded and updated as needed to keep ahead of customers' quality expectations. The latest non-destructive testing equipment is used and bar peeling is available when required.

A prime example of production and quality control techniques is Union Drawn's "SUPREME 100" Precision Ground Shafting. With a guaranteed 100 000 p.s.i. or 690 MPa minimum yield strength this medium carbon ground product features a standard 20RMS finish and seam free surface (suitable for chrome plating) that is designed for top of the line hydraulic cylinder piston rods.

Somewhat unique in the Canadian steel industry Union Drawn Steel is privately owned by a group of investors which include several managers. Quick decisions, good location, excellent facilities and in-depth experience ensure customers will receive the best service as well as high quality and cost effective cold finished carbon and alloy steel bars.

Union Drawn Steel

Company, Limited

1350 Burlington

Street East

P.O. Box 98

Hamilton,

Ontario, CANADA

L8N 3A2

Contact:

J.J. Yelland

Vice-President

Marketing and Sales

Telephone:

(416) 547-4480

Telex: 061-8314

Facsimile: (416) 544-3852





Checking for tight seams and surface defects not readily visible using a Roto Bar non-destructive testing unit

Cold drawing rounds on a fully automated, 150 000 p.s.i. (1034 MPa) drawbench with an in-line shear and straightener.

Western Canada Steel

Strategically situated in Vancouver, Canada's gateway to the Pacific Rim, Western Canada Steel Limited has grown steadily during the past 35 years, keeping pace with the rapidly developing economy of British Columbia.

The company's main steel producing facilities are contained in a modern plant located at a 175-acre (70.8-hectare) site on the Fraser River. They include a computer controlled electric furnace and continuous casting operation, continuous and semicontinuous rolling mills and a fastener manufacturing plant.

The annual capacity of the Vancouver plant has grown to 165 000 tonnes of steel products. Raw material is steel scrap supplemented by basic oxygen furnace ingots for rolling.

In addition to the Vancouver operation, the company has a 110 000 tonnes annual capacity electric furnace and rolling mill in Calgary, Alberta, which serves the Alberta and Saskatchewan markets.

Across the Pacific, the company operates a 60 000-ton (54 000 tonnes) capacity modern steel plant in Honolulu where it successfully pioneered a mill in conjunction with Hawaiian interests to serve the growing market in Hawaii and the adjacent Pacific islands.

Products include reinforcing bar, merchant shapes including rounds, squares, flats, angles and channels, special quality bars and alloy bars as well as a wide variety of fasteners such as standard bolts and nuts, mine-roof bolts, spikes, pipe and tank bands and forgings. The company continues to expand its product range as part of a program to meet the special needs of Canada's western provinces and the Pacific area in mining, milling, lumbering and construction.

Note: At the time of printing, the status of the Vancouver plant is subject to change.

Western Canada

Steel Limited

P.O. Box 67050

Postal Station O

Vancouver,

B.C., CANADA

V5W 4A6

Contact:

Mr. D.A. Hoffman

Vice-President,

Sales

Telephone:

(604) 321-7700

Facsimile: (604) 321-7786





The Rokop four strand continuous casting machine.

Mechanical testing facilities where test bars are pulled to determine the steel's tensile and yield strength.

Product Dimensions Available⁽¹⁾

Ingots, billets, blooms, slabs ⁽²⁾	46
Flat Products ⁽²⁾	
Hot rolled sheet and strip	47
Cold rolled sheet and strip	47
Electrical steels (silicon)	47
Galvanized sheet	47
Tin plate and "tin free"	47
Prepainted steel	47
Plate	48
Stainless steel	48
Rod and Bar Products ⁽³⁾	
Merchant bars	48
Angles, Channels, Flats, Grader blades, Hexagor	ns,
Rounds, Special Shapes, Squares	
Concrete reinforcing bars	50
Special quality bars and Alloy bars	ISE (#64) softenisses 51
Flats, Hexagons, Rounds, Squares, Special Shape	S
(including Hollow Drill Rod)	
Stainless steel bars	52
Tool steels	52
Wire rod	52
Cold finished bars	52
Flats, Hexagons, Machined, Rounds, Specials, Sq	uares

53
54
55
55
55
55
maolă

PORSCO

	In	Imperial (inches)		Metric (mm)	
	Width	Thickness	Width	Thickness	
Ingots:	361	incernediate structu			
Atlas Specialty ^(5, 6, 8)	17-52	round or square	432-1321	round or square	
Dofasco	34-66 ⁽⁴⁾	24-30	864-1675(4)	610-685	
IPSCO	45-77	25-30	1143-1956	635-762	
Slater, Sorel Forge ^(5, 6)	19-63	round or square	483-1600	round or square	
Stelco	25-72	23-31	635-1829	584-787	
Sydney Steel Corp.	25-72	23-30	635-1829	584-762	
Slabs:					
Algoma	20-84	3-12	508-2134	76-305	
Atlas Stainless ⁽⁶⁾	to 52	to 5	to 1320	to 127	
Dofasco	29-63	10	740-1600	254	
PSCO ⁽⁷⁾	36-80	8-10	914-2032	203-253	
Sidbec-Dosco	28-60	7	711-1524	180	
Slater, Sorel Forge(5, 6)	16-72	6-30	406-1830	152-762	
itelco	51/2-71/2	3-4	140-190	76-102	
	231/2-68	3¾-16	597-1727	95-406	
	441/2-80	7 7/8-91/2	1130-2030	200-241	
Sydney Steel Corp.	20-84	3-12	508-2134	76-315	
Blooms and Billets:		Control of the contro			
Algoma	21/4-14	21/2-14	57-356	65-356	
Atlas Specialty ^(5, 6, 8)	2 13/16-24	2 13/16-24	71.4-610	74.1-610	
Courtice (Harris)	4	4	102	102	
vaco	43/4	43/4	120	120	
asco	51/4	51/4	133	133	
2300	5 1/8	7 3/8	130	187	
Manitoba Rolling Mills	51/4	51/4	133	133	
vici itoba Kolling Ivilis	63/4	63/4	172	172	
	7 5/8	7 5/8	194	194	
	8	8	203	203	
OIT-Fer et Titane Inc.	434-5.1	square	120-130		
idbec-Dosco	31/2-71/2		90-188	square	
		square		square	
later, Sorel Forge ^(5, 6)	8–40	square 7	203-1016	square	
later, Hamilton Specialty Bar ⁽⁸⁾	5		127	178	
telco	3½-8	3½-8	89-203	89-203	
idea Const Cons	8½	8½	216	216	
ydney Steel Corp.	6-121/2	square	152-305	square	
Western Canada Steel	41/2-51/2	square	114-140	square	

Metric (mm)	Imp	Imperial (inches)		Metric (mm)	
	Width	Thickness	Width	Thickness	
Hot Rolled Sheet and Strip:					
Algoma	3/4-96	0.060-0.500	19-2439	1.22-12.7	
Dofasco	to 60	0.059-0.500	to 1525	1.5-12.7	
IPSCO 12-AA 0551	36-72	0.060-0.750	914-1800	1.6-19	
Sidbec-Dosco	to 60	0.059-0.375	to 1525	1.5-9.5	
Stelco PT of DE81	18-72	0.064-0.625	457-1829	1.626-15.87	
Cold Rolled Sheet and Strip:	0 00 000	3/16	51	5	
Algoma	3/4-74	0.015-0.125	19-1880	0.38-3.18	
Atlas Stainless(6)	to 49.2	0.015-0.187	to 1250	0.43-4.76	
Dofasco	to 60	0.015-0.138	to 1525	0.381-3.50	
Sidbec-Dosco	to 50.5	0.015-0.120	to 1283	0.381-3.04	
Stelco		0.013-0.142	457-1829	0.330-3.607	
Electrical Steels (Silicon):	172-6	help angish	40-152	1 Suc les menuten 63-38	
Dofasco	to 44	0.011-0.014	to 1117	0.27-0.35	
Galvanized:	BE	W = N		ternal (socios)	
Dofasco ⁽⁹⁾	2.95-60	0.012-0.167	75-1525	0.305-4.242	
	20-60	0.010-0.168	508-1525	0.254-4.270	
Tin Mill Products:	33	24.25	1		
Single Reduced					
Dofasco		0.008-0.015	508-965	0.203-0.38	
Stelco		0.008-0.015	462-1073	0.203-0.38	
Double Reduced	The second secon	Various _ [v]	VERKEN.	Western Cahada Steel	
Dofasco	20-38	0.006-0.011	508-965	0.15-0.28	
Stelco	18 3/16-411/4	0.006-0.011	462-1073	0.15-0.28	
	3/10-3/5	0.000-0.011	402-10/3	0.15-0.26	
Tin Free Steel (Electrolytic chrom					
Dofasco	20-38	0.006-0.015	508-965	0.15-0.38	
Stelco	2014-4214	0.006-0.0141	514-1073	0.15-0.36	
Prepainted Steels:		21/2 × 2	12.7-114	0360G-39GDR	
Dofasco	to 60	0.012-0.052	to 1524	0.30-1.321	
Stelco	to 60	0.010-0.052	to 1524	0.254-1.321	
-EI × 2	N/A 25	1 × V ₂ -	12.7=38	Courtice (Harris)	

1	1 /:
IMPARIS	LINCHACI
IIIIDCIIC	I (inches)

Metric	mm
IVICUIC	1111111

	Width	Thickness	Width	Thickness
Plate:		· · · · · · · · · · · · · · · · · · ·	section? from	THICKINGS
Algoma	32-153	0.188-4.0	813-3850	4.9-102
Atlas Specialty ⁽⁵⁾	to 20	1.5-6.0	to 508	38.1-152
Atlas Stainless ⁽⁶⁾	to 48	0.25-2.0	to 1220	6.4-51
Dofasco	to 60	to 0.5	to 1525	to 12.7
IPSCO	to 72	to 0.75	to 1830	to 19
Stelco	to 140	0.187-6.0	to 3556	4.75-152

Stainless Steel Flat Products:

Atlas Stainless

Sizes as listed under Cold Rolled Sheet and Strip on page 47 and under Plate on page 48.

		Width ×	Thickness	Width ×	Thickness
Merchant Bar Size Pr	roducts:	Height		Height	
Angles, Equal Leg					
Courtice (Harris)		3/4 × 3/4-	1/8-1/4	19 × 19-	3.2-6.4
		1½ × 1½		38 × 38	
Lasco		11/4 × 11/4-	1/8-1/4	32 × 32-	3.2-6.4
0.154-4.270		2½ × 2½		65 × 65	
Manitoba Rolling Mills		1 × 1-	1/8-3/8	25.4 × 25.4-	3.2-10.0
Agrav		2½ × 2½		65 × 65	
Sidbec-Dosco		11/4 × 11/4-	1/8-1/2	32 × 32-	3.2-12.7
Courtice (horns)		2½ × 2½		64 × 64	
Stelco		1 × 1-	1/8-5/8	25.4 × 25.4-	3.2-15.9
Later St. D-EULU		4 × 4		102 × 102	
Western Canada Steel		1 × 1-	1/8-3/8	25.4 × 25.4	3.2-10.0
Manifoby Rolling Wills		2½ × 2½		65 × 65	
Angles, Unequal Leg	462-1073	1100-4000	STALAGE SE		
Lasco		2 × 1½-	3/16-3/8	51 × 38-	4.8-9.5
C. 1		2½ × 2		64 × 51	
Stelco		2 × 1½-	1/8-1/2	51 × 38-	3.2-12.7
City D		5 × 3½	20%-4296kgx	127 × 89	
Sidbec-Dosco		2 × 1½-	3/16-3/8	51 × 38-	5.0-10.0
NAME OF THE OWNER OWNER OF THE OWNER OW		2½ × 2		64 × 51	
Western Canada Steel		3 × 2 0 × 10 0	3/16-3/8	76 × 51	5.0-10.0
Channels		0.010-0.05218			
Courtice (Harris)		1 × ½-	N/A	25 × 13-	N/A
		2 × 1		51 × 25	

Metric (mm)	Imperial (inches)		Metric (mm)	
visibiliv	Width ×	Thickness	Width ×	Thickness
	Height		Height	
Merchant Bar Size Products: (Cont				
Manitoba Rolling Mills	11/4 × 1/2	1/8	31.8 × 12.7	3.2
Mat Bars zuohsV	11/4 × 9/16	3/16	31.8 × 14.3	4.8
	1½ × ½	1/8	38.1 × 12.7	3.2
	1½ × 9/16	3/16	38.1 × 14.3	4.8
Slater, Hamilton Specialty Bar ⁽⁸⁾	2	3/16	51	5
Western Canada Steel	word 2 comes sonil	3/16	51	5
Flat Bars, Square Edge	Width	Thickness	Width	Thickness
Courtice (Harris)	1-3	3/16-3/8	25-76	5-10
Lasco 25-01	2-6	1/4-2	51-152	6.4-51
Manitoba Rolling Mills	1-10	1/4-2	25.4-254	6.3-51
Sidbec-Dosco SOI-Y.S.I	1-8	1/4-41/2	25.4-203	6.3-114.3
Slater, Hamilton Specialty Bar ⁽⁸⁾	11/2-6	1/4-11/2	40-152	6.3-38
Stelco AZS-VSI	2-8	1/8-11/4	51-203	3.17-32
Western Canada Steel	1-6	3/16-1	25.4-152	4.8-25.4
Flat Bars, Rounded Edge		V2-3		
Sidbec-Dosco	1-8	1/4-41/2	25.4-203	6.3-114.3
Slater, Hamilton Specialty Bar ⁽⁸⁾	11/2-6	1/4-11/2	40-152	6.3-38
Stelco	1-6	1/8-11/4	25.4-152	3.17-32
Grader Blades				
Atlas Specialty ⁽⁸⁾	4-8	3/4-1	101-203	19.0-25.4
Lasco Same as no ac no at of	6-8	1/2-1	152-203	12.7-25.4
Manitoba Rolling Mills ⁽⁷⁾	6-10	1/2-1	152-254	12.7-25.4
Sidbec-Dosco	6-8	1/2-1	152-203	12.7-25.4
Stelco	Various	Various	Various	Various
Hexagons				
Stelco St	1/2-1 11/16	N/A	12.7-43	N/A
	Diameter	Imperial sizes availat	Diameter	steer Hamilton Specia
Rounds				
Courtice (Harris)	1/2-11/4		13-32	
Lasco	5/8-3 5/8		15.9-92	
Manitoba Rolling Mills	1/2-4		12.7-102	
Sidbec-Dosco	1/2-41/2		12.7-114	
Slater, Hamilton Specialty Bar ⁽⁸⁾	3/4-21/2		19-65	
Stelco	1/4-5 5/8		6.35-143	
Western Conside Steel	1/ 11/		12.7.20	

1/2-11/2

Western Canada Steel

12.7-38

Imperial (inches)

Metric (mm)

	Whateh *	Width		Width			
Merchant Bar Size Pro	oducts: (Cont'd)						
Special Shapes							
Courtice (Harris) ⁽⁷⁾		Various		Various			
Manitoba Rolling Mills ⁽⁷⁾			Various including: Plowshare sections; Joist chord sections; Rail-track sections; Elevator guide rails; Spring sections; Super light beams.				
S: 11 D (71			spring sections; su				
Sidbec-Dosco ⁽⁷⁾		Various	DI-	Various	•2 -ah man '3 ematro\YI		
Slater, Hamilton Specialty Stelco ⁽⁷⁾	Barryol			vshare sections; Tire in ns; Tie plates; Rail and			
Stelco		sections; Grinding ro		is, the plates, Rail and	Tior sections, Chord		
Squares		sections, diffiding to					
Courtice (Harris)		3/8-1		10-25			
Manitoba Rolling Mills		1/2-3		12.7-76			
Sidbec-Dosco		1/2-4		12.7-102			
Stelco		1/2-4		12.7-102			
Western Canada Steel		1/2-1		12.7-25.4			
Squares, Rounded Edge							
Manitoba Rolling Mills	-	1/2-3		12.7-76			
Sidbec-Dosco		1/2-4		12.7-102			
Stelco		7/8-51/4	9-1/1	22.2-133	Slater, Hamilton Spe		
Concrete Reinforcing	Bars:	1 1 1 map 4	78-3/8	25 5 × 25 4 4			
19.0x2541.combu		Imperial Sizes		Metric Numbe	r (11)		
Courtice (Harris)		Imperial Sizes availab	le ⁽⁷⁾	10, 15, 20, 25, 30	, 35		
lvaco		- 1-8		10, 15			
Lasco		Imperial sizes availab	le ⁽⁷⁾	10, 15, 20, 25, 30	, 35,		
		Various		45, 55			
Manitoba Rolling Mills		-		10, 15, 20, 25, 30	, 35, 45, 55		
Sidbec-Dosco		Imperial sizes availab	le ⁽⁷⁾	10, 15, 20, 25, 30	, 35, 45, 55		
Slater, Hamilton Specialty Bar		Imperial sizes availab	le ⁽⁷⁾	10, 15, 20, 25, 30	, 35, 45		
Stelco		Imperial sizes availab	le ⁽⁷⁾	10, 15, 20, 25, 30	, 35,		
		2 = 100 10		40, 45, 50, 55			
Western Canada Steel		Imperial sizes availab	le ⁽⁷⁾	10, 15, 20, 25, 30	, 35,		
		2 × 19/2		40, 45, 50, 55			
				64 × 51			

Imperial (inches)

Metric (mm)

	Width	Thickness	Width	Thickness
Special Quality Bars and				
Alloy Bars:				
Flat Bars # 101 sember to be murning A				
Atlas Specialty ^(5, 6, 8)	1/2-18	1/4-6	12.7-457	6.4-152
Lasco	2-6	1/4-2	51-152	6.4-51
Manitoba Rolling Mills	1-8	1/4-2	25.4-203	6.4-51
Sidbec-Dosco(10)	1-8	1/4-21/2	25.4-203	6.4-63.5
Slater, Hamilton Specialty Bar ^(8, 10)	11/2-6	1/4-11/2	37.5-152	6.4-37.5
Stelco ⁽¹⁰⁾		nder Merchant Bars or		0.1-57.5
Western Canada Steel	1-6	3/16-1	25.4-152	4.8-25.4
Hevacons	Various	3/10-1	25.4-152	4.8-25.4
Atlas Specialty ^(5, 6, 8)	to 21/2		to /2 F	
			to 63.5	
Rounds	Diameter		Diameter	
50 BB 10	0.72.40		3811.515	
Atlas Specialty ^(5, 6, 8)	0.72-18		18.2-457	
asco C82-9.81	5/8-3 5/8		15.9-92	
aurel (Harris)	1/8-3		3.18-76.2	
Manitoba Rolling Mills	1/2-31/2		12.7-90	
Sidbec-Dosco	1/2-41/2		12.7-114	
Slater, Hamilton Specialty Bar ⁽⁸⁾	3/4-21/4		19-57	
Stelco	1/4-5 5/8		6.35-143	
Western Canada Steel	1/2-11/2		12.7-38	
Special Shapes			76 v SI-	
Atlas Specialty ^(5, 6, 7, 8)	Various includir Grader blades	ng: Hollow drill rod; O	ctagons; Half rounds	; Bevelled edge flats;
Manitoba Rolling Mills ⁽⁷⁾		ng: Forging quality pro Vear plates.	ducts; Sucker rods; F	Rail anchors; Rock bol
Sidbec-Dosco ⁽⁷⁾	Various	Member Bar Isboo	Various	
Slater, Hamilton Specialty Bar ^(7, 8)	Various		Various	
Stelco ⁽⁷⁾	Various		Various	
iguares Ed 01	3 011000		Various	
Atlas Specialty ^(5, 6, 8)	11/16-11/4		17.5-31.8	
Manitoba Rolling Mills	1/2-3			
idbec-Dosco			12.7-76	
	1/2-4		12.7-102	
itelco	1/2-4		12.7-102	
Western Canada Steel	1/2-1		12.7-25.4	

Imperial	(inches)
Imperial	III ICI ICS

Metric (mm)	[zortani)da	Imperial (inches)	Met	tric (mm)		
Stainless Steel Bars:						
Atlas Specialty		Sizes are listed under the section "Special Quality Bars and Alloy Bars" beginning on page 51. Maximum bar weight 6,000 lbs. (2,700 kg.).				
Slater, Sorel Forge	Maximum bar we	ight 50,000 lbs.	Maximum bar w	eight 22,700 kg.		
Courtice (Harris) ^[7]	Minimum bar thic	ckness 4"	Minimum bar th	ickness 101 mm.		
Tool and Die Steels:						
Atlas Specialty	Sizes are listed un	der the section "Special	Quality Bars and Alloy	Bars" beginning on		
	page 51. Maximur	m bar weight 6,000 lbs.	(2,700 kg.).			
Slater, Sorel Forge	Maximum bar we	ight 50,000 lbs.	Maximum bar weight 22,700 kg.			
PA aga	Minimum bar thic	kness 4"	Minimum bar thickness 101 mm.			
	Diameter		Diameter			
Wire Rods:						
Ivaco	0.218-0.768		5.5-19.5			
Sidbec-Dosco	0.218-1.031		5.5 to 26.2			
Stelco	0.218-0.546		5.5-13.9			
Agritoba Rollina With CAT-81 F	0.546-1.031	5/8-35/8	13.9-26.2			
12.7-90 asoG-padbi	Width	Thickness	Width	Thickness		
Cold Finished Daws	17 15 17 17 17 17 17 17 17 17 17 17 17 17 17		AND A TRANSPORT	Sidber-Doyco		

	Width	Thickness	Width	Thickness
Cold Finished Bars:				
Cold Drawn Flats				
Atlas Specialty ^(5, 6, 8)	to 4	to 1	to 101.6	to 25.4
Laurel (Harris)	to 4	1/16 min.	to 101.6	1.6 min.
Stelco	to 6	to 21/2	to 152	to 63
Union Drawn	3/4-5	3/16-2	16-125	5-50
icts: Sedrer rods; Rail anchors, kock bolts;	Width	H pathaniauchsv.	Width	Mantaba Rolling Mills
Cold Drawn Hexagons	plates		10, 15, 20, 25,	
Atlas Specialty ^(5, 6, 8)	1/8-21/2		3.18-63.5	
			3.18-76.2	
Laurel (Harris)	1/8-3			
Stelco	to 21/2		to 63	
Union Drawn	1/4-23/4		6-70	
	Diameter		Diameter	
Cold Drawn Rounds				
Atlas Specialty (5, 6, 8)	0.718-6.0		18.2-152.4	
Laurel (Harris)	1/8-3		3.18-76.2	
Stelco	to 7		to 178	
Union Drawn	3/16-41/2		5-115	
Gillott Brawn	Width		Width	
Cold Drawn Squares				
Atlas Specialty ^(5, 6, 8)	½- 4 "		12.7-101.6	
Auds specialty	12 7		12.7-101.0	

		ni lai (inches)	mperial (inches)	Metric (mm)		
Hollow Structural Sec	tionesav	Width	Wall rightW	Width		
Cold Finished Bars: (C	ont a)					
Laurel (Harris)		1/8-3		3.18-76.2		
Stelco		to 3½		to 89		
Union Drawn		1/4-23/4		6-70		
Source		Diameter		Diameter		
Machined Shafting		2-8				
Atlas Specialty ^(6, 8)		up to 7"		up to 178		
Stelco		up to 7"		up to 178		
Union Drawn		1/2-6		13-150		
Special Shapes		Malaka		Heleka		
Atlas Specialty ⁽⁷⁾		Various		Various		
Laurel (Harris) ⁽⁷⁾		Various		Various		
Stelco ⁽⁷⁾		Various		Various		
Union Drawn ⁽⁷⁾		Various		Various		
Official Diavile		various		various	Bearing Prie	
		Width ×	Thickness	Width ×	Thickness	
		Height		Height	mermess	
Intermediate Structur		rieight		rieigne		
intermediate structui						
Austra						
Angles		2 2		74 × F1	4.8 - 12.7	
Lasco		3 × 2-	3/16-1/2	76 × 51- 152× 152	7.0 - 12.7	
Maria de Delline Adille		6 × 6				
Manitoba Rolling Mills		3 × 2-		76 × 51-		
12.5		6 × 4		152 × 102		
Sidbec-Dosco		3×2 to		Diameter		
		6 × 6		76 × 51 to		
				152 × 152		
Stelco			Merchant Bar listing o	n page 48.		
Western Canada Steel		3 × 3-				
		4 × 4		76 × 76-		
				102 × 102		
		Height		Height		
Beams		2 3/8 to 12%		60.3-324		
Manitoba Rolling Mills		4-41/4		102-108		
		Width		Width		
Channels						
		3-6		76-152		
Manitoba Rolling Mills		3-8		76-203		
Sidbec-Dosco		3-6		76-152		
Stelco		3-6		76-152		
		2-6		51-152		
Western Canada Steel		2-0		31-132		

Imperial (inches)

Metric (mm)

Intermediate Structur	als: (Cont'd)	Width		Width	
mice mediate structur	ais: (Cont u)				
Special Shapes					
Manitoba Rolling Mills ⁽⁷⁾		See Merchant Ba	ar listing on page 50.		
Sidbec-Dosco ⁽⁷⁾		Various	ar iisarig ori page so.	Various	
Slater, Hamilton Specialty	Bar ⁽⁷⁾	Various		Various	
AUG Specially	871 or qo	Width ×	and the second and and and an experience of the second and an	Width ×	19 aliyayaso2 adaA
		Height		Height	
Heavy Structurals:	051-61	Minimum toxicities		1000000	
Angles					
Algoma		8 × 8		203 × 203	
Lasco		7 × 4		178 × 102	
Bearing Pile		0.700.100		170 102	
Algoma		8 × 8-		203 × 203-	
Thickness		12 × 12		305 × 305	
		Width		Width	
Channels				sufer.	
Algoma		12-15		305-381	
asco		7-10		178-254	
Manitoba Rolling Mills		8		203	
Louis de graps Pengs Letre Constant & t. II		Width	Thickness	Width	Thickness
Sheet Piling			3 × 2 - 1 - 1		SHALL CAN BE SEEN ASSESSMENT A
Casteel		48	0.5"	1200	12.5
		Height	28 C × E	Height	. Inanti-series
Standard Beams				· icigiit	
Algoma		8-12		203-305	
Velded Wide Flange S	hapes	o polizii agil merbas		203 303	
Algoma		14-85		350-2150	
		Height ×		Height ×	
		Width		Width	
Vide Flange Shapes, H	lot Rolled			6-70	
Jaoma		6 × 6-		152 × 152-	
Approximation and the second		24 × 12¾			

Steel	Imp	erial (inches)	Metric (mm)	
Hollow Structural Sections:	Diameter	Wall	Diameter	Wall
Round to slibege tillw zouboug to villdelig				
Dofasco (Prudential)	2 3/8-103/4	0.095-0.5	60.3-273	2.4-13
IPSCO	1.05-16	0.1-0.5	27-406	2.5-13
Stelco	1.25-16	0.1-0.5	32-406	2.5-13
Square	Width		Width	
Dofasco (Prudential)	2-8	0.095-0.5	50.8-203	2.4-13
Ipsco	1-10	0.083-0.5	25-254	2-13
Stelco	1-12	0.10-0.5	25-305	2.5-13
Rectangular	Width ×	CLEAR WAY & DARKER OF S	Width ×	
	Height		Height	
Dofasco (Prudential)	2.5 × 1.5-	0.095-0.5	63 × 38-	2.4-13
olasco inc.	10 × 6		254 × 15	TENNER STRINGS
IPSCO	1 × 2-	0.083-0.5	25 × 51-	2-13
	8 × 12		203 × 305	Medical political socialism
Stelco	1 × 2-	0.10-0.5	25 × 51-	2.5-13
	8 × 12		203 × 305	os brient abubol
magami, Ontario	Weight per		Weight per	Ray on Lot
	Yard		Metre	
Rails:	(Sherman mine)			
Algoma	up to 136 lbs.		up to 67.6 kg	
Sydney Steel Corp.	75 to 136 lbs.		37.3 to 67.6 kg	
Mario de Challana I	Dolomite			-
ligerj, Alberta	Outside	Wall	Outside	Wall
Pipe and Tube:	Diameter		Diameter	
Welded				
	2 3/8-10¾	0.083-0.50	60.3-273	2.1-12.7
Dofasco (Prudential) IPSCO	1.05-80	0.083-0.540	21.3-2032	2.11–13.7
Sidbec-Dosco	0.84-6.625	0.1-0.3	21.3-168.3	2.5-7.6
Stelco	0.405-60	0.068-1.125	10.3-1524	1.73-28.58
Seamless Algoma	2 3/8 to 12¾	017/15	60.3-324	217 201
D. Leen man	1 3/X to 1 /3/4	0.126-1.5	60 3-374	3.17-38.1

Other Products:

(refer to Corporate Reports, pages 8 to 42)

Notes

- 1. This table does not cover the availability of such products as pig iron, castings, forgings and most further processed products with the exception of pipe and tube.
- 2. Most firms can produce products in a range of carbon and alloy steel compositions. The availability of products with specific chemistries or meeting specific performance criteria should be discussed with the producer.

The products and size ranges shown in the table are representative of each company's products at the time of going to press. However, since product availability is subject to change at any time, this should be verified with the company at the time of ordering.

In most cases metric dimensions are obtained by a "soft" conversion.

- 3. For the purposes of this publication, "bar-size" shapes are defined as those with a leg or webb size which is less than 3" (76.2 mm); "intermediate size" includes those from 3" to under 6" (76.2 to 152.4 mm); and "heavy" includes 6" (152.4 mm) and over.
- 4. In 4-inch (100 mm) increments.
- 5. Includes alloy tool steels.
- 6. Includes stainless steels.
- 7. Check current availability with the manufacturer.
- 8. Includes alloy steels.
- 9. Includes proprietary zinc/aluminum coating, "Galvalume", up to 481/2" (1232 mm wide).
- 10. Includes round edge.
- 11. The "Metric Number" of reinforcing bar is its diameter in millimeters.

Summary of Canadian Steel Industry Operations⁽¹⁾

Plant Locations	Steel Making Capacity ⁽²⁾	Other Production Facilities ⁽³⁾	Ownership	Affiliations	
	Ir	ntegrated Iron and	Steel Producers	labec-Dosco Umitée	
The Algoma Steel					
Corporation, Limited					
Sault Ste. Marie, Ontario	BOF (4.08)	Coke ovens Blast furnaces Seamless tube mill	Dofasco Inc	 a) Iron mining, Tilden Mine JV, MI b) Coal mining, Maple Meadow Mining Co., Cannelton Industries Inc., W.V. c) Algoma Tube Corp., Houston, TX 	
Wawa, Ontario		Iron mining, sinter plant	f Producers		
Dofasco Inc.					
Hamilton, Ontario	BOF (4.32)	Coke ovens Blast furnaces	Canadian owned public company	 a) Iron mining — Wabush Mines, Wabush Nfld. and Pointe Noire, Que. 	
Kirkland Lake, Ontario		Iron mining pellet plant (Adams mine)		(pellet plant), Eveleth Expansion Co.,MN (mining and pellet plant)b) Coal mining — Itmann Coal Co. WV	
Temagami, Ontario		Iron mining pellet plant (Sherman mine)		c) Prepainted steel — Baycoat Ltd., Hamilton (50% Interest) d) National Steel Car Corp.	
Beachville, Ontario (Beachvilime Ltd.)		Limestone, lime		e) Whittar Steel Strip Inc., Detroit, MI f) Algoma Steel Corp.	
Guelph, Ontario (Guelph Dolime)		Dolomite		el larre una Roductu.	
Calgary, Alberta (Prudential Steel)	el Fully owner Pikeville Co. Louisville V.	Pipe and tube mill	spiral pipe mill Forging plans	ananoque, Ontario	
QIT-Fer et Titane Inc.	Karawaiac	Scrap plant	Public organisms	al Brooks Tube Ltd, ERWohland Johnson	
Sorel, Quebec	K-OBM (0.4)	Ladle refiner, Continuous caster	B.P. America (Cleveland)	Quebec Metal Powders Ltd.	
Havre St. Pierre, Quebec		Ilmenite mine			
Sidbec-Dosco Limitée			Wire milis	chine, Quebec Imonton, Alberta Electric	
Contrecoeur, Quebec	Electric furnaces (1.5)	Scrap plant (Sidbec-Feruni) Hot and cold	Quebec government 100%		
		rolling mills, rod and bar mill Midrex direct reduction	Limekilns		

Summary of Canadian Steel Industry Operations⁽¹⁾

Plant Locations	Steel Making Capacity ⁽²⁾	Other Production Facilities ⁽³⁾	Ownership	Affiliations
Sidbec-Dosco Limitée (Cont'd)	roducts in a nange ; och onlina should	niosüta ov¥ lekse ? De discussed with the	ons new beautyean produce	
Montreal, Quebec	Electric furnace (0.18)	Bar mill Pipe mill Wire mill		
Longueuil, Quebec Etobicoke, Ontario	Co., Canhell Representation or 18 most seem as	Bar mill Wire mill		epo pler wolch is less than 3" (76.7 mm) Lucks 9" (157.4 mm) and over _obstoO_swsW
Stelco Inc.	OOES.		maid white	
Hamilton, Ontario	BOF (2.47)	Coke ovens Blast furnaces	Canadian owned public company	a) Iron mining and pellet plants — Wabush Mines, Wabush, Nfld, and Pointe Noire, Que., Tilden Mine, MI, Hibbing, Taconite, Eveleth Expansion
Nanticoke, Ontario	BOF (1.57)	Coke ovens Blast furnace Hot strip mill		Co., MN. b) Coal mining — Beckely, Olga Co., WV, Mathies Co., PA Elk River B.C.
Burlington, Ontario		R&D Centre Fastener distribution		c) Scrap — Montreal (Fers et métaux)
Welland, Ontario		centre Pipe & Tube mill Large diam.		d) Prepainted steel — Baycoat Ltd., Hamilton (50% interest)
Gananoque, Ontario Brantford, Ontario		spiral pipe mill Forging plant Fasteners		e) Fully owned Coal Mines: Pikeville Co., (Chisolm Mine) Louisville, Kentucky;
Toronto, Ontario Contrecœur, Quebec	Electric	Fasteners Bar mill		Kanawha Co., (Madison Mine) Ashford, W.V.
	furnace (0.31)			f) Moly-Cop Canada Inc., a joint venture with Armco.
Kamloops, B.C. (Moly-Cop Canada Inc.)		Grinding media		g) M-E International, MN, a joint venture
Lachine, Quebec Edmonton, Alberta	Electric furnace (0.29)	Wire mills Scrap plant Bar rolling mill		
Camrose, Alberta Beachville, Ontario	(5.2.7)	Pipe & Tube Limekilns		

Plant Locations	Steel Making Capacity ⁽²⁾	Other Production Facilities ⁽³⁾	Ownership	Affiliations	moinsal mellan
Sydney Steel Corporation (SYSCO)					
Sydney, Nova Scotia	Open hearth furnaces (1.0)	Blast furnaces Rolling mill	Nova Scotia government 100%		
Slatter Steels Hamilton Specialty	Electric	Integrated Ste	el Producers	ni Kinema 474 delam	335 - YUUSAA 310
Atlas Stainless Steels Division					
Tracy, Quebec	Electric furnaces (0.8)	Continuous caster Rolling mill	Division of Rio Algom Ltd., a public company	 a) Atlas Alloys Ltd. b) Vincent Metals Inc. c) Al Tech Specialty S Dunkirk, N.Y., USA d) Atlas Steels Austra 	teel Corp.,
Courtice Steel (Harris Steel)			PSCD ac	Owns ST% of Hav	vakan Western Street
Cambridge, Ontario	Electric furnaces (0.10)	Rolling mill Continuous caster	Harris Steel Group Inc., a public company	a) Fisher & Ludlow, g b) Frankel Steel Ltd., s c) Harris Rebar/VSL (d) Laurel Steel Product bar & wire product	Structural Canada Ltd. cts,
IPSCO Inc.				- S 22 - S 1951	(DOBAL
Regina, Saskatchewan	Electric furnaces (0.85)	Scrap plant 2 spiral weld and 2 ERW pipe mills 2 spiral weld pipe mills	Public company CIC Industrial Interests Inc., 16% Alberta Energy Co., 10%	 a) Brooks Tube Ltd., b) Paper Cal Steel Coc. c) IPSCO Steel Inc., L Geneva Nebraska Brookshire Texas V d) Western Canada S 	. St. Paul, MN. J.S.A. Works Vorks

Plant Locations	Steel Making Capacity ⁽²⁾	Other Production Facilities ⁽³⁾	Ownership	Affiliations	Plant Locations
IDCO In a (Contid)					
IPSO Inc. (Cont'd) Edmonton, Alberta		2 spiral weld			
Editionion, Alberta		pipe mills			
Calgary, Alberta		ERW pipe mill			
Calgary, Alberta		for OCTG			
Red Deer, Alberta		ERW pipe mill			
Port Moody, B.C.		2 ERW pipe mills			
ACORONE, Williamo		galvanizing			
lvaco Inc.					Atlas Stainless Steels
L'Orignal, Ontario	Electric	Rod rolling	Canadian owned	a) Atlantic Stee	el Co., GA, USA*
L'Original, Oritano	furnaces	Kod roming	public company	b) Amercorda I	
	(0.36)		parameter y	c) Canron Inc.	Class. Tildes Mine, Mil.
Marieville, Quebec	(0.50)	Wire mill			ichine & Tool Co. Ltd.
Ingersoll, Ontario		Wire mill			I Co., MO, USA*
Ottawa, Ontario		Scrap Plant			re Products Corp,
Ctatra, Critain		the conclusion		MD, USA	Co. M. By Roam B.C.
				g) Niagara Loc	kport Industries, MS, USA
				h) Arrowhead	
					nadian Ropes Ltd.
				* Atlantic Stee	el and Laclede Steel
				operate raw	steelmaking facilities
Lake Ontario Steel	bar & wire pro	SPECIAL SECTION		ri fidosynt	Grant Marriera
(LASCO)					
Whitby, Ontario	Electric	Scrap plant	Co-Steel Inc.	Co-Steel also h	as interest in Raritan River
or many	furnaces	(Industrial	(a Canadian		Sheerness Steel, Kent,
	(0.91)	Metal Co.)	public company)		steelmaking capacity
	un indirectivation (5	arei "Sni Ezeneini	31	3.5 million tonr	
				7/31 / 1/33	

Plant Locations	Steel Making Capacity ⁽²⁾	Other Production Facilities ⁽³⁾	Ownership	Affiliations
1000	los des	. 91	A -	Inlan Drawn Steel
Manitoba Rolling Mills			Canam Manas	
Selkirk, Manitoba	Electric		Canam Manac	
	furnaces		Group Inc.	
	(0.30)			
bac ya badalalag "cher	Operations in Car	She Migeral Processing	er gross in "Morres	particle to sign strategy to properly though buildings.
Slater Steels	_ Soran Oli	uno terreno usual que		1.6
Hamilton Specialty	Electric	Ladle refiner	Slater	a) Slacan Division, Hamilton makes
Bar Division	furnace		Industries Inc.	forged steel products
Hamilton, Ontario	(0.30)	76 71	Controlled by	b) Fort Wayne Specialty Alloys,
Sorel Forge Division	Electric	Open die forging	Fobasco Ltd.	Fort Wayne, IN
Sorel, Quebec	furnace	presses to	(a Canadian	
	(0.06)	5,000 tons	company)	
Western Canada				
Steel Limited				
Vancouver, B.C.	Electric		IPSCO Inc.	Owns 51% of Hawaiian Western Stee
variedaver, b.c.	furnaces			Ltd. (electric furnace steelmaking
	(0.18)			0.06 million tonnes capacity, and bar
Calcany Alberta	Electric			rolling)
Calgary, Alberta				Tolling)
	furnaces			
mbridge Ontario C	(0.12)	19	Red Dies	Aberta PSCCI
ndedeur Quebec 5		Non-integrat	ted Producers	
Casteel Inc.				
Longueuil, Quebec	doce	14 stand	Canadian	a) Casteel U.S.A. Inc., Pittsburgh, PA
		roll forming	owned private	Foundation products
			company	b) Akstel Inc. Longueuil, Que.
			Sydney	machining, fabricating
Laurel Steel Products	MIC, UNION		Toronto	Ontario Steleo, Lasco
(ridiris seeci)	802	Bar drawing	Harris Steel	a) Courtice Steel, merchant re bar
burnington, Ontano	teko		Group Inc.	b) For other affiliations, refer to
		wire drawing Mesh welder	Group Inc.	Courtice Steel
		Mest i weider		


Plant Locations	Steel Making Capacity ⁽²⁾	Other Production Facilities ⁽³⁾	Ownership	Affiliations	Plant Locations
Union Drawn Steel Hamilton, Ontario	_	Bar annealing furnace	Canadian owned private	etti Dotasta	Manitoba Rolling M Sellirk, Manitoba
Calgary, Alberta			company		

^{1.} Detailed descriptions of metallurgical plants are given in "Mining and Mineral Processing Operations in Canada" published by and obtainable from Energy, Mines and Resources, Canada, 580 Booth Street, Ottawa, Ontario K1A 0E4.

^{2.} Annual capacity, millions metric tonnes in parentheses.

^{3.} See pages 44 to 56 for more details on most products.

Geographic Locations of Industry Operations



Town	Province	Companies*	Map Reference	Town	Province	Companies*	Map Reference
Beachville	Ontario	Dofasco, Stelco	_	Marieville	Quebec	lvaco	6
Brantford	Ontario	Stelco	_	Montreal	Quebec	Sidbec	9
Burlington	Ontario	Stelco, Laurel	15	Nanticoke	Ontario	Stelco	18
Calgary	Alberta	Dofasco, IPSCO,		Ottawa	Ontario	Ivaco	
Calgary	/ dibertal	Western Canada Steel	1 28	Port Moody	B.C.	IPSCO	31
Cambridge	Ontario	Courtice	19	Red Deer	Alberta	IPSCO	27
Camrose	Alberta	Stelco	25	Regina	Sask.	IPSCO	24
Contrecoeur	Quebec	Sidbec, Stelco	5	Sault-			
Edmonton	Alberta	Stelco, IPSCO	26	Ste-Marie	Ontario	Algoma	21
Etobicoke	Ontario	Sidbec	14	Selkirk	Manitoba	Manitoba Rolling	
Gananoque	Ontario	Stelco	_			Mills	23
Guelph	Ontario	Dofasco	_	Sorel	Quebec	QIT, Slater	3
Hamilton	Ontario	Dofasco, Stelco,		Sydney	Nova Scotia	Sydney Steel Corp.	1
· iciriiico · i		Slater, Union	16	Temagami	Ontario	Dofasco	_
Havre-				Toronto	Ontario	Stelco, Lasco	13
St-Pierre	Quebec	QIT	2	Tracy	Quebec	Atlas	4
Ingersol	Ontario	Ivaco	_	Vancouver	B.C.	IPSCO	32
Kamloops	B.C.	Stelco	29	Vancouver	B.C.	Western Canada	
Kirkland Lake		Dofasco	20			Steel	30
Lachine	Quebec	Stelco	8	Wawa	Ontario	Algoma	22
L'Orignal	Ontario	Ivaco	10	Welland	Ontario	Stelco, Atlas	17
Longueuil	Quebec	Sidbec	7	Whitby	Ontario	Lasco	12

^{*} Steelmaking plants are italic.



