

**CIHM
Microfiche
Series
(Monographs)**

**ICMH
Collection de
microfiches
(monographies)**



Canadian Institute for Historical Microreproductions / Institut canadien de microreproductions historiques

© 1998

Technical and Bibliographic Notes / Notes techniques et bibliographiques

The Institute has attempted to obtain the best original copy available for filming. Features of this copy which may be bibliographically unique, which may alter any of the images in the reproduction, or which may significantly change the usual method of filming are checked below.

- Coloured covers / Couverture de couleur
- Covers damaged / Couverture endommagée
- Covers restored and/or laminated / Couverture restaurée et/ou pelliculée
- Cover title missing / Le titre de couverture manque
- Coloured maps / Cartes géographiques en couleur
- Coloured ink (i.e. other than blue or black) / Encre de couleur (i.e. autre que bleue ou noire)
- Coloured plates and/or illustrations / Planches et/ou illustrations en couleur
- Bound with other material / Relié avec d'autres documents
- Only edition available / Seule édition disponible
- Tight binding may cause shadows or distortion along interior margin / La reliure serrée peut causer de l'ombre ou de la distorsion le long de la marge intérieure.
- Blank leaves added during restorations may appear within the text. Whenever possible, these have been omitted from filming / Il se peut que certaines pages blanches ajoutées lors d'une restauration apparaissent dans le texte, mais, lorsque cela était possible, ces pages n'ont pas été filmées.
- Additional comments / Commentaires supplémentaires:

L'Institut a microfilmé le meilleur exemplaire qu'il lui a été possible de se procurer. Les détails de cet exemplaire qui sont peut-être uniques du point de vue bibliographique, qui peuvent modifier une image reproduite, ou qui peuvent exiger une modification dans la méthode normale de filmage sont indiqués ci-dessous.

- Coloured pages / Pages de couleur
- Pages damaged / Pages endommagées
- Pages restored and/or laminated / Pages restaurées et/ou pelliculées
- Pages discoloured, stained or foxed / Pages décolorées, tachetées ou piquées
- Pages detached / Pages détachées
- Showthrough / Transparence
- Quality of print varies / Qualité inégale de l'impression
- Includes supplementary material / Comprend du matériel supplémentaire
- Pages wholly or partially obscured by errata slips, tissues, etc., have been refilmed to ensure the best possible image / Les pages totalement ou partiellement obscurcies par un feuillet d'errata, une pelure, etc., ont été filmées à nouveau de façon à obtenir la meilleure image possible.
- Opposing pages with varying colouration or discolourations are filmed twice to ensure the best possible image / Les pages s'opposant ayant des colorations variables ou des décolorations sont filmées deux fois afin d'obtenir la meilleure image possible.

This item is filmed at the reduction ratio checked below / Ce document est filmé au taux de réduction indiqué ci-dessous.

10x	14x	18x	22x	26x	30x
12x	16x	20x	24x	28x	32x

The copy filmed here has been reproduced thanks
to the generosity of:



National Library of Canada

The images appearing here are the best quality
possible considering the condition and legibility
of the original copy and in keeping with the
filming contract specifications.

Original copies in printed paper covers are filmed
beginning with the front cover and ending on
the last page with a printed or illustrated impres-
sion, or the back cover when appropriate. All
other original copies are filmed beginning on the
first page with a printed or illustrated impres-
sion, and ending on the last page with a printed
or illustrated impression.

The last recorded frame on each microfiche
shall contain the symbol → (meaning "CONTINUED"), or the symbol ▽ (meaning "END"),
whichever applies.

Maps, plates, charts, etc., may be filmed at
different reduction ratios. Those too large to be
entirely included in one exposure are filmed
beginning in the upper left hand corner, left to
right and top to bottom, as many frames as
required. The following diagrams illustrate the
method:



L'exemplaire filmé fut reproduit grâce à la
générosité de:

Bibliothèque nationale du Canada

Les images suivantes ont été reproduites avec le
plus grand soin, compte tenu de la condition et
de la netteté de l'exemplaire filmé, et en
conformité avec les conditions du contrat de
filmage.

Les exemplaires originaux dont la couverture en
papier est imprimée sont filmés en commençant
par le premier plat et en terminant soit par le
dernière page qui comporte une empreinte
d'impression ou d'illustration, soit par le second
plat, selon le cas. Tous les autres exemplaires
originaux sont filmés en commençant par la
première page qui comporte une empreinte
d'impression ou d'illustration et en terminant par
la dernière page qui comporte une telle
empreinte.

Un des symboles suivants apparaîtra sur le
dernière image de chaque microfiche, selon le
cas: le symbole → signifie "A SUIVRE", le
symbole ▽ signifie "FIN".

Les cartes, planches, tableaux, etc., peuvent être
filmés à des taux de réduction différents.
Lorsque le document est trop grand pour être
reproduit en un seul cliché, il est filmé à partir
de l'angle supérieur gauche, de gauche à droite,
et de haut en bas, en prenant le nombre
d'images nécessaire. Les diagrammes suivants
illustrent la méthode.



LABORATORY
OF THE
INLAND REVENUE DEPARTMENT
OTTAWA, CANADA

BULLETIN No. 267

MEAT EXTRACTS



LABORATORY
OF THE
INLAND REVENUE DEPARTMENT
OTTAWA, CANADA

BULLETIN No. 267

MEAT EXTRACTS

OTTAWA, Sept. 10, 1913.

W.M. HIMSWORTH, Esq.,
Deputy Minister,
Inland Revenue.

SIR.—I beg to hand you a report of eighty (80) samples purchased throughout Canada, as Meat Extracts, in February and March of last year. The necessity of taking in hand the analysis of articles which could be less readily preserved, or whose examination was more pressingly demanded, caused this collection to be held over for the long period of eighteen months. While it is believed that the nature of the article, the care observed in its packing, and in its preservation while in our possession, have prevented any important deterioration, it is but right to say that the analytical results now furnished you must be regarded rather as a study of the subject of Meat Extracts, than as a legal inspection of the article as found on the market.

Our last published work on Meat (Beef) Extracts was issued in April, 1899, as Bulletin No. 63, and was as complete a presentation of the subject as was, at that time, possible. Since the date named a great deal of investigatory work has been put on record both by The United States of America (Bureau of Chemistry) and by European laboratories. The Meat Extracts of Commerce, so far as these possess real value, are found to be characterized in such a way as to make it possible to establish standards of value, below which an Extract cannot be recognized as genuine. An Order-in-Council dated 24th October, 1910, and passed conformably to Sec. 26 of the Adulteration Act, defines Meat Extracts, and allied products, as below:—

C.—MEAT EXTRACTS, MEAT PEPTONES, GELATIN, ETC.

1. Meat extract is the product obtained by extracting fresh meat with water and concentrating the liquid portion by evaporation after the removal of fat, and contains not less than seventy-five (75) per cent of total solids of which not over twenty-seven (27) per cent is ash, and not over twelve (12) per cent is sodium chloride (calculated from the total chlorine present), not over six-tenths (0.6) per cent is fat and not less than eight (8) per cent is nitrogen. The nitrogenous compounds contain not less than forty (40) per cent of meat bases and not less than ten (10) per cent of kreatin and kreatinin.

2. Fluid meat extract is identical with meat extract except that it is concentrated to a lower degree and contains not more than seventy-five (75) and not less than fifty (50) per cent of total solids.

3. Bone extract or stock is the product obtained by extracting clean, fresh, trimmed bones, of animals in good health at the time of slaughter, with boiling water and concentrating the liquid portion by evaporation, after removal of the fat, and contains not less than seventy five (75) per cent of total solids.

4. Fluid bone extract is identical with bone extract except that it is concentrated to a lower degree and contains not more than seventy-five (75) and not less than fifty (50) per cent of total solids.

5. Meat juice is the fluid portion of muscle fibre, obtained by pressure or otherwise, and may be concentrated by evaporation at a temperature below the coagulating point of the soluble proteids. The solids contain not more than fifteen (15) per cent of ash, not more than two and five-tenths (2.5) per cent of sodium chloride (calculated from the total chlorine present,) not more than four (4) nor less than two (2) per cent of phosphoric acid (P_2O_5), and not less than twelve (12) per cent of nitrogen. The nitrogenous bodies contain not less than thirty-five (35) per cent of conglutinable proteids and not more than forty (40) per cent of meat bases.

6. Peptones are products prepared by the digestion of proteid material by means of enzymes or otherwise, and contain not less than ninety (90) per cent of proteoses and peptones.

It will be seen that Meat Extract is found in the market either as a solid mass, usually in cubes; as what may be called the normal Extract containing about 75 per cent of solids; or as a fluid Meat Extract, with solids below 75 per cent. Our Standards require a minimum of 50 per cent. Of the present collection we find:—

Solid Meat Extracts.....	12
Normal " "	25
Fluid " "	42
Meat Juice.....	1
	—
	80

The ash, representing mineral matters of the meat and added common salt, should not exceed 27 per cent of the total solids; and the salt (sodium chloride) should not exceed 12 per cent.

In all the solid Extracts, the ash and salt exceed the limit named by Our Standards for Meat Extract. Perhaps these Standards should not be held to apply to Meat Extract in the solid form. This is a point for further consideration.

Fat is required to be less than six-tenths of one per cent (0.6) of the total solids. The Petrolie Ether Extract shown in the table, is essentially fat, and is decidedly excessive in 17 samples. With few exceptions these are solid Extracts, and it is possible that the limit for fat may have to be reconsidered in the case of this kind of Extract.

The most important datum is the content of nitrogen. Nitrogen is required to constitute at least 8 per cent of the total solid matter of the extract. This requirement is met by all but four of the samples reported. Two of these are not sold as Meat Extracts (46159, 50139), but as Concentrates of Meat and Vegetables. No. 47014 is slightly lower than Standard requirements, and 39056 is distinctly below the Standard. Nitrogen is present in various combinations, the characteristic, and practically the only ones giving value to these meat extracts being the group known as 'Meat Bases.' These are required to amount to at least 40 per cent of the total nitrogenous compounds.

Many of the samples which meet requirements as to total nitrogen fall short of the Standard for Meat Extracts in this respect. This is due to the fact that proteid

nitrogen, in form of pulverized beef, has been incorporated, as shown by the large percentage of nitrogen in insoluble compounds. While the true Meat Extracts show less than one-half of one per cent. of nitrogen in insoluble forms, the samples in question give from one to two per cent. of insoluble nitrogen.

The Kreatin and Kreatinin should amount to at least one-fourth of the total meat bases. The minimum limit is greatly exceeded in the genuine Extracts; but is not reached in those of low grade. In order that this fact may be better shown, I have arranged in subsidiary tables the samples herein reported, placing together those representing the same brand. It will be noted that most of these brands are manufactured with intelligence and care, as shown by their mean composition and by the uniformity obtaining among the samples analysed. The notes accompanying the subsidiary tables make it unnecessary to say anything more than that this work will be of use to us in further investigation of the subject; and I beg to recommend its publication as Bulletin No. 267.

I have the honour to be, Sir,

Your Obedient Servant,

A. MCGILL,

Chief Analyst.

SUBSIDIARY TABLES.

ARMOUR'S EXTRACT.

No.	Number of Sample.		Water.		Solids.		Petrolic Ether Extract.		Ash.		Sodium Chloride.		Total.		Insoluble.		Nitrogen as				
	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	Tannin Salt Phosphate (Meat bases).	Tannin Salt Phosphate (Meat bases).	Kreatinin.	Kreatinin.	
46834	21.75	78.25	0.75	19.76	5.19	8.764	0.273	4.557	3.934	0.78	0.48										
45617	21.65	78.35	1.00	19.40	4.49	8.764	0.222	4.536	3.900	0.81	0.42										
46160	22.40	77.60	1.00	19.20	4.91	8.510	0.189	4.380	3.962	0.70	0.60										
47895	23.30	76.70	0.65	20.50	5.11	8.792	0.202	4.726	3.864	0.67	0.53										
48100	23.90	76.10	1.00	19.30	5.23	8.764	0.266	4.886	3.612	0.62	0.61										
49111	21.35	78.35	0.75	19.80	5.19	8.204	0.315	4.501	3.388	0.60	0.74										
49267	22.25	77.75	0.90	20.55	5.58	8.484	0.364	4.480	3.640	0.65	0.55										
49538	24.30	75.70	1.10	19.00	4.93	8.456	0.231	4.725	3.500	0.73	0.71										
49536	21.50	78.50	1.05	19.30	5.72	8.428	0.203	4.582	3.640	0.65	0.68										
50136	21.00	79.00	0.85	19.40	5.28	8.596	0.308	4.480	3.808	0.57	0.62										
38313	23.50	76.50	1.05	20.30	5.32	8.260	0.399	4.194	3.667	0.63	0.60										
Mean	22.44	77.56	0.92	19.68	5.17	8.541	0.279	4.542	3.720	0.67	0.59										

Sold as (normal) meat Extract. Fat is very slightly in excess of standard. Otherwise requirements of standards are fully met.

BEEFENE.

	Number of Sample.		Water.		Solids.		Petrolic Ether Extract.		Ash.		Sodium Chloride.		Total.		Insoluble.		Nitrogen as				
	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	Tannin Salt Phosphate (Meat bases).	Tannin Salt Phosphate (Meat bases).	Kreatinin.	Kreatinin.	
39052	45.90	54.10	1.00	14.10	8.12	5.488	1.764	2.384	1.340	0.45	0.13										
38312	45.25	54.75	1.35	11.62	8.39	5.684	1.361	3.021	1.302	0.53	0.10										
Mean	45.57	54.43	1.17	14.36	8.25	5.386	1.562	2.703	1.321	0.49	0.12										

A Fluid Meat Extract. Fat slightly in excess, also salt. Meat base nitrogen somewhat low.

BOVIN CUBES.

Number of Sample.	Nitrogen as											
	Water	Solids	Petrolic Ether Extract.	Ash.	Sodium Chloride.	Total	Insoluble.	Ppt. by Tannin Salt.	Tannin Salt Filtrate. (Meat basis.)	Kreatinin.	Kreatin.	
p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	
50139 . . .	7.00	93.00	2.60	43.70	19.63	3.324	0.106	1.469	1.750	0.21	0.18	

A solid meat Extract. Perhaps the standards for normal meat extract should not apply. Ash, salt and fat are decidedly higher than these standards permit. Total nitrogen is below standard for normal meat extract; meat base nitrogen is proportionately up to requirement. Vegetable matter is acknowledged to be present.

BOVRIL EXTRACT.

Number of Sample.	Nitrogen as											
	Water	Solids	Petrolic Ether Extract.	Ash.	Sodium Chloride.	Total	Insoluble.	Ppt. by Tannin Salt.	Tannin Salt Filtrate. (Meat basis.)	Kreatinin.	Kreatin.	
p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	
47013 . . .	45.52	54.48	0.55	14.98	8.60	5.32	1.015	2.401	2.016	0.54	0.26	
48079 . . .	45.25	54.75	0.75	14.18	9.00	5.406	1.029	2.457	1.974	0.61	0.14	
49357 . . .	45.15	54.85	0.95	14.93	8.41	5.265	1.035	2.289	1.831	0.54	0.30	
49359 . . .	41.05	58.95	1.05	15.15	9.10	5.304	1.057	2.401	1.946	0.54	0.36	
47892 . . .	45.45	54.55	0.90	14.75	9.30	5.32	1.092	2.492	1.960	0.53	0.27	
38311 . . .	43.15	56.85	0.60	14.45	8.34	5.32	1.001	1.897	2.254	0.60	0.25	
45619 . . .	44.23	55.77	0.55	14.45	8.61	5.32	1.078	2.072	2.002	0.56	0.39	
50138 . . .	43.10	56.99	0.65	15.33	9.11	5.376	1.106	2.212	2.058	0.64	0.23	
30831 . . .	41.24	58.76	0.95	14.33	8.83	5.348	1.155	2.193	2.000	0.62	0.14	
49537 . . .	45.15	54.85	1.05	14.90	8.35	5.040	1.085	2.135	1.820	0.61	0.38	
49339 . . .	41.90	58.10	0.75	14.48	8.90	5.040	1.099	2.009	1.932	0.64	0.30	
49540 . . .	44.95	55.05	1.00	15.20	8.88	5.572	1.057	2.639	1.876	0.57	0.76	
44137 . . .	44.75	55.25	1.00	14.99	8.39	5.628	1.036	2.632	1.960	0.62	0.27	
48601 . . .	40.25	59.75	0.75	14.36	8.71	5.124	1.008	2.156	1.900	0.57	0.49	
39053 . . .	40.75	59.25	0.65	15.23	8.63	5.208	0.994	2.310	1.904	0.73	0.16	
49113 . . .	43.00	57.00	0.80	15.67	9.15	5.656	1.085	2.550	2.021	0.64	0.24	
49615 . . .	44.70	55.30	0.85	15.30	8.90	5.628	1.090	2.498	2.040	0.76	0.28	
Mean . . .	43.51	56.49	0.75	14.91	8.77	5.351	1.063	2.331	1.957	0.61	0.30	

A Fluid Meat Extract. Salt slightly high. Meat base nitrogen slightly low.

BRANDS ESSENCE.

Number of Sample.	Water.			Solids.			Petrolic Ether Extract.			Ash.			Sodium Chloride.			Total.			Insoluble.			Nitrogen as		
	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e. <th>p.e.</th> <th>p.e.</th> <th>p.e.</th> <th>p.e.</th> <th>p.e.</th> <th>p.e.</th> <th>p.e.</th> <th>Tannin Salt Fil. trate (Meat bases).</th> <th>Tannin Salt Fil. trate (Meat bases).</th> <th>Kreatinin.</th> <th>Kreatin.</th>	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	Tannin Salt Fil. trate (Meat bases).	Tannin Salt Fil. trate (Meat bases).	Kreatinin.	Kreatin.
38310 . .	90.30	9.70	0.90	1.40	0.98	1.652	0.044	0.343	1.265	Trace	Trace	—	—	—	—	—	—	—	—	—	—	—	—	—

Sold as Essence of Beef or Meat Juice, and meets requirements of Standard.

DAVIES EXTRACT.

Number of Sample.	Water.			Solids.			Petrolic Ether Extract.			Ash.			Sodium Chloride.			Total.			Insoluble.			Nitrogen as		
	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e. <th>p.e.</th> <th>p.e.</th> <th>p.e.</th> <th>p.e.</th> <th>p.e.</th> <th>p.e.</th> <th>p.e.</th> <th>Tannin Salt Fil. trate (Meat bases).</th> <th>Tannin Salt Fil. trate (Meat bases).</th> <th>Kreatinin.</th> <th>Kreatin.</th>	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	Tannin Salt Fil. trate (Meat bases).	Tannin Salt Fil. trate (Meat bases).	Kreatinin.	Kreatin.
49358 . .	20.80	79.20	0.25	15.12	8.32	9.184	0.196	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Judged as normal Beef Extract. Fully meets standard requirements.

GILMOUR EXTRACT.

Number of Sample.	Water.			Solids.			Petrolic Ether Extract.			Ash.			Sodium Chloride.			Total.			Insoluble.			Nitrogen as		
	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e. <th>p.e.</th> <th>p.e.</th> <th>p.e.</th> <th>p.e.</th> <th>p.e.</th> <th>p.e.</th> <th>p.e.</th> <th>Tannin Salt Fil. trate (Meat bases).</th> <th>Tannin Salt Fil. trate (Meat bases).</th> <th>Kreatinin.</th> <th>Kreatin.</th>	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	Tannin Salt Fil. trate (Meat bases).	Tannin Salt Fil. trate (Meat bases).	Kreatinin.	Kreatin.
39056 . .	40.75	59.25	1.50	22.60	6.70	2.968	0.378	2.666	0.924	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

A Fluid Beef Extract. Ash slightly high; also fat. Total nitrogen and meat base nitrogen very low.

IVELCON--CUBES.

	Number of Sample.		Nitrogen as								
	Water.	Solids.	Petrol. Ether Extract.	Ash.	Sodium Chloride.	Total.	Insoluble.	Pt. by Tannin Salt.	Tannin Salt Filtrate (Meat bases).	Kreatinin.	Kreatin.
46159 . .	9.25	90.75	4.45	53.65	23.93	2.996	0.133	0.973	1.890	0.33	0.11

A Solid Meat Extract. Perhaps the standards for normal meat extract should not apply. Ash, salt and fat are decidedly higher than these standards permit. Total nitrogen is below standard for normal meat extract; meat base nitrogen is proportionately up to requirement. The presence of vegetables is acknowledged.

LEMCO.

	Number of Sample.		Nitrogen as								
	Water.	Solids.	Petrol. Ether Extract.	Ash.	Sodium Chloride.	Total.	Insoluble.	Pt. by Tannin Salt.	Tannin Salt Filtrate (Meat bases).	Kreatinin.	Kreatin.
46156 . .	24.80	75.20	0.55	18.00	3.05	10.640	0.364	5.261	5.012	0.70	1.50
48603 . .	24.50	75.50	0.85	18.50	2.68	9.884	0.402	4.610	4.872	0.72	1.27
47012 . .	24.40	75.60	0.50	18.20	3.07	10.388	0.434	5.096	4.858	0.72	1.47
37375 . .	24.20	75.80	0.35	18.70	2.71	10.360	0.392	4.942	5.026	0.75	1.76
Mean	24.4*	75.52	0.56	18.35	2.88	10.318	0.398	4.978	4.942	0.72	1.50

Sold as (normal) Beef Extract. Fully meets requirements of the standards.

NA-DRU. CO.--EXTRACT.

	Number of Sample.		Nitrogen as								
	Water.	Solids.	Petrol. Ether Extract.	Ash.	Sodium Chloride.	Total.	Insoluble.	Pt. by Tannin Salt.	Tannin Salt Filtrate (Meat bases).	Kreatinin.	Kreatin.
45620 . .	24.20	75.80	0.50	22.40	13.69	7.000	0.125	4.453	2.432	0.18	0.15
47884 . .	24.15	75.85	0.75	21.90	13.70	6.692	0.441	3.661	2.590	0.17	0.05
48098 . .	24.05	75.95	1.20	22.01	13.88	6.524	0.326	3.622	2.576	0.20	0.00
48488 . .	25.90	74.10	0.40	22.75	14.09	7.224	0.658	4.466	2.100	0.13	0.13
Mean	24.57	75.43	0.66	22.26	13.90	6.860	0.387	4.050	2.423	0.17	0.09

Sold as (normal) Beef Extract. Salt slightly in excess and nearly meets requirements in total and meat base nitrogen. The Kreatin and Kreatinin are, however, distinctly deficient in amount.

NUTRI-OX EXTRACT.

	Number of Sample.		Petrolic Ether Extract.	Ash.	Sodium Chloride.	Nitrogen as					
	Water.	Solids.				Total.	Insoluble.	Pct. by Tannin Salt.	Tannin Salt Filtrate (Meat bases).	Kreatinin.	Kreatin.
38314 . . .	45.35	55.65	2.35	16.30	9.69	4.340	0.546	1.302	2.492	0.50	0.22

A Fluid Beef Extract. Fat and salt are somewhat high. Otherwise meets the standards.

OXO-CUBES.

	Number of Sample.		Petrolic Ether Extract.	Ash.	Sodium Chloride.	Nitrogen as					
	Water.	Solids.				Total.	Insoluble.	Pct. by Tannin Salt.	Tannin Salt Filtrate (Meat bases).	Kreatinin.	Kreatin.
47015 . . .	11.15	88.85	3.35	34.90	26.50	7.280	1.628	3.328	2.324	0.53	0.55
49361 . . .	11.10	88.90	2.90	35.05	25.77	7.868	1.778	3.514	2.576	0.57	0.38
49087 . . .	10.45	89.55	3.45	35.05	24.43	7.616	1.610	3.346	2.660	0.70	0.38
50137 . . .	11.95	88.05	3.55	31.80	24.88	7.924	1.624	3.794	2.506	0.62	0.32
47011 . . .	11.00	89.00	3.00	34.55	25.07	7.672	1.631	3.437	2.604	0.67	0.38
45616 . . .	10.10	88.90	3.25	33.50	25.27	7.476	1.603	3.283	2.590	0.59	0.56
46158 . . .	10.65	89.35	3.70	34.05	24.87	7.672	1.582	3.486	2.604	0.67	0.45
48602 . . .	12.05	87.95	3.85	35.20	21.74	7.476	1.582	3.612	2.282	0.70	0.44
48202 . . .	10.75	89.25	3.50	35.05	25.62	7.420	1.589	3.311	2.520	0.70	0.34
Mean . . .	11.02	88.98	3.39	34.68	25.24	7.600	1.625	3.456	2.519	0.63	0.42

A solid meat extract. Perhaps the standards for normal meat extract should not apply. Ash, salt and fat are decidedly higher than these standards permit. Total nitrogen meets standard requirements. Meat base nitrogen is relatively low.

OXO FLUID BEEF.

	Number of Sample.														
	Water.		Solids.		Petrolic Ether Extract.		Ash.		Sodium Chloride.		Nitrogen as				
	p.c.	p.c.	p.c.	p.c.	p.c.	p.c.	p.c.	p.c.	p.c.	Total.	p.c.	p.c.	p.c.	Tannin Salt Filtrate (Meat bases).	Kreatinin.
44138 . . .	34·75	65·25	1·10	19·90	9·78	6·160	0·812	3·066	2·282	0·76	0·18				
47886 . . .	34·10	65·90	1·15	19·39	9·33	5·852	0·840	2·534	2·478	0·54	0·26				
40833 . . .	35·00	65·00	1·25	19·21	9·19	6·048	0·840	2·828	2·380	0·64	0·23				
49114 . . .	34·10	65·90	1·00	19·69	9·45	5·740	0·840	2·548	2·352	0·62	0·30				
44136 . . .	34·70	65·30	1·30	19·30	9·28	5·964	0·994	2·478	2·492	0·50	0·44				
49360 . . .	34·90	65·19	1·30	19·65	9·65	6·244	1·000	2·752	2·492	0·50	0·46				
47864 . . .	33·30	66·70	1·15	20·20	9·82	5·992	0·728	2·772	2·492	0·62	0·32				
Mean . . .	34·40	65·60	1·17	19·62	9·50	6·000	0·865	2·711	2·424	0·63	0·31				

A Fluid Meat Extract. Fat, ash and salt are slightly too high. Otherwise meets standard requirements.

PORTRAIT BRAND EXTRACT.

	Number of Sample.														
	Water.		Solids.		Petrolic Ether Extract.		Ash.		Sodium Chloride.		Nitrogen as				
	p.c.	p.c.	p.c.	p.c.	p.c.	p.c.	p.c.	p.c.	p.c.	Total.	p.c.	p.c.	p.c.	p.c.	Kreatinin.
40835 . . .	19·55	80·45	0·95	28·30	12·20	8·960	0·252	3·598	5·110	2·32	0·70				

Sold as (normal) Meat Extract. Slight excess of ash; otherwise meets all requirements.

RAMONIE.

	Number of Sample.														
	Water.		Solids.		Petrolic Ether Extract.		Ash.		Sodium Chloride.		Nitrogen as				
	p.c.	p.c.	p.c.	p.c.	p.c.	p.c.	p.c.	p.c.	p.c.	Total.	p.c.	p.c.	p.c.	p.c.	Kreatinin.
37373 . . .	17·33	82·67	0·70	22·80	4·37	8·962	0·261	3·925	4·774	2·32	1·16				
37374 . . .	17·70	82·30	0·90	23·15	5·05	8·840	0·350	3·632	4·858	2·32	0·79				
37376 . . .	17·05	82·95	0·55	23·25	4·52	8·960	0·335	3·641	4·984	2·12	1·47				
37377 . . .	17·85	82·15	0·8	22·75	5·21	9·268	0·364	4·116	4·754	0·62	2·15				
Mean . . .	17·48	82·52	0·75	22·98	4·79	9·007	0·327	3·829	4·851	1·84	1·17				

Sold as (normal) Beef Extract. Meets requirements of the standard.

RED CROSS EXTRACT.

Number of Sample.	Petrolic Ether Extract.						Nitrogen as					
	Water.	Solids.	Ash.	Sodium Chloride.	Total.	Insoluble.	Ppt by Tannin Salt.	Tannin Salt Filtrate (Meat Fuses).	Kreatinin.	Kreatin.		
	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.
39054...	37.70	62.30	1.15	18.19	7.62	7.280	2.128	3.890	1.260	0.10	0.04	
40832...	42.00	58.00	1.23	17.83	7.89	5.292	1.505	2.457	1.330	0.40	0.32	
39055...	55.60	44.40	1.15	19.00	8.13	4.592	1.632	2.173	0.767	0.13	0.07	

NOTE.—Three different grades.

Fluid Meat Extracts, sold as different grades. In all the fat and ash are slightly too high; and meat base nitrogen too low. Kreatin and Kreatinin are low, except in No. 40832.

VIGORAL EXTRACT.

Number of Sample.	Petrolic Ether Extract.						Nitrogen as					
	Water.	Solids.	Ash.	Sodium Chloride.	Total.	Insoluble.	Ppt by Tannin Salt.	Tannin Salt Filtrate (Meat Fuses).	Kreatinin.	Kreatin.		
	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	p.e.
48605...	59.70	41.30	0.35	14.60	8.20	4.032	0.350	1.288	2.394	0.60	0.20	
49112...	50.80	49.20	0.25	15.23	8.60	3.808	0.448	1.330	2.030	0.58	0.21	
49631...	52.20	47.80	0.30	15.40	8.33	3.752	0.175	1.673	1.904	0.36	0.16	
Mean.	51.23	48.77	0.30	15.07	8.37	3.864	0.324	1.431	2.109	0.51	0.19	

A Fluid Meat Extract. Total solids slightly below standard; ash and salt slightly high. Otherwise practically meets requirements.

VIMBOS-CUBES.

	Number of Sample.		Nitrogen as										
	Water.	Solids.	Petrolic Ether Extract.		Ash.	Sodium Chloride.		Total.	Insoluble.	Ppt by Tannin Salt.	Tannin Salt Filtrate (Meat Bases).	Kreatinin.	Kreatin.
47014...	p.c.	p.c.	p.c.	p.c.	p.c.	p.c.	p.c.	p.c.	p.c.	p.c.	p.c.	0·57	0·33
	7·40	92·60	1·70	34·75	19·36	6·860	2·625	1·953	2·282				

A solid meat extract. Perhaps the standards for normal meat extract should not apply. Ash, salt and fat are decidedly higher than these standards permit. Total nitrogen nearly meets standard requirements; meat base nitrogen is somewhat low.

VIMBOS EXTRACT.

	Number of Sample.		Nitrogen as										
	Water.	Solids.	Petrolic Ether Extract.		Ash.	Sodium Chloride.		Total.	Insoluble.	Ppt by Tannin Salt.	Tannin Salt Filtrate (Meat Bases).	V.-Kreatinin.	Kreatin.
44139...	33·02	66·98	0·65	17·05	8·27	7·610	1·180	4·819	1·631	0·57	0·28		
45618...	33·22	66·78	0·55	17·24	8·33	7·509	1·160	4·790	1·550	0·70	0·23		
50140...	33·00	67·00	0·55	17·80	8·51	7·530	1·100	4·862	1·568	0·68	0·28		
49110...	33·12	66·88	0·60	17·12	8·10	7·220	1·130	4·620	1·470	0·59	0·53		
46157...	32·22	67·78	0·60	17·90	6·73	7·220	1·300	4·490	1·520	0·57	0·14		
44140...	32·40	67·60	0·63	17·00	7·48	7·420	1·510	4·286	1·624	0·62	0·30		
48604...	32·97	67·03	0·50	17·00	7·48	7·080	1·580	3·820	1·680	0·48	0·51		
49605...	33·00	67·00	0·75	17·45	8·99	7·280	1·393	4·267	1·62	0·76	0·04		
Mean	32·87	67·13	0·60	17·32	7·98	7·357	1·294	4·480	1·583	0·60	0·26		

A Fluid Meat Extract. Meets standards except in meat base nitrogen, which is decidedly low.

BULLETIN No. 267—

Date of Collection.	Nature of Sample.	No. of Sample.	Name and Address of Vendor.	Cost.	Name and Address of Manufacturer or Furnisher as given by the Vendor.		Inspector's Report. (Is not an expres- sion of Opinion).
					Quantity.	Cents.	

DISTRICT OF NOVA SCOTIA—

1912.							
Feb. 9	Meat Extract.	47011	P. H. Holdsworth, Digby, N.S.	3 tins.	30	Oxo Co., London, Eng.	Mfrs.
" 16	"	47012	Nat. Drug & Chem. Co., Digby, N.S.	3 "	125	Leibigs, London, Eng.	" .. .
" 16	"	47013	" " 3 ozs.		50	Bovril Ltd., London, Eng.	" .. .
" 19	"	47014	J. McD. Taylor, Digby, N.S.	3 pkgs.	30	Bovril Ltd., A. B. Mitchell, Montreal.	A. B. Mitchell, Halifax, N.S.
" 29	"	47015	S. A. Rounsefell, Lunenburg, N.S.	1 "	25	Oxo Co., London, Eng.	Mfrs.

DISTRICT OF PRINCE EDWARD ISLAND—

Feb.	6	Meat Extract.	46156	J. G. Jainieson, Ch'town, P.E.I.	3 pkgs.	105	Leibigs Ltd., London, Eng.
"	6	"	46157	Apothecaries Hall, Co., Charlottetown, P.E.I.	3 "	105	Bovril Ltd., Montreal.
"	7	"	46158	Stewart & Son, Charlottetown, P.E.I.	3 "	30	Cornelle, David & Co., Toronto.
"	7	"	46159	Beer & Goff, Charlottetown, P.E.I.	3 "	90	Alpin & Barrett, Yeovil, England.
"	9	"	46160	John McKenna, Ch'town, P.E.I.	3 "	105	Armours Ltd., Toronto.

DISTRICT OF NEW BRUNSWICK—

Feb.	6	Meat Extract.	45616	H. W. Cole, Ltd., St. John, N.B.	3 tins.	30	Oxo, London, Eng.	Oxo
"	6	"	45617	Pidgeon & Co., St. John, N.B.	3 pkgs.	75	Armours Ltd., Toronto.	Armours
"	14	"	45618	Nat. Drug & Chem. Co., St. John, N.B.	3 tins.	82	Bovril Ltd., Montreal.	Vimbos
"	14	"	45619	" " 3 jars.		50	" .. .	Bovril
"	13	"	45620	Fairweather Bros., Moncton, N.B.	3 pkgs.	75	Nat. Drug & Chem. Co. of Canada.	Extract of Beef.

MEAT EXTRACTS.

Results of Analysis.

Water.	Solids.	Petrolic Ether Extract.	Ash.	Sodium Chloride.	Nitrogen as						No. of Sample.	Remarks and Opinion of the Chief Analyst.
					Total.	Insoluble.	Ppt. by Tan-nin Salt.	Tan-nin Salt Filterate. (Meat bases)	Kreatinin.	Kreatin.		

R. J. WAUGH, INSPECTOR.

p. c.	p. c.	p. c.	p. c.	p. c.	p. c.	p. c.	No. of Sample.					
11.00	89.00	3.00	34.55	25.07	7.672	1.631	3.437	2.604	0.67	0.38	47011	Cubes. Ash and salt too high. Fat too high.
24.40	75.60	0.50	18.20	3.07	10.388	0.434	5.096	4.858	0.72	1.47	47012	
45.52	54.48	0.55	14.98	8.60	5.432	1.015	2.401	2.016	0.54	0.26	47013	Fluid Meat Extract.
7.40	92.60	1.70	34.75	19.36	6.860	2.625	1.953	2.282	0.57	0.33	47014	Solid Extract: Cubes. Ash and salt too high. Fat too high. Total nitrogen low.
11.15	88.85	3.35	34.90	26.50	7.280	1.628	3.328	2.324	0.53	0.55	47015	Cubes. Ash and salt too high. Fat too high.

WM. A. WEEKS, INSPECTOR.

24.80	75.20	0.55	18.00	3.05	10.640	0.364	5.264	5.012	0.70	1.50	46156	
32.22	67.78	0.60	17.90	6.72	7.220	1.300	4.400	1.520	0.57	0.14	46157	Fluid Meat Extract.
10.65	89.35	3.70	34.05	24.87	7.672	1.562	3.486	2.604	0.67	0.45	46158	Cubes. Ash and salt too high. Fat too high.
9.25	90.75	4.45	53.65	23.93	2.996	0.133	0.973	1.890	0.33	0.11	46159	Solid Extract: Cubes. Ash and salt much too high. Fat too high. Nitrogen too low. Contains vegetables by acknowledgement.
22.40	77.60	1.00	19.20	4.91	8.540	0.189	4.389	3.962	0.70	0.60	46160	

J. C. FERGUSON, INSPECTOR.

10.10	88.90	3.25	33.50	25.27	7.476	1.603	3.283	2.590	0.59	0.56	45616	Cubes. Ash and salt too high. Fat too high.
21.65	78.35	1.00	19.40	4.49	8.764	0.322	4.536	3.906	0.81	0.42	45617	
33.22	66.78	0.55	17.24	8.33	7.500	1.160	4.790	1.550	0.70	0.23	45618	Fluid Meat Extract.
44.23	55.77	0.55	14.90	8.61	5.152	1.078	2.072	2.002	0.56	0.39	45619	" "
24.20	75.80	0.50	22.40	13.69	7.000	0.125	4.453	2.422	0.18	0.15	45620	

BULLETIN No. 267—

Date of Collection.	Nature of Sample.	No. of Sample.	Name and Address of Vendor.	Cost.		Name and Address of Manufacturer or Furnisher as given by the Vendor.	Inspector's Report. (Is not an expression of Opinion).
				Quantity.	Cents.		

DISTRICT OF QUEBEC—

1912.							
Feb. 5	Meat Extract	37373	V. Giroux, 16 Rue 3 pkgs St. Pierre, Quebec.	150	Australian Watt, Scott & Meat Co.	Goodacer.	
" 5 "	"	37374	Dr. Ed. Morin, 113 3 Cote Lamontagne, Quebec.	105	"	"	
" 5 "	"	37375	Laroche Co., 4 Rue 3 La Fabrique, Quebec.	240	Leibigs, Lou. Lyman's Ltd., London, Eng.	Mfrs.	
" 5 "	"	37376	J. E. Livernois, St. 3 Jean & Bouvillard, Quebec.	75	Australian Mfrs. Meat Co.	"	
" 5 "	"	37377	F. C. Lacheyrotiere, 3 221 Rue St. Jean,	120	"	W. Brunet & cie, Quebec.	

DISTRICT OF ST. HYACINTHE—

Feb. 20	Meat Extract.	39052	Ed. Leblanc, St. Jean 3 tins.	135	American Fluid Beef Co.		
" 21 "	"	39053	Alb. Pratte, Magog. 3 "	75	Bovril Ltd., London.		
" 21 "	"	39054	Nap. Hamel, Magog 3 "	100	Colonial Fluid Beef Co., Montreal.		
" 27 "	"	39055	Jos. Picard, St. Guile. 3 laume.	300	"		
Mar. 6	"	39056	Neal Bros., Waterloo 3 "	45	From stock of A.C. Gilmore, Waterloo.		

DISTRICT OF MONTREAL—

Feb. 16	Meat Extract.	40831	Bovril Ltd., Montreal 3 bots.	70	Vendors	Bovril.	
" 16 "	"	40832	Colonial Fluid Beef 3 & Specialty Co., Montreal.	45	"	Red Cross.	
" 16 "	"	40833	B. Fox, 168 St. Law. 3 rence Boulevard, Montreal.	75	"	Oxo.	
" 16 "	"	40834	B. Kau, 395 St. Law. 3 rence Boulevard, Montreal.	75	Arimor's Ltd., Toronto.		
" 16 "	"	40835	L. O. D'Argencourt, 3 379 St. Denis St., Montreal.	105	"	Leibigs.	

MEAT EXTRACTS.

Results of Analysis.

Water.	Solids.	Petrolic Ether Extract.	Ash.	Sodium Chloride.	Nitrogen as						Remarks and Opinion of the Chief Analyst.	
					Total.	Insoluble.	Pt. by Tan- nin Salt.	Tannin Salt Filtrate. (Meat bases)	Kreatinin.	Kreatinin.		
F. X. W. E. BELAND, INSPECTOR.												

p. c.	p. c.	p. c.	p. c.	p. c.	p. c.	p. c.						
17.33	82.67	0.70	22.80	4.37	8.962	0.261	3.925	4.774	2.32	1.16	37373	
17.70	82.30	0.90	23.15	5.05	8.840	0.350	3.632	4.858	2.32	0.70	37374	
24.20	75.80	0.35	18.70	2.74	10.360	0.392	4.942	5.026	0.75	1.76	37375	
17.05	82.95	0.55	23.25	4.52	8.960	0.335	3.641	4.984	2.12	1.47	37376	
17.85	82.15	0.85	22.75	5.21	9.268	0.364	4.116	4.788	0.62	2.15	37377	

J. C. ROULEAU, INSPECTOR.

45.90	54.10	1.00	14.10	18.12	5.488	1.764	2.381	1.340	0.45	0.13	39052	Fluid Meat Extract. Salt too high.
40.75	59.25	0.65	15.23	8.63	5.208	0.994	2.310	1.904	0.73	0.16	39053	" "
37.70	62.30	1.15	18.19	7.62	7.280	2.128	3.890	1.260	0.10	0.04	39054	" "
55.60	44.40	1.15	19.00	8.13	4.592	1.652	2.173	0.767	0.13	0.07	39055	Solids too low. "
40.75	59.25	1.50	22.60	6.70	2.968	0.378	2.666	0.924	0.33	0.14	39056	Fluid Meat Extract. Fat too high. Nitrogen too low.

J. J. COSTIGAN, INSPECTOR.

41.24	58.76	0.95	14.35	8.83	5.348	1.155	2.193	2.000	0.62	0.44	40831	Fluid Meat Extract.
42.00	58.00	1.25	17.83	7.89	5.292	1.505	2.457	1.330	0.40	0.32	40832	" "
35.00	65.00	1.25	19.21	9.19	6.048	0.840	2.828	2.380	0.64	0.23	40833	" "
21.75	78.23	0.75	19.76	5.19	8.764	0.273	4.557	3.934	0.78	0.48	40834	
19.55	80.45	0.95	28.30	12.20	8.960	0.252	3.598	5.110	2.32	0.70	40835	

BULLETIN No. 267—

Date of Collection.	Nature of Sample.	No. of Sample.	Name and Address of Vendor.	Cost.	Name and Address of Manufacturer or Furnisher as given by the Vendor.		Inspector's Report. (Is not an expres- sion of Opinion).
					Quantity.	Cents.	

DISTRICT OF OTTAWA—

1912.							
Feb. 12	Meat Extract.	50136	Ellis Bros., Somerset St., Ottawa.	75	Armour's Ltd., Toronto.	Mfrs.	Armour's. Made from finest quality of fresh beef.
" 12	"	50137	Wm. York, Somerset St., Ottawa.	30	Cornelle Da-vis & Co., Toronto.	Oxo Cubes....	
" 12	"	50138	T. Bowman, Somer-set St., Ottawa.	75	Bovril Ltd., London, Eng.	F. J. Castle & Bovril....	
" 19	"	50139	Jos. P. Valiquette, 3 tins, Dalhousie St., Ottawa.	75	E. S. Burnham Co., New York.	S. J. Major, Ltd., Ottawa	Bovim Highly concentrated extract of meat and vegetables.
" 20	"	50140	Bryson Graham, Ltd. Ottawa.	69	Bovril Ltd., Montreal.	Mfrs.	Johnston's Fluid Beef.

DISTRICT OF KINGSTON—

Feb.	5	Meat Extract.	49536	H. M. Stover, Kings-ton.	3 pkgs.	75	Armour's, To-ronto.
"	5	"	49537	W. J. Arnill, Kings-ton.	3 "	75	Bovril, London
"	7	"	49538	W. D. Stephens, Port Hope.	3 "	75	Armour's, To-ronto.
"	8	"	49539	J. E. Little, Peter-boro.	3 "	60	Bovril.
"	8	"	49540	A. Pearson, Peter-boro.	3 "	105	"

DISTRICT OF TORONTO—

Feb.	7	Meat Extract.	49357	Geo. Harding, 227 King St., Hamil-ton.	3 bots.	60	Bovril Ltd., London.	Bovril....
"	17	"	49358	The Wm. Davies Co., Ltd., 521 Queen St. east, Toronto.	3 pkgs.	30	Vendors	Solid Beef Ex-tract.
"	17	"	49359	J. E. Sweet, 481 3 Queen St., east, Toronto.	3 "	60	Unknown	Bovril....
"	20	"	49360	J. A. Armour, Owen Sound.	3 bots.	60	Corneille Da-vil & Co., Toronto.	Oxo	
"	28	"	49361	F. T. Higgins, 808 Queen St. east, Toronto.	pkgs.	30	Wenem Bros., Toronto.	Oxo cubes....	

MEAT EXTRACTS.

Results of Analysis.

Water	Solids	Petroleum Ether Extract.	Ash.	Sodium Chloride	Nitrogen as						No. of Sample.	Remarks and Opinion of the Chief Analyst.
					Total.	Insoluble.	I _p , by Tannin Salt.	Tannin Salt Filtrate (Meat bases)	Kreatinin.	Kreatin.		
J. A. RICKEY, INSPECTOR.												
p. c.	p. c.	p. c.	p. c.	p. c.	p. c.	p. c.	p. c.	p. c.	p. c.	p. c.	50136	
21.00	79.00	0.85	19.40	5.28	8.596	0.308	4.480	3.808	0.57	0.62		
11.95	88.03	3.55	34.80	24.88	7.924	1.624	3.794	2.506	0.62	0.32	50137	Cubes. Ash and salt too high. Fat too high.
13.10	56.90	0.65	15.33	9.11	5.376	1.106	2.212	2.058	0.64	0.23	50138	Fluid Meat Extract.
7.00	93.00	2.60	43.70	19.63	3.324	0.105	1.469	1.750	0.21	0.18	50139	Meat and vegetables, cubes. Ash and salt too high. Fat too high. Nitrogen too low. Contains vegetables by acknowledgment.
33.00	67.00	0.55	17.80	8.51	7.530	1.100	4.862	1.568	0.68	0.28	50140	Fluid Meat Extract.

JAS. HOGAN, INSPECTOR.

21.50	78.50	1.05	19.30	5.72	8.428	0.203	4.585	3.640	0.65	0.68	49536	
45.15	54.85	1.05	14.90	8.35	5.040	1.085	2.135	1.820	0.67	0.38	49537	Fluid Meat Extract.
24.30	75.70	1.10	19.00	4.93	8.456	0.231	4.725	3.500	0.73	0.71	49538	
41.90	58.10	0.75	14.48	8.90	5.040	1.099	2.009	1.932	0.64	0.30	49539	Fluid Meat Extract.
44.95	55.05	1.00	15.20	8.88	5.572	1.057	2.639	1.876	0.57	0.36	49540	" "

H. J. DAGER, INSPECTOR.

45.15	54.85	0.95	14.63	8.44	5.208	1.085	2.229	1.834	0.54	0.30	49357	Fluid Meat Extract.
20.80	79.20	0.25	15.12	8.32	9.184	0.196	5.088	4.900	1.30	0.80	49358	
41.05	58.95	1.05	15.15	9.10	5.404	1.057	2.401	1.946	0.54	0.36	49359	Fluid Meat Extract.
34.90	65.10	1.30	19.65	9.65	6.244	1.000	2.752	2.492	0.50	0.46	49360	" " Fat too high.
11.10	88.90	2.90	35.05	25.77	7.868	1.778	3.514	2.576	0.57	0.38	49361	Cubes. Ash and salt too high. Fat too high.

BULLETIN No. 267—

Date of Collection	Nature of Sample.	No. of Sample.	Name and Address of Vendor.	Cost.	Name and Address of Manufacturer or Furnisher as given by the Vendor.		Inspector's Report. (Is not an expression of Opinion).
					Quantity.	Cents.	
DISTRICT OF LONDON —							
1912.							
Feb. 19	Meat Extract.	47884	W. S. Cole, Exeter, 3 pkgs	75	Nat. Drug Co.	Nat. Drug Co. Brand.
" 19	"	47886	W. S. Howey, Exeter, 3 "	75	Leibigs Co., London, Eng.	
" 20	"	47892	W. S. R. Holmes, Clinton,	75	Bovril Ltd., London, Eng.	
" 20	"	47895	J. E. Howey, Clinton, 3 "	75	Armour's Ltd., Toronto	Armour's...
" 20	"	48202	W. A. McConnell, Clinton,	75	Leibigs Co., London, Eng.	Oxo cubes...
DISTRICT OF WINDSOR —							
Feb. 9	Meat Extract.	47864	Auderson & Nelles, 3 pkgs London.	75	LeibigOxo Co., London, Eng.	Oxo
" 6	"	48079	John Diprose, Lon. 3 jars don.	60	Bovril Ltd., J. S. Johnstone,	
" 7	"	48087	Thos. Shaw, London, 3 pkgs east.	30	Oxo, London, Eng.	
" 8	"	48098	Taylor Drug Co., 3 " London.	75	Nat. Drug Co.	
" 9	"	48100	W. T. Strong, Lon. 3 jars don.	75	Armour's Co., Ltd., Toronto.	
DISTRICT OF MANITOBA —							
Feb. 20	Meat Extract.	48601	A. Macdonald & Co., 3 pkgs Portage Ave., Winipeg.	105	Bovril Ltd., England.	
" 20	"	48602	" " 3 "	30	"	Oxo
" 21	"	48603	H. E. Weldon & Co., 3 " Portage Ave., Winnipeg.	105	Leibigs Ltd., London.	
" 21	"	48604	The Codville Co., 3 " Winnipeg.	82	Johnston's Fluid Beef.	
" 21	"	48605	" " 3 "	75	Armour & Co., Chicago.	Vigoral....
DISTRICT OF CALGARY —							
Mar. 6	Meat Extract.	44136	Capital Mercantile Co., Edmonton.	100	Leibigs Co., Ltd., London Eng.	
" 7	"	44137	Hudson Bay Co., Ed. 3 " monton.	160	Bovril, Ltd., London, Eng.	
" 7	"	44138	Acme Co., Edmonton 3 "	100	Leibigs Co., Ltd., London Eng.	
" 8	"	44139	Hallier & Aldridge, 3 tins Edmonton.	150	Bovril Ltd., Montreal.	
" 8	"	44140	J. H. Morris & Co., 3 pots Ltd., Edmonton.	100	"	

MEAT EXTRACTS.

Results of Analysis.

Water.	Solids.	Petrol. Ether Extract.	Ash.	Sodium Chloride.	Nitrogen as					No. of Sample.	Remarks and Opinion of the Chief Analyst.
					Total.	Insoluble.	Pt. by Tanin Salt.	Tanin Salt Filtrate. (Methabases)	Kreatinin.		
JNO. TALBOT, ACTING INSPECTOR.											
p. c.	p. c. p. c.	p. c.	p. c.	p. c.	p. c.	p. c.	p. c.	p. c.	p. c.	47884	
21.15	75.85 0.75	21.90	13.70	6.692	0.441	3.601	2.590	0.17	0.05		
31.10	65.90 1.15	19.39	9.33	5.852	0.810	2.531	2.478	0.54	0.26	47886	Fluid Meat Extract.
45.15	54.55 0.90	15.45	9.30	5.544	1.062	2.492	1.960	0.53	0.27	47892	" "
21.30	76.70 0.65	20.50	5.11	8.792	0.202	4.726	3.864	0.67	0.33	47896	
10.75	89.25 3.50	35.05	25.62	7.420	1.589	3.311	2.520	0.70	0.34	48202	Cubes. Ash and salt too high. Fat too high.
JNO. TALBOT, INSPECTOR.											
33.30	66.70 1.15	20.20	9.82	5.992	0.728	2.772	2.492	0.62	0.32	47864	Fluid Meat Extract.
45.25	54.75 0.75	14.18	9.00	5.460	1.029	2.457	1.974	0.61	0.11	48079	" "
10.45	89.55 3.45	35.05	24.43	7.616	1.610	3.546	2.660	0.67	0.38	48087	Cubes. Ash and salt too high. Fat too high.
24.05	75.95 1.20	22.01	13.88	6.524	0.326	3.622	2.576	0.20	0.00	48098	
23.90	76.16 1.00	19.30	5.23	8.763	0.266	4.886	3.612	0.62	0.61	48100	
A. C. LARIVIÈRE, INSPECTOR.											
40.25	59.75 0.75	14.36	8.71	5.124	1.008	2.156	1.960	0.57	0.49	48601	Fluid Meat Extract.
12.05	87.95 3.85	35.20	24.74	7.476	1.582	3.612	2.282	0.70	0.44	48602	Cubes. Ash and salt too high. Fat too high.
24.50	73.50 0.85	18.50	2.68	9.884	0.402	4.610	4.872	0.72	1.1	48603	
32.97	67.03 0.50	17.00	7.48	7.680	1.580	3.820	1.680	0.48	0.51	48604	Fluid Meat Extract.
50.70	49.30 0.35	14.60	8.20	4.032	0.350	1.288	2.394	0.60	0.20	48605	" "
R. W. FLETCHER, INSPECTOR.											
34.70	65.30 1.30	19.30	9.28	5.964	0.994	2.478	2.492	0.50	0.44	44136	Fluid Meat Extract. Fat too high.
41.75	55.25 1.00	14.99	8.39	5.628	1.036	2.632	1.960	0.62	0.27	44137	" "
34.75	65.25 1.10	19.90	9.78	6.160	0.812	3.066	2.282	0.76	0.18	44138	" "
33.02	66.98 0.65	17.05	8.27	7.610	1.180	4.819	1.631	0.57	0.28	44139	" "
32.40	67.60 0.65	17.00	7.48	7.420	1.510	4.286	1.624	0.62	0.30	44140	" "

BULLETIN No. 267—

Date of Collection.	Nature of Sample.	No. of Sample.	Name and Address of Vendor.	Quantity.	Cost.	Name and Address of Manufacturer or Furnisher as given by the Vendor.		Inspector's Report (Is not an expression of Opinion).						
						Manufacturer	Furnisher.							
DISTRICT OF NELSON—														
1912.														
Feb. 13	Meat Extract.	48488	Mallory Drug Co., Kamloops, B.C.	3 pots	150	Nat. Drug Co., Montreal.								
" 13	"	49605	Stevens & Allan, Kamloops, B.C.	3 cans	150	Bovril Ltd., Montreal.								
" 13	"	49615	Wilson Grocery Co., Kamloops, B.C.	3 jars	120	Bovril Ltd., London.								
" 20	"	49267	J. J. Ling & Co., Ashcroft, B.C.	3 tins	105	Armour Co., Chicago.								
" 26	"	49631	Canada Drug & Book Co., Nelson, B.C.	3 bats	105	"								
DISTRICT OF VANCOUVER—														
Feb. 21	Meat Extract.	38310	Hudson's Bay Co., Vancouver.	3 jars.	180	Brand & Co., London, Eng.		Consists of the juice of the finest beef.						
" 21	"	38311	London Grocery Co., Ltd., Vancouver.	3 "	75	Bovril Ltd., London, Eng.		A combination of the Extractives of the Albumen and fibrin of beef. Absolutely pure.						
" 21	"	38312	Woodward Dept. Stores, Vancouver.	3 "	75	Am. Fluid Beef Co., Montreal		Contains the fibrine and Albumenoids of prime beef.						
" 21	"	38313	H. A. Edgett Co., Ltd., Vancouver.	3 "	75	Armour Ltd., Toronto.		Made only from the finest quality of fresh beef.						
" 21	"	38314	David Spencer Ltd., Vancouver.	3 "	45	Northland Mfg. Co., Toronto.		Nutri-Ox Concentrated fluid beef.						
DISTRICT OF VICTORIA—														
Feb. 27	Meat Extract.	49110	Windsor Grocery Co., Victoria, B.C.	3 pkgs	150	Bovril Ltd., Montreal.		Johnston's Fluid Beef.						
" 28	"	49111	The West End Grocery Co., Ltd., Victoria, B.C.	3 "	75	Armour Ltd., Toronto.		Armour's.....						
" 29	"	49112	D. H. Ross & Co., Victoria, B.C.	3 "	75	Armour & Co., Chicago.		Vigoral.....						
Mar. 1	"	49113	Capas & Young, Victoria, B.C.	3 "	60	Bovril Ltd., London, Eng.		Bovril.....						
" 1	"	49114	Wm. B. Hall, Victoria, B.C.	3 "	90	Lehigh's Co., London, Eng.		Oxo.....						

MEAT EXTRACTS.

Results of Analysis.

Water.	Solids.	Petrolic Ether Extract.	Ash.	Sodium Chloride.	Nitrogen as						No. of Sample.	Remarks and Opinion of the Chief Analyst.
					Total.	Insoluble.	Ppt. by Tanin in Salt.	Tanin Salt Filtrate. (Meat bases)	Kreatinin.	Kreatin.		

THOS. PARKER, INSPECTOR.

p. c.												
25.90	74.10	0.40	22.75	14.09	7.224	0.658	4.466	2.100	0.13	0.15	48488	
33.00	67.00	0.75	17.45	8.99	7.280	1.393	4.267	1.620	0.76	0.04	49605	Fluid Meat Extract.
44.70	55.30	0.85	15.30	8.90	5.628	1.090	2.498	2.040	0.76	0.28	49615	" "
22.25	77.75	0.90	20.55	5.58	8.484	0.364	4.480	3.640	0.65	0.55	49627	
52.20	47.80	0.30	15.40	8.33	3.752	0.175	1.673	1.904	0.36	0.16	49631	Fluid Meat Extract. Solids slightly low.

J. F. POWER, INSPECTOR

90.30	9.70	0.90	1.40	0.98	1.652	0.044	0.343	1.265	tr'ce	tr'ce	38310	Meat juice.
43.15	56.85	0.60	14.40	8.34	5.152	1.001	1.897	2.254	0.60	0.23	38311	Fluid Meat Extract.
45.25	54.75	1.35	14.62	8.39	5.684	1.361	3.021	1.302	0.53	0.10	38312	Fluid Meat Extract. Fat too high.
23.50	76.50	1.05	20.30	5.32	8.260	0.339	4.194	3.667	0.63	0.60	38313	
45.35	56.65	2.35	16.30	9.69	4.340	0.546	1.302	2.492	0.50	0.22	38314	Fluid Meat Extract. Fat too high.

D. O'SULLIVAN, INSPECTOR.

33.12	66.88	0.60	17.12	8.10	7.220	1.130	4.620	1.470	0.59	0.53	49110	Fluid Meat Extract.
21.35	78.65	0.75	19.80	5.19	8.204	0.315	4.501	3.388	0.60	0.74	49111	
50.80	49.20	0.25	15.23	8.60	3.808	0.448	1.330	2.030	0.58	0.21	49112	Fluid Meat Extract.
43.00	57.00	0.80	15.67	9.15	5.656	1.085	2.550	2.021	0.64	0.24	49113	" "
34.10	65.90	1.00	19.69	9.45	5.740	0.840	2.548	2.352	0.62	0.30	49114	" "

