CIHM Microfiche Series (Monographs)

ICMH
Collection de microfiches (monographies)



Canadian Institute for Historical Microreproductions / Institut canadien de microreproductions historiques

(C) 1996


Technical and Bibliographic Notes / Notes technique et bibliographiques

The Institute has attempted to obtain the best original copy available for filming. Features of this copy which may be bibliographically unique, which may alter any of the images in the reproduction, or which may significantly change the usual method of filming are checked below.

L'Institut a microfilmé le meilleur examplaire qu'il lui a été possible de se procurer. Les détails de cet exemplaire qui sont peut-être uniques du point de vue bibliographique, qui peuvent modifier une image reproduite, ou qui peuvent exiger une modifications dans la méthode normale de filmage sont indiqués ci-dessous.

	Coloured covers /		Coloured pages / Pages de couleur
ليكا	Couverture de couleur	\checkmark	Colouled pages / Fages de couleur
<u></u> ;	Covers damaged /		Pages damaged / Pages endommagées
	Couverture endommagée	$\overline{}$	Pages rectared and/or laminated /
			Pages restored and/or larninated / Pages restaurées et/ou pelliculées
	Covers restored and/or laminated /		ages restaurces evou peniculees
	Couverture restaurée et/ou pelliculée		Pages discoloured, stained or foxed /
		V	Pages décolorées, tachetées ou piquées
	Cover title missing / Le titre de couverture manque		and a second sec
	Outcome to the control of		Pages detached / Pages détachées
	Coloured maps / Cartes géographiques en couleur	با	•
	Coloured intelligences and an extraction of the state of		Showthrough / Transparence
	Coloured ink (i.e. other than blue or black) /	1	
	Encre de couleur (i.e. autre que bleue ou noire)		Quality of print varies /
	Coloured plates and/or illustrations /		Qualité inégale de l'impression
	Planches et/ou illustrations en couleur		
	. Ialonoo oo a maonana ah codiedi		Includes supplementary material /
	Bound with other material /		Comprend du matériel supplémentaire
	Relié avec d'autres documents	<u></u>	Pages wholly or portially charged by and
			Pages wholly or partially obscured by errata slips, tissues, etc., have been refilmed to
	Only edition available /		ensure the best possible image / Les pages
ш	Seule édition disponible		totalement ou partiellement obscurcies par un
			feuillet d'errata, une pelure, etc., ont été filmées
	Tight binding may cause shadows or distortion		à nouveau de façon à obtenir la mellleure
_	along interior margin / La reliure serrée pout		image possible.
	causer de l'ombre ou de la distorsion le long de		
	la marge intérieure.		Opposing pages with varying colouration or
	Blank leaves added during restorations may appear		discolourations are filmed twice to ensure the
	within the text. Whenever possible, these have		best possible image / Les pages s'opposant
	been omitted from filming / II se peut que certaines		ayant des colorations variables ou des décol-
	pages h' ches ajoutées lors d'une restauration		orations sont filmées deux fois afin d'obtenir la
	apparaissent dans le texte, mais, lorsque cela était		meilleur image possible.
	possible, ces pages n'ont pas été filmées.		
	Additional accounts (
	Additional comments /		
_	Commentaires supplémentaires:		

This item is filmed at the reduction ratio checked below/ Ce document est filmé au taux de réduction indiqué ci-dessous.



The copy filmed here hes been reproduced thanks to the generosity of:

Library Agriculture Canada

The images appearing here are the best quality possible considering the condition and legibility of the original copy and in keeping with the filming contract specifications.

Originei copies in printed peper covers ere filmed beginning with the front cover end ending on the lest pege with e printed or illustreted impression, or the beck cover when eppropriete. All other originel copies ere filmed beginning on the first pege with e printed or illustreted impression, end ending on the lest pege with e printed or illustreted impression.

The lest recorded freme on each microfiche shell contain the symbol → (meening "CONTINUED"), or the symbol ▼ (meening "END"), whichever epplies.

Meps, pietes, cherts, etc., mey be filmed et different reduction retios. Those too lerge to be entirely included in one exposure ere filmed beginning in the upper left hend corner, left to right end top to bottom, es meny fremes es required. The following diegrems illustrete the method:

1	2	3

1	2
4	5

L'examplaire filmé fut reprodult grâce à la générosité de:

Bibliothèque Agriculture Caneda

Les images suivantes ont èté reproduites avec le plus grend soin, compte tenu de la condition et de la netteté de l'exemplaire flimé, et en conformité avec las conditions du contrat de filmage.

Las exempiairas originaux dont la couverture en papler est imprimée sont filmés an commençant par le premier plat et en terminant soit par la derniére page qui comporte une empreinte d'Impression ou d'iliustration, soit par le second piat, seion le cas. Tous les autres exemplaires originaux sont filmès en commençant par la première page qui comporte une empreinte d'impression ou d'iliustration et en terminant par la dernière page qui comporte une telle ampreinte.


Un des symboles suivants apparaîtra sur la dernière Image de chaque microfiche, selon le cas: le symbole → signifie "A SUIVRE", le symbole ▼ signifia "FiN".

Les cartes, planches, tabieaux, etc., peuvent être fiimès è des taux de réduction différents. Lorsque ie document est trop grend pour être reproduit en un seui clichè, il est filmè è partir de l'angie supérieur gauche, de gauche à droite, et de haut en bas, en prenant ie nombra d'imagas nècessaire. Les diagrammes suivants illustrent ia méthode.

3		1
		2
		3
2	3	
5	6	

MICROCOPY RESOLUTION TEST CHART

(ANSI and ISO TEST CHART No. 2)





APPLIED IMAGE Inc

1653 Eost Main Street Rochester, New York 14609 USA (716) 482 – 0300 – Phone (716) 288 – 5989 – Fax

MANITOBA BEEKEEPERS' ASSOCIATION

INCORPORATED 1915



OFFICERS FOR 1918

Hon. President—Hon. V. Winkler.

President—G. G. Gunn, Lockport, Man.

Hon. Vice President—Prof. S. A. Bedford, Winnipeg.

Vice President—B. Brewster, Green Ridge.

Sec-Treas. (to whom all communications should be addressed)—R. M. Muckle, Provincial Apiarist, Dept. of Agriculture, Winnipeg, Man.

DIRECTORS-J. Strathdee, Winnipeg, Mrs. W. H. Hambly, Roseisle, J. Reddin, Elmwood (Winnipeg)

BANKERS-Union Bank of Canada

Membership Fees.

The subscription to the Association is \$1.00 per annum, due March 1st of each year.

Free Premium—The "Canadian Horticulturist and Beekeeper" is given to members as a premium.

Payment of membership fees to the Secretary-Treasurer.

Summer Field Meets.

Provincial Field Meet at the home of G. M. Newtou, 1 mile South of Selkirk. Bring your basket and spend the day.

Date-July 19th.

Other meets will be held at the following places during the summer:

Teulon, Manitou, Dominion City, Souris, Altamont, Minitonas and other points to be arranged.

Annual Honey Fair.

The honey fair held during Farmers' Week in February of this year proved a success. It has been decided to hold a similar exhibition next winter. Keep your best honey and wax and exhibit and thus advertise the superior quality of Manitoba honey.

Other Honey Exhibits of Importance.

Brandon Summer Fair, Brandon.—\$150.00 in prizes. Winnipeg Garden Show, Winnipeg. Have a display at your local agricultural fair.

Advertise Manitoba Honey.

Kindly set aside a few pounds of your best honey and sent it to the Secretary-Treasurer, to be used in advertising the superior quality of Manltoba honey.

Bee Culture Circulating Library.

Name of Book.	Author or Publisher.
A.B.C. & X.Y.Z. of Bee Culture	A. I. & E. R. Root
Advanced Bee Culture	Hutchinson
Fifty Years Among the Bees	Dr. C. C. Miller
Langstroth Dadant on Honey Bee	Langatroth
wanual of the Aplary	Cook
Doontue's Queen Rearing	Doalittle
now to Keep Bees	Cor stock
Quinby's New Beekeeping	L. C. Root

A Modern Bee Farm S. Simms Wax Craft Cowan First Lessons in Beekeeping Newman Dooiittie's Out Apiary Dooiittie Towsend Bee-Book Towsend
Natural History of the Honcy Bee
The Life of the the Honcy Bce Maetcriinck
The Humble Bee F. W. L. Siaden
The Anatomy of the Honey Bee Snodgrass
The Lore of the Honcy Bce Ticknor F dwards
The Honey Bee C. G. Hewitt
Destruction of Germs of Bee Dicases by Heating
The Temp. of the Honey Bee Cluster in Winter
The Trust Aland Santage U.S. Dept. of Agric.
The Truth About Sweet Clover A. I. Root
Bee Diseases in Ontario Morley Pettit
Alexander's Bee Book Alexander
Bees and How to Keep Them F. W. L. Sladen
Productive Beekeeping Frank C. Pellet
Beekeeping Dr. E. F. Phillips

BEE CULTURE LIBRARY REGULATIONS.

That the Bee-culture Circulating Library may best serve the Beekeepers of Manitoba, the following rules should be observed:—

- 1. All requests for books should be sent to R. M. Muckle, Provincial Apiarist, Department of Agriculture, Winnipeg.
 - 2. One book only may be drawn at one time.
- 3. A bock may be retained for two weeks from date of receipt, but when possible should be returned sooner in order that they may be read by as many as possible.
- 4. A book may be renewed for a further period if found desirable, and if the book in question has not been called for by another person. When renewal is required, a request must be sent in advance, stating for how long it is desired.
- 5. Each person will be responsible for the book in his or her possession.
- 6. Care should be taken to see that the books are well packed to avoid damage in the mail.
- 7. The cost of mailing is paid by the Department of Agriculture one way. The return carriage is to be paid by the reader.
- 8. The receipt form sent with the book should be promptly returned. When returning books it is necessary that a post card should be sent stating that the book has been returned.
- 9. Care should be taken that the books do not go into homes where there is contagious sickness.

CONSTITUTION

NAME.

1. This Association shall be known as "The Mardroba Beekeepers' Association of Manltoba."

The objects of the Association are:--

To promote and encourage the keeping of Bees in the most suitable methods for their profitable management.

To assist members in disposing of their produce to the best advantage.

(c) To obtain the most advantageous terms for mem-

bers in the purchase of Bee supplies.

(d) To effect the standardization of such Bec appliances as may be found most suitable for the Province.

To promote and regulate local exhibits and displays

of Bees, Honcy, Wax, etc.

(f) To aid in the dissemination of reliable and practical information with regard to the Bee industry, and further its progress in every possible way.

(g) To promote the growing of nectar bearing plants.

An Act to incorporate

The Manitoba Beekeepers' Association

Assented to April 1st. 1915.

His Majesty, by and with the advice and consent of the Legislative Assembly of Manitoba, enacts as follows:—

- 1. This Act may be cited as "The Manitoba Beekeepers Act."
 - In this Act, unless the context otherwise requires,

The expression "Association" means, The Mani-

toha Bce-Keepers Association.

- The said Association is and shall continue to be a body corporate and politic under the name of "The Manitoba Bee-Keepers Association" for the purpose of the encouragement of bee-keeping in Manitoba, and for all purposes connected therewith or relating thereto; and the Association may acquire and hold, lease, mortgage and alienate property, real or personal, but only for the purposes of the Association.
- 4. The Association shall be composed of all persons paying an annual subscription of not less than one dollar to the funds of the Association, on or before the day of the annual meeting in each year, and who have attached or who shall attach their signatures to a declaration in or to the effect of the form contained in schedule A to this

Act.

5. The present directors and officers of the Association shall continue in affice until their successors are appointed.

Annual Meetings.

6. There shall be a general meeting of the members of the Association held annually at such place as may be decided upon by the by-laws of the Association.

7. At least one month's previous notice of such meeting, with full particulars as to place and date, shall be given by the Secretary-Treasurer of the Association by advertisement in such newspaper of newspapers as the directors

may select.

8. At such meeting the officers shall present for consideration by the members a full report of the proceedings of the officers and of the Association, glvi.g in detail the names, addresses and subscriptions of all members, and the receipts and expenditures for the twelve months ended on the thirtleth day of November previous to the meeting.

- 9. The sald report shall set forth the names and addresses of all persons to whom prizes have been awarded at any exhibition held by the Association during the year covered by the 1 port, the amount of each separate prize and the name of the exhibit to which it was awarded, together with such remarks and suggestions on the state of the bee-keeping industry in the Province as the said offleers may be able to offer,
- 10. The report shall be recorded in the minute book of the Association as part of the record of proceedings.
- 11. After the consideration of the report and the disposal of business connected with it, the members present who have paid their subscriptions, as provided by section 4 of this Art, shall proceed to elect a president, a vice-president, not more than five directors, a secretary-treasurer, and an auditor, as provided by the by-iaws of the Association.
- 12. A certified copy of the minutes of the annual meeting and of the report presented thereat, and a list of the officers elected, with their post office addresses, shall be transmitted to the Department of Agriculture and immigration by the Secretary-Treasurer of the Association within three weeks after the said annual meeting; and in ease these particulars are not transmitted, the Association shall not receive any portion of the Provincial grant for the year next following the date of the meeting in respect of which the default takes place.

Directors-Officers.

13. Event of an election of directors or officers of the association not being held at the time or place provided for under the authority herein, or being for any reason

illegal and vold, then the persons in office at the time when such election should have been legally held shall continue to be the officers of the Association until their successors are logally appointed; and in the event of any such non-election or illegal election, a special meeting of the members of the Association shall be called as soon as practicable thereafter for the election of officers, such meeting to be called by the Minister of Agriculture and Immigration, or by his Deputy Minister, due notice of which shall be given; and at such meeting the election of such directors or officers shall take place, and the persons elected shall thenceforth, until their successors are appointed, be the directors or officers of the Association.

- 14. If a director or other officer of the Association dies or resigns office, or in any way prove to be disqualified during the time for which he has been elected, the remaining directors shall appoint a person to fill the office for the unexpired term of the person dying or resigning or proving to be disqualified; but if for any reason a quorum cannot be obtained, then a person to fill the vacant office shall be elected in the manner provided in section 13 of this Act.
- 15. At the first meeting of the board of directors they shall, from outside their own number, select an auditor.
- 16. The directors of the Association may make by-laws and regulations for the government of the Association and the carrying out of the objects not inconsistent with the provisions of this Act; provided, however, that a copy of any such by-law or regulation, duly certified by the Secretary of the Association, shall be transmitted to the Department of Agriculture and Immigration within one week from the date of its passage.
- 17. The directors, three of whom, with the president or vice-president, shall form a quorum, shall have full power to act for and on behalf of the Association; and ali grants of money and other funds of the Association shall be received and expended under their direction, subject nevertheless to the by-iaws and regulations of the Association.

Report.

- 18. The Secretary-Treasurer of the Association shall, on or before the first day of December in each year, transmit to the Department of Agriculture and Immigration a statement, verified by solemn deciaration, showing in detail the receipts of the Association from all sources and the expenditures of the Association from the first day of December of the year preceding to the thirtieth day of November next thereafter.
- 19. This Act shall come in force on the day it is assented to.

Instructions to Beginners.

Spring.

We advise a beginner to buy bees in his own identity, if possible. If he has little or no experience, he should commence with not more than two or three strong colonies. The best time to begin is from the 15th to the 25th of Mny—by that time all danger of spring dwindling is over, and the hees will usually give a return or the capital invested during the following summer.

A beginner's outfit should consist of the following:—
"A.B.C. and X.Y.Z. of Bee Culture" (revised edition); n
good smoker; bee vell; one or two extra hives, complete
with supers for each colony, spring count.

In early spring, when the bccs are fiying freely, examine each colony to see that it has a inying queen and plenty of stores. Remove all drone comb, except a little in one outside frame, and replace it it it worker comb or comb foundation, as much as in your power. Every square foot of drone comb thus replaced is equal to a dollar saved. Two drones cost as much to raise as three workers, and after they are raised they keep on enting.

Spring is the season when the bees are most in danger of starvation and dwindling. Watch you coionies, and feed the destitute till the crop opens.

If you have to feed, do not feed with an open dish at the entranco or out of doors, as it would teach the bees to rob. Use proper entrance feeder, or put an empty super on the hive with a dish feeder inside. Do this just before day and cover up snug and warm.

When you see many bees hunting around nooks at a corners, you may be sure robhing is going on somewhere.

Keep the bees warm in the spring by protective packing and contraction of the entrance.

The use of comb foundation not only saves a great deal of labor and time to the hees, but it also secures a straight comb, and prevents the overproduction of drone comb. The increased honey yield more than pays for the foundation.

Do not spray fruit trees when in bloom, as it will injure the trees and is likely to poison the hees.

dummer.

The honey harvest lasts but a short time—at most only a few weeks—so you must be ready for it. "Make hay while the sun shines."

One very strong colony will store more in a short flow or a poor season than five weak ones.

If you raise honey and extract it from the combs, so as to return the empty combs to the bees to be filled again, you will produce about one-half more honey after you have a supply of empty combs to keep the bees at work.

If you give your bees a good supply of empty combs before the beginning of the honey flow, and keep them at work, they will not swarm often. But If they once find themselves crowded and get the swarming fever, nothing will keep them from swarming.

The old queen always goes with the first swarn, unless she is unable to fly.

Make but a limited number of swarms, and make them strong and early. Late natural swarms should be returned to the parent hive about 24 hours after hiving them.

When bees are hanging out in front of the hive, it shows that they are uncomfortable in It, or should have room. They should be given more air, more room, or perhaps shade, according to the circumstances.

It pays to have an extractor, and use it, if you own but four hives of bees.

One pound of honey neatly put up for market is a better advertisement than two pounds slovenly put up. "It pays to advertise."

Autumn.

Do not take too much honey from your bees. Remember that it is their surplus you take, and no more.

When you open a hive, If you see any robber bees flying ahont, you may be sure there is no honey in the fields, and should avoid leaving the hives open or exposing honey where they can find it. All hees will become robbers if tempted with exposed sweets in time of scarcity.

Bees cannot injure sound fruit at any time.

Honey dew or a poor quality of honey is bad winter food for bees, and should be extracted from the combs.

If bees have to be fed for winter, all the food should be given before the beginning of cold weather.

Thirty pounds of honey at least is required to winter a colony of bees and help them breed in the early spring.

Winter.

A room or garret where the temperature varies is a bad place to winter bees. To winter bees in a cellar or basement it should be dry, dark, and have an even temperature of from 40 to 50° F.

Low cellar temperatures are almost sure to be fatal. Bees can be wintered outdoors in Manitoba by packing

Sundry Advice.

if you suspect "foui brood," or other diseases, write, describing the conditions, to R. M. Muckle, Department of Agriculture, Winnipeg.

A bee-veil is very useful at thues. Some beekeepers do not use veils, but these occasionally get stung about the face, which is unpleasant. Black is the best color for veils; a white or colored net interferes with the vision.

d

The best time to handle bees is in the warmest part of the day, as many of the bees are then in the fields.

Smoke the bees a little at the entrance before opening a hive.

A large honey yield can be secured only by careful attention. The points in management which require special care are: Good wintering, provinding plenty of stores and sufficient protection from the cold in the spring, and keeping the bees together during the season. Increase of colonies should be avoided rather than encouraged.

Make it your business to know the symptoms of American and European Foul Brood. This can be done by getting a bee book from the circulating library.

Bee-Keeping in 1917.

Manitoba's honey crop increased last summer, in splte of the fact that the crop per colony was rather below the average because of adverse weather conditions. Beekeepers of Eastern Canada and the United States had much the same experience. Prices for honey, however, were from three to five cents a pound higher than the previous year, which made up to the individual producer for the reduced yield. The high quality of Manitoba honey is heing more widely recognized, and many buyers are now glad to give a higher price for the home product than for the imported. This is as it should be, as there is no more reason why Manitoba should import honey than why we should import wheat. The same conditions of soil and climate that produce No. 1 wheat produce a honey that is unsurpassed and but rarely equalled.

More than ninety people, mostly farmers, entered the bee-keeping business in the province during 1917, which largely accounts for the increased total yield. No less than 147 colonies of bees were procured for beginners by the Department of Agriculture, and all of these were given more or less aid and instruction.

A careful study of honey plants was made by the Department during the year with the purpose of determining if

possible the most suitable localities in the province for bee-keeping. A large honey yield is assured where the fire-weed (Epilobium Augustifolium), aster and goldenrod are pientifui. These valuable plants are found in many parts of the province, particularly in forest clearings and places recently burned over. It is suggested that it would be well worth while to place at least one hive of hees in outlying districts where conditions are deemed favorable, to demonstrate to homesteaders and others the profits that may accrue from this interesting industry.

Little Disease Reported.

The number of diseased coionies of bees is on the decrease. In the Dauphin district two years ago several bee yards were affected with the much dreaded American Foui Brood, but last Summer only slight traces of this disease were discovered in one yard. Ail other apiaries in the district were found free from this scourge. On the other hand, it is regretted that European Foul Brood, a contagious disease of the hatching bee, made its first known appearance in Manitoba. Two apiaries were found affected, and it is believed the germs were from bees imported from the south, as this disease cannot occur spontaneously. bees or inbred Italians are the only ones susceptible. coionies affected were Italianized with pure-bred Italian queens, which should totally destroy the cause of trouble. It was found necessary to destroy one hive of bees at Dominion City because of American Foul Brood. It is held that in the interests of the industry it would be best always to destroy ail affected colonies.

Four beekeepers' field meets were held during the season at different points in the province, with an attendance running from 23 to 41. Lectures and demonstrations were given at each meet, and it is suggested that there should be many more of them during the coming Summer, as they are of special value to beginners and there is evident a great demand for practical education in apiculture.

The wintering of bees continues to be a complex problem, and further experiments have been carried on during the Winter. The determining of the best method of outside wintering is occupying the best efforts of the Department because of the fact that many beekeepers are without suitable basements, and consequently the loss of bees '1 Winter is still considerable.

During the Winter months practical instruction on heekeeping was given to students at a number of the Short Course Schools held throughout the province by the Extension Service. A number of illustrated lectures were given on request in schools, halls and churches. Lectures on heekeeping were also given to the students at Manitoba Agriculturai Coilege during the Fail term. The circulating ibrary operated by the Department has also proved of much value, especially to beginners.

With the high cost of iiving, jams and sugars, it is imperative that every effort be put forth to increase the honey crop of the province. Beckeeping is one of the few occupations open to men and women with small capital, and is especially adapted to those not capable of strenuous manual labor. It is an occupation that should strongly appeal to a number of our returned soldiers, and every assistance possible will be afforded those wishing to establish aplaries.

Wintering Bees in Manitoba.

The beekeepers of Manltoba iose at least one sixth of their colonies every winter. This is the average, and is not above the ioss eisewhere. Much of this ioss is due to not having the bees properly prepared for winter. Lack of quality of stores, poor queens and excessive swarming all take their toil, and these losses are often attributed to improper cellar winter conditions.

It is important and necessary, then, that we know how to prepare our colonles for winter as much of the success of wintering depends on the condition of the colony when

golng into their winter quarters.

Since weak colonies so frequently succumb in winter, it is obvious that a too rapid increase in the number of colonies in summer is unwise. Aside from the loss in the honey crop, too rapid increase often means too rapid decrease, because of danger of weak colonies dying during the winter. In Manitoba we will get our maximum profit by allowing the colonies to swarm only once in the early summer.

We must have our colonies strong in young bees when going into their winter quarters, because in a strong colony many bees in the centre of the cluster may be engaged in heat generation, and there will still remain many to serve as insulators. Old bees that have been worn out gathering in the late summer soon succumb, thus leaving the hive

in a weakened condition.

To have all hives weil filled with young bees, in the autumn, it is important that we have the right kind of queen bee; one that wiii iay a large number of eggs and continue to deposit eggs until the cold weather sets in. The writer's experience has been that it is unwise to keep a queen bee longer than two years; in fact, in Manitoba they seidom, if given plenty of room to lay, live that long. It is weil to have the hives protected in the fail from the cold North and West winds as this protection helps to keep the colony in good condition for winter.

Much of our winter loss is due to inadequate stores. A colony of bees in Manitoba will eat about ten pounds of honey during the time they are confined by the cold. Leave the bees at least thirty pounds of honey, as with this amount they will have sufficient to do until they gather again in the spring. Be careful not to leave honey from year to year in the brood chamber, as this honey will granulate during the winter and cause loss. Our late fall gathered honey often candies quickly and is therefore not the best for winter food.

If it is necessary to feed, a sufficiently thick sugar syrup can be made of two parts of sugar to one of water by volume. To this add I ounce tartaric acid to each 50 pounds of sugar, while the syrup is being heated. This syrup should be boiled 15 minutes. The acid helps to invert the sugar and thus retard its granulation in the combs.

The principal way of wintering bees in Manltoba is in cellars or basements. Do not place the bees in their winter quarters until you think they have had their last fly for the year. This is usually about the first week in November. Another, and perhaps hetter plan, is to have the hives well protected on their summer stands with straw, or some other material, and put them in the cellar when the cold weather commences. A satisfactory plan followed by many is to have their bees well protected outdoors, and then place them in the cellar or basement when the temperature can be controlled so that it will remain about 45 to 50° F. Ideal cellar winter conditions are an even temperature around 45 to 50° F., freedom from dampness, proper ventilation, total darkness and quietness.

Have the cellar or basement well built so that the inside will not be affected by the outside temperature. Many make the mistake of allowing their bee-cellars to become too cold. This causes a slight movement of the bees in the cluster to generate heat. Bees are expensive heat producers as this muscular motion, if long continued, wears the hees out, causing early death, besides necessitating increased consumption of stores, which will often bring about dysentery. Many follow the practice of having a pipe from the furnace to the room where the bees are kept, and in this way are able to regulate the temperature.

In many of our cellars excessive dampness often causes considerable loss. To prevent dampness have the proper temperature, sufficient ventilation, and if necessary, use some hygroscopic substance, such as ilme. The best results are obtained when the hives are placed up from the floor at least one foot; the cellar having two ventilators, one going right down to the floor, the other in at the ground level.

Beginners often make the mistake of trying to examine the bees during the winter to ascertain, if possible, the condition of the colony. Have proper cellar conditions and do not disturb the bees until they are to be placed on

their summer stands in the spring.

A number of our beekeepers in Manitoba winter their bees outdoors by packing them with oat chaff, saw-dust, or dry leaves. From experiments conducted at the Agriculturai College, we have found that bees wintered in this way must be populous, and have at least eight inches of packing on the sides, and 11/2 feet above for best results. it is impossible to give too much packing. would not advise those who have good cellars or basements to try outside wintering.

Several beekeepers winter their bees in camps, as outlined in some of our bee-hooks. From experiments conducted by the writer, this method of wintering is a suc-

cess only where the soil is dry and sandy.

Many are able to bring their hees through the winter alive, but in very poor condition. Successful wintering means having the colonies populous in the early spring so that they will be able to gather an abundant harvest during

Take the bees from the cellar when the willow comes in bioom. Protect them from the cold North and West winds in the spring and if necessary feed to build them up for

Î

S

Г

11

11

1

t

D

D

ı

r

ı.

j

i

Much of our winter loss is due to carelessness on the part of the beekeeper. If bees are worth keeping they are worth the necessary attention. Care and attention will insure you a large honey yield in Manitoba nine years out

R. M. MUCKLE, Provincial Apiarist.

Firms Handling Bee Supplies in Manitoba.

General Supplies.—Andrews & Sons, Portage and Victor Sts., Winnipeg. Steele Briggs Seed Co., Winnipeg.

Honey Tins .- Sheet Metal Product Co., Winnipeg.

Comb Foundation Manufacturers.—Thos. Gelley, East Kildonan. Geo. Wood, Emerson.

Directory of Members.

(All addresses within Monte	
Aiguire W R	except where otherwise indicated.)
Andrews B. C.	except where otherwise indicated.) Dauphin
Armit Louis	Dauphin Winnipeg Foxwarren
	Foxwarren

Armstrong F D	
Armstrong E. B.	Dauphin
Ashby Aiex.	Neepawa
Bali G. H.	Dominion City
Beckett J.	Inhatan
Bedford S. A Dept.	at A and a star and a star and a star
Doll mhos	of Agriculture, Winnipeg
Beil Thos.	Harding
Biackburn M.	Pilot Mound
Boughen W. J.	Vaijev River
Boyle Allan Mrs.	Grand Witne
Brewster B	Cross Didas
Didee Mis. M	Clandala
Chataway Mrs 7x	Cothodroi Avo Williami
Cherkas Geo	Hiphingtone
UILI K R	C14
Condinear J. S	Doidan
Crark 17. D	Mannage Dowle
Crowder L. J	Portago in Drainio
DICKSOП J	R R No. 4 Winnings
DIXUL W. J	Challmanth
Doug J. C	Downson Dines
Dyck Jacob D	Box 19 Winkley
Faulken W 919 /	Contonnial CA CA T
THEM YV. PL. WITS	Common
- UA UEU, MIB	Commo o m
Gattey Justali	Assadin
Grooms E	Stoner Dieine
Gull G. G	
TRANSPORT OF THE PROPERTY OF T	Danalata
-rangey J. W	Word Trillians
TABLES ROY	D D Ma 4 Title
TAMELISON GEO. MIS	Dodes
	0-1-51
Hemming W. H.	Outcome 37-11.
**CAUCIBUM SIIIII	\$ # 2 m 2 4 m m 1 m
usin vviii	Dunddon Court
41X W/9011	noton Awa Ta Trala
Outling Mis. I.	Diggon Dings
outs Mis. James	OY 40 Doni : ao io Desiste
LYICOU DAULEL	Diding Mauntain
act outer 2. J	
Latuwell II, W	D D No 9 Trraman
McDonaid Mrs. F. E.	Meifort. Sask

McKinneii W C
McKinneii W. C Teulon
McLean W. H. Piiot Mound
McLeod Wm. Newdaie McPherson C. F. Norgate
McPherson C. F Norgate
McPherson C. F. Norgate Mighton S. R. Box 1393, Winnipeg
Montgomery J. L. Box 1393, Winnipeg
Montgomery J. L. Box 1393, Winnipeg Morden D. W. Parkdaie
Morden D. W. Parkdaie Moss Geo. E. Piiot Mound
Moss Geo. E. Piiot Mound Muck! ? R. M. Dent of Amilian Souris.
Mucking R. M
Murdin W. C. Dept. of Agriculture, Winnipeg Newton G. W. Gladstone
Newton G. W. Giadstone Osborn John Seikirk
Owens Cliff Lavenham
Palmer W. Maniton
Parsons John Parsons John Ave., Elmwood
Pink W. I. Fortier
Prodan C Sturgeon Creek
Reddin James Sifton
Riddeli Peter Tiarbison Ave., Elmwood
Roberts S. F. McCreary Rocan Rev. Eii B. Seikirk
Rocan Rev. Eii B. Seikirk Rogers H. A. Ste. Agathe
Rogers H. A. Ste. Agathe Rowan Thos. Carman
Rowan Thos
Russel W. V
Rutiedge Rev. R. A. Grand View Sargent Mrs. R. W. St. Charles
Sargent Mrs. R. W. St. Charles Saunders H. W. 505 Walleson St. Charles
Saunders H. W
Shippam Wm. Box 18, Macoun, Sask.
Smith J. O. McCalman Ave., Elmwood
Smith J. O
Snook Basii W. East Kiidonan Spiiiet Isaac Primuia, Aita.
Stanbridge Mee
Stanbridge W. Stonewaii
Starr A W Moriey Ave., Winnings
Strathdee J. Morris
Tickner Mrs. F. E
Trinder John W. 65 Dufferin Ave., Norwood Tuity Len Box 54, Lowe Farm
Tuiiy Len Box 54, Lowe Farm Vickers F. W Oakviiie
Vickers F. W. Oakviiie Wesgate Mrs. F. N. R. R. No. 1, Winnipeg
Wesgate Mrs. F. N
Williams J. A. Wilson Aivin R. R. No. 1, Portage ia Prairie Sturgeon Creek Wilson James R. R. No. 1, Portage la Prairie
Wilson Jaron R. R. No. 1. Portage la Drainio
Wilson James
Wood Geo. P. Monominto Wood Wm. Emerson
Wood Wm. Emerson Woods F. H. Emerson
Woods F. H Emerson Stonewall

MEMBERSHIP

Any person interested in Bee-keeplng may become a member of the Manitoba Beekeepers' Association by the payment of the annual membership fee of one dollar. (See page 2)

FREE BEE LITERATURE

A free copy of the Builetin, "Beekeeping in Manitoba", may be obtained by addressing the undersigned.

CORRESPONDENCE

Correspondence on all phases of Beekeeping is solicited. Address

R. M. MUCKLE,

Provinciai Apiarist, Manitoba Dept. of Agriculture, Winnipeg, Man.



