CIHM Microfiche Series (Monographs)

ICMH Collection de microfiches (monographies)



Canadian Institute for Historical Microreproductions / Institut canadien de microreproductions historiques




Technical and Bibliographic Notes / Notes techniques et bibliographiques

The Institute has attempted to obtain the best original copy available for filming. Features of this copy which may be bibliographically unique, which may alter any of the images in the reproduction, or which may significantly change the usual method of filming are checked below.

L'institut a microfilmé le meilleur exemplaire qu'il lui a été possible de se procurer. Les détails de cet exemplaire qui sont peut-être uniques du point de vue bibliographique, qui peuvent modifier une image reproduite, ou qui peuvent exiger une modification dans la méthode normaie de fiimage sont indiqués ci-dessous.

	Coloured covers <i>i</i> Couverture de couleur	Coioured pages / Pages de couieur
		Pages damaged / Pages endommagées
	Covers damaged /	· uges sumages / · uges endommagees
	Couverture endommagée	Pages restored and/or laminated /
		Pages restaurées et/ou pelliculées
	Covers restored and/or laminated /	
	Couverture restaurée et/ou pelliculée	Pages discoloured, stained or foxed /
		Pages décolorées, tachetées ou piquées
	Cover title missing / Le titre de couverture manque	
H		Pages detached / Pages détachées
	Coloured maps / Cartes géographiques en couleur	
		Showthrough / Transparence
	Coloured ink (I.e. other than biue or black) /	
	Encre de couleur (i.e. autre que bleue ou noire)	Quality of print varies /
		Qualité inégaie de l'impression
	Coloured plates and/or illustrations /	
	Pianches et/ou illustrations en couleur	includes supplementary materiai /
		Comprend du matériel supplémentaire
	Bound with other material /	
	Relié avec d'autres documents	Pages wholly or partially obscured by errata slips,
		tissues, etc., have been refilmed to ensure the best
	Only edition available /	possible image / Les pages totalement ou
	Seule édition disponible	partiellement obscurcies par un feuillet d'errata, une
		peiure, etc., ont été filmées à nouveau de façon à
	Tight binding may cause shadows or distortion along	obtenir ia meilleure Image possible.
	interior margin / La reliure serrée peut causer de	• • • • • • • • • • • • • • • • • • • •
	l'ombre ou de la distorsion le long de la marge	Opposing pages with varying colouration or
	intérieure.	discolourations are filmed twice to ensure the best
	DI	possible image / Les pages s'opposant avant des
	Blank leaves added during restorations may appear	colorations variables ou des décolorations sont
	within the text. Whenever possible, these have been	filmées deux fois afin d'obtenir ia meilleure image
	omitted from filming / Il se peut que certaines pages	possible.
	blanches ajoutées iors d'une restauration	
	apparaissent dans le texte, mais, lorsque cela était	
	possible, ces pages n'ont pas été filmées.	
	Additional comments /	
	Commentalres supplémentaires:	

This item is filmed at the reduction ratio checked below / Ce document est filmé au taux de réduction indiqué cl-dessous.



The copy filmed here has been reproduced thanks to the generosity of:


Library Agriculture Canada

The images appearing here are the best quality possible considering the condition and legibility of the original copy and in keeping with the filming contract specifications.

Original copies in printed paper covers are filmed beginning with the front cover and ending on the last pege with a printed or illustreted impression, or the back cover when appropriate. Ail other original copies are filmed beginning on the first page with a printed or illustrated impression, and ending on the last page with a printed or illustrated impression.

The lest recorded freme on each microfiche shell contain the symbol \longrightarrow (meaning "CON-TINUED"), or the symbol ∇ (meaning "END"), whichever applies.

Meps, plates, charts, etc., may be filmed at different reduction retios. Those too lerge to be entirely included in one exposure are filmed beginning in the upper left hand corner, left to right and top to bottom, as many frames as required. The following diagrams illustrate tha method:



L'exemplaire filmé fut reproduit grâce à la générosité de:

Bibliothèque Agriculture Canada

Les images suivantes ont été reproduites avec le pius grand soin, compte tenu de la condition et de la netteté de l'exempleire filmé, et en conformité avec les conditions du contret de filmage.

Les exempleires originaux dont le couverture en pepier est imprimée sont filmés en commençent par le premier plet et en terminant soit par le dernière pega qui comporte une empreinte d'impression ou d'illustretion, soit par le second plat, selon le cas. Tous les eutres exemplaires originaux sont filmés en commençant per la première pege qui comporte une empreinte d'impression ou d'illustretion et en terminant per la dernière page qui comporte una teile empreinte.

Un des symboles suivants apperaîtra sur la dernière Image de cheque microfiche, salon ie cas: le symbole → signifie "A SUIVRE", le symbole ⊽ signifie "FiN".

Les cartes, plenches, tableaux, etc., peuvent être filmés à des taux de réduction différents. Lorsque le document est trop grend pour être reproduit en un seul ciiché, il est filmé à partir de l'angle supérieur gauche, de gauche à droite, et de heut en bas, en prenant le nombre d'images nécessaire. Les diegrammes suivents illustrent le méthode.




1	2	3
4	5	6

MICROCOPY RESOLUTION TEST CHART

£

(ANSI and ISO TEST CHART No. 2)



APPLIED IMAGE Inc

1653 East Main Street Rochester, New York 14609 USA (216) +82 - 0300 - Phone (216) 286 - 5989 Fax

DOMINION OF CANADA DEPARTMENT OF AGRICULTURE DOMINION EXPERIMENTAL FARMS

THE FRENCH-CANADIAN HCRSE

"He never gives out, it does not matter what he is at."

BY

GUS. LANGELIER


Superintendent, Experimental Station, Cap Rouge, Que.

BULLETIN No. 95 REGULAR SERIES

Published by direction of Hon. F. S. To'mie, Minister of Agriculture, Ottawa, Ont.

OTTAWA THOMAS MULVEY FRINTER TO THE KING'S MOST EXCELLENT MAJESTT 1920

630.4 C212 Exp. Farms Service Bul.



APRIL 28, 1920.

The Honourable

THE MINISTER OF AGRICULTURE, Ottawa, Ont.

Six,—I have the honour to submit herewith for your approval the manuser'pt of Bulletin No. 95 of the regular Experimental Farms Series, entitled "The Freneh-Canadian Horse," and prepared by Dr. G. A. Langelier, Superintendent of the Experimental Station at Cap Rouge, Que.

In my opinion, the breeding of French-Canadian horses should be encouraged :---

(1) Because of the wonderful utility, hardiness and easy-keeping qualities of the breed.

(2) Because the breed comes very close to the ideal general-purpose horse, so much required on our farms and in our towns and cities.

(3) It is strictly a Canadian breed.

I would recommend the publication of this bulletin, therefore, as giving further information on this valuable breed of horse, together with a preliminary account of the wider experimental work in French-Canadian horse breeding now being undertaken under the supervision of our Cap Rouge superintendent.

I have the honour to be, sir,

Your obedient servant,

E. S. ARCHIBALD, Director, Dominion Experimental Furms.




TABLE OF CONTENTS

	PAGE.
The permanency of the horse	9
The general-purpose horse	9
The French-Canadian horse	11
His early history	11
His endurance	11
As a general-purpose horse,	12
For military purposes	13
His disposition	13
Seale of points	-
What has been dope	15
The story of Albert de Cap Rouge.	15
A prepotent stallion.	1.5
Breeding problems	17
Feeding questions.	
Housing horses	18
Care and management.	18
	19
Proposed experimental work	20
The St. Joachim korse farm	21
The value of accords	21
Iliring out stallie	22

5

.

Į,



THE FRENCH-CANADIAN HORSE

By GUS. LANGELIER.

THE PERMANENCY OF THE HORSE.

When the steam plough was first used, when the electric tramways commenced to run, when the bicycle, the automobile, the tractor and the true's were put into service, many saw a horseless age not far distant. Cartoonists depice 1 a mag as a curiosity to be found only in museums within a very few years; mence good intentions wrote articles in the papers and the feeling became widely spread to it was only a question of time for the horse completely to disappear. And still the official records show that despite the large exportations during the Great War, there were more horses in Canada and in the United States, in 1918, than there ever were in any year since the discovery of the New World.

That this should be so is, at first sight, remarkable, if one takes into consideration the fact that the horse has had practically no advertising agent to extel his merits whilst the very best talent has been employed to push the automotive industry. Small fortunes have been spent to show how horses could be replaced by automobiles, trucks and tractors, whilst nothing has been done to prove that different kinds of work performed by horses could never even be attempted by mechanical pover.

But the gradual increase in the number of horses is not so extraordinary after all, and, in fact, is only what might have been expected when one thinks about the very congested eity districts where trucks will never be profitable on short hauls, the long winter months, in most northern sections, during which automobiles and tractors will necessarily be idle, and the hilly or even very rolling farms where too much power is lost in propelling the machine itself.

It must be admitted that some of the ordinary work of hordes can be done as well and sometimes more cheaply with machines. But this is also true of the labour of men, yet, though during the last three or four decal or machines of ry description have been invented and placed in factories still manual labour is : r or than ever.

Besides these considerations, the average farmer is not a mechan – ny more than the average mechanic is a farmer. As long as his tractor is new, he gets along very well, but afterwards he commences to have trouble with r^* and if the dealer or the service station is far away or busy, he may be stuck in the breviest seasons of seeding, having or harvesting. On the other hand, the core of horz – has been known from generation to generation, and even if one anin -1 haid up, the whole work does not stop.

That the automotive industry is rendering a service to the country at the same time as it is piling up dividends is admitted; that it will in time erowd the horse away from farms is not believed by anybody who has given the question serions consideration.

THE GENERAL-PURPOSE HORSE.

The antomobile has no doubt largely replaced the horses which were bred as a huxnry, such as carriage horses, coachers and saddlers, though the latter have probably suffered less than the first two. It has and will continue to replace the roadsters in many districts. Tractors and trucks have also replaced heavy draught horses to no small extent but the permanence of their replacement is no proven.

3723 - 21

The farm chunk, in comparison with the draughter, hardly ever had anybody to say a good word in his favour, as there were no breeders interested to boost him. The general-purpose horse has been despised because he was often a misfit, or the result of haphazard erossing. But if a breed existed which regularly furnished horses weighing from 1,100 to 1,300 pounds, that could be hitched to a carriage without looking out of place, and take their turn at farm work with a willing disposition, a fast walk, lots of conrage and endurance, it is probable that very few people would scoff at them, for the good reason that thousands of farmers would be eager to get t^1 on and would be satisfied after they did get them.

Dranghters have always been and will always be profitable to the farmer who produces them. But to pretend that draughters are the only class of profitable horse to raise is to go too fur just as it is not right to say that tractors or trucks are always the most economical for the farm or the city.



FRENCH-CANADIAN MARES. Hitched to a carriage without looking out of place.

Professor Davenport, of the l'niversity of Illinois, the state where dranghters have probably 'cen more boosted than anywhere eise in America, wrote as follows, a few years ago: "Besides the heavy dranght, let us have a useful, intelligent horse of medium size, with a deep, thick chest, upstanding ueck, full forchead and large, bright eye, an open nostril and erect ear, a short leg, heavily muscled, with a long, low stride that brings the foot lightly to the ground; then, with a short back and strong loin, we shall have a horse of good action, of great endurance, and one that will give good promise of rendering service for twenty years. For such a horse there is a strong and growing demand. Who will breed him and out of what blood lines will he be produced?"

No better description of the French-Canadian horse could have been made.

 \mathbf{S}

THE FRENCH-CANADIAN HORSE.

INS EARLY INSTORY.

The old-time French-Canadian pony, as he was called, was admitted to be a little horse of iron. Though there are no records to prove it, he could probably develop and keep on developing more power per hundred pounds of his weight than any other member of the equine family. This is explained by the fact that the first animals of this breed were sent from France to Canada by Louis XIV, who liked to do things in great style and who had given instructions to his minister Colbert, the latter very much interested to see the new colony prosper, to pick out the best specimens in his country. These horses, which remained the property of the King for three years, were distributed amongst the gentlemen of Canada who had most helped colonization and farming.



FRENCH-CANADIAN MARES. With the'r short back and strong loin, they have great endurance.

Afterwards, there was the natural selection, by the survival of the fittest, which eliminated, through the cold elimate and the deep winter roads, whatever did not have enough vitality and endurance.

The qualities of the French-Canadian horse were so well known that he was used in forming certain families of the Morgan and of the Standard Bred. Thus his blood is flowing in the veins of some of the gamest and fleenest horses in America.

HIS ENDURANCE.

A disinterested party, Mr. J. W. Ingham, of Bradford county, Pennsylvania, wrote as follows in the *Breeders Gazette* (Chieago) of March 19, 1914; "A humberman bought a Canadian horse not weighing over 1,050 pounds and worked him beside a horse weighing 200 pounds more on an even whiffletree. The Canadian kept np his end at all times and never showed as much weariness as his larger mate. After they had worked together two years, the big horse died. When asked what was the matter, the driver said: 'The Canadian worked him to death.' A large horse that was mated with him afterwards died within a year, leaving the Canadian still well and sound. The Canadians are undoubtedly descended from a large breed of horse brought over from France in the early settlement of the country. The colts, not being as well fed and warmly stabled as their ancestors, and exposed much of the time to a rigorous climate and hard work, degenerated in size, but improved in hardiness and endurance."

AS A GENERAL-PURPOSE ANIMAL.

Mr. A. W. Smith, ex-M.P. for North Middlesex, Ont., spoke as follows, in 1909, before the Select Standing Committee on Agriculture and Colonization: "There are quite a number of these horses that I have had the pleasure of handling personally, and I know of the good qualities which they possess. I have in mind one particular team which was typical of the large number that I was conversant with. This team weighed 1,250 pounds each as nearly as possible. They were very well matched. They were black. They would travel up to ten miles an hour and continue it for a couple of hours or more; I have seen them do it. On a ten-mile gait they would continue for three or four hours without any trouble whatever. Besides that, they would walk



FRENCH-CANADIAN MARES. If they have a load beload them they with tug at it until they move it.

with a good ordinary-sized had at about four miles an hour. I think that is one of the best qualities you could have in a farm horse and the French-Canadian is an ideal furmer's horse. Besides that, I have seen the same team matched against other henvier horses that would weigh probably 1,600 to 1,700 pounds. The French-Canadian horses would draw a heavier load than heavier horses. That is one of the characteristics I have found in these French-Canadian horses and I threy that we have not yet developed any breed, or mixture of breeds, that would come up to the French-Canadian as a general-burpose horse. It is perhaps the most valuable horse that the farmer could have either in Quebee, Ontario or in the West."

FOR MILITARY PURPOSES.

Very few men have a better general knowledge of horses than Dr. J. G. Rutherford, who was at one time chief of the Live Stock and Health of Animals Branches of the Dominion Department of Agriculture. Here is what he says: "There is no reason why this horse should not be bred, and extensively used, for eavalry purposes. They would also make good mounted infantry ponies."

Mr. Currie, ex-M.P. for North Simcoe. Ont., is also quoted: "I saw on one occasion several teams of French-Canadian horses that the Royal Canadian Artillery had. I never saw such magnificent teams in my life. I understand that these horses went through all the Sonth African war and came back home safe and sound."

IIIS DISPOSITION.

The Hon. Sydney Fisher, former Minister of Agriculture, expresses himself as follows: "The French-Cr adian horse, as a rule, is the most kindly, gentle, and docile animal I have ever had the opportunity of handling, and he is also one of the truest to his work. He never gives out, it does not matter what he is at. If it is on the road he travels along forever, and if he has a load behind him he will tug at it until he moves it. He never baulks and children can handle him with the greatest safety. In every way he is docile and kindly."

SCALE OF POINTS.

The following seale of points was prepared by the secretary of the French Canadian Horse Breeders' Association, Dr. J. A. Couture, who has done more for the revival of the breed than any other man connected with this association.

First Group.

Head.

Shape and CarriageSquare, that is rather short and with straight lines every-	
where: lean; carried rather high and slanting.	
LarsNot too close, thin, active, rather short.	
Forenead and face.—Broad and flat	9
Eyes Wide apart; flush with the head; large; moderately convex; bright, and kind.	-
Evelids Thin, wide apart, clean and mobile	
NostrilsLarge and wide apart.	
LipsThin, mobile, covered with delicate skin	1
MouthRather small.	I
Lower jawWide apart and rather broad at the angle.	
Cavity between the jaws Wide spread, lean and well hollowed out.	1
CheeksWell developed, firm but not fat	1
Total points for this group	+

Second Group.

Neck and Throat.

Throat.—Wide neross; throatlatch slightly depressed. Neck.—Rather straight than arched; broad at lower and thin at upper edge; sides slightly rounded and firmly muscled; gracefully attached to the head and	
well fastened to the shoulders	4
Total points for this group	5

Third Group.

Body.

Withers Lean, slightly raised and long	1
BackStrong, broad, straight, short	4
LoinsBroad, short, strong, straight	4
BreastBroad, so that the horse's legs are wide apart; covered with well	-
developed and projecting muscles	1
"hestBroad and deep; ribs long, broad, well apart and well arched	7
BellySomewhat large but not pendulous; gradually rounding in with the	
curve of the ribs and flanks	3
_	
Total points for this group	20

Fourth Group.

Fore-quarters.

ShoulderLong, sloping and well museled	5
Arm and elbowLong, thick, covered with hard and projecting nuscles. Arm	
moderately inclined. Elbow long, parallel to the axis of body and at the	
same time apart from it	1
Fore-arm.—Deseending as low as possible, broad, thick, perpendicular,	2
Knee Lean, long, broad, thick, elean, perpendicular, not turned either in or cut.	5
-	
Total points for this group	15

Fifth Group.

Hind-quarters.

Croup.—As long as possible, wide, slightly sloping; the point of the hip should project but little	3
Fuil.—Large at the root, thick, attached rather high, with an abundance of fine	
and rather long hair Buttoek.—Descending as near the hock as possible, firm, thick, well museled)	1
Thigh.—Broad and thick Stifle.—Clean, close to belly, turned slightly ontward	5
Leg.—Long, wide, the tendon well separated from the bone, large and hard	
HoekClean, lean, wide, thick, parallel to the inclined plane of the body, not turned either in or out	5
Total points for this group	
rough furnes for ante Stoub's second se	14

Sixth Group.

Lower part of the leg.

Cannon.—Short, broad, thick, clean, lean, perpendicular. Tendons lean, clean firm, large and well detached.	,
Fetlock Broad, thick, lean, clean, slightly shutting.	
Paster &-Broad, thick, average length, moderately slanting; free from lmir-	
For fore leg.	5
East black have	**
For hind leg	5
Total points for this group.	10

Seventh Group.

Feet.

Front foot.—Large, strong, as broad as long, resting squarely on the ground face	
line slightly inclined; height of heels one-half that of front face; heels widely	
spread, even, resting squarely on the ground; sole hollow, thick; frog, strong	
and rather hurd	10
Hind footShould possess all the qualities indicated for the fore foot except	•
that it is more oval in shape and the heels are higher and more spread	5
-	
Total points for this group	15

Eighth Group.

Exterior.

SkinSoft, pliant, mellow, loose: hair smooth	1
Colour.—Any colour is acceptable.	
Height Males not to exceed 5 feet 4 inche ; females not to exceed 5 feet 3 inches.	
inches; the height preferred is from 5 feet 1 inch to 5 feet 3 inches	1
WeightMales not to exceed 1,450 pounds; females not to estand 1,300 pounds;	
the weights preferred are from 1,100 to 1,350 pounds for m. s and from 1,050	
to 1,250 pounds for females	1
ActionLively, brisk, rather long than high; hock, knee, fetlock and pastern	
bending easily	7
Total points for this group	10

Temperament and Nervous System.

The mimal must be of	a docile *emper	ament but full of vigou	ir and spirit without
being nervous	••••••••		4

General Appearance.

The a	aal must he graceful in earriage and demeanour as well as in symmetry	
111	shape	
	Grand total of points	

WHAT HAS BEEN DONE.

THE STORY OF ALBERT DE CAP ROUGE.

During the notumn of 1912, a black mare of typeal shape, but weighing less than eleven hundred pounds, was bought for the Cap Rouge Station. Having lots of grit, a good gait, and a conformation which gives her more strength than animals two hundred pounds heavier, she is about as tough a piece of horseflesh as ever walked on four legs. Many a time she spent the full ten hours on the corn binder, with a mate weighing nearly fifteen hundred pounds, but never for a moment did her whiftletree get behind the other. Every teamster who worked with her said that she ulways looked as lively after a hard day as she did in the morning, even when only a couple of weeks before foaling.

This mare, Hélène-49-, had been served, before she was bought by Wilfrid, -1012-, a Unck stallion weighing less than twelve hundred pounds, but all horse, to

use a common expression. It was thought that the offspring would be small, though it seemed reasonable to expect that the descendants would be chokeful of quality, of endurance, of courage.

May 31, 1913, was certainly a red letter day for the breed of French-Canadian horses, as on that date was born a black colt, Albert de Cap Rouge, --1489-, from the union of the two just mentioned. On June 2, he weighed 110 pounds, which was certainly not too much, but at one month, he tipped the scales at 190, at two months 290, ard, as the mare was milking heavily, at three months 465 pounds. He was exhibited, out of competition, at Quebee and a. Sherbrooke, that autumn, and an offer was refused for him which would have nearly paid what his dam cost. But he was developing so well that it was decided to keep him, the intention then being to see what the old and time-honoured cross of feed and breed would make of him.

Weaned at five months, he was wintered in a single-boarded, open-front shed, and he was never seen to shiver once, although he spent practically all ais time ontside.

I



FRENCH-CANADIAN MARES. They are fast walkers, and this counts at the end of a day ploughing.

At twelve months, he weighed 750 pounds: at fourteen months, 850; at eighteen months, exactly 1,000; and at twenty-six months, 1,105, though he had been used for service when just about two years old and had fretted very much all through that season. When he was thirty-eight months old, he tipped the seales at 1,210 pounds, which was a little more than a sire and much more than his dam ever weighed. And finally, he matured into a horse of about 1,300, during the service season, and 1,350 outside of it.

A PREPOTENT STALLION.

After it was seen that Albert was over the weight of either his sire or his dam at the early age of twenty six months, the fears that he might be too small, though very good, were allayed. Bat—and herein lies the trouble for some, and the charm for others, in live stock breeding—there was much incertitude for the future, that is, fears were now entertained as to the size of his progeny. A small but select hand of pure-bred mares had been collected from various sources. Each and every one of them seemed very good at the time of purchase, but when the dozen or so were assembled at Cap Rouge, it was felt that they were not by any means as uniform as they might have been. In colour they ranged from a light bay to a pure black, with intermediate shades of dark bay, brown and brown-black. In weight, they went from under 1,100 to over 1,400 pounds. With a couple of exceptions, though, the conformation was such as denoted strength and made one feel that they would last, that they would be able to do lots of work for a long time.

There were a few important characteristics, however, that every one kept for breeding had: they were gritty, they would pull all day at a barn without baulking; they never looked tired or drawn up after a hard day's work, and they were hearty feeders.

It was thought that this was certainly a good foundation to work upon, as it seemed less difficult to breed for size and conformation than for courage and encurance.

In 1915, when Albert was about two years old, he served, amongst others, Black Princess, -693-, a black mare weighing over 1,400 pounds and Brunette Coulombe, -1324-, a dark brown mare weighing less than 1,100 pounds. The following spring, two black fillies were born: Delphine de Cap Rouge, -1670-, from the first mentioned, Dianora de Cap Rouge, -1673-, from the other. Though there was such a difference in the weight of the dams, Delphine and Dianora respectively weighed 130 and 125 at birth, 565 and 600 at six months, 765 and 795 at twelve months, 1,075 and 1,125 at two years, 1,175 and 1,215 at three years.

This was certainly very encouraging, as it showed Albert's prepotency, which probably came through his dam, for the two fillies, out of marcs quite unlike in conformation and in size, also somewhat different in colour, looked very much alike, were practically of the same weight and were both jet black.

Six other of his fillies, dropped from 1917 to 1919 inclusive, also show that he turns them out quite uniform and that he will no doubt be one of the main factors in regenerating the breed.

BREEDING PRG. EMS.

Line breeding.

Though Albert throws very good stock, he might be lost may day and provision is made to continue, through his male offspring, the work which he has so well started of regenerating the breed. Schastienne—1249—, a typical black mare weighing about 1.250 pounds, was bred to him and dropped on October 20, 1916, a black colt, Daniel de Cap Rouge—1672—which weighed 1.265 pounds at three years, which is 110 more than his size at the same age. This stallion is for use on his own paternal half sisters, and his fillies will only have 50 per cent of the blood of Albert or no more than their size has himself. It is intended, if possible, to continue this line breeding with a son, by Albert, either of Brunette Coulombe—1324—or of Princière—907—, as they have both thrown exceedingly good fillies to his service. In doing so, there will still only be 50 per cent of his blood, whilst blood of different mares will tentatively be brought in.

In-breeding.

If, later on, it is found out that the blood of some of these mares "nieks" better with Albert than that of others, then it can be concentrated by in-breeding. For instance, if the Albert and Brunette combination proved to be one that practically each time gave nearly what was loc' d for, a Brunette tilly would be bred back to her sire, or Brunette herself could be covered by her son sired by Albert. In each case, the progeny would have 75 per cent of the blood of Albert instead of 50 per cent when line breeding. This is the quickest way to improvement, but one must not forget that defects, as well as good qualities, can thus be accentuated. It is thus very important that both parents should have vigour, health and constitution, the real foundation without which success is impossible.

Out-breeding.

It is possible, in fact very prohable, that with the scant material available with which to regenerate the French-Canadian horse, it may be necessary to resort to outbreeding. This means that use would be made, on a few mares, of a stallion of some breed which might bring in certain desired characters. Besides helping to revitalize the breed, it would also throw light on the whole question of horse raising in general, as it would afford a comparison of the three principal methods of breeding.

FEEDING QUESTIONS,

What to feed.

The question of feeding stuffs is a large one as it takes in roughages: hay from the grasses, elovers, or corn stover; concentrates; grains and mill by-produets; succulent feeds; ro ts and silage; molasses, and pastures. Most investigators pretend that in preparing rations for horses, the main thing is to see that the desirable nutrients are present and that it matters little what feed or combination of feeds is given. No doubt the horse adapts himself to a wide range of variation as to food, for he thrives at certain places with timothy, or alfalfa, or corn fodder as single roughage, whilst he does well in the cast of the l'nited States with oats, in the middle west with corn, and on the Paeific coast with barley as the one concentrate.

But until more light is thrown on the subject, it is best to use as roughage, in eastern Cauada at least, timothy for animals which work, and clover—but this should be of first-class quality and not fed in too large quantities—for horses at rest and young stuff, whilst the safest concentrates are oats and bran.

How much to feed.

This depends upon the weight and class of stock, stallion, brood mare, work horse, idle animal, or young growing stuff. For instance, it has been found at Cap Ronge that a horse doing nothing, during winter, could be kept in good shape on one pound carrots or swedes—with a preference for the first—one pound oat straw, and one pound common hay per hundred pounds live weight, per day, taking a couple of weeks in the autumn and as long in the spring gradually to change the ration. On the other hand, it required about $1\frac{1}{4}$ pound of timothy hay and $1\frac{1}{4}$ pound of a 5 to 1 mixture of cats and bran per 100 pounds live weight, per day, to feed horses working 2,130 hours during a year.

Generally, a horse requires from 1 to 11 pounds of good hay and from 1 to 14 pounds of a 3 to 1 mixture, by weight, of oats and bran per 100 pounds of his weight, per day, according to the work he is doing.

Method of feeding.

The feed may be given cooked or raw, soaked or dry, long or cut, whole or ground. But the general practice is neither to cook nor soak anything, and to feed the coarse folder uncut and the grain whole. Exception is made only for very old or convalescent animals.

HOUSING HORSES.

Special horse barns are required for a regular breeding plant and these generally contain boxes, standing stalls, carriage and harness rooms, medicine chests, grain bins, also hay and straw storage above.

The average farmer can keep this kind of stock at one end of the eattle barn, which should be partitioned off for this purpose. The same principles of construction, however, apply in both cases.

At the Cap Rouge Experimental Station, only animals which work are kept in the horse barn, as all others, either stallions, brood mares, or young stock, are wintered in open-front, single-boarded sheds.

Ventilation is a hard problem to solve in a horse barn as, very often, there are not enough animals to keep it sufficiently warm if the ventilators are working, whilst a few hours afterwards a team or two may come in and suddlenly raise the temperature. Whatever system is put in, one must ever be on the lookout and open or shut inlets or outlets according to the weather, the direction of the wind, and the number of animals inside.

Light should come in through windows which are easily opened and placed in such a way that the animals which are tied will not have the glare directly in their face, whilst those which are loose eannot break the glass. It is well to remember that sunshine is by far the best and cheapest known destroyer of germs and microbes.

Floors may be of concrete as it is more sanitary than wood and cheaper in the end. The alleys should be roughened so that animals will not slip. In boxes, lots of bedding can be used or blue clay put in to a dopth of about three inches, well tamped, and replaced once a year. For the standing stalls, concrete alone will do for horses that are worked regularly, when sufficient litter is available; otherwise blue clay can be used as in the boxes, or, better, movable false floors of $2^{\prime\prime} \times 4^{\prime\prime}$ hardwood spaced $\frac{1}{2}^{\prime\prime}$ apart and placed lengthways on crosspieces.

Mangers are generally two feet wide with sheet iron on projecting parts to prevent horses from gnawing them. High racks may be all right for giraffes but not for horses. If feeding could be done without waste, the best thing would be to give the hay on the floor and the grain in portable boxes.

Partitions should be of 2" strong lumber and all sharp edges rounded off, as horses are more restless than other stock.

Individual bowls are hard to keep clean; a good way is to have a trough where horses can drink going in or out, or to which they can be brought.

Plans will be gladly sent to persons who will give details of what they require to the Dominion Animal Husbandman, Central Experimental Farm, Ottawa.

CARE AND MANAGEMENT.

The stallion,

He should be worked reasonably, if possible. Where he would be liable to eause trouble or delay in the farm operations, a good large paddock adjoining a box stall, or a small pasture with an open-front, single-boarded shed will do very well. Hay, oats and bran are practically all the feeds which are required, in quantities to suit the size of the animal and the duties he has to perform in the collar or in the stud. Condition powders and other stimulants will never give to a stallion the vitality necessary to size strong foals.

The mare.

She should certainly get exercise, but an experiment made with the same mare, five years in succession, at the Cap Rouge Experimental Station, shows that the mode of exercising is not of importance. In this case, Black Princess-693-, during two winters, was worked all the time until foaling; two others, she spent outside with an open-front, single-boarded shed as shelter, and once she was kept in a box stall, but turned out often. Every year she raised a good foal. Hay, oats and bran should be the principal feeds, but roots and a little oil meal are good to keep the bowels loose, which is a most important point. After the wax forms on the teats, it is well to keep a watchful eye on her, as the foal is generally born within two or three days.

The foal.

An attendant should be at hand, though not seen by the mare, when the foal is dropped, as there is a membrane which might choke him if not quickly taken away from his nostrils. In ease of malpresentation, unless it be a very easy one to remedy, the best thing is to call a veterinarian. If the youngster is us strong us he should be, he will

t



FRENCH-CANADIAN MARES. The most kindly, gentle, and docile animals to handle.

be sucking within an hour, and it is as well to give that length of time for his awkward legs to straighten a bit. The main troubles to guard against are navel-ill* and constipation. For the first, tineture of iodine should be applied as soon as possible after birth on the navel and this treatment continued until that part is completely healed up. For the second the hard facees should be taken out with the oiled finger and an injection of soapy water given.

PROPOSED FXPERIMENTAL WORK.

The Dominion Department of Agriculture, through the Experimental Farms Branch, has decided upon a policy in regards to experimental horse breeding, feeding, housing, and management. This naturally involves a large expenditure over a great many years as there are quite a number of problems to investigate and everything must be done thoroughly.

[&]quot;Where trouble from navel-iii has been experienced, it is well to make use of one of the proven commercial vareines as a preventive. This may be administered to the marcs previous to foaling—pre-inoculation—and to the foal at birth. The services of a veterinary surgeon are recommended for the work.

Although proof of the efficacy of this treatment is not yet clear as a result of our investige tions, yet it has apparently a beneficial influence.

This is certainly a big undertaking, but some of the work has already been started at over a dozen of the Experimental Farms, from the Atlantic to the Pacific. Mares of different breeds have been bougl and bred, and useful data have been collected and published. Some of the information, such as the cost of raising horses to a marketable age, for instance, was at first looked upon as detrimental to horse breeding, because it was found out that this cost was much higher than usually thought. But afterwards farmers commenced to realize the importance of knowing this and understood that to make money they had to raise only the best.

Experiments of this kind are not flashy, but any reasonable-minded person can see of what pecuniary benefit they are to Canadian agriculture.

However, there are a great many things to be investigated: the problems of breeding-close, in line, or outcrossing should be studied; the questions of feeds, including roughages, concentrates, roots, molasses, pasture, also watering, the quantities to give to different classes of animals—idle, work, or breeding—the methods of feeding, raw or cooked, dry or soaked, cut or long, whole or ground, should be looked into: different kinds of housing, the stable by itself, or a part of the cattle barn partitioned off for horses, also the cheap shelters for young stock and animals which are at rest, should be studied; diverse systems of management, such as work or no work for stallions and brood mares, ways of preventing common diseases of foals, of raising young stuff, of breeding mares in the autumn, should have some attention.

It was evident that though good investigational work was being done at many. Stations, there was not a sufficient number of animals at any one place to permit of going thoroughly into the matter. Realizing this, it was decided to start a large horse-breeding plaut where at least thirty brood mares would be kept and where, at times, over one hundred head might be available for experimental purposes.

THE ST. JOACHIM HORSE FARM.

An excellent opportunity arose for commencing this work on a co-operative basis, whereby not only would the Department enlist the cordial support and assistance of the horse-breeder, but would be able to make known the results of the work in the quickest and most direct way.

The French Canadian Horse Breeders' Association has turned over to the Federal Department of Agriculture for a period of twenty years a farm having some 500 acres under cultivation. The farm is located at St. Joachim, less than 25 miles east of Quebec eity on a good macadamized road and near a trolley station.

The farm was inspected by the Deputy Minister of Agriculture and the Director of Experimental Farms and pronounced very suitable for the purpose.

It is plauned to conduct this as a horse farm, nuder the direct supervision of the superintendent of the Cap Rouge Station. Some thirty mares were bought, and these, together with about fifteen of the best mares at Cap Rouge, form the foundation stock from which it is hoped to regenerate the breed. An opportunity will also be afforded to study, on a fairly large scale, the various problems relating to the breeding, feeding, housing and management of horses.

THE VALUE OF ACCURATE BECORDS,

There are two ways of keeping track of lines of ancestry: by official pedigrees and by private records.

Official pedigrees.

Official pedigrees are used to trace lineage, and sometimes performance of ancestry, as in the case of running horses and dairy cattle.

They are generally a guarantee of purity of breeding, but, to have value, they must be authentic and genuine. By authenticity is meant the truthfulness of such details as date of birth, colour, relationship; whilst the genuineness refers to the nonsubstitution of an animal for another, us if a colt from an extraordinary dam was replaced by one out of a common mare.

Though Breed Societies and Live Stoek Record Associations may correct certain mistakes and detect some misrepresentations, it must be admitted that an official pedigree may be neither authentic nor genuine, which shows the importance of dealing with breeders of good reputation.

Besides, a pedigree in itself is not a guarantee of individual excellence, as, individually, pure-bred animals, on account of improper breeding, are sometimes inferior te grades.

Private records.

More important than pedigree is history of ancestry, such as relate to breeding qualities, disposition, weight, colour. And this can only be had from private records.

The Cap Rouge Experimental Station does not pretend that it is the only breeder of French-Canadian horses to have correct and complete private records, but it may prove interesting to prosp tive customers to know how these are kept.

There is, for each brood mare, a "progeny" card on which are entered her name, her registration, also her stud numbers, the date of her birth, and her extended pedigree taking in three generations. Below are recorded the dates of service and of toaling; if there was more than one service, it is entered, with the name of the stallion in each case, to see if the mare is a shy breeder or if it was the fault of the stallion. Then come the colour of the foal, if it lived, its sex, its stud number, its name, with notes on heredity, its weight at birth, six months, one, two, three years. And there are three photographs of the animal—front, side, and rear views—at six months and again at two years.

OBTAINING GOOD STALLIONS.

There are several possible plans whereby farmers may obtain the use of good stailions. In the past this matter has been conducted altogether by the Live Stock Branch, Department of Agriculture, Ottawa.

Undoubtedly, a very good plan and that in most common use is as follows:-

A number of farmers organize into a club for the hiring of the very best available stallion for use in their district during the season. These farmers, after making careful selection of the horse, get into touch with the Live Stock Branch and receive therefrom, through $\chi \ge$ regular channels, assistance in the form of a bonus to the stallion owner. This bonus, in addition to the fees paid by those using the stallion, makes it worth the while of the owner to travel a high-class horse in the district in question. The stallion owner gets fair fees and the breeder exceedingly cheap service. Undoubtedly high-class French-Canadian stallions will continue to command this privilege, as in the past, so that there will be no excuse for travelling a poor French-Canadian horse. The stallions for sale from the Cap Rouge Experimental Farm are undoubtedly of the highest quality and should be appreciated by stallion purchasers. Through the above plan of organization, breeders may have hopes of getting, at a low fee, the services of these and similar first-class horses.

HHIING OUT STALLIONS.

Though colts and stallions ready for service will be sold, it might be thought more desirable, from the dual standpoint of improving the French-Canadian breed and of gathering fuller information in regards to horse breeding generally, to place good sires in localities where the raising of general purpose animals is popular and especially where there is a group of suitable mares.

This is indirectly encouraging community breeding which has been such a potent factor in live stock improvement and agricultural prosperity. It will also give a ehance to see what the stallions produce, to note how prepotent they are in transmitting certain characteristics, and to get back to Cap Rouge or to St. Joachim the ones which are thought capable either of correcting certain faults of the mares or of accentuating some of their good qualities. Horse breeding is a complex proposition at best, and too much light cannot be thrown on some of its intricate problems.

This system of hiring out stallions has been a success for a great many years in Scotland, where it has contributed very much to the advancement of Clydesdales, and there is no reason why it should not be given a more extended trial in Canada.

An agricultural society, a furmers' club, or even a group of men pay so much for the use of a sire during a season, generally after having insured the horse against accidents or death. They bind themselves to take good care of the animal, not to let him serve more than so many times a day during a determined period, also to refuse all mares which are not sound or which are known to be shy hreeders. After the season, the stallion is returned to the owner and the responsibility of the people who hired him ecases.

Thus, an agricultural society, a farmers' club, or a grou; of men who wish to get a stallion can inquire from the parties who had him last, or even wait a year to see the foals, before hiring him. As the people who had the horse are not financially interested in him, an unbiased opinion can be had, whilst if they owned him, there might be some chance of praising him more than he deserved, of covering up some fault or other, so as to get rid of him.

All questions relating to horse breeding, feeding, care and management, etc., will be gladly discussed with you by the Superintendent of your nearest Experimental Farm. Why not write him about your problems?

