






Resolution Test Chart Labels:

- 1.0
- 1.1
- 1.25
- 1.4
- 1.6
- 1.8
- 2.0
- 2.2
- 2.5
- 2.8
- 3.2
- 3.6
- 4.0

Resolution Test Chart Text:

1.0
1.1
1.25
1.4
1.6
1.8
2.0
2.2
2.5
2.8
3.2
3.6
4.0



Photographic Sciences Corporation

**23 WEST MAIN STREET
WEBSTER, N.Y. 14580
(716) 872-4503**

**CIHM/ICMH
Microfiche
Series.**

**CIHM/ICMH
Collection de
microfiches.**



Canadian Institute for Historical Microreproductions / Institut canadien de microreproductions historiques

© 1986

Technical and Bibliographic Notes/Notes techniques et bibliographiques

The Institute has attempted to obtain the best original copy available for filming. Features of this copy which may be bibliographically unique, which may alter any of the images in the reproduction, or which may significantly change the usual method of filming, are checked below.

L'Institut a microfilmé le meilleur exemplaire qu'il lui a été possible de se procurer. Les détails de cet exemplaire qui sont peut-être uniques du point de vue bibliographique, qui peuvent modifier une image reproduite, ou qui peuvent exiger une modification dans la méthode normale de filmage sont indiqués ci-dessous.

- ☐ Coloured covers/
Couverture de couleur
- ☐ Covers damaged/
Couverture endommagée
- ☐ Covers restored and/or laminated/
Couverture restaurée et/ou pelliculée
- ☐ Cover title missing/
Le titre de couverture manque
- ☐ Coloured maps/
Cartes géographiques en couleur
- ☒ Coloured ink (i.e. other than blue or black)/
Encre de couleur (i.e. autre que bleue ou noire)
- ☐ Coloured plates and/or illustrations/
Planches et/ou illustrations en couleur
- ☐ Bound with other material/
Relié avec d'autres documents
- ☐ Tight binding may cause shadows or distortion along interior margin/
La reliure serrée peut causer de l'ombre ou de la distorsion le long de la marge intérieure
- ☐ Blank leaves added during restoration may appear within the text. Whenever possible, these have been omitted from filming/
Il se peut que certaines pages blanches ajoutées lors d'une restauration apparaissent dans le texte, mais, lorsque cela était possible, ces pages n'ont pas été filmées.

- ☐ Coloured pages/
Pages de couleur
- ☐ Pages damaged/
Pages endommagées
- ☐ Pages restored and/or laminated/
Pages restaurées et/ou pelliculées
- ☒ Pages discoloured, stained or foxed/
Pages décolorées, tachetées ou piquées
- ☐ Pages detached/
Pages détachés
- ☒ Showthrough/
Transparence
- ☐ Quality of print varies/
Qualité inégale de l'impression
- ☐ Includes supplementary material/
Comprend du matériel supplémentaire
- ☐ Only edition available/
Seule édition disponible
- ☐ Pages wholly or partially obscured by errata slips, tissues, etc., have been refilmed to ensure the best possible image/
Les pages totalement ou partiellement obscurcies par un feuillet d'errata, une pelure, etc., ont été filmées à nouveau de façon à obtenir la meilleure image possible.

☒ Additional comments: [Printed ephemera] [4] p.
Commentaires supplémentaires:

This item is filmed at the reduction ratio checked below/
Ce document est filmé au taux de réduction indiqué ci-dessous.

10X	12X	14X	16X	18X	20X	22X	24X	26X	28X	30X	32X
					✓						

The copy filmed here has been reproduced thanks to the generosity of:



Library of the Public
Archives of Canada

The images appearing here are the best quality possible considering the condition and legibility of the original copy and in keeping with the filming contract specifications.

Original copies in printed paper covers are filmed beginning with the front cover and ending on the last page with a printed or illustrated impression, or the back cover when appropriate. All other original copies are filmed beginning on the first page with a printed or illustrated impression, and ending on the last page with a printed or illustrated impression.

The last recorded frame on each microfiche shall contain the symbol → (meaning "CONTINUED"), or the symbol ▼ (meaning "END"), whichever applies.

Maps, plates, charts, etc., may be filmed at different reduction ratios. Those too large to be entirely included in one exposure are filmed beginning in the upper left hand corner, left to right and top to bottom, as many frames as required. The following diagrams illustrate the method:



L'exemplaire filmé fut reproduit grâce à la générosité de:


La bibliothèque des Archives
publiques du Canada

Les images suivantes ont été reproduites avec le plus grand soin, compte tenu de la condition et de la netteté de l'exemplaire filmé, et en conformité avec les conditions du contrat de filmage.

Les exemplaires originaux dont la couverture en papier est imprimée sont filmés en commençant par le premier plat et en terminant soit par la dernière page qui comporte une empreinte d'impression ou d'illustration, soit par le second plat, selon le cas. Tous les autres exemplaires originaux sont filmés en commençant par la première page qui comporte une empreinte d'impression ou d'illustration et en terminant par la dernière page qui comporte une telle empreinte.

Un des symboles suivants apparaîtra sur la dernière image de chaque microfiche, selon le cas: le symbole → signifie "A SUIVRE", le symbole ▼ signifie "FIN".

Les cartes, planches, tableaux, etc., peuvent être filmés à des taux de réduction différents. Lorsque le document est trop grand pour être reproduit en un seul cliché, il est filmé à partir de l'angle supérieur gauche, de gauche à droite, et de haut en bas, en prenant le nombre d'images nécessaire. Les diagrammes suivants illustrent la méthode.



CANADA
TOOL WORKS

DUNDAS, ONTARIO.

WAREROOM:

FRONT STREET, TORONTO, OPPOSITE UNION STATION.

Revised Price List, 1874,

OF

McKECHNIE & BERTRAM'S

MACHINISTS' TOOLS

AND

Wood Working Machinery.

DUNDAS:

E. G. HART, BOOK & JOB PRINTER.

1874.

CANADA TOOL WORKS.

Screw Cutting Lathes complete, with Steady and Follow Rests, Counter Shafts, &c.

	Length of Bed.	Swing.	Weight.	Price.	With Rod Feed
No. 1.	14 FEET.	30 INCHES.	7300	\$710	\$760
	14 FEET.	36 INCHES.	7500	770	830
(Every additional foot in length of bed, \$22.)					
No. 2.	12 FEET.	24 INCHES.	5000	\$495	\$545
	12 FEET.	28 INCHES.	5200	517	572
(Every additional foot in length of bed, \$17.)					
No. 3.	10 FEET.	20 INCHES.	2400	\$385	\$440
	10 FEET.	24 INCHES.	2600	407	462
(Every additional foot in length of bed, \$11.)					
No. 4.	8 FEET.	16 INCHES.	1600	\$295	\$340
	8 FEET.	20 INCHES.	1700	312	355
	6 FEET.	16 INCHES.	1400	280	325
(Every additional foot in length of bed, \$8.)					

N. B.—The above sizes of Lathes bracketed are the same patterns, but with heads raised to swing more.

Conical Bearing Lathes with Bronze Bearings, extra heavy Gear and wide Cones.

	Length of Bed.	Swing.	Weight.	Price.	With Rod Feed.	With self-acting Cross Feed
No. 1.	14 FEET.	36 INCHES.	8500	\$870	\$930	\$960
(Every additional foot in length of bed, \$22.)						
No. 2.	12 FEET.	28 INCHES.	5800	\$592	\$647	\$677
(Every additional foot in length of bed, \$17.)						
No. 3.	10 FEET.	24 INCHES.	3000	\$462	\$517	\$542
(Every additional foot in length of bed, \$11.)						

Gap Lathes.

Length Bed.	Swing over Bed.	Swing in Gap.	Price.	When Screw Cutting	Wg't
12 FEET.	28 INCHES.	40 INCHES.	\$512	\$532	5500
10 FEET.	24 INCHES.	36 INCHES.	402	418	2800

Brake Lathes, complete, for Screw Cutting, Self-acting, and with Shifting Beds.

Swing over Bed.	Length of Bed.	WHEN GAP IS OPEN		GAP WILL ADMIT		Weight.	Price.
		Length over all.	Admits between centre.	In Length.	In Diameter.		
No. 1—3 ft	10 feet.	10 feet.	11 ft. 6 in.	3 Feet.	5 ft. 2 in.	8200	\$985
No. 2. The above Lathe with large face Plate driven by internal gear and with foundation Plate and pedestal for turning pulleys.....							
No. 1, 3ft 6 in	10 feet.	17 feet.	12 ft. 6 in.	3 Feet.	7 Feet.	16500	\$1650

CANADA TOOL WORKS.

Iron Planers.

Planes in length.	Planes in width and height.	Weight.	Price.	With self-acting down feed.
12 FEET.	36 X 36 INCHES.	12000	\$1100	\$1175
9 FEET.	30 X 30 INCHES.	6600	770	820
7 FEET.	24 X 24 INCHES.	4500	550	600
5½ FEET.	20 X 20 INCHES.	2700	395	

Shaping Machines.

To plane 10 X 18 inches, with vice and circular feed, 2800 lbs.....\$412

Drilling Machines.

	Weight.	Price.
No. 1, Radial Drill Double Geared and Self-Acting Feed,	8500	\$950
" 2, To bore to centre of 4 ft. Geared and Self-Acting Feed,	3750	500
" 3, To bore to centre of 3 ft. Geared and Self-Acting Feed,	2800	375
" 4, To bore to centre of 2 feet,	1200	165
" 5, To bore to centre of 2½ inches,	900	135
" 6, Small Bench Drill,	200	44
" 7, Suspension Drill, with Counter Shaft.	600	110

Bolt Cutters.

No. 2, To cut from ¾ to 1½ inch,	1200 lbs.	\$300
No. 3, To cut from 1 to 2 inches,	1800 lbs.	425

Cutting off Machines.

Cuts and centres shafting up to 2½ inches diameter,	1600 lbs.	\$230
---	-----------	-------

Combined Punch and Shears.

No. 1, To cut and punch up to ¾ holes through ½ inch plates,	3500 lbs.	\$275
No. 2, To cut and punch up to 1½ holes through ½ inch plates.	5500 lbs.	500

Car Wheel Boreing Machine.

Improved Car Wheel Boreing Machine, complete, with Crane,	8520 lbs	\$1450
---	----------	--------

Independent Four Jaw Chucks.

For No. 1 Lathe to take in 22 inches,	\$70
For No. 2, " " 20 inches,	55
For No. 3, " " 16 inches,	45
For No. 4, " " 12 inches,	35

CANADA TOOL WORKS.

Wood Working Machinery.

No. 1 Planing and Matching Machine—Planes 24 inches wide—5 inches thick, 6500 lbs.,	\$825
No. 1 Planing and Matching Machine—with Double Cylinder—and Beading attachment, 7000 lbs.,	1000
No. 1 Planing and Matching Machine—with Double Cylinder—and Beading attachment, with 3 sets Feed Rollers, 8000 lbs.,	1100
No. 2 Planing and Matching Machine—Planes 24 inches wide, 4 inches thick, 4500 lbs.,	600
No. 3 Planing and Matching Machine—Planes 24 inches wide, 3 inches thick, 3200 lbs.,	440
No. 1 Surface Planer—Planes 24 inches wide, 4 inches thick, with one set Feed Rollers, 3300 lbs.,	330
No. 1 Surface Planer—Planes 24 inches wide, 4 inches thick, with two set Feed Rollers, 3800 lbs.,	385
No. 2 Surface Planer—Planes 24 inches wide, 3 inches thick, with one set Feed Rollers, 2200 lbs.,	245
No. 2 Surface Planer—Planes 24 inches wide, 3 inches thick, with two set Feed Rollers, 2800 lbs.,	290
No. 3 Surface Planer—Planes 22 inches wide, 3 inches thick, 1800 lbs.,	190
No. 4 Surface Planer—Planes 20 inches wide, 3 inches thick, 1000 lbs.,	135
The above sizes of Planers are built entirely of Iron and Steel, with large size Feed Rollers, connected by extension Gear.	

Dimension Planer.

With Woodworth Cylinder and Travelling Carriage, to plane 12 feet long, 24 inches wide,	\$440
With Feed Roller attachment, for Surfacing Boards,	520

Moulding Machines.

No. 0, Combined Moulding and Matching Machine—Planes 4 sides, 3500 lbs.,	\$950
Price with Circular Saw Spindle attachment	1000
No. 1, Moulding Machine to work 3 sides 2800 lbs.,	450
The same Machine to work 4 sides	500
No. 2, Moulding Machine to work 3 sides 1800 lbs.,	300
The same Machine to work 4 sides,	350
No. 3, Sash and Moulding Machine with 5 heads and 10 sets Cutters 550 lbs.,	165

Tenoning Machines.

Iron Frame Tenoning Machine, complete, with Double Copes,	\$240
Wood Frame Tenoning Machine, complete, with Copes and Double Cutters,	158
Wood Frame Tenoning Machine with single Cutters,	148
do do do without Copes and with Single Cutters,	130

Shaping Machine.

Shaping Machine, 600 lbs.,	\$164
----------------------------	-------

Power Morticing Machine.

For heavy timber and hardwood, 2800 lbs.,	\$350
With auxiliary Boring attachment, 3000 lbs.,	405
For Sash and Door Work, 1200 lbs.,	165
And with Boring attachment, 1300 lbs.,	192

Scroll Sawing Machine, with Iron Frame, Dowling's Patent,	\$100
---	-------

