Technical and Bibliographic Notes / Notes techniques et bibliographiques

10x	14x	18x	22x	26x	30x
	item is filmed at the reduction ratio cl ocument est filmé au taux de réductio				
	Additional comments / Commentaires supplémentaire	es:			
	Blank leaves added during rest within the text. Whenever poss omitted from filming / Il se peut blanches ajoutées lors d apparaissent dans le texte, ma possible, ces pages n'ont pas	ible, these have been que certaines pages 'une restauration ais, lorsque cela était	film	orations variables ou d nées deux fois afin d'obt ssible.	
\checkmark	Tight binding may cause shado interior margin / La reliure se l'ombre ou de la distorsion l intérieure.	rrée peut causer de e long de la marge	Opt dis	enir la meilleure image p posing pages with va colourations are filmed to ssible image / Les page	ossible. Arying colouration or wice to ensure the best is s'opposant ayant des
	Only edition available / Seule édition disponible		pai	ssible image / Les p tiellement obscurcies par ure, etc., ont été filmées	run feuillet d'errata, une
	Bound with other material / Relié avec d'autres documents	3	tiss	ges wholly or partially obues, etc., have been refi	lmed to ensure the best
	Planches et/ou illustrations en		1 i	ludes supplementary ma mprend du matériel supp	
	Encre de couleur (i.e. autre qu Coloured plates and/or illustrat	·	1. / 1	ality of print varies / alité inégale de l'impress	iion
	Coloured maps / Cartes géogr. Coloured ink (i.e. other than bl		√ Sh	owthrough / Transparenc	e
	Coloured mans / Cartes géogr	·	Pa	ges detached / Pages dé	tachées
	Couverture restaurée et/ou pe	liculée		ges discoloured, stained ges décolorées, tachetée	
	Couverture endommagée Covers restored and/or lamina	ted /		ges restored and/or lami ges restaurées et/ou pell	
	Couverture de couleur Covers damaged /		Pa	ges damaged / Pages er	ndommagées
	Coloured covers /		Co	loured pages / Pages de	couleur
copy available for filming. Features of this copy which may be bibliographically unique, which may alter any of the images in the reproduction, or which may significantly change the usual method of filming are checked below.		été possible de se procurer. Les détails de cet exem- plaire qui sont peut-être uniques du point de vue bibli- ographique, qui peuvent modifier une image reproduite ou qui peuvent exiger une modification dans la métho- de normale de filmage sont indiqués ci-dessous.			
one institute has attempted to obtain the best original				a microfilme le meilleu	• •

20x

24x

28x

32x

16x

12x

D. D.

An Act to amend a certain Act therein mentioned, so as better to provide for the security of the lives of Passengers on board of Steam Vessels.

Received and read first time, Thursday, 14th May, 1857.

Second reading, Wednesday, 20th May, 1857.

(500 Copies.)

Hon. Mr. VANKQUGHNET.

S. Derbishire & G. Desbarats, Queen's Printer.

BILL

An Act to amend a certain Act therein mentioned, so as better to provide for the security of the lives of Passengers on board of Steam Vessels.

HEREAS it is expedient to make better provision for Preamble. the security of the lives of Passengers on board of Vessels propelled in whole or in part by Steam, and for that purpose to amend certain portions of the Act passed in the 5 Session held in the fourteenth and fifteenth years of Her Majesty's Reign, chapter one hundred and twenty-six, intituled, An Act to amend an Act, intituled, 'An Act to compel Vessels to carry a Light during the Night, and to make sundry provisions 'to regulate the Navigation of the waters of this Province': 10 Therefore, Her Majesty, by and with the advice and consent of the Legislative Council and Assembly of Canada, enacts as follows:

I. It shall be the duty of the Inspectors appointed under Inspectors to the said Act or this Act, to examine and see that suitable see that provi-15 and safe provisions are made throughout such vessels, to guard sion is made against loss or danger from fire; and no certificate or other from fire. papers shall be granted, on any application, if the provisions of this Act for preventing fires are not complied with, or if any combustible material liable to take fire from heated iron, or 20 any other heat generated on board of such vessels in and about the boilers, pipes or machinery, shall be placed at less than eighteen inches distant from such heated metal or other substance likely to cause ignition, unless a column of air or water intervenes between such heated surface and any wood or other 25 combustible material so exposed, sufficient at all times and under all circumstances to prevent ignition; and further, when wood is so exposed to ignition, as an additional preventive, it shall be shielded by some incombustible material, in such manner as to leave the air to circulate freely between such 30 material and the wood; Provided, however, that when the Proviso. structure of such vessels is such, or the arrangement of the boilers or machinery is such, that the requirements aforesaid cannot without serious inconvenience or sacrifice, be complied with, Inspectors may vary therefrom, if in their judgment it 35 can be done with safety.

II. Every Steam Vessel carrying Passengers, shall have not Steamers to less than three double-acting forcing pumps, with chamber, at have forcing least four inches in diameter, two to be worked by hand and hose, always one by steam, if steam can be employed, otherwise all three in order and 40 by hand, one whereof shall be placed near the stern, one near fit for use.

the stem, and one amidship, each having a suitable well-fitted hose, of at least two thirds' the length of the vessel, kept at all times in perfect order and ready for immediate use; each of which pumps shall also be supplied with water by a pipe connected therewith, and pasing through the side of the vessel, so 5 low as to be at all times in the water when the vessel is affoat; Provided, that in vessels not exceeding two hundred tons measurement, two of said pumps may be dispensed with and in vessels of over two hundred tons, and not exceeding five hundred tons measurement, one of said pumps may be dispensed 10 with.

Proviso.

Inspectors to subject boilers to hydrostatic pressure.

III. Inspectors may, if they deem it necessary so to do, and shall at least once in every year, subject the boiler or boilers of every Steam Vessel inspected by them respectively, to a hydrostatic pressure, the limit of which, not exceeding 15 one hundred and fifty pounds to the square inch, may be prescribed by the owner or the master, and may and shall satisfy themselves by examination and experimental trials, that such boiler or boilers is or are well made of good and suitable material; and no such Inspector shall make or 20 deliver to the owner or master of any Steam Vessel any such certificate as is mentioned in the sixth section of the said Act, without having first subjected the boiler or boilers of such vessel to such hydrostatic pressure, unless in and by the certificate of the then last half yearly inspection of the same, it 25 shall appear that the same had been subjected to such pressure at such last half yearly inspection.

Test pressure established.

ceed two thirds thereof.

IV. In subjecting boilers to the hydrostatic test aforesaid, the Inspectors shall assame one hundred pounds to the square inch as the maximum pressure, allowable as a working power 30 for a new boiler forty-two inches in diameter, made of the best refined iron, and at least one quarter of an inch thick, in Working pres. the best manner and of the quality herein required; and sure not to ex- shall rate the working power of all boilers, whether of greater or less diameter, according to this standard; and in all cases 35 the test applied shall exceed the working power allowed in the ratio of one hundred and fifty pounds to one hundred, using the water in such tests at a temperature not exceeding sixty degrees Fahrenheit; but should any such Inspector be of opinion that any boiler, by reason of its construction or material, 40 will not safely allow so high a working pressure, he may, for reasons to be stated specifically in his certificate, fix the working pressure of such boiler at less than two thirds of said test pressure; and no boiler made after the passing of this Act, shall be rated in its working pressure above the aforesaid 45 standard; and the same rules shall be observed in regard to boilers heretofore made, unless the proportion between such boilers and the cylinders, or some other cause, renders it manifest that its application would be unjust, in which case the Inspectors may depart from these rules, if it can be done 50

with safety; but in no case shall the working pressure allowed exceed the hydrostatic test; and no valve under any circumstances shall at any time be so loaded or so managed in any way as to subject a boiler to a greater pressure than the amount 5 allowed by the Inspector at the then last inspection thereof, nor shall any boiler or pipe be approved which is made in whole. or in part of bad material, or is unsafe in its form, or dangerous from defective workmanship, age, use or any other cause.

V. The foregoing Sections shall not come into operation Inspector to 10 until the First day of April, one thousand eight hundred and report unsafe fifty-eight.

vessel to Governor in Coun-

VI. Every Inspector appointed to act at any particular place, may at any time visit at such place, any Steam Vessel, touching 15 there, and inspect and examine the same, and if he considers such Vessel unsafe or unfit to carry Passengers, he shall report thereon, to the Governor in Council, who may by Order in Council, direct that such Vessel shall not be used or run until permitted so to do by the Inspector who shall have made such 20 report, or by Order of the Governor in Council, and any such Vessel run or used in contravention of any such Order in Council, shall be liable to forseiture and to seizure by the To commence Collector of Customs at any Port, and to Sale, in the same 1st April 1858. way as goods liable to forfeiture for non-payment of duties.

VII. It shall be lawful for any Inspector, at all times when Inspectors 25 inspecting, visiting or examining the hull or the boiler or boilers may ask perand machinery of any Steam Vessel as aforesaid, to ask of any tions, which or all of the owners, officers or engineers of such vessel, or other must be truly person on board thereof and in charge, or appearing to be in answered-charge of the same, or of the boiler or boilers or machinery 30 thereof, such pertinent questions concerning the same as he may think fit, and all such persons shall, fully and truly, answer any such questions put to them respectively, by any such Inspector, to the best of their knowledge and ability; and any penalty. person refusing to answer, or falsely answering any such 35 question, or preventing any such inspection or obstructing any Inspector in the same, shall, in so acting, be subject to a penalty of Ten Pounds, which may be recovered before any Justice of the Peace, having jurisdiction in the place where such offence has been committed.

VIII. It shall be the duty of each and every such Inspector, Safety valves. when inspecting, visiting or examining the boiler or boilers and machinery of any Steam Vessel, to satisfy himself that the safety valves attached thereto are of suitable dimensions, sufficient in number, well managed and in good 45 working order, one of which he may, if he think necessary, order One may be

and cause to be locked up and taken wholly away from the kept locked control of all persons engaged in navigating such vessel, and tor. placed under his own sole control.

Steam guages directed.

IX. The Steam guages required by the said Act, to be open to be placed as to the view of all passengers and others on board such vessels, shall be put in such places and positions, and be of such construction, as the Inspector or Inspectors inspecting, visiting or examining such vessels respectively, from time to time, may 5 direct.

Casualties to be reported.

X. It shall be the duty of the Master or Owner of every Steam Vessel, or of the person in charge thereof, within fortyeight hours after the occurrence of any event whereby thesame, 10 or the boiler or boilers or machinery thereof, or any part of the same, may be in any material degree injured, strained or weakened, to report such occurrence to one of the said Inspectors; and in case of omission to give such notice, the Owner of the Vessel shall forfeit to Her Majesty, the sum of fifty pounds 15 for every day during which such omission shall continue.

Penalty.

Tourage duty to be paid by Steam Vessels in lieu of fees to Inspectors, and to form a fund.

XI. So much of the said Act as provides, that Inspectors shall be paid and allowed any remuneration for their services by Masters and Owners of Steam Vessels, or persons applying for the inspection thereof, is hereby repealed, and in lieu thereof, 20 from and after the first day of July next, there shall be paid by the Owner or Master of every Steam Vessel in this Province, yearly and every year, a rate or duty of ton which such Steam Vessel may measure; and the amount of such rate or duty shall in each case be paid to and received 25 by the Collector of Her Majesty's Customs at some one of the Ports in this Province, who shall account for and pay over the same to the Receiver General, at such times and in such manner as the Governor in Council may from time to time direct; and such sums so from time to time collected and paid over 30 shall form a special fund for the purposes of this Act, to be called "The Steamboat Inspection Fund."

Collectors of Customs may seize and sell Vessels for non-payment of duty or penalties.

XII. All Collectors of Her Majesty's Customs, are hereby authorized and required from time to time to demand of the Owners or Masters of any Steam Vessels which they may have 35 reason to think have not been inspected for more than six months, or in respect of which they may have reason to think the rate or duty aforesaid, may be due and unpaid, the exhibition of the receipts and certificates in that behalf, appertaining to such Steam Vessel; and if receipts and certificates as afore 40 said, to their satisfaction, be not produced within a reasonabletime, then to seize and detain such Steam Vessels until the same are procured and exhibited, and any fines or penalties incurred and lawfully imposed in respect of such Vessels under the provisions of this Act, have been paid in full; and in default 45 of payment to sell such Steam Vessels, for the payment of such rate or duty, fines or penalties in the usual manner.

Inspector not to give certi-

XIII. No Inspector shall make or deliver a certificate respecting any Steam Vessel under the said Act or this Act, unless

the receipt of a Collector of Her Majesty's Customs for the rate ficate without or duty payable in respect of such Vessel for the then current proof of duty year have been produced and shewn to him; and it shall be having been the duty of every Inspector to report to some one of the Collec-5 tors of Her Majesty's Customs, any case of omission to pay such rate or duty or of omission to apply for such inspection as aforesaid, for more than six months from the date of the then last inspection, or refusal to submit to inspection at any time which may at any time or in any way come to his know-10 ledge.

XIV. All penalties incurred under the said Act or this Act, Recovery and may be recovered in the name of Her Majesty, by Her Majesty's application of Attorney General in any Court having jurisdiction to the penalties amount thereof, and all penalties recovered under the said Act 15 or this Act, shall be paid to the Receiver General, and shall be by him placed to the credit and form part of "The Steamboat Inspection Fund."

XV. The word, "Steam Vessel," shall mean any Vessel Interpretation propelled in whole or in part by Steam, and the word "Owner" clause. 20 shall include the Lessee or Charterer of any such vessel.