

**CIHM
Microfiche
Series
(Monographs)**

**ICMH
Collection de
microfiches
(monographies)**



Canadian Institute for Historical Microreproductions / Institut canadien de microreproductions historiques

© 1994

Technical and Bibliographic Notes / Notes techniques et bibliographiques

The Institute has attempted to obtain the best original copy available for filming. Features of this copy which may be bibliographically unique, which may alter any of the images in the reproduction, or which may significantly change the usual method of filming, are checked below.

L'Institut a microfilmé le meilleur exemplaire qu'il lui a été possible de se procurer. Les détails de cet exemplaire qui sont peut-être uniques du point de vue bibliographique, qui peuvent modifier une image reproduite, ou qui peuvent exiger une modification dans la méthode normale de filmage sont indiqués ci-dessous.

- Coloured covers/
Couverture de couleur
- Covers damaged/
Couverture endommagée
- Covers restored and/or laminated/
Couverture restaurée et/ou pelliculée
- Cover title missing/
Le titre de couverture manque
- Coloured maps/
Cartes géographiques en couleur
- Coloured ink (i.e. other than blue or black)/
Encre de couleur (i.e. autre que bleue ou noire)
- Coloured plates and/or illustrations/
Planches et/ou illustrations en couleur
- Bound with other material/
Relié avec d'autres documents
- Tight binding may cause shadows or distortion
along interior margin/
La reliure serrée peut causer de l'ombre ou de la
distorsion le long de la marge intérieure
- Blank leaves added during restoration may appear
within the text. Whenever possible, these have
been omitted from filming/
Il se peut que certaines pages blanches ajoutées
lors d'une restauration apparaissent dans le texte,
mais, lorsque cela était possible, ces pages n'ont
pas été filmées.

- Coloured pages/
Pages de couleur
- Pages damaged/
Pages endommagées
- Pages restored and/or laminated/
Pages restaurées et/ou pelliculées
- Pages discoloured, stained or foxed/
Pages décolorées, tachetées ou piquées
- Pages detached/
Pages détachées
- Showthrough/
Transparence
- Quality of print varies/
Qualité inégale de l'impression
- Continuous pagination/
Pagination continue
- Includes index(es)/
Comprend un (des) index

Title on header taken from:/
Le titre de l'en-tête provient:

- Title page of issue/
Page de titre de la livraison
- Caption of issue/
Titre de départ de la livraison
- Masthead/
Générique (périodiques) de la livraison

- Additional comments:/
Commentaires supplémentaires:

This item is filmed at the reduction ratio checked below/
Ce document est filmé au taux de réduction indiqué ci-dessous.

10X	12X	14X	16X	18X	20X	22X	24X	26X	28X	30X	32X
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

The copy filmed here has been reproduced thanks to the generosity of:


Library
Agriculture Canada

The images appearing here are the best quality possible considering the condition and legibility of the original copy and in keeping with the filming contract specifications.

Original copies in printed paper covers are filmed beginning with the front cover and ending on the last page with a printed or illustrated impression, or the back cover when appropriate. All other original copies are filmed beginning on the first page with a printed or illustrated impression, and ending on the last page with a printed or illustrated impression.

The last recorded frame on each microfiche shall contain the symbol \rightarrow (meaning "CONTINUED"), or the symbol ∇ (meaning "END"), whichever applies.

Maps, plates, charts, etc., may be filmed at different reduction ratios. Those too large to be entirely included in one exposure are filmed beginning in the upper left hand corner, left to right and top to bottom, as many frames as required. The following diagrams illustrate the method:



L'exemplaire filmé fut reproduit grâce à la générosité de:


Bibliothèque
Agriculture Canada

Les images suivantes ont été reproduites avec le plus grand soin, compte tenu de la condition et de la netteté de l'exemplaire filmé, et en conformité avec les conditions du contrat de filmage.

Les exemplaires originaux dont la couverture en papier est imprimée sont filmés en commençant par le premier plat et en terminant soit par la dernière page qui comporte une empreinte d'impression ou d'illustration, soit par le second plat, selon le cas. Tous les autres exemplaires originaux sont filmés en commençant par la première page qui comporte une empreinte d'impression ou d'illustration et en terminant par la dernière page qui comporte une telle empreinte.

Un des symboles suivants apparaîtra sur la dernière image de chaque microfiche, selon le cas: le symbole \rightarrow signifie "A SUIVRE", le symbole ∇ signifie "FIN".

Les cartes, planches, tableaux, etc., peuvent être filmés à des taux de réduction différents. Lorsque le document est trop grand pour être reproduit en un seul cliché, il est filmé à partir de l'angle supérieur gauche, de gauche à droite, et de haut en bas, en prenant le nombre d'images nécessaires. Les diagrammes suivants illustrent la méthode.



MICROCOPY RESOLUTION TEST CHART

(ANSI and ISO TEST CHART No. 2)



APPLIED IMAGE Inc

1653 East Main Street
Rochester, New York 14609 USA
(716) 482 - 0300 - Phone
(716) 288 - 5989 - Fax

1870-1871
1871-1872
1872-1873
1873-1874
1874-1875
1875-1876
1876-1877
1877-1878
1878-1879
1879-1880
1880-1881
1881-1882
1882-1883
1883-1884
1884-1885
1885-1886
1886-1887
1887-1888
1888-1889
1889-1890
1890-1891
1891-1892
1892-1893
1893-1894
1894-1895
1895-1896
1896-1897
1897-1898
1898-1899
1899-1900
1900-1901
1901-1902
1902-1903
1903-1904
1904-1905
1905-1906
1906-1907
1907-1908
1908-1909
1909-1910
1910-1911
1911-1912
1912-1913
1913-1914
1914-1915
1915-1916
1916-1917
1917-1918
1918-1919
1919-1920
1920-1921
1921-1922
1922-1923
1923-1924
1924-1925
1925-1926
1926-1927
1927-1928
1928-1929
1929-1930
1930-1931
1931-1932
1932-1933
1933-1934
1934-1935
1935-1936
1936-1937
1937-1938
1938-1939
1939-1940
1940-1941
1941-1942
1942-1943
1943-1944
1944-1945
1945-1946
1946-1947
1947-1948
1948-1949
1949-1950
1950-1951
1951-1952
1952-1953
1953-1954
1954-1955
1955-1956
1956-1957
1957-1958
1958-1959
1959-1960
1960-1961
1961-1962
1962-1963
1963-1964
1964-1965
1965-1966
1966-1967
1967-1968
1968-1969
1969-1970
1970-1971
1971-1972
1972-1973
1973-1974
1974-1975
1975-1976
1976-1977
1977-1978
1978-1979
1979-1980
1980-1981
1981-1982
1982-1983
1983-1984
1984-1985
1985-1986
1986-1987
1987-1988
1988-1989
1989-1990
1990-1991
1991-1992
1992-1993
1993-1994
1994-1995
1995-1996
1996-1997
1997-1998
1998-1999
1999-2000
2000-2001
2001-2002
2002-2003
2003-2004
2004-2005
2005-2006
2006-2007
2007-2008
2008-2009
2009-2010
2010-2011
2011-2012
2012-2013
2013-2014
2014-2015
2015-2016
2016-2017
2017-2018
2018-2019
2019-2020
2020-2021
2021-2022
2022-2023
2023-2024
2024-2025

DOMINION OF CANADA

Department of Agriculture

Branch of the Live Stock Commissioner.

THE CARE OF MARKET EGGS

By W. A. BROWN, B.S.A.

BULLETIN NO. 16.

Published by Direction of the
HON. MARTIN BURRELL, Minister of Agriculture,
OTTAWA, ONT.

May 1st, 1912

Ottawa, May 1st, 1912

The Honourable Martin Burrell,
Minister of Agriculture,
Ottawa, Ont.

Sir,—

I have the honour to present a paper by Mr. W. A. Brown, B. S. A., of this Branch, entitled "The Care of Market Eggs."

This pamphlet directs particular attention to the nature of losses resulting from inadequate and unsatisfactory methods in the handling of market eggs, and suggests means by which permanent and needed improvement may be brought about in the Canadian egg trade, to the corresponding advantage of both producer and consumer.

The marketing of poultry products is a comprehensive subject and it has been thought advisable to restrict this treatise to a discussion of but one feature of the industry. It is believed that the information which it contains will be of timely interest to farmers and poultry men generally. I would recommend, therefore, that it be published for distribution as Bulletin No. 16 of the Live Stock Branch.

I have the honour to be,

Sir,

Your obedient servant,

H. S. ARKELL,

Acting Live Stock Commissioner.

Acknowledgment.

The author desires to acknowledge the valuable assistance of Drs. Higgins and Evans, of the Pathological Division of the Health of Animals Branch in the preparation of certain technical photographs for use in this bulletin.

CONTENTS

	PAGE
Letter of Transmittal	3
Acknowledgment	4
Contents	5
List of Illustrations	6
Introduction	9
Extent of Loss resulting from Careless Methods	9
The Usual Method of Handling Eggs	9
The Present System of Trading at the Country Store conducive to a continuation of Careless Methods	11
The Results of Lack of Care	11
I. The Loss through the Sale of Heated Eggs or Eggs in which the germ has commenced to grow	12
II. The Loss and Shrinkage through the Sale of Shrunken, Held and Stale Eggs	12
III. The Loss through the Sale of Rotten Eggs	14
IV. The Loss Due to Breakage	16
V. The Loss and Shrinkage through Sale of Dirty Eggs	18
VI. The Loss due to the Sale of Mouldy and Bad Flavoured Eggs	19
VII. The Loss due to the Sale of Frosted Eggs	21
VIII. The Loss from Sale of Small Eggs	21
Suggestions for General Improvement of Methods followed on the Farm	21
Specific Suggestions in Regard to the Proper Care of Market Eggs	22
To the Farmer	22
To the Merchant	22
To the Egg Buyer	23
To the Railways and Express Companies	23
To the Dealers and Packers	23
To the Retailer	23
To the Consumer	23
Conclusion	24

ILLUSTRATIONS.

	PAGE
Frontispiece . Farm Scenes.....	8
Upper View,—A Long Poultry House with Straw Loft.....	8
Centre View,—Combination Poultry House and Piggery, note size and scarcity of Windows.....	8
Lower View,—A Desirable Arrangement of Movable Colony Houses on the Farm.....	8
Fig. 1—A Cooper System Cold Storage Plant. Capacity 10,000 (30 dozen) Cases of Eggs ..	10
Fig. 2—A Refrigerator Car, used in Interprovincial Shipments and by some Dealers in making Collections.....	10
Fig. 3—Eggs placed in Store Windows deteriorate rapidly.....	13
Fig. 4—A Basket that was used alternately for Eggs and Lemons.....	13
Fig. 5—Sun Struck.....	13
Fig. 6—A Heated Egg known to the Trade as a Heavy Float	14
Fig. 7—Egg showing from 8 to 12 days Incubation ..	14
Fig. 8—Egg about due to Hatch	14
Fig. 9—Fresh Egg from 4 to 5 days old, see air cell.....	15
Fig. 10—New Laid Egg, air cell scarcely perceptible. Note extremely fragile shell.....	15
Fig. 11—Held Egg, the dark part indicates the Yolk	15
Fig. 12—Held Egg, shows greater evaporation than Egg in Fig. 11	15
Fig. 13—A very Stale Egg, showing broken Yolk and large air cell.....	16
Fig. 14—A Rotten Egg.....	16
Fig. 15—Spot Rot.....	16
Fig. 16—Broken Ends—The Result of Shipping extremely Long Eggs in the average Case.....	17
Fig. 17—A Faint Crack—Known to the Trade as a Hair Split.....	17
Fig. 18—A Dent, as Distinguished from a Leaker.....	17
Fig. 19—Cracked Eggs.....	17
Fig. 20—Dirty and Smeared Eggs.....	18
Fig. 21—Clean Eggs.....	18
Fig. 22—Cracked Egg commencing to Mould.....	19
Fig. 23—A Shell found in an Egg Case.....	19
Fig. 24—A Broken Egg showing a Heavy Growth of Mould.....	19
Fig. 25—A Contrast. These five Eggs were selected from 2 Layers (6 dozen) of Eggs in the same Case.....	20
No. 1 Weighs at the rate of 15½-16 oz. to the dozen.....	20
No. 2 Weighs at the rate of 18-19 oz. to the dozen.....	20
No. 3 Weighs at the rate of 21-21½ oz. to the dozen.....	20
No. 4 Weighs at the rate of 22½-23 oz. to the dozen.....	20
No. 5 Weighs at the rate of 24½-25½ oz. to the dozen.....	20





A Contrast in Methods of Keeping Poultry on the Farm

The Care of Market Eggs.

Introduction.

Eggs are a perishable food product. They do not improve with age and no amount of handling or manipulation will enhance their quality. The poor quality of the average market egg has been attributed by many persons to its retention in cold storage. This is an erroneous idea, for while the quality will not improve, yet if the eggs are full and fresh and sweet when placed in a well equipped and properly managed cold storage, there is not, during the time they are ordinarily held, sufficient change in quality to render them unfit for food.

Marked improvement has been made in the methods of handling other kinds of food stuffs. The same old, antiquated methods of handling eggs that prevailed many years ago, prevail to-day. This bulletin is a preliminary attempt to analyse the situation and point out ways and means of improvement.

Extent of Loss Resulting from Careless Methods.

So great is the shrinkage and loss in the egg trade and so inferior the quality of the average egg on the market, that the consumption of eggs would, no doubt, be seriously curtailed were it not for the fact that eggs are a staple in the general routine of household economy. They are prized as a high-class breakfast dish by practically everyone and are valued as a tonic, stimulant and almost perfect food for invalids, convalescents and children.

Gross neglect, carelessness, dishonesty and a general lack of appreciation of the perishable nature of an egg are causing to the Canadian egg trade a loss of several million dollars annually.

The Usual Method of Handling Eggs.

Eggs under average conditions take a very circuitous course in reaching the consumer. Someone on the farm gathers the eggs whenever convenient, sometimes once a day, sometimes two or three times a week. They are carried to the house and held until such time as is convenient to take them to market. Then if the number available seems small, a hasty search, by the children, will usually reveal some hidden nests, the contents of which are added to those in the basket without question as to their condition or state of incubation.

These eggs are for the most part traded for merchandise at the country store and there, as a rule, their quality does not improve since they are often held for varying lengths of time and stored in questionable places. The egg buyer receives them next and, if working for the big packing firms, he hurries them on with all possible speed. If working for himself, he is apt to hold them, particularly on a rising market. From observation one might infer that the common carriers, the railways and the express companies are, at times, rather too prone to forget that the egg is perishable and the shell fragile, if one is to judge by their frequent lack of care in handling and in leaving them exposed to extreme heat on station platforms and in hot express cars.



Fig. 1—A Cooper System Cold Storage Plant. Capacity 10,000 (30 dozen) Cases of Eggs



**Fig. 2—A Refrigerator Car, used in Interprovincial Shipments,
and by some Dealers in making Collections.**

Of course, there are careless dealers and commission men who allow the eggs to deteriorate in their hands, but as a whole the eggs receive better treatment in this section of trade than in any other. The dealers know that they cannot improve the quality of the individual egg, and the large majority of them honestly endeavour to prevent further deterioration in the shipments as received. By candling they remove the bad, the shrunken, the broken, the dirty eggs, etc., from among the good eggs, and place them in the grades where they belong. Many firms have established regular purchase days and their buyers make regular rounds and shipments. Some firms even retain, for their own use, a number of refrigerator cars, which are despatched regularly to receiving points. Eggs thus received are candled and some may be placed in storage. The dealer sells the eggs to the jobber or may sell direct to the retailer. As a rule, the jobber does not hold them long, and in fact may never see them.

The average retailer or city grocer can and should improve his methods considerably. It is business to advertise his goods, but he seems to forget that, while eggs will not melt and run away like butter or readily sour like milk or cream, they are nevertheless perishable. Many a grocer has lost good customers through unduly exposing his eggs behind a plate glass window in a heated store or by leaving them for a period of days close to a stove, a register or some other source of heat. The customer, in turn who is justly irritated at finding only eight or ten good eggs in a dozen, has no more justification than has the farmer's wife for placing the eggs on the top shelf in the kitchen cupboard, when the proper place for them is in a refrigerator or in a cellar where they will not come in contact with any mustiness, foul odors or other sources of contamination.

The Present System of Trading at the Country Store, Conducive to a Continuation of Careless Methods.

A great many bad eggs find their way into the market through the old-time practice of exchanging eggs for merchandise at the country store. Many a merchant would gladly give up the egg trade if he could. It places him in a very awkward position. He knows that to buy eggs is to sell goods. Therefore, it is not good business to refuse eggs and if he bids low his customer will go to his competitor across the street. He does not have the means to detect the bad eggs and some farmers knowing this take undue advantage of him. In fact the merchant has not time to candle eggs and buy on a loss-off basis, in the rush of the summer season. Many farmers put off their marketing until Saturday afternoon or evening and in the course of five or six hours the merchant may take in several thousand dozen. In the State of Kansas, where it has been made a criminal offence to offer, for sale, eggs unfit for food and the dealers have agreed to buy on a loss-off basis only, the country merchants have had a very good excuse for relinquishing their share in the trade. The eggs now go direct to the dealers and the result is a marked improvement in quality.

The Results of Lack of Care.

In order to secure some adequate evidence on the lack of care, the resultant losses, causes of loss and the distribution of same throughout the year, a series of

questions were sent out to over two hundred egg dealers in Canada. The first question was :—

“With reference to your own experience, do you consider the suggested figure of seventeen per cent for total shrinkage, too high.”

The answer from those engaged in handling eggs, direct from the farm or the country store, has been invariably “No” and some have indicated that the figure is not high enough. In fact the sum total of the estimates given in the subsequent pages slightly exceeds seventeen per cent.

I.—The Loss Through the Sale of Heated Eggs or Eggs in which the Germ has Commenced to Grow.

As a result of the heating of fertile eggs, from four to six per cent of all eggs marketed are unfit for human food. A temperature of 70° F. or higher will start the germ of a fertile egg to grow. The greatest loss is apparent between the months of June and September although such eggs are often held until later.

In nature the purpose of an egg is to hatch a chick, but when man intends an egg for food he should aim to defeat that purpose. He must distinguish between an egg for hatching and an egg for market and eliminate the fertile eggs from the marketable product by excluding the male bird from the pen at all times except during the breeding season.

II.—The Loss Through the Sale of Shrunken, Held and Stale Eggs.

Sixty-five per cent of the contents of an egg is water ; the shell is porous and evaporation takes place whenever the egg is surrounded by a temperature above freezing. The higher the temperature and the more rapid the air circulation, the greater will be the evaporation.

An egg will grow stale in the nest, if the house is hot and ill-ventilated or if broody and other hens sit on it. The water content will evaporate just as readily in the consumer's cupboard as in the farmer's kitchen and the country merchant has no more right to keep his eggs near the stove than the city grocer has to place his behind the plate glass window.

Eggs in cold storage are held at a temperature of about 30° and the fact that the average merchant or buyer has not similar facilities is ample reason why the eggs should not be held. Notwithstanding this, however, the practice of holding eggs for higher prices is so common that a shrinkage of not less than five per cent. results. This is most apparent in the fall months, but has to be taken seriously into account from June until January inclusive.



Fig. 3—Eggs placed in Store Windows Deteriorate rapidly.




Fig. 4—A Basket that was used alternately for Eggs and Lemons



Fig. 5—Sun Struck

III.—The Loss from the Sale of Rotten Eggs.

Rotten eggs like rotten apples find their way into the trade. They are not so readily detected, however, and for this reason are even a more serious menace. Common rots are the result of decomposition. The germ dies in a fertile egg. And under certain conditions rapid decomposition takes place and hydrogen sulphide gas is liberated. Eliminate



Fig. 6—A Heated Egg known to the Trade as a Heavy Float



Fig. 7—Egg showing from 8 to 12 days Incubation

the fertile egg and this repulsive form of loss will disappear.

Other forms of rotten eggs occur. The albumen of an egg constitutes an excellent culture medium for the growth of bacteria. An egg is moist when laid, and in the foul, unsanitary condition of many nests readily becomes infected. The porous shell offers little or no resistance. The tough inner membrane is, however, practically bacteria proof unless brought in contact with excessive dampness



Fig. 8—Egg about Due to Hatch

or even exposed to moist conditions for some length of time. It is for this and other reasons that interested dealers send out the instructions, "Under no conditions wash eggs." If a washed egg is placed in the consumer's hands without delay little trouble may result; but if the bacteria once enters into the albumen of an egg and that egg is held and exposed to conditions of moisture and warmth favourable to bacterial development, the different forms of spot rot readily appear. Some continue to grow even in the low temperature of a cold storage house. About three per cent. of all eggs are discarded on account of rot in some form and the loss is apparent throughout the year, with the exception, possibly, of the months of March and April.




Fig. 9—Fresh Egg from 4 to 5 days old, see air cell.




Fig. 10—New-Laid Egg, air cell scarcely perceptible, note extremely fragile shell.




Fig. 11—Held Egg, the dark part indicates the Yolk.




Fig. 12—Held Egg, shows greater evaporation than egg in Fig. 11.



Fig. 13—A very Stale Egg, showing Broken Yolk and large Air Cell



Fig. 14—A Rotten Egg.

IV.—The Loss Due to Breakage

Broken eggs are found in all sections of the trade. Accidents will occur, but carelessness and thoughtlessness account for a great deal of the breakage.

Broken eggs are known to the trade as leakers, dents or checks (blind checks). Leakers are not only a loss in themselves but they produce smeared eggs. Dents are eggs in which the shell is broken, but in which there is no rupture of the inner membrane apparent. Blind checks are the faint cracks not readily apparent to the eye. They are only detected by the use of the candle or by elicking two eggs together.

Many eggs are broken in transit either through the jolting of loose or poorly packed eggs over the rough country roads or through careless handling by the cartage and express companies. Broken eggs, no matter how slight the break, should not be placed in any egg case intended for shipment. They not only constitute a loss themselves, but they soil the fillers and make them unfit for future use. At least three per cent. of all eggs marketed show breakage in some form and broken eggs are apparent at all seasons of the year, particularly in the spring.



Fig. 15—Spot Rot.



Fig. 16—Broken Ends—the Result of Shipping extremely Long Eggs in the average case.



Fig. 17—A Faint Crack--Known to the Trade as a Hair Split.




Fig. 18—A Dent, as distinguished from a Leaker.



Fig. 19—Cracked Eggs.

V.—Loss and Shrinkage Through the Sale of Dirty Eggs.

Dirty eggs are of three kinds :—

- 1.—Plain dirties, those to which soil and manure adhere.
- 2.—Stained eggs, i.e. dirty eggs that have been washed.
- 3.—Smearred eggs, those that become covered with the contents of broken eggs.

The producer is largely to blame for the first two classes of dirty eggs. A



Fig. 20—Dirty and Smearred Eggs

dirty egg is a disgrace to the person who sells it. The hens should not be blamed for the appearance of dirty eggs. They almost invariably lay clean eggs and they prefer to lay them in clean, cool places.

Dirty eggs should never be marketed. They are repulsive to the trade and they seriously detract from the appearance of good eggs and cause the entire shipment to sell at a lower price. This may not be apparent at the country store



Fig. 21—Clean Eggs

where severe competition forces the merchant to take all or lose a customer, but the dealer is obliged at considerable expense, to remove most of them and must therefore discount the price he pays accordingly.

It is not wise to wash market eggs. Washing removes the natural bloom and gloss and makes the eggs appear old and stale. Clean nests should be provided, thereby reducing the number of dirty eggs to the minimum. About three per cent of all eggs marketed show contamination in this form and it is particularly apparent in the wet seasons, spring and fall.

VI.—Loss Due to the Sale of Mouldy and Bad Flavoured Eggs.

So readily do eggs absorb odors that in the early days of artificial refrigeration many packers incurred heavy financial loss through having stored their eggs



Fig. 22—Cracked Eggs commencing to Mould.

in chambers containing citrous fruits, fish, etc. In all modern cold storage houses large separate rooms are provided in which eggs alone are stored.




Fig. 23—A Shell found in an Egg Case.

Fig. 24—A Broken Egg showing a Heavy Growth of Mould.




FIG. 25—A Contrast. These five eggs were selected from 2 layers (5 dozen) of eggs in the same case.

No. 1 Weighs at the Rate of $15\frac{1}{2}$ -16 oz. to the Dozen.

No. 3 Weighs at the Rate of 21-21 $\frac{1}{2}$ oz. to the Dozen.

No. 2 Weighs at the Rate of 18-19 oz. to the Dozen.

No. 4 Weighs at the Rate of 22 $\frac{1}{2}$ -23 oz. to the Dozen.

No. 5 Weighs at the Rate of 24 $\frac{1}{2}$ -25 $\frac{1}{2}$ oz. to the Dozen.

Musty eggs are very common, due no doubt to their having been collected in pails or baskets containing damp, musty straw or litter or to their having been placed in egg cases containing old, soiled fillers. Eggs are often held in damp, musty cellars where decaying vegetables, kerosene, etc., are also stored. The different forms of mould appear in eggs just as in cheese and, while desirable in the one, are repulsive in the other. Care should be taken to eliminate all possible source of contamination in this way. It is difficult to estimate the amount of loss caused by the above stated factors because they influence the flavour rather more than the appearance and as such their effect is not apparent until the eggs are consumed. Dealers estimate that at least one per cent of all eggs are affected in this way, but the experience of the housewife indicates that this figure should be much higher.

VII.—Loss from Frosted Eggs.

While it is unfortunate that only a small proportion of all farm hens lay in the winter, it is even more so that such a large percentage of these eggs are allowed to become frosted. Frozen eggs are not only undesirable in themselves, but when they thaw they often, through leakage, cause smeared eggs. Frozen eggs and dirty eggs should be kept at home.

VIII.—Loss from the Sale of Small Eggs.

Some small eggs will no doubt always be produced, but there is no excuse for the large percentage found on the market at the present time. Pullets, commencing to lay, produce small eggs at first and old hens at moulting time are prone to do likewise. The great majority of small eggs, however, come from the mongrel, nondescript, stunted stock found on such a large proportion of our farms. Some of the small sized, light weight, pure bred stock is undesirable for the same reason. Eggs ought to weigh a pound and a half to the dozen or forty-five pounds, net, to the thirty dozen case. No figures are available at the present time to indicate the percentage of small eggs that are marketed, but anyone who has had experience in the egg trade must readily appreciate the extent of this difficulty.

Suggestions for General Improvement in Methods Followed on the Farm.

It is evident from the foregoing discussion that, while all parties engaged in the egg trade are more or less to blame for the present lack of quality, yet the conclusions reached from our inquiry indicate that the great difficulty centres about the methods employed in handling eggs on the farm. Present conditions surrounding the production and marketing of farm eggs show distinct evidences of lack of care and appreciation of the fundamental considerations underlying the trade and, while it is the intention later, to point out some specific instances in

which all can make improvement, the following suggestions deal directly with general conditions on the farm :—

- 1.—Keep only pure bred stock of the larger general purpose varieties.
- 2.—Discard all stunted, nondescript and all diseased stock.
- 3.—Give the poultry-house a thorough cleaning every spring and keep it clean ; spray often, and whitewash walls, roosts, etc., regularly.
- 4.—Feed the flock on pure and wholesome food and provide pure water in clean utensils.
- 5.—Hatch the chickens early ; keep them separate from the old stock and give them every possible opportunity to grow into strong, healthy, vigorous, well matured birds before the cold weather comes, in the fall and early winter.
- 6.—Give the poultry the care and attention they deserve and, if the farmer has not the time or inclination to do the work himself, let him delegate it to some responsible member of his family.

Specific Suggestions in Regard to the Proper Care of Market Eggs.

To the Farmer.

Remove the male birds from the flock immediately after the breeding season and market no fertile eggs.

Provide roomy nests and plenty of clean nesting material, preferably dry shavings or cut hay.

Keep the nests clean and sanitary.

Collect the eggs regularly at least once, better twice, a day in moderate weather and more frequently in very warm and very cold weather.

Remove at once in clean utensils to a cool, dry cellar.

Cover with clean cloth to prevent dust from settling upon them and also to prevent evaporation and fading.

Do not pack loose in a box when taking them to market, but rather secure a suitable egg case and thus avoid breakage.

Market as frequently and as directly as possible.

To the Merchant.

Buy on a loss-off basis, if possible, and encourage other merchants to do the same.

Insist that the farmers furnish first quality eggs only.

Keep in mind the perishable nature of the product and do not hold eggs on a rising market without proper facilities for storing them.

Realize that fresh eggs at any season of the year are much more valuable than stale eggs, when prices are higher.

When shipping, pack carefully in strong, clean cases and fillers.

To the Egg-Buyer.

If buying direct from the farmer, make regular and frequent collections.

Pay a premium for quality and do not hesitate to condemn bad, dirty, small and broken eggs.

Encourage the farmer to keep better poultry and more of it.

If buying from the country merchant, encourage frequent shipments and if possible buy on a quality basis.

To the Railways and Express Companies.

Handle eggs with care.

Provide suitable accomodation.

Guard against undue exposure to heat and cold.

Deliver with all reasonable despatch to the consignee.

To the Dealers and Packers.

Indicate to the producer that, financially, quality counts for more than quantity.

Adopt without delay a basis of "quality payment." The system of "average payment" on a case count basis permits of a great deal of the carelessness and dishonesty that exists in the egg trade.

If the packers were to adopt the method of "quality payment" in its fullest sense the store-keepers and collectors could not afford to take eggs from producers regardless of quality.

To the Retailer.

Buy eggs of assured good quality. If it is necessary to handle inferior eggs, sell them for what they are.

Encourage producers to forward their shipments direct.

Establish if possible, a brand of eggs, which will, in itself be a guarantee of good quality.

Every city re'ailer must realize how quickly the buying public of the better class proportions its consumption of eggs to the quality of the product. In fact, there is hardly any class of consumers, however careless, but which will increase consumption when the product is improved.

To the Consumer.

Demand new laid eggs of good size and colour.

Insist that they be clean.

Learn to distinguish between a new laid egg and a stale egg ; a fresh egg and a storage egg.

If bad eggs are furnished, demand retribution.

Be willing to pay a premium for good eggs.

Having purchased eggs do not overlook their perishable nature and give them proper care.

Many consumers use the product of poor, unhealthy stock, kept in unsanitary surroundings rather than pay a cent or two more for clean, wholesome eggs. This is a direct bid for poor eggs.

The responsibility for present conditions rests in part therefore with the consumer and the whole trade will reap the benefit when the latter insists that he be supplied with nothing but first class eggs.

Conclusion.

Improvement in the care of eggs is important from a financial point of view; in fact it is a business proposition. There is an enormous financial waste resulting not only from the absolute loss of thousands of dozens and the shrinkage in millions of others, but also from the cost of handling, packing and transporting so much worthless or practically worthless product. If the manufacturers and business men in Canada were to take no more care of the articles manufactured by them and no more pains in advertising and in placing first quality goods on the market, than is taken by farmers in handling and marketing eggs; how long would the average business be prosperous?

As a result of an investigation of the egg industry in the State of Kansas, seventy-four buyers, handling over nine hundred thousand cases of eggs annually, state that if the farmers of the State of Kansas would deliver eggs to the buyers in first class condition, they could pay two cents a dozen more the year round. Even greater advances have been made by Canadian dealers to the members of Egg circles in the Province of Ontario.

It is deplorable that a product, like eggs, so uniform when produced, in quality and composition, is allowed to deteriorate so seriously through gross neglect, carelessness and a lack of appreciation of its perishable nature.

It is evident that, if eggs are to reach the consumer's table in a fresh and palatable condition, the present antiquated system of handling and marketing them will have to be largely discontinued and more modern business-like methods adopted.

