INDEX TO ADVERTISEMENTS	1	CONTRACTORS AND BUILDERS.	- 1	LEGAL.	
INDEX TO ADTENTIOUNDATE	_	Davidson & Kelly	11	Denton & Dods	٧
ADAMANT WALL PLASTER. Pag	re i	Davis, H	111	MANTELS AND OVERMANTELS.	
Adamant Mig. Co	vi	Davie, George	ᆲ	Earl & Co., Edward	ix
ARCHITECTS.	1	Dearing, Geo Hood & Co., H	ii l	Wright & Co Scott & Son, Wat	82
Directory 1	11	Grant & Goddard	⊸iil	METALLIC LATIL	٠,
ARCHITECTURAL SCULITORS AND CARVERS.		Halls, Wm	11	R Greening Wire Co	viii
Beaumont, H	ix	Hancock, Thomas	- 11 (	B. Greening Wire Co	vii
	II II	Hannah Bros	- !!	MINERAL WOOL	
Viele W Stivens	ii	Humphrey, T. R	11	Gast & Atchison	ix
Holbrook & Mollington	ix	Lyull, Peter	82 11	Savage, R. D	viii
Johnson & Son, Wm	ii ˈ	Mortinore, Geo. T	ii l	ORNAMENTAL PLASTERERS.	
Mowbray, Thos	11	Moss, Wm	ii l	Baker, J. D.	ii
Turner Frederic	11	Pudifin, Win	- 11	Hynes Term Cotta & Brick Co	vi ii
Young & Collins	П	Redmond, Joseph	11	Whetter, Henry R	ii
ART FURNITURE.		Stevens, Chas. H	ij	PAINTERS	
Scott & Son, W	B3 ∣	Thomas & Howell	- 11	Dill & O'Hearn	111
	ix	Webb, John E		Dill & O'Henrn Dunham, Frank T. Gilmor & Casey	111
ARCHITECTURAL IRON WORK.		CUT STONE CONTRACTORS.		Gilmor & Casey	111
Barnum Wire & Iron Works	l i	Bristow Bros Hibbard, H. & T	82	Hatch W I	,,,,
B. Greening Wire Co v		Hibbard, H. & T	III	Poleto, T	.83
Dennis, R	83 V	Isaac Brothers	311 82	Distance Valuationing &c	111
Toronto Drop Forge Co	lii	Oakley & Holmes	ıii	Cottingham, Walter H	īV
	ix	ELECTRIC BELLS.	***	Muirhead, Andrew	di
BRASS WORKS.		Canadian Electric Mfg. Co	82	PAVING.	•••
	v		0.2	Excelsior Pavement Co	8,3
BRICKS (PRESSED).		ELEVATORS.	ıv	Forsyth, Robert	83 IV
	vi	Ives & Co., H. R	'''	Gardner & Co., A.	īv
Savage, R. D v	iii	Miller Bros. & Tonis.	xi	Durous Cement Concrete Pavement Co The Colman-Hamilton Co	8a vii
Toronto Pressed Brick & Term Cotta Co.	ii	ENGRAVERS.			VII
The Ontario Terra Cotta, Brick & Sewer		Armstrong Photo-Eng. Co	iii	PLASTERERS. Dayton, William H	31
	хi	Canadiun Photo-Eng Bureau	iii	Fox, R. B.	ii
BUILDERS' SUPPLIES.		Kramer, W. J Laidlaw, R	iii	Hynes, W. J	'i
Adamant Mfg. Co	vi (	Laidlaw, R	iii	Magill, E. T.	ıi
Hall & Son	iii	Toronto Engraving Co	iii	Watson Bros	- [1
	Υi	Wiseman, James L.	iii	PLATE GLASS,	
BUILDING STONE DEALERS.		GALVANIZED IRON WORKS.		Lyon, N. T.	111
	82	Douglas Bros	ix	McCaustand & Son	83
Bristow Bros	82	Douglas & Haines	ix	Toronto Plate Glass Importing Co	X
	82	Douglas & Co., John	ix	PLUMBERS. Bennett & Wright	111
Lyall, Peter	83	Baird Bros	ix		111
	νį	Ormsby, A. B.	xii	PLUMBING SUPPLIES, Booth & Son	::
	riii 82	Tucker & Dillon	ix .	Higman, O.	. !!
Vokes Malcolm Stone Co	82	GLASS BENDING.		Malcolm, W. B	ì
BUILDERS' HARDWARE.	-	Poleto, T	83	Mitchell & Co., Robert	ΙV
Aikenhead & Crombie	v	GRATES AND TILES.		ROOFING MATERIALS.	
Byam Mfg. Co	ň	Earl & Co., Edward	х	Can. Galvanizing & Steel Roofing Co	iii
Rice Lewis & Son	Ÿ	Holbrook & Mollington	ix	Merchant & Co	82
CEMENTS.		Rice Lewis & Son	ĮV	Metallic Roofing Co	82
Adamant Mfg. Co	νi	Scott & Son, Wm	83	Baird Bros	14
Adamant Mfg. Co	ix	HEATING.		Duthie & Sons, G.	ii
Maguire, William	įv	Burrow Stewart & Milne	vii .	Forbes, Duncan	- 11
	iv	Clare Bros. & Co	٧	Hutson, W. D	11
Rathbun Co	vi	Howard Furnace Co	viii	Metallic Roofing Co	82
Savage, R. D	iii iv	King & Son, Warden	xii	Ormsby, A. B.	XII
	iii	McClary Mfg. Co	viii	Rennie & Son, R	11
Chimney Topping.	•••	Orneby A B	xii xii	Saulter, WmShales, John H	- ;;
	82	Ormsby, A. B. Sellers & Co., C	vii	Stewart W. T.	;;
CHURCH AND SCHOOL FURNITURE.	~=	Toronto Radiator Mfg Co	X	Stewart, W. T The Parmatee Roofing & Paving Co	ii
Bennet Furnishing Co	v	Waterous Engine Works		Toronto Roofing Co	ii
	ix	IRON PIPE.		Toronto Roofing Co	11
	32	Ives & Co., H. R	١v	(Concluded on next page.)	
		I			_

# To Architects and Plumbers. THE EUREKA FRESH-AIR INLET VALVE.

The accompanying cut represents a fresh-air inlet, the object of which is to prevent the escape of sewer gas and also ventilate the drain. The rubber ball is suspended from the top of the chamber with a brass chain. A slight back pressure of air forces the ball against the iron seat formed in the chamber. It has been tested and found to act well.

Where the ordinary vent cap or goose neck is used, there is nothing to prevent the outflow of sewer gas.

A COMPLETE ASSORTMENT OF PLUMBERS' SUPPLIES ALWAYS ON HAND.

- FOR PRICES AND TERMS APPLY TO ---

## W. B. MALCOLM,

(Manufacturer and Patentee)

INDEX—Continued.	
SAFES.	
Kimball, S	
SANITARY APPLIANCES.	
Booth & Son	ii
Earl & Co., Edward	×
Higman, O	v
Higman, O	ΙV
Malcolm, W. B.	i
SEWER PIPE.	•
Hamilton and Toronto Sewer Pipe Co	iv
McNally & Co., W	ii
McRae & Co	iv
Torry Edward	iv
Terry, Edward The Ontario Terra Cotta Pressed Brick &	•••
Sewer Pipe Co	xi
The Colman-Hamilton Co	vii
SLIDING BLINDS.	VII
Clatworthy, Geo	хi
Savage, R. D.	viji
STAINED AND DECORATIVE GLASS.	****
	83
Castle & Son	83
W. C. Barnes, Son & Gilson	83
W. C. Barnes, Son & Gilson	83
Elliott & Son. Grimson, G. & J. E.	83
Grimson, G. & J. E	
Longhurst & Co., H	83 111
Lyon, N. T	
	85
Spence & Son, J. C	83
The Bell Art Stained Glass Works	83
TERRA COTTA.	
The Hynes Terra Cotta & Brick Co Toronto Pressed Brick & Terra Cotta Co.	vi.
Toronto Pressed Brick & Terra Cotta Co.	ii
The Ontario Terra Cotta, Brick & Sewer	
Pipe Co	хi
TERRA COTTA LUMBER.	
Rathbun Co	vi
WALL PAPER AND CEILING DECORATIONS.	
Elliott & Son	Ţ
Staunton & Co., M	I

BYAM'S

### Improved "Common Sense" SASH BALANCE.

locks and lifts



The only practical substitute for weights invented. The most durable, the cheapest and best device for all orders, which was been device for all orders, which was been device for all orders, but on the problem of a pickle. No creating, order or need repairing. No cutting, order or need repairing. No cutting, order or need repairing. No cutting, and the problem of the problem of

### The Byam Manufacturing Co.,

FACTORY: 4 KING ST. EAST, TORONTO.

Ornamental Plasterers.

- J. D. BAKER - -

Plaster and Cement,

Architectural Ornaments.

Centre Flowers, etc.

RESIDENCE :

38 CATHCART ST. REAR 22 UNIVERSITY ST. MONTREAL.



JAMES WRIGHT, Manufacturer of

Ornamental Plaster Work In Queen Anne, Romanesque an Flowers, Bosses, Enrichments, Capitals, &c.

Show Rooms and Residence: 57 Victoria Street, TORONTO.

HENRY R. WHETTER.

Manufacturer of

ORNAMENTAL PLASTER WORK

In all Architectural Styles.

FLOWERS, BOSSES, ENRICHMENTS, etc. Show Rooms and Residence: gir Queen Street West, .

BOOTH & SON, Manufacturers of Plumbers' Copper & Brass Work, 155 TO 157 YORK STREET, TORONTO.

Booth's Patent Combined Bath and Wash Basin.

In many houses, for want of space in bath room, a wash basin cannot be used. By our improvements this desideratum is supplied, fitted with hot and cold water, waste and overflow.

Some of our Specialties: COPPER BATH BOILERS. GALVANIZED IRON BOILERS. PLANISHED COPPER BATH TURS EARTHENWARE PLUMBERS BRASS WORK. SANITARY EARTHENWARE.

SEND FOR PRICES.

# Toronto Pressed Brick & Terra Cotta Co.


MANUFACTURERS OF

Red and Brown Plain, Moulded and Ornamental

# FINE PRESSED BRICK

Large Stock always on hand.

ALL KINDS OF



### ROOF TILE, RIDGING, FINIALS, &c.

RED AND BLACK MORTAR COLORS FOR SALE.

Room 5, Quebec Bank Chambers,

TORONTO.

WORKS AT MILTON, ONT.

R. C. DANCY, Managing-Director.





### CANADIAN PHOTO ENGRAVING BUREAU 208 YONGE ST., TORONTO.



ENGRAVING IN ALL ITS BRANCHES.

HALF TONE

A Specialty, direct from Photographs, Etchings, Paintings, etc., equal to anything done on this Continent. Satisfaction guaranteed.

SEND FOR PRICES.
MOORE & ALEXANDER,

Totephone 2158.





Hull Cement and Lime Works.
ESTABLISHED 1897.

C. B. Wright & Sons,

HULL, P.Q.

Manufacturers, Importers and Dealers in

Portland and Foreign Cements,
Hull Cement or Water Lime,
Scotch Fire Brick and Glay,
Common and Pressed Building Brick,
Plaster of Paris,
Drain Pipes,
Tiles.

Dimension and Rubble Limestone.

573 Craig Street, MONTREAL.



673 Craig Street,
MONTREAL.



R. LAIDLAW

ENGRAVER,

68 King St. West,

HAMILTON, ONT.

Photo Engraving in Line and Haif Tone.

### TORONTO DROP FORGE CO.

- MANUFACTURERS OF -

ORNAMENTAL OR PLAIN WROUGHT AND MALLBABLE

IRON - FENCES

In twenty different styles, with patent ground anchorage and line posts for every panel.

Suitable for residences, churches or conseterces. Sond for plate with ents of our
Standard Fences. Correspondence solicited, or call and see samples.

68 Esplanade St. W.,

TORONTO.

### WALTERS' PATENT METALLIC

"STANDARD"=

---- AND --

"BROAD-RIB"

# ROOFING SHINGLES



Fire and Waterproof.

FOR CIRCULARS AND PRICES, APPLY TO

Ganada Galvanizing & Steel Roofing Co.

22 LATOUR ST.,

- MONTREAL.

### EDWARD TERRY

DEALER IN

### Portland and Queenston Cements.

PLASTER PARIS, GREY AND WHITE LIME,

Fire Brick and Clay, Sewer Pipe, Hair American and Canadian Lime, Plaster, Salt.

23 and 25 GEORGE ST.,

Telephone 164.

TORONTO.



### PORTLAND CEMENT, FIRE BRICKS, FIRE CLAY, SEWER PIPES, SEWER INVERTS.

LOWEST PRICES.

## McRAE & CO.,

98 Esplanade St.,

TORONTO.

HENRY NEW, Sec.-Trens.

OTTAWA OFFICE: 16 METCALFE ST.

A. E. CARPENTER, Pres.

I. H. New, Vice-Pres.



Successors to THE CAMPBELL SEWER PIPE Co. and the HAMILTON

- MANUFACTURERS OF -

Steam Pressed, Salt-Glazed, Vitrified

Flue Pipes, Chimney Tops and Smoke Preventives. We have contracts to supply the cities of Toronto, London and Hamilton,

Toronto Office and Yard: Corner Front and York Streets.

MAGUIRE'S Ventilating Self-Flushing and Self-Cleaning Trap. . .

Sewer Pipes, Chimney Tops,

Fire Brick.

Fire Clay.



PORTLAND

- AND -

THOROLD CEMENTS

always on hand.

### NOTICE.=

Particular attention is directed to the formation and construction of the MAGUIRE TRAP. Sanitary experts, engineers, architects, plumbers and builders, after subjecting it to the severest tests, have declared it to be worthy of their unqualified approval. Leading physicians also declare that where it is used, typhoid fever, diptheria, and other infectious diseases are much less prevalent. In the city of Toronto there is a very large and constantly increasing number of these traps being used, and in every instance they are giving perfect satisfaction.

### Prices of Building Materials.

	LUM	BER	•			
15 and thicker, 15 and thicker, 15 and thicker, 15 and thicker, 15 and 12 dei 2 to and 12 dei 2 dei	R OR Calear pick three upppickings, ssing and rum ssing and rum ssing and rum ssing and rum sum and better I run amon I culls to B in amon awn awn awn awn awn awn awn awn awn aw	RGO	ors. ins. ins. ins. ins. ins. ins. ins. in	\$30 006 18 00 13 00 13 00 12 00 12 00 18 00 18 00 18 00 10 00 8 00 10 00 14 00 16 00	27 20 116 123 121 130 130 141 151 151 151 151 151 151 151 151 151	000 000 000 000 000 000 000 000 000 00
shingles Manitoba galvan	ized, stee	l sidin	g, per	•	4	00
Square Manitoha pointer	steel su	line. r	MT SO.		3 3 3	00 50 50 40
Painted sheet ste Painted crimped Price of Copper s	steel she	a prici eting iccordi	ng to w	eight.	3	50 40
Mill cull boards Shipping cull widths Shipping cull be Hemlock cantil	and scan boards, oards, st og and jo	promi ocks ist up t	scuous o 16 ft.	11 00 12 00 13 00		00
Scantling and jo	ist, up to	.1) 6t <		-3	14	00
;	H 17	20 ft.			15 17 19 21	00
Scantling and jo	u .	24 ft. 26 ft.	••••			99
		28 ft. 30 ft.	······		25	00 00 00 50 00 00 00 00
**	11	32 It. 34 ft.			27 29 31	50
	**	30 ft.	44 ft er, dry board,		31 33	00
Cutting up plank Cedar for block p Cedar for Kerbi	s, 1% and	thick	er, dry	25 00 18 00	33 36 26 22 5	00 00
Cedar for block p	aving p	er cord	M		3	8
	_				-	90
1 1/2 inch flooring	, dressed rough, 1	. F. N B. M.	ſ	28 00 18 00	38 33	00
1 1/4 inch flooring 1 1/4 " " "	dressed	, F. M ed, B.	1	28 00 18 00 25 00 18 00 18 00	28 19	00
	undress	ed	·····	18 00 12 00	19 15 35 15	90
Clapboarding, dr	essed	·····		22 00	35 12	00
Sawn lath	gres, per			2 65 2 00 30 00 35 00 18 00 70 00 25 00 26 00	3	75
White Basswood, No. 1	and 2				45	00 00 05
Cherry, No. 1 an White ash, No. 1	nd 2 I and 2		:::::	70 00 25 00 20 00 16 00	70 25	00
Beaded sheeting, Clapboarding, At XXX saws shing, Sawn lath. Red oak. White Basswood, No. 1 Cherry, No. 1 am White ash, No. 1 Rlack ash, No. 1 Dressing stocks. Picks, American Three uppers, At Common Wallin	and 2		•••••	10 00	49 45 20 70 25 30 22 40 50	00
Three uppers, A	merican i	aspect	ion		40 50	00
Good Facing			• • • • • •	. 8 50	\$7 9	50 00
Pressed Brick Plain brick, f. o.	b. at M	ilton,	per M.		\$15	00
Hard Beilding. Moulded and Or First quality, f.o. 2nd " Ornamental, per Tiles			• • • • • • • •		10 8 10 16 16 24	00
Stone: Common Rubbl Large flat « Foundation Blo State: Roofing	e, Per T cks, "	oise, ( Cubi re).	delivere " C Foot	:d	14 18	00 00 35
" .	red		*****		16	00
	unlading black sla	green.		••	9 7 25 8	00 00 50 00
Terra Cotta Tili Ornamental Blac	(*) squared purple unlading black slar e, per sq ck Slate	Roofin	g	••	25 8	00
Sand: Per Load of 11/2	Cubic Y	ards		••	ı	25

PAINTS. (In oil, \$ 16.)

#### Legal.

ANDREW DODS, Residence: 194 Dovercourt Rd.
FRANK DENTON, B. C. L., Residence: 59 Borden St.

\*\*DENTON & DODS\*\*

Barristers, Solicitors, Notaries, etc.

10% Adelaide St. East, - TORONTO.

Money to loan on buildings in course of erection.


### Builders' Hardware.

SPECIALTIES:

Hopkins and Dickinson's Yale & Towne Mfg. Co.'s Chicago Spriny Co.'s B. G. Tisdale's BRONZE HARDWARE, "BOWER-BARFF" GOODS, DOUBLE ACTION SPRING HINGES, IRON STABLE FITTINGS,

Write for full particulars of above goods.

AIKENHEAD & CROMBIE,
- TORONTO



CLARE BROS. & CO.,

PRESTON, ONTARIO,

HOT AIR FURNACES

10 STYLES.

35 SIZES.

Write for Illustrated and Description Catalogue of the largest variety and best Hot Air Furnaces manufactured in Canada.

JOHN BURNS, JR., 1290 Queen St. West, Telephone 5043. Sole Agent for Toronto. MENTION THIS PAPER.

- THE ----

# SANITAS WASH BASIN

Offers the following advantages:

Through it waste water is completely and rapidly removed, a quick discharge, as from a small flush-tank, effected, filling the pipes full bore, and the trap and waste

pipes are thoroughly scoured. It provides



for an overflow without requiring a special pipe or valve for this purpose; it has no brass-work in the bottom of the bowl in the way of hands when washing, and no chain and plug.

IT IS A SIMPLE, DURABLE AND WELL-CONSTRUCTED SANITARY PLUMBING FIXTURE.



The Sanitas Water Closet.



236 Sparks St.,

OTTAWA. - ONTARIO.

Sole Agent for Canada.



TELEPHONE 1935.

Esplanade, foot of Jarvis Street,

In Stock: TERRA COTTA BELTS, STRINGS, DIAPERS,

TERRA COTTA CHIMNEY POTS. Scapstone Finish for Plastering, Plaster

Paris Centers, Plaster Paris

Brackets, Mortar Colors, etc.

he Hynes Terra Cotta & Brick Co.

We make from details and instructions in the

shortest possible time, and submit work before burning for approval or alteration, giving the

MORE DURABLE THAN GRANITE OR METAL

Manager and Director.



HAS BEEN ENDORSED BY

Architects, Scientific

Write, telephone or call for full particulars and circulars,

Telephone 2180.

100 Esplanade Street Bast, TORONTO.

Please mention the CANADIAN ARCHITECT AND BUILDER when corresponding with advertisers.

### DESERONTO. ONTARIO.

Manufacturers of

# Cerra Cotta

### FOR FIREPROOFING AND BUILDING PURPOSES.

Flat and Segment Arches, Iron Girders and Column Protection. Partitions, Roofing, Furring, &c.

= PERFECT NON-CONDUCTOR OF HEAT, COLD, NOISE. Used in the following buildings:

St. Lawrence Sugar Refinery, Montreal. Canadian Pacific Station, (in part). Napanee, Tamworth & Quebec Station, Newburgh. Barrington's Trunk Factory, Montreal.

Hon. G. A. Drummond's Dwelling, Montreal. Bank of Commerce Building, Toronto.

New Post Office, Napance.

Royal Insurance Co.'s Building, Montreal. Imperial Fire Insurance Co.'s Building, Montreal

Canada Life Building, Toronto. Board of Trade Building, Toronto.

Manufacturers of all sizes and kinds of

LUMBER, LATH, SHINGLES AND TIMBER, DOORS, SASH, BLINDS, STAIRS, COUNTERS, And all descriptions of Wooden House Building Materials.

### THE NAPANEE CEMENT WORKS, (Limited.) Napanee Mills.

Ontario.

# HYDRA

Guaranteed equal to any native Cement.

ROACH LIME, BUILDING STONE, Etc.

VOL. III .-- No. VII.

TORONTO AND MONTREAL, CANADA, JULY, 1890.

PRICE 20 CENTS

THE

### Canadian Architect and Builder.

A Monthly Journal of Modern Constructive Methods.

(With a Weekly Intermediate Edition-The CANADIAN CONTRACT RECORD), PUBLISHED ON THE THIRD SATURDAY IN EACH MONTH IN THE INTEREST OF ARCHITECTS, CIVIL AND SANITARY ENGINEERS, PLUMBERS. DECORATORS, BUILDERS, CONTRACTORS, AND MANU-FACTURERS OF AND DEALERS IN BUILDING MATERIALS AND APPLIANCES.

#### C. H. MORTIMER, Publisher, TORONTO, CANADA. 14 King Street West,

TEMPLE BUILDING, MONTREAL.

SUBSORIPTIONN.

SUBSORIPTIONN.

The Canadian Architect and Builders will be mailed to any address in Canada or the United States for \$2.00 per year. The price to subscribers in foreign countries, is \$2.50. Subscriptions are payable in advance. The paper will be discontinuted at expiration of error paid for, if so stipulated by the subscriber; but where no such understanding exists, it will be continued until instructions to discontinue are received and all arranges are paid.

Prices for advertising sent promptly on application. Orders for advertising should reach the office of publication not later than the 12th day of the month, and changes of advertisements not later than the 12th day of the month, and changes of advertisements not later than the 12th day of the month. PDITOR'S ANNOUNCEMENTS.

Contributions of technical value to the persons in whose interests this journal is published, are cordially invited. Subscribers are also requested to forward newsper clippings or written liters of interest from their respective localities. ADVERTISEMENTS.

The Ontario Association of Architects has appointed the "Canadian Architect and Builder" its official paper.

The publisher of the "The Canadian Architect and Builder" desires to ensure the regular and prompt delivery of this Journal to every subscriber, and requests that any cause of complaint in this particular be reported at once to the office of publication. Subscribers who may change their address should also give prompt notice of same, and in doing so, should give both the old and new address.

UBLIC opinion in the United States is being brought to bear upon the State authorities to prevent the construction in future of buildings more than one-storey in height for hospital and asylum purposes. This idea strongly presented itself to the minds of the people of Canada on the occasion of the recent holacaust at Longue Point.

HE City Council of Toronto would do well to act upon the suggestion of the City Engineer to restrict the privilege under which one of the electric light companies has been tearing up the pavement on the principal thoroughfares for the purpose of putting its wires underground. The company are supposed to replace the pavement, but the manner in which this has been done is very unsatisfactory, and must entail heavy expense upon the city for repairs, not to speak of the patched appearance of the roadway. The damage thus far resulting from the company's operations has been comparatively slight, owing to the life of the pavement on the three principal thoroughfares having almost expired. In view, however, of the notice given the City Council of the company's intention to proceed with the laying of wires on a large number of the business streets, steps should at once be taken to protect the public interest. In England, it is said, the wires are laid beneath the flag sidewalks, where they are at all times easily accessible without much inconvenience to the public. What is to prevent the adoption of such a plan here, by which the destruction of costly roadways might be avoided and the streets kept in proper condition?

E have frequently of late been asked to state when the Executive Council and Registrar for the Ontario Association of Architects, provided for by the Ontario Architects' Act, would be appointed. In reply to enquirers Mr. Townsend, Secretary of the Association, desires it to be stated that the Minister of Education in a letter dated the 30th of June, promised that the appointment of the Council would be made as soon as the Executive Council of the Government should meet, which he expected would be within a week. The appointment was not made, however, within this period. A meeting of the Council of the O. A. A. will be held a few days after its appointment for the purpose of appointing a Registrar, and when this has been done, the Secretary of the Association will notify every architect within the province whose name and address he may be able to obtain.

'HE Civic Health Committee of the city of Hamilton have approved of a by-law providing for the appointment of a Plumbing Inspector, and defining his duties. The Finance Committee, however, has refused to provide the paltry sum of four or five hundred dollars required to pay the official's salary. Consequently, it is presumed, disease will unchecked continue, to lay low its victims. This may be taken as a fair sample of the economy practised by city representatives. If some one should propose a junketing trip to the United States for the ostensible purpose of gathering information, but really in order that the aldermen might enjoy an outing at the expense of the taxpayers, it would be safe to assume that four or five hundred dollars or even twice that sum, would readily be forthcoming for the purpose. The refusal of the Finance Committee appears to be little short of criminal, in view of the insignificance of the sum asked for, and the important work which by its means could be accomplished. A city of 50,000 inhabitants cannot afford to do without plumbing inspection. The result of such false notions of economy must be a death rate that will cause the city to be regarded as anything but a desirable place of residence. The citizens who pay the taxes should insist upon the appropriation of the small sum required to secure official oversight of plumbing

HERE are three classes of individuals in the ranks of "organized labor." First and foremost are the walking delegates or professing leaders, who have seldom been known to exert themselves except to proclaim with loud voice and voluble tongue that they are the representatives of the wage earning classes. Then there are the individuals who are entirely devoid of ambition, content if they can but secure the pittance necessary to keep body and soul together, and never better satisfied than when, having helped to bring about a strike, they may lounge about in idleness, and draw an allowance of five or six dollars a week from the unions. To these two classes must be added a considerable body of intelligent, industrious workmen, desirous of making their way in the world by the

attainment of superior skill, and the putting forth of their best efforts. Were it not for the fact that this latter class are outsuched superior and outvoted by the other two we should hear much less about strikes and the labor problem. A predominant characteristic of the first class mentioned is to endeavor to secure for themselves an easy living at the expense of the industrious men whose interests they profess to champion. The suggestion during the recent strike in the building trades in Toronto of the necessity of having a representative of "organized labor" stationed in the old country "to look after the interests of workingmen," might doubtless be traced to this source. The names could be mentioned of several self-styled representatives of the labor interests who so manipulated affairs as eventually to drop into comfortable positions in the Knights of Labor, civil service, etc.

UR esteemed contemporary, the American Architect, says: "We imagine that some of our readers will be surprised to hear that architects in Canada are 'protected' by a tariff, which places an ad valorem duty on all plans of buildings imported into the Dominion, calculated upon the proposed cost of the buildings represented by the plans. What the rate is we do not know, but the tax is conscientiously collected. The duty is avowedly imposed for the protection of Canadian architects, and those of our own people who are called upon to practice in Canada will do well to look out for it. It is obvious that a duty amounting to a very small percentage on the cost of a building would be a very large percentage on the architects' fees, and architects should be particular to have it clearly understood with clients in the Dominion that 'all duties and expenses of importation of drawings are to be at the cost of the latter." The existence of an import duty on American plans entering Canada should not be a matter of surprise to American architects, seeing that the American government imposes duty upon the drawings of foreign architects. As to the conscientious manner in which the duty is collected in Canada, it can only be said that if the tariff is to be truly protective, the customs authorities must add to their conscientiousness a keener watchfulness of smugglers. The Canadian exchequer would be richer by many thousands of dollars if a well-known American architect had not succeeded in cluding the vigilance of the customs department. The Government should make a determined effort to convict this smuggler and make of him such an example as shall effectually put a stop to the practice, and make the tariff protective in reality and not in name only.


R. Lacroix, Building Inspector for the city of Montreal, appears to be conscientiously striving to fulfil the duties of his position. Those who would evade the provisions of the building by-law find it difficult to escape his vigilance. Not unfrequently by his direction their work has to be pulled down and re-built in compliance with the regulations. Such conduct on the part of an official should give the highest satisfaction to the citizens and the council. Strangely enough, however, some of the aldermen have sought to throw obstacles in his path of duty and destroy his authority, apparently because his official acts sometimes conflict with the interests of their friends. An instance of this kind occurred at a recent meeting of one of the civic committees. A letter was read from a gentleman asking to be allowed to utilize in the construction of some buildings an existing wall which the courts and the committee had previously declared was not built in accordance with law. The applicant stated his opinion that the wall was strong, and he was willing to take the responsibility of using it in his buildings. Building Inspector said the wall was defective, not having been constructed with good mortar, and produced a letter written by the owner-in which he acknowledged that it was not constructed in the manner required by law. In the face of all this evidence, one of the aldermen strongly favored the granting of the application, saying he could see no reason why the permit asked for should be refused, and accordingly moved reconsideration of the committee's former action. The chairman could not find any legal authority for overriding the opinion of the Court and of the Building Inspector. A majority of the members of

the committee displayed their good sense by coinciding in this view. Accordingly the action of the Inspector was very properly sustained.

'HE attempt is to be made by the City of Toronto to establish technical schools for the benefit of young men who purpose devoting themselves to mechanical pursuits. This step has been taken none too soon. Our young men have for several years been at a disadvantage compared with those of the United States, where a number of very successful institutions of the kind are in operation. The sum of \$9,500 is proposed as the initiatory expenditure for the purpose. Three schools containing in all ten rooms, having ten teachers and accommodating 400 pupils, are to be established in different parts of the city. The subjects to be taught are arithmetic, algebra, geometry, trigonometry, statics, dynamics, theory of construction, hydraulics, mechanical drawing, chemistry, heat, light, electricity and the elements of sanitary science. A board of directors has been appointed, representative of the Association of Stationary Engineers, the Trades and Labor Council, the manufacturing interest and the City Council, with Prof. Galbraith of the School of Practical Science. It certainly appears strange that no representative of the architectural profession or of the building trades should have been appointed on this board. From no other quarter can a larger proportion of applicants for instruction be expected, therefore a voice in the management should not be withheld. In order that justice may be done to all the interests concerned, and the sympathy and co-operation of all secured, the first opportunity should be taken to make good this omission. In view of the experimental nature of the undertaking, the wisdom of the decision to establish at the outset three schools seems open to question. It might have proved to be a better plan to concentrate the efforts of the management upon one school in the central portion of the city, and there thoroughly test methods of teaching and management, before extending the undertaking. Much depends upon the wisdom exercised in the conduct of this important enterprise at the beginning. Anything like a serious blunder made at the present time would undoubtedly retard the progress of technical education in Canada for many years to come.

ONSIDERABLE ill-feeling prevails against the Federated Builders' Association of Toronto on the part of contractors who have not identified themselves with the organization. It is founded on the allegation that through the influence of the Association the cut stone dealers of the city will not supply stone on equal terms to contractors outside the Association, but give them quotations so much above those supplied to members of the Association, that they are placed at a serious disadvantage in tendering. The intention is said to be to use this method of torcing outside contractors to join the Association. A contrary result seems likely, however, to be brought about. The outside men, associating themselves together, sent an agent to Cleveland to purchase a quantity of stone, and they express the opinion that the terms on which they can obtain it will enable them to compete with members of the association. Some of them ex press their willingness, under other circumstances, to unite with the Association, but refuse to be forced into doing so. They claim that an invitation has never been extended to them to join, and that the Association, even during the recent strike, manifested no desire to strengthen its position by adding to its ranks many reputable outside contractors, but now that the strike has gone against it, adopts the unwise policy of coercion.

It is due to the Association to say that its secretary disclaims any knowledge of a combination to raise prices on outside contractors, and suggests that "it may be that the cut stone dealers don't want to trade with these bosses." Whatever may be the fact, it would be very impolitic on the part of the Association to admit a combine, in view of the penalties imposed by the Anti-Combines Act, and the intention expressed on behalf of the outside contractors to test the value of that Act in connection with the matter under consideration. In view of the fact that the members of the Federated Association are outnumbered



INTERIOR OF RECEPTION HALL IN SUMMER RESIDENCE OF HON. JUSTICE DAVIDSON, DORVAL, QUE. A. F. DUNLOP, ARCHITECT, MONTREAL.

three to one by contractors who are non-members, it is a foregone conclusion that any attempt to force the majority to comply with the will of the minority, must prove abortive. It is manifestly desirable, if not absolutely necessary, that a strong master builders' organization should be maintained. Without such organization, the master builders cannot hope to hold their ground against the demands of the unions. The latter are perfectly organized, and being in affiliation with the International Unions of the United States, are in a good position to enforce their claims. The recent strike in this city fully illustrated this, and also the fact that organization can only be successfully met by organization. So long as the master builders neglect to make use of the weapon which the workmen have used to such good advantage, they will lose ground in every conflict. It is not desirable that the struggles of the past between employer and employee should be perpetuated. On the contrary, it is believed that if the employers possessed an organization as perfect as that of the workmen, it would be a potent influence for the settlement of disputes without recourse to strikes, which under such circumstances would be certain to be of a very protracted character, and much more likely than at present to result in favor of the employers. It is a significant fact that for many years past the peace of Europe has resulted from what is termed an "armed neutrality." So it would be in the adjustment of labor disputes. The desire has many times been heard expressed for the formation of a Builders' and Contractors' Association for the Province of Ontario. The Toronto Federated Builders' Association should seek to bring all the reputable contractors of the city into its membership-not by coercive measures but by appeals to their intelligence and self-interestand thus form the nucleus of a Provincial organization.

### THE ADVANTAGES (?) OF EMPLOYING AN AMERICAN ARCHITECT.

MONTREAL, July 12, 1890.

Editor Canadian Aschitect and Builder.

DEAR SIR,-During the recent political contest in Ontario, the name of a Buffalo architect was used very freely, and our own name was also quoted in this connection without our consent. At the same time, the facts which were brought forward against Mr. Waite as favoring Americans at the expense of Canadians were correct, and without any desire to injure Mr. Waite, we think it is only right that Canadian manufacturers and contractors should know how we have been treated by him in several cases, and to be able to avoid being put to the same trouble and expense for nothing as we have been.

The first instance of this was in connection with tendering for the iron work of the Bank of Commerce. In this case we were led to believe that our tender would be accepted, provided we could do the work in a certain time. We named ten weeks as the time in which we would complete the work, but upon the pretext "that this was not soon enough," the work was given to a Buffalo firm who promised to do it a few days sooner, but they took a very much longer time to do the work than was agreed upon, or than we had offered to do it, and we have been informed that in place of nine weeks they were nearer six months before the work was entirely completed. We enclose herewith an article from the Trade Bulletin showing how we were treated in the matter of the Canada Life building with comments by the editor.

Before sending in our tender for the Canada Life building, we got a letter from the manager of the Imperial Insurance Co. here, stating that we had recently completed iron work for their building in this city to the extent of some twenty-three thousand dollars, and that we had done our work in the best manner and promptly. This letter we forwarded to Mr. Waite, although after our thirty years experience in this country with this class of work, it should not have been necessary. The work was to have been completed by the first of July; you can easily ascertain in what state it is at present time.

Since the above we have another grievance, in which we were thrown out of a job on the same pretext, "that the time which we set for the delivery of the work was too long," although we had been asking for particulars of the job for at least four months

previously. We have a letter from the parties to say that "they had been obliged to order the work in the States at a higher price in consequence of the architect considering that the time set was not short enough." Of course, this must directly or indirectly come out of the pockets of proprietors.

We are, yours very truly,

H. R. IVES & Co.

#### OUR ILLUSTRATIONS.

INTERIOR OF RECEPTION HALL IN SUMMER RESIDENCE OF HON. JUSTICE DAVIDSON, DORVAL, QUE .-- A. F. DUNLOP, ARCHITECT, MONTREAL.

The sketch shows the interior of main hall viewed from the front entrance. On the left is the library, the entrance to which is hung with curtains, and adjoining is the dining room. On the right is situated the billiard room. The size of the hall is 18' by 27'. The ceiling is wood, with the joists dressed, molded, etc. The stair is of red pine, with French string of ash, turned ash balusters, cherry moldings and handrail. Underneath the platform of stair and facing the entrance, is a fire-place with cherry mantel-piece.

INTERIOR EGLISE DE ST. MARIE DE LA BEAUCE.-C. BAIL-LAIRGE, ARCHITECT, QUEBEC.

SKETCH FOR RESIDENCE IN ROSEDALE, TORONTO.-DARLING & CURRY, ARCHITECTS, TORONTO.

### STILL ANOTHER COMPETITION.

ROM bad to worse " correctly describes the condition of architectural competitions in this country. In proof whereof, witness the following circular sent out for the information and guidance of certain architects by the St. George's Society of Toronto: "A Company has been organized from members of St. George's Society, called the St. George's Hall Company, for the purpose of constructing a St. George's Hall on a lot on Elm St., 50 feet frontage, by 117 feet deep, the property of St. George's Society. The cost of the building is not to exceed from \$13,000 to \$14,000. The requirements for the special use of the Society in the building are as follows :- A committee room, two ante-rooms for applicants, four rooms for secretary's dwelling, and a hall as commodious as the ground will permit, certainly not less than 65 x 35 feet. For renting or revenue purposes, lodge rooms in the upper flat and such other arrangements as are most likely to be available and advantageous, are required, and I am instructed to invite you (though upon the express conditions that the Directors do not bind themselves to accept, or pay for, yours, or any other plans furnished) to furnish plans for the proposed building, together with an outside estimate of the total cost, not later than the 1st August next." To quote the words of the circular, the "advantageous arrangements" are all on the side of the Society; almost the only definite information given the architect is contained in the familiar clause freeing the Society from any obligation to accept or pay for any of the designs which may be sent in. Let the response on the part of architects invited to enter this competition be as liberal as the remuneration offered for their services.

#### THE ONTARIO ARCHITECTS' ACT.

E publish, in full, in this number the bill which the architects of Ontario have succeeded in getting through the Provincial Legislature. While we congratulate our professional brethren over the line on their success in winning legislative recognition, and must award them the palm because they have succeeded where we have failed, yet we frankly confess that the "Ontario Architects' Act" is a disappointment. We doubt if any legislature in these United States would pass such a bill, and sincerely hope they would not. A state has undoubtedly the right to guard its citizens against incompetent practitioners, and the State of Minnesota has already done so in regard to the medical profession, but we hardly think a state has a right to delegate its authority to a private corporation. We do not see anything in the act to prevent a non-registered architect practising his profession; in this country there would be enough first-rate men who would, under the circumstances, glory in showing their independence by keeping out of the corporation, while a large number of the small fry would rush in and become "registered architects" for the supposed prestige it would give them. With the best men out and the small men in how much weight would the title, "registered architect," carry with it?—Northwosstern Architect.

### AN ENGLISH OPINION UPON THE ONTARIO ARCHITECTS' ACT.

PARLIAMENT has made the Ontario Association a body corporate, and passed "The Ontario Architects' Act," whereby from and after the 1st prox. "no person [within the Province of Ontario] shall be entitled to take or use the name or title of "Registered Architect," either alone or in combination with any word or words, or any name, title, or description, implying that he is registered under this Act, unless he be so registered "-under penalty of a fine; and whereby "every registered architect summoned to attend any court, civil or criminal, for the purpose of giving evidence in his professional capacity or in consequence of professional services rendered by him as an architect," is to be paid per day, in addition to his travelling expenses (if any) "the same fee or allowance as is payable to provincial land surveyors" attending such court. The act provides that every person registered thereunder shall become, ipso facto, a member of the association, and gives a council of nine members thereto, to be appointed in the first instance by the Lieutenant-Governor of the Province, and subsequently by ballot, as by-laws may ultimately decide-the first nine members to be British subjects residing and practising the profession of architecture within the province for at least ten years before the passing of the act. The council are given authority to appoint examiners for the purpose of ascertaining and reporting the qualification of all persons who shall present themselves "for admission and enrolment as students at any of the matriculation, preliminary, intermediate, or final examinations;" and also to make by-laws respecting the "admission and registration of students, the periods and conditions of study, and the enrolment of architects as members of the association, and all matters relating to the discipline and honour of the profession." Sections 5-10, relating to the constitution and appointment of the council, and sections 21-24, which lay down definite rules respecting the qualifications of students desirous to register, are undoubtedly valuable and important, because they open a way for the association to permanently influence the welfare of young men starting in life as architects within the Province of Ontario. The act is printed at page 368 of this number of The R. I. B. A. Journal, and it also appears in the CANADIAN ARCHITECT AND BUILDER of April-a newly founded journal (now in its third volume)-which thinks that the Act, though in a great measure disappointing to the association, "should be considered as one step forward in the direction of securing for the architectural profession the recognition and respect which is its due, inasmuch as it enables the public to distinguish between the qualified and unqualified practitioners." But does it? And will an architect who carries to Ontario the certificate of Fellow or Associate of the Royal Institute of British Architects be distinguished by the inhabitants of that province as "unqualified" if he fails to register under the Ontario Architects' Act? Such a consummation is hardly to be wished, and the Council of the Ontario Association will probably not be long in finding it out. In one particular, however, they will be regarded by the architectural profession with curiosity; they are "the first by whom the new is tried." For though, during three centuries, the world has known that there are always architects and architects, a British Legislative Assembly has decided that, within at least the confines of the Province of Ontario, there shall be architects and "registered architects."-R. I. B. A. Journal.

The Supreme court of New Jersey held that where one builds a party wall under a city ordinance authorizing and regulating city walls, he cannot claim the benefit of such ordinance unless the wall is of the thickness required by the ordinance, and otherwise conforms to it, and is without openings.

### THE NEW TORONTO BUILDING BY-LAW. --

T is the intention of the Toronto City Council to put into force at no very distant date a new or rather revised by-law "for regulating the erection of buildings and the storage of infammable material." By-law No. 627 is to make way for by-law No. 2468.

Unfortunately this new by-law is not much nearer perfection than its predecessor. Its framers have apparently not availed themselves of the assistance they might have had of men well versed in building matters, engaged in connection with building operations for many years, and whose opinion would certainly, one would have thought, have been only too readily listened to by those who had such a by-law to draw up.

But what is the use of such a by-law when there is no one to see that it is carried out? The City Commissioner is the appointed "Inspector of Buildings" for the purposes of the by-law, but his multifarious duties entirely prevent his giving his attention to plans or to supervision of buildings in course of construction, and much less time has he for looking after defective flues and drains and so on in existing structures, so that unless one of these things has become already a general public nuisance or many have died through breathing sewer gas, is it possible for him to take cognizance of it.

The new by-law gives him power to notify the owner direct, instead of having, as heretofore, to notify the Mayor or a Magistrate who in turn shall notify the owner. This no doubt saves time and avoids some amount of red tape, but how does the Commissioner happen to hear of any defective flue or drain or tumbling wall, when his own time is taken up looking after dirty lanes, the protection of shade trees and grass, and so on?

We have repeatedly urged the necessity of having an Inspector whose duties shall consist in looking after plans and the works being carried out, and hunting up defects in new and old structures, and the by-law expressly states that a "practical mechanic" shall be appointed to the post, but that for the present the Commissioner shall take upon himself an inspector's duties. A practical mechanic might possibly be better than the Commissioner, but do not let it be forgotten that there are practical mechanics and practical mechanics, and we very much doubt if the right kind of man for Inspector would be found among this kind of men.

We have not space to criticize the new by-law as we would like to do, but a few of the most glaring defects, in the failure to enforce a good clause when it exists, should be commented upon.

Who looks after our churches and theatres, and takes the trouble to notice whether the hose and apparatus for quelling an outbreak of fire is in good order before the play is commenced? Or who sees that the seats and doorways, corridors and doors, are arranged so as to admit of the most rapid exit of all the occupants of any public building? Clause No. 34 says that there shall be no filling up of aisles or passageways with seats, chairs or drawscats-that obstructions to egress shall not be permitted. This is certainly a good point, but who is to see it carried out? Has our Commissioner ascertained to his satisfaction that our theatres are safe, that they can be emptied of the largest audience in two minutes, that there is no undue risk of fire behind the scenes? When statistics show us that when a fire breaks out in a theatre there is only a space of time, on the average of five minutes between the alarm and total extinction of life within the building, surely there should be no trifling about this particular.

Brick veneered buildings are still to be allowed within the limits of the city, provided they have stone foundations. Suppose fire breaks out from one cause or another in the frame building before the brick veneer has been added, what will be the result? total destruction of that particular building (which would be a good thing), and the probable destruction of a great deal of valuable property adjoining. One would have thought the terrible conflagrations in frame towns would have taught our council that there was folly here, if nothing else.

. It is intended to extend the fire limits to the limits of the city—no doubt a good idea if the rest of the fire by-law was of any use, but they may as well fix by law the actual limits that a confagration shall reach, as pretend to do any good with such poor and ill conceived clauses respecting protection from fire.



INTERIOR EGLISE DE ST. MARIE DE LA BEAUCE.


SUPPLEMENT TO CANADIAN ARCHITECT AND BUILDER

#### STEREOTOMY.

#### STONE-CUTTING

#### J. A. PEARSON.


 $F^{\rm IGURE}$  1 is the section of a battering curved wall. A. B. is the vertical height of the wall. Set off the batter at the base to the point C. Join A C, which is the face line, and divide it into the number of courses required. Drop the vertical lines cutting B C, at 123456. The radius of



the different courses may now be obtained from the point O., which is the centre of the circle. It is required to work any one of the stones in the wall.

The beds of the courses of a battering wall are worked at right angles to the face, their front arrises running parallel. Make a curved templet to the radius of the front arris. The length of this templet must be a little more than the longest stone in the course. Each bed joint requires a separate templet, but the same templet may be applied to the top bed of one course and the bottom bed of the course above.

Bring A B C D and E F G H to plane faces parallel to each other. On the face A. B. C. D. apply the templet for the top bed, scribe the templet



marking the radiating joints I J and O M, sink the drafts J K and 1 L square with A B C D, connect L K with a draft and bring to a plane face.

Work the joint M N O P similarly. With the bevel set to the angle of the batter of the face applied on the plane A B C D, run a draft to the scribed radius of the face I O, sink cross drafts in the length of the face, and with a reverse made from the radius of the templet of the bottom bed, connect L P. Straighten the face by repeated applications of the straight-edge between L P and I O. Work the back face of the stone J K M G square with A B C D. Work the top bed I O O R square with the face I O P L, and the bottom bed I K N P square with the face I O P L.

#### QURBEC.

(Correspondence of the Canadian Architect and Builder.)

A MONG the improvements being made to the Basilica is the lowering of the boundary wall on Buade St. In taking down the wall a rather ancient marble slab has been removed bearing the following inscription:

"In memory of the wife of Thos. Ainslie, Esq., collector of His Majesty's Customs of Quebec, who died March 14th, 1767, aged 25 years.

If Virtues' charms had power to save

Her faithful votaries from the grave,

With Beauty's ev'ry form supplied,

The lovely Ainstie ne'er had died."

The slab is plain, bearing on a carved moulding, which is carried by two corbels built into the walt. It will be placed in the gable wall of an adjoining building abutting on the space enclosed by the late boundary wall.

past times this was used as the burying ground for the parish in connection with another enclosed space on the north side of church. The bodies were removed many years ago.

The contract for paving with wood blocks the lately widened St. John street has been gives to Mr. W. J. Peters, at the rate of \$1.70 per super, yard. The sidewalks will also be formed of wood blocks. The plan adopted and specified by Mr. Baillairge, City Engineer, is as follows: A double floor of spruce to be laid, the lower one 2" thick, the upper one 1"; upon the latter sound tamarae blocks 7" in dep h to be placed, the intersices to be filled with bitumen or cement, the Road Committee being as yet undecided as to which would be the better material to use.

Mr. Parent is making a handsome addition to the list of new buildings on this street. It will be three stories in height and mansard roof. The front is of fine cut Beauport stone with Deschambault line stone enriched trimmings. The plans prepared by Mr. Peachey, architect, provide for a shop on ground floor and dwelling above; cost will be about \$6,000.

The June number of the CANADIAN ARCHITECT AND BUILDER has the following item: "The largest system of hot water heating in use says the Winnipg Commerctad, is believed to be that of the Melntyre block, Winnipge, containing 600,000 cubic feet to be heated. The system uses Plaxton boilers which supply 28,000 feet of pipe in coils." This statement is a very incorrect one, as I am quite sure there are many much more extensive systems than the one above given. The Provincial Parliament Buildings in this city have a cubical space to heat of 4,607,000 feet, the buildings aggregating in length 1,032 feet, with a width of 42 feet, and height 56 feet, four pipe furnaces with eight fires are used with the best results.

Mr. F. X. Berlinguet, architect, has been named Deputy Commissioner of Public Works for the province of Quelece, in place of Simeon Le Sage, Esq., retired; so say the French papers.

Mr. L. Parquet, the great retail dry goods merchant of Quebec, having instructed Mr. J. B. Bertrand, architect, to prepare plans for the building of an additional store to enlarge the premises already occupied by him on St. Joseph street, that gentleman on the 17th of June awarded the contract for the front, which is to be 47 feet frontage and six stories high, to be built of Stanstead granite with 32 polished columns, etc., to Messrs. Laforce & Son, Quebec. The contract for masonry, brick and plastering, was given to Mr. J. B. Jinchereau, of Quebec. Shortly M. Bertrand will call for tenders for steam heating apparatus, dynamos, plumbing, painting and iron works. This new building of 135 feet depth, together 14th the two other stores, will give 64,968 superficial feet of flooring for the retail trade of Mr. Parquet. Add to this several warehouses of proportionate dimensions, and we must say that for a small city like Quebec, it speaks well for Mr. Parquet's enterprise.

#### DEFECTIVE CONSTRUCTION.

I N a recent number of the Building Netos, attention was called to defects of construction that were common to most building undertakings in England. What has been said of them will apply with almost equal force here. Where concrete its specified as a footing for misonry walls, it has become a practice on the part of some of our contractors to have the concrete thrown from a height into the trenches, when it is a matter of experience that an unequal resistance is offered by this means of concrete laying, as the material is consolidated at certain points only, and the intervening lengths are simply showled in or levelled. The chief objection to the throwing is that the heavy ingredients are separated from the fine. The best plan is to deposit the concrete by shoveds and consolidate the mixture by a sort of gentle ramming or kneading.

Concrete should be composed of broken stone or gravel that will pass through, by its largest cross-section, a two or two and one-half inch ring, free from dust and dirt, and be sereened if required. To be thoroughly mixed with three-sixteenths of its bulk of mortar, carefully put into place by an improved process and rammed or pressed gently to a solid mass. The stone may be furnace sing or hard brick. The stone should be spread out evenly in a layer not to exceed six inches in depth, and sprinkled so as to slightly wet the surface of all the stones. Upon it should be spread evenly the proper quantity of mortar, freshly made; the whole is then to be quickly and thoroughly mixed until every stone is coated with mortar; water must be gradually added by sprinkling, if necessary to obtain a better consistency.

. Concrete should not be mixed in larger quantities than is required for immediate use. Any excess that has been standing for more than two hours should be condemned. Concrete over two hours old cannot be retempered and used with any safety. Concrete layers should not exceed nine inches in depth at one deposit, while six inches in depth at one ranning is considered better practice. As soon as it is in position it should be settled into place by slight ranning, just enough to flush the mortar to the surface.

When a fresh layer is to be put on one which has set or partially set, the entire surface should be previously made thoroughly wet. When in place, all wheeling, working or walking on it should be prohibited until at least twelve hours after being deposited.

All dirty or dusty stone should be screened or thoroughly washed before it can be used. One of the most frequently occurring practices is to litter up the top surface of concrete footings with dust, dirt, shavings and debris of all kinds, without taking any particular pains to clear it off when a new

layer is to be deposited. All work in the process of hardening should be protected by a temporary plank covering.

In brick-work, one sometimes finds broken bricks, spawls and fragments used to fill up chinks in the backing of a brick arc. It is almost unnecessary to say that broken bricks are not to be used except as closers.

Failure is frequently found to take place at an angle or pier because the line of pressure has not received proper attention. Another defect is a want of care in scheeting the proper material in the walt work adjoining the angle. This is true, of course, only in stone masonry. Generally a corner or an angle is built up with extreme care (where such corners are built up in the solid), and the supporting walls are made up of stone of variable sizes and indifferently bonded, and the result is a settlement or i reak in the supporting wings. In angles or corners toothed in and anchored by means of irons, as practised in thus city, the angle or corner is in reality the weakest portion of the building.

It is not necessary to try to prove that bonding fresh work into work that has been set or hydrated for days, by means of toothing, supplemented by anchorage, is a very poor substitute for solid corners or angles. If there is any doubt in the matter, it will be necessary to examine but few of the present structures in our streets to be satisfied of the truth of this assertion. Corners and exposed angles should, more than any other part of a building, be a matter of especial care in construction, as they are generally the most exposed to the action of the elements, and exhibit the first signs of decay. This is seen on chimney corners, apices of cables, tops of walls, brackets and corniers. In England lead copings are used to a large extent. In this country asphalt has been used, Portland cement at times and stone copings the most frequently. Shate slabs, one and one-half to three inches in thickness, according to the width of walling to be protected, form a splendid protection against weathering. In some of the better class of buildings, earthen tiles are used as copings, but it is proper to remark here that where such tiles are used the top surface should be glazed, and the joints be lap-joints, laid in lead and caulked, or in asphalt properly applied.

The temptation to span every large opening with an arch, using deep voussoirs, and backing this up by a relieving arch, has brought many a contractor to expensive grief. Precedents cannot be relied upon to guard against the thrusts of an arch, for each arch built is a separate undertaking, its load may vary considerably from what apparently a similar arch sustained, and the consequence is that its construction involves a new problem in mathematical "pyrotechnics," as some contractors have derisively termed the calculations. The most frequent cause of failure, however, is due to disregard of the piers or abutments upon which such arches are placed. It is a very good rule to avoid the placing of an arch in such a manner that its opening is partly over an opening below it. In other words it should spring from a solid pier with no break in it to the foundations, in line with the point of springing. And when supported by piers alone, such piers should be loaded sufficiently from above to withstand the thrust of the arch which acts upon the pier to overthrow it. In technical language the moment of stability of the pier must exceed the moment of thrust of the arch.

#### MONTREAL.

(Correspondence of the Canadian Architect and Builder.)
MONTREAL HARBOUR IMPROVEMENTS,

N O definite information regarding the order in council reported to have been recently issued has yet been made public. It is understood, however, that plan No. 6 as submitted by the Harbour Commission will not be adopted in all its details. It is stated that a few days before Mr. Page's death he submitted a supplementary report to Sir Hector suggesting that a commission of five engineers be appointed to consider all the plans submitted and to prepare from them a final plan, embracing any good feature of each. He drew the attention of the Ministers to the danger of flooding Longueuil and St. Lambert's, and hinted that the Government might be held responsible for damages resulting in securing better harbour accommodation for Montreal. It is not known whether these suggestions will be adopted or not, but an answer is daily expected. It is also reported that a French engineer has submitted to the Public Works Department plans for the Montreal harbour improvements, embracing the features of many of the other plans, and providing an addition for a system of Glance piers from the head of St. Helen's Island to Victoria bridge, the removal of half of Isle Rond and the deepening of the south channel below St. Lambert's.

If the commission recommended by the late Mr. Page is appointed, I hope the 'Sherrer scheme' will be submitted and fully explained to them, when, I have no doubt, it would receive favorable consideration and give at the same time harbour improvements, wharfage accommodation, prevent floods and connect the north and south shorts of the St. Lawrence. If it were only a question of preventing floods, I think the cheapest and most effective plan would be a system of booms in Lake St. Jouis and Lake St. Francis, (which would cause the lakes to freeze over and prevent the ice coming down until the river was open below) and deepening the channel between St. Helen's Island and St. Lambert, thus causing the main body of the river to pass in the south channel in place of the north as at present. If properly carried out this would have the effect of doing away with the St. Mary's current.

#### STREET WIDENING,

Like most old cities laid out by French engineers, Montreal's streets, especially in the business thoroughfares, are far too narrow, and the city council for the past year or two have gone in for extensive widening. Last year St. Lawrence Main Street was widened at what was considered a very high cost, but Notre Dame street, from McGill to Chaboillez Square, which is about to be widened, has opened our eyes to what an expensive luxury street widening is. The report of the commissioners on expropriation was filed on Friday. There are some thirty-three property owners and their tenants interested, and the award of the commissioners shows the cost of this comparatively small widening to be between \$600,000 and \$700,000. The improvement is no doubt a desirable one, but the question arises, is it worth the amount it is going to cost to effect the improvement? Might it not be cheaper to widen both sides of St. Maurice Street, which is a street parallel to Notre Dame, and commencing at McGill Street and terminating at Chaboillez Square? Another and probably more important question is, should not the citizens form some sort of protective society to watch all the expropriation meetings through a first class lawyer, whose duty it would be to see that the proceedings were regular, the evidence revelant and the commissioners' awards equitable.

I have before me a detailed report of the commissioners referred to, and on examining it I decided that I would rather be a tenant than a proprietor. For instance, one proprietor is to receive \$21,719 nominally, but in reality about one-half this amount, as the other half will be levied for street widening, while two of his tenants receive about \$10,000 clear for forfeiting their lease. Another receives \$20,144 nominally, and his tenants \$12,600. Another owner gets \$14.756 nominally, actually one half of this, and one of his tenants \$12,135, and another \$1,782. Now I hold that if a properly organized contestation of these awards is made, that any Court of Justice would reduce very considerably the lessees' awards. It has been a known fact for some time past that Notre Dame Street was to be widened, and tenants leasing the stores were fully aware of it at the time. Some of the leases went so far as to state that the tenant in the event of the street being widened would have no claim against the owner for damages, and yet the city is bound by the commissioners' awards to pay them heavily. It would almost pay the city to have notified the tenants of their intention to widen the street, and await the expiration of their leases, than to pay such heavy damages.

I believe the City Surveyor's estimate for damages was about \$180,000.


MOUNT ROYAL PARK INCLINE RAILWAY.

The extension of the above railway from the foot of the mountain to Fletcher's Field has been completed, and was yesterday open to the public. The station is not yet finished, but the road was yesterday thoroughly tested by upwards of four thousand people who availed themselves of the opportunity to visit Mount Royal Park. Everything worked splendidly, and notwithstanding that the machinery, ropes and track were new, and hardly could be expected to be into gear, everything went off like clock work. It is a great acquisition to the poorer classes; the only objection is that it does not go far enough. It should, properly speaking, be continued to the corner of Craig and Bleury streets. The length of the new incline is about 12,000 feet, is drawn by steel cables provided with safety ropes, with tension weights at either ends to take up the slack of the rope. The machinery is of the strongest and best type, and has been built in Montreal under the personal supervision of the company's engineers. The grade is one in twelve for the lower portion. About 600 feet of it is of timber trestle, and the balance through rock excavation. The upper elevator is five hundred feet long, and rises some 420 feet in this distance. Both roads have been recently tested at the request of the City Council by the City Surveyor and the engineer of the Dominion Bridge Company, who reported that they found everything in first-class order and perfectly safe. They submitted the road to some severe tests. The road has been built with every possible care under the supervision and specifications of W. McLea Walhank, C. E., and Capt. James Wright, M. E., the former having charge of the civil engineering and the latter the mechanical department.

#### BUILDING NOTES.

A large residence is in course of construction for Mr. Ross, C. E., late of the Canadian Pacific. I understand the plans were prepared in the first case by a Montreal architect, but for some reason best known to hinself Mr. Ross has seen fit to dispense with the services of his Canadian architect, and to employ a Boston architect to make new plans and carry out the work. I cannot understand how it is when Canadians have any money to spend they always avoid local men and prefer to employ alien architects. It is to be hoped "every dog will have his day." The only thing left for the local architects to do will be to see that duty is collected by the Customs for the plans in question.

In pile driving, it is said in the University of Michigan Technic to be held by many experienced engiteers, both on the Atlantic Coast and on the Mississippi, that for ordinary ground the pile should not be sharpened. They say that the pile if sharpened rarely has its point in the neutral axis, and that the blows of the hammer are not apphed so that the action line of the force passes through the point, and hence a couple is introduced tending to strain and weaken the timber. If, on the other hand, the pile is left blunt, the consolidated earth forms a point which, changing with each blow, keeps itself continually in the line of force and hence the straining couple is not introduced. In ordinary practice, however, the pile is tapered somewhat at the lower end, although not sharpened to a point.





### PLUMBERS' WORK AS APPLIED TO THE DUTIES OF SANITARY INSPECTORS.\*

WILL endeavor to deal with a few details in which plumbers' work bears directly upon that part of a sanitary inspector's duties where he has to examine, condern and refix drains, water-closets, boths, etc. I consider our first and chief duty is the prevention of disease; when disease appears, to trace its source, also to remedy the cause (if possible) so that it may not recur again. In this duty we are constantly brought into contact with plumbers' work in the shape of waste, soil, rain-water pipes, drains, &c. Although the latter may not be, strictly sp-aking, the work of the plumber, yet on many large and good jobs the plumber is held responsible, and has the superintending of the laying of the drains; especially is this the case where drains of this kind have to be brought to meet his soil or waste pipes; at any rate, a plumber ought to be able to know what size his pipes will require, and why such size.

Before we proceed any further, I think we ought to consider what system of draininge is best, vir., the "trap" or the "trapless system." In a very able paper read before the "strap" on 18 September, 1888, a gentleman gave as his opinion that the latter was the perfection, or, to be more correct, the acme of perfection in house drainage. I have my doubts about this matter, for reasons which I will not try to explain. I do not wish or intend to set up my knowledge or experience, which are both very small, against the knowledge or experience of the reader of that paper, but there were one or two points not dealt with which I think come entirely within the subject of my paper.

In the first place, the "trapless" system is a misnomer, for a trap is used to intercent or disconnect the drains from the sewer; secondly. I think the great objection to it is that there is no check to prevent the disagreeable odors, waste pipes, etc., from entering the house. Experience see ns to show that, be the waste pipes of lead of the best workmanship, laid with the greatest care, all burrs and sharp bends avoided, in fact, a perfect job so far as the making and laying of the pipes are concerned, in a few years time, if not before, there will be complaints of disagreeable smells arising from the center or other soap which has congealed to the sides of the bath and lavatory waste pipes, or from the soil which has found a resting place on the sides of the soil pipe. For the first few months all will go well, but by degrees the smooth bore of the pipe-to use a plumbers' phrase-would be "eaten into," i.e., the water and air acting alternately on the lead would have a chemical effect, causing the smooth bore to become rough; then, instead of cleansing themselves they would become more and more fouled.

This is what suggested itself to me if the pipes were of lead. But, if the pipes were iron, it seems to me-from what I have read-that they would become foul in a much shorter time. An experiment was made in the room by the same gentleman to show that sewer air will pass through any number of water barriers; this seems to be a greater reason why the "trapless system" should find little favor. I, and I am sure all of us are, open to conviction, and if any gentleman in the room will try and show us, from conviction and otherwise, that the "trapless system" is the best, we will use our poor influence to bring about this "acme of perfection," gard to the trap system, I think the old fallacy that because a pipe is trapped, therefore there can be no danger, is fast dying, else why disconnect soil-pipes and waste-pipes at the foot. We claim for traps that they can keep out any sewer-gas that may escape, and certainly they keep out any disagreeable odors of soap and soil that may lodge in the pipes. If the soil and waste-pipes are well and properly ventilated, there can be no danger of a pressure upon the traps, and if the traps are regularly flushed out, there can be no danger of the water in them becoming foul. No doubt there is much to be said for and against both systems, but on these I do not intend to enter; it is too large a subject for a paper like this is intended to be.

Having thus briefly touched upon the trap and trapless systems, it de volves upon me to say something about traps in general. Trap-making is one of the great arts in connection with the plumber's handicraft. In many large shops they keep what are called "bench hands," who are engaged upon nothing clse but the making of traps, bends, etc. Traps and trapmaking is a part of plumbers' work which has a direct bearing upon a portion of our duties; for how often are we called upon to examine the traps of a house where typhoid or diphtheria has made its appearance. Perhaps, in the whole history of sanitary matters, no article can be found which has more perplexed the British householder than the article known as a trap. Each inventor, vendor and fitter-up has lauded some such contrivance. The essentials of a good trap are, that it should be self-cleansing; that the water should be changed every time of using; that it should be free from any working parts likely to get out of order or become fouled; that it should hold enough water to prevent the escape of any noxious vapors, and not too much surface exposed to the air. For ordinary purposes the lead S or P trap, properly made, fulfils all the above conditions. No doubt this

is the reason why patents of various other sorts find so little favor. There has been put into the market cast and drawn lead pipes of the shapes mentioned, but it has been found that they will not last as long as the handmade trap. For some reason or other, they collapse completely. Then, there are other makes of lead traps in the market, e.g., the old D trap, which we rightly condemn for reasons upon which I need not dilate; and yet the old D trap has its good quality, which is such a good one that it has been produced in a new form, and finds much favor in the south, I mean the "geometrically formed trap." It is almost the same shape as the old D trap, but so constructed that it conforms to the requirements of a good trap. The good quality of the D trap is that it is not so easily syphoned as the pipe trap; this, when a number of water-closets or sinks are fixed on a length of pipe, is a great consideration. This syphonage can be obviated to a great degree by fixing a number of relief (or ventilating) pipes; but in every case the fixing of these is an impossibility. I need not enter into the merits or demerits of the different kinds and makes of traps. We are all familiar with Buchan's, Bowers', &c. Our duty lies not in the making of the traps, but in the fixing. I do not for a moment wish to imply that we ought not to know the advantages and the disadvantages of the various makes of traps, for it ought to form part of our duty to acquaint ourselves with all the different forms and makes. With regard to the fixing of traps (for the present I exclude the water-closet traps), the trap ought to be fixed perfectly level, or on such a slope that the water seal is not too much diminished or done away with altogether. It ought to be fixed as near the bath or sink as can be. Sometimes we get complaints of unpleasant smells from the fact that the trap has been fixed too far away-perhaps two or three feet away-from the inlet, leaving this length of fouled pipe to cause the smell complained of. This happens most often when a "running, horizontal or U" shaped trap has to be fixed. For the convenience of making the joints, the plumber will leave two or three feet more pipe than he has need to do. This kind of trap is rarely used when a P or S trap can be fixed.

I think it will be obvious to us that a trap is better if made in one piece, but as they take a longer time in making, they are more expensive; consequently we generally find traps made in two pieces and soldered together. The great art in trap-making is to get the lead equal in every part; there is a tendency for the lead to get thin at the edges and thick at the center. If a trap is fixed in this state, the hot water will cause it to expand, the cold water to contract, and the trap will give in the weakest or thinnest place, viz, the scams. No doubt we have seen traps that have given way in this manner. Another reason for traps giving way at the scams is the galvanic action set up by the two netals used in the solder, and the water and air acting upon them alternately; so that when we are examining lead traps we ought to carefully examine the scams, for although the defect may only be enough to allow a drop of water to escape every minute, yet that drop will cause the trap to become unscaled.

Now, a few words on water-closets and the fixing of them, for it is in this part of our duty that we need a good knowledge of plumbers' work. The first thing we require to know in the alteration or carrying out a system of the disposal of feecal matter by the water carriage system, is what kind of a water-closet apparatus we are going to fix. There are such a number of "perfect sanitary closets" that the difficulty is to pick out the most perfect. The valve water-closet finds great favor with some of the leading sanitarians of the day; there is no doubt it possesses advantages over many of the water-closets now put into the market, but there are several drawbacks to its general use, i. c., it is too expensive for common use; there are too many working parts about it, and it is not so cleanly as the earthenware: therefore, I think we can divide water-closets into two divisions, viz., the washout (manufactured in one piece) and the hopper and trap. Personally, I have great objection to the wash-out. It offers, to my mind, several objections; first and foremost, it is not as clean as it might be. I have taken particular notice of several that have been fixed, and I find that the back part of the outlet of the basin is oftener than not covered with filth. Several have told me that this is due to inefficient flush, but to my mind it is due, not to the inefficient flush, because I have noticed that it is not only in the back and side of the flush wash-out, but in those with a flushing rim where the water drops direct on the part complained of, but it is due to the water not being able to scour the back part of the trap. Another drawback is that if it is used as a urinal, as a water-closet ought to be used-for urinals are objectionable in private houses-the urine trickles over the basin and causes not merely the staining of the basin, but in time an objectionable odor; this will be especially noticeable if the closet is used by a number of females. Again, if the water-closet happens to become choked, the whole apparatus has to be taken out to unstop it, and I can tell you from experience that it is anything but a pleasant job. In the hopper and trap none of these objections offer themselves, provided we get a good form of basin with a good scouring flush; the best I have seen in the market was a pattern made by Dodd (late of Cable street). The hopper and trap can be used as a urinal if fitted with an earthenware top, without any fear of objectionable odors arising therefrom, for it can be scrubbed every day with a brush, and each and every part can be so cleansed if the seat is hinged so as to allow of it being raised for this purpose. I assisted to fix this form of water-closet in the Hospital for Women, Shaw street, and they gave the greatest satisfaction. Now, as to the mode of fixing water-closets in gen eral, the soil-pipe is the first to be fixed; this ought to be fixed outside th

<sup>\*</sup> Read before the members of the Association of Public Sanitary Inspectors of Great Britain by A. E. Adams, R. P. C., Asso. San. Ins.

premises, disconnected at the bottom by a trap made specially for that purpose, and carried by a continuous line of pipes to a safe distance above the roof. The branch-piece that attaches the water-closet to the soil-pipe ought to receive our particular attention, for 1 am sorry to see many plumibers using the iron branch-piece; this branch-piece is too short to receive the outlet of the earthenware trap, which means that a piece of lead pipe has to be inserted into the iron socket and over the outlet of the trap, making two joints in place of one, and one of these joints buried very likely in the wall. This joint being made with patty or red-kead is apt to crack or break; if this happens we have the whole fumes of the soil-pipe escaping into the house, and where the soil-pipe is not disconnected, sewer-gas finds only too ready an entrance.

Let us discourage, as far as we can, the use of iron branch-pipes; the branch-pipe ought to be made of lead, with an arm sufficiently long to reach the earthenware trap. This branch piece is better made of three pieces of lead than soldered on to one perpendicular piece. as is most common, for a reason which I will give later on. The joint between the earthenware trap and lead ought to be fixed by means of a lead flange, bolted on to the flange of the trap, packed with red lead, paint and tow. The joints of the soil-pipe, presuming them to be iron, ought to be rusted together, which is made by mixing iron fillings, sal-ammoniac, water, and a pinch of sulphur; the joints are packed with tow, hemp or rope; the rusting is then driven tight into the joints by tools made specially for that purpose. Before the trap is finally placed in position, it ought to be tested as to whether it is a trap, for I remember a large house being fitted up with new sanitary arrangements, and the last state was worse than the firstowing to the water-closet traps being no traps-for when the job was done it was discovered that the water seal in the water-closet trans formed no barrier to the escape of sewer-gas, and new water-closets had to be substituted at the cost of the firm carrying out the work. Various cisterns are used for the various patterns of water-closets, but perhaps the best is the simplest form of syphon system we can get, for the reason that persons very often, when using a water-closet, neglect to hold the handle long enough to ensure a sufficient flush. In making the selection of a eistern, we ought to try and get a ball tap that will allow of the cistern being filled as quickly as possible after it has been used. If we get a slow-filling cistern, the probability is that the next time the water-closet is used, there will only be a partial flush. The cistern ought to be fixed, if possible, directly over the water-closet, so as to allow the full weight and force of water to cleanse the basin and trap: if we cannot get above four feet of a drop from the bottom of the cistern to the basin, a 11/2 inch pipe ought to be used; if over four feet, a 1 1/2 inch pipe will generally be sufficient. There is a great knack in the way the flush-pipe enters the basin so as to obtain a good scouring I cannot enter into the various methods employed, or the various shapes the mouth of the pipe is made to ensure such a flush, for their name is "legion," except to say that cork or wood should not be employed, for in time these temporary methods will come out of the place, and the flush perhaps be worse than ever. The putty joint is made as follows: The arm of the basin and the flush-pipe is painted just around the arm; the putty is then laid around the two, over this is carefully wrapped a piece of rag, which has also received a coat of paint, and then to bind the whole together a long piece of string is tied in a peculiar manner known only to the craft. The joint is thus made, and may receive, if thought necessary, a coat of paint, which will tend to bind them all together.

A few remarks on the water-closet branch-piece, and then I have finished, I stated that the branch-piece is better made out of three pieces of lead and soldered together than the branch-pipe soldered on to the perpendicular soil-pipe; but even this plan is better than an air-pipe taken from the top of a bend-the first-named plan is the best for several reasons. (1) We get the full bore of the pipe both for the soil and air-pipe. (2) There is no chance of any solder to form a burr or projection into the pipe. (3) The danger of allowing the branch-piece to the socket into the perpendicular pipe too much, or the air-pipe to socket too far into the soil-pipe, is obviated. A few of the mistakes that may occur-unless the greatest care is exercised—in the two last-named systems of branching air-pipes on to soilpipes are: The soider in making the joint may run inside and form an obstruction to the soil and paper; the branch-piece may be socketed too far into the perpendicular pipe, and so allow an accumulation of fifth to gather: the branch-pipe may get moved from its angle before soldering, and thus cause a bad joint at its upper end. Those of you who know the mode of getting the angle and fixing these pipes will understand what I mean. soldering of an air-pipe on the top of a bend coming from a water-closet is the worst plan of all. Oftener than not, the top of the bend is only opened out to 21/2 or 3 inches diameter, then a 4-inch socket is planted on the top of the opening and soldered, so that really we only have a 21/2 or 3 inch airpipe. Again, this socket-pipe may be lowered too far in the bend, thus forming a barrier to the passage of the soil, and if it does not actually cause a stoppage, it allows the accumulation of filth, which is far from desirable.

There are several small items I would like to have pointed out to you in connection with this part of my subject, but I think I have said enough to show you that there are many small details which we would do well to study.

Messrs. R. McDougall & Co., of Galt, have sent us a handsome lithographed hanger, on which is displayed perspective and sectional views of the Plaxton hot water boiler, of which they are the manufacturers.



#### DECORATION OF HALLWAYS.

OTHING can be more stiff and unattractive than the old-fashioned long, narrow hallway, which is a mere passage and needs to be relieved by a few artistic effects. Modern architecture serves to break up the long straight lines, especially in country villages where there is a chance to throw the staircase into a niche built for that purpose at one side, or to carry it up by easy stages from the rear of the small reception room into which the hall is thus converted.

Luxurious dwellings, costing many tens if not hundreds of thousands of dollars, are, of course, entered through stately apartments which give dignity and value to the whole structure. It is not of such that we principally treat to-day, but of those modest houses already built in which the majority of well to do citizens find their homes.

Much ornamentation in such a hall is impossible. The best thing to do where expense is not objected to, is to drop a couple of light Moorish archheads from the ceiling directly over and in a line with the foot of the staircase. They meet over the newel post and must be constructed of the same wood as that used in the foilsh of the hall.

Then drop a Mikado bead portiere from the hall arch head, which may be very simply carved—the shape imports more than the finish—permanently fastening it against the wall at the height of the newel post. In front of the fastening and contiguous to it place a small slender circular table, gilded if the hall be not well lighted, sustaining the inevitable and useful card receiver.

A thicker hanging may be used but the effect is then less happy, since the narrow portion of the hall shows as a half seen and dimly lighted vista, giving that appearance of space which is rather increased by the intervention of the portiere.

The treatment of walls and ceiling is entirely a matter of light and location. A house situated on the north side of a city street, and with that handsomest vestibule door of all—one of plain plate glass, beveled and uncolored—will allow a good deal of deep, dark color in the hall. A strawberry red, or a transparent carmine glaze over deep yellow, any color which is glorified by sunshine, may be here admissible. The dado may be rich dark reddish brown or bronze, either stippled or stenciled in geometrical figures or painted lincrusta walton. The ceiling may be cream or a warm gray, with a line of bronze lined without the wall color some six inches from the wall and an inch in width. The mouldings are also bronze with narrow lines of crimson.

This coloring, while very effective, is florid for a quiet taste. Suppose we use chocolate for such, with a canary yellow for the ceiling and dado. The chocolate is light or gray enough to allow stencilings of citrine color in the dado. They must be small in size and archaic, arabic or geometrical in figure, nover in the remotest degree copying natural forms. The dado should not be more than eight or ten inches wide, and the figures should be edged or outlined with black. The citrine ought to reappear in the mouldings, and a line of dull orange brown, six inches from the wall, finishes the ceiling.

These old-fashioned stencilings with the painted wall upon which they are super-imposed are always more or less in vogue. This method of decoration, though costing a third more than a good quality of paper, is both durable and quaint, and will never entirely go out of style. Hand-finished work has a certain quality to recommend it which cultivated people are not slow to recognize. Besides, it can easily be kept free from dust and shows no joinings like wall paper.

Upon a wall of light reddish brown, in a dark hallway—one having a northern front, may be stenciled figures in three sizes, ranging from two to five inches in diameter. These may be of the color of cafe au lait. In the frieze reverse the order, using the reddish brown large figure of the stenciling alone upon the ground of the lighter tint. The ceiling ought to be lighter than

the cone, scarcely more than a pale salmon, a color which gives a pleasant glow to the darkest corner.

Where paper is preferred to paint, it is desirable to use large figured yet unobtrusive designs, such as a canary yellow ground with conventionalized flowers of a slightly deeper tint, or deep crimson upon light, that is, shade upon shade. Two distinct colors in one small room serve to make it smaller still unless they are finely broken and mixed in the Persian style. Even then this kind of paper suits rather a bed room than an entrance way. Sand finished walls are, indeed, very suitable for a hall as well as a dining room. In this case the stenciled frieze should be used, not paper. The cove-color should harmonize with that of the stenciling.

The richest finish of all are hangings of painted tapestry, but these are beyond the reach of moderate purses. In this manner the hallway of Geo. W. Childs, of Philadelphia, has lately been

It is a lofty room, some twelve feet wide. The door casings, base board and mouldings are made of native and foreign marbles, ranging in tint from black to yellow. From top to bottom the walls are covered with what appears to be Gobelin tapestry, at least to a cursory observer.

Instead of that it is skilfully executed painting on tapestry canvas, the subject a beautiful landscape which climbs the staircase, hillwise. Beyond the foreground of bosky dells and groups of forest trees are vistas of beauty. The whole makes an exceedingly rich, variegated and striking piece of decoration.

In the front of the newel-post of the grand staircase, in this same hall of Mr. Child's, is set in the dial plate of a handsome clock, also of marble like the post and railing. This staircase rises from a side hall at right angles to the main entrance. In it are some noble specimens of cloisonne enamel, which were brought from Japan by General Grant and by him presented to Mr. Childs. One of them, a huge vase, is the largest and finest to be found in this country.

To the top of a newel-post might easily be attached a quaint, large mouthed, low vase, suitable for holding ferns, a small palm or any other decorative plant. It might be changed from time to time, and would always serve to break the straight, stiff lines of the staircase. And if there is a landing, let a piece of rich Japanese embroidery or a Turkish rug be thrown over the balustrade, or hang a bit of rich color on the wall behind. - Decorator and Furnisher.

#### PERSONAL.

An award for distinguished merit has recently been made by Cornell University to Mr. W. N. Gibb, a former Upper Canada College student, for a thesis on "Library Architecture."

Mr. John Page, Chief Engineer of Dominion Canals, died very suddenly shortly after entering his office in the new Departmental Buildings, Ottawa, on the morning of the and of July. Disease of the heart is said to have been the cause of his death. The news of the sad occurrence brought a sharp pang of sorrow to the hearts of many acquaintances throughout the Dominion whose high admiration he had won by his kindly disposition and sterling integrity of character. Mr. Page was born in Scotland on 9th August, 1815, and served first under the late Robert Stephenson as engineer of the northern lighthouse board. He came to the United States in 1838 and was engaged on the Eric canal until 1842, when he entered the service of the Canadian Government as resident engineer on the Welland cand. In September of the same year he was appointed resident engineer of the Junction and Williamsburg canals, which position he retained during 1850-52. He then filled the position of superintending engineer of canals below Kingston from 1852 to 1853. In 1863 he declined the deputy ministership of public works. On the 8th March, 1864, he was appointed chief engineer of public works of the provinces of Quebec and Ontario, and on 15th March chief engineer of public works of Canada. The survey for the Welland canal enlargement was commenced in 1870, and from 1872 to 1873 he was engaged in making reports on the enlargement of the canals from Lake Erie to Montreal. On the 10th December, 1873, he made a report on the proposed Bale Verte canal. On the 16th February, 1880, he presented a special and general report on the canals of the river St. Lawrence. He was chief engineer of canals from 1879 up to the time of his death, and altogether had been 47 years in the service of the Government. He was fourth president of the Canadian Society of Civil Engineers, being proposed for the present year. The funeral, which took place from the late residence of the deceased at Brockville, Ont., was attended by many men of prominence within the engineering profession as well as outside of it. It is a pleasure to learn that steps have already been taken to erect a monument to his memory.

# ANVEACTURES AND MATERIAL

#### STRENTH OF LEAD PIPE.

MR. George L. Knox, of the Colwell Lead Company, in writing on the strength and durability of lead pipe, says:

"Lead pipe will sustain quite a heavy pressure if it is applied without shock, but in all practical work, in the plumbing of houses especially, the column of descending water suddenly stopped by the closing of a faucet exerts an increased pressure that will burst pipes which would stand a very much larger weight of still water. If the safe working pressure given in the table referred to were only slightly in error I would not think it necessary to call your attention to them; but my practical experience has shown that the figures there presented are very far from consistent with safe practice, Perhaps the best evidence to present in support of my views are instances that occurred in practical work.

When aerated bread was first made in this city we were asked to furnish a tin-lined lead pipe under two inches in diameter to stand a pressure of 140 \* pounds to the square inch, the pipe to be used for conveying the carbonic acid gas, which was forced through the dough after it was mixed. We furnished for the purpose AAA pipe, but it would not stand the pressure. We then made for them a heavier pipe, but with no better results. Finally, we made a pipe that was at least three times as strong as AAA pipe, but even this did not stand the 140 pounds pressure. Of course these pipes did not give out at once and the strongest lasted a few weeks, but creatually the lead swelled and burst. The parties for whom we furnished the pipe were finally obliged to use an iron pipe, tin-lined, the tin being necessary to prevent the corrosion of the iron by the carbonic acid gas. You will notice that the pressure was only 140 pounds to the square inch, and according to the table you printed the 'safe working pressure' of all the AAA pipes under three inches was considerably in excess of this figure."

#### GOOD TIMBER.

THE loud reports that our supply of good timber is fast being exhausted has naturally attracted science in that direction, the diagnose to quality produced in the great timber regions of the south. Professor Rankine says:

"There are certain appearances which are characteristic of strong and durable timber to what class soever it belongs.

1. In the same species of timber that specimen will in general be the strongest and most durable which has grown the slowest, as shown by the

- narrowness of the annual rings. 2. The cellular tissue, as seen in the medulary rays (when visible), should he hard and compact.
- 2. The vascular or fibrous tissues should adhere fittilly together, and should show no wooliness at a freshly cut surface, nor should it clog the teeth of the saw with loose fibres.
  - 4. If the wood is colored, darkness of color is in general a sign of strength and durability.
- 5. The freshly-cut surface of the wood should be firm and shining, and should have somewhat of a translucent appearance. A dull chalky appearance is a sign of had timber.
- 6. In wood of a given species the heaviest specimens are in general the strongest and most lasting.
- 7. Among resinous woods, those which have less resin in their pores, and among non-resinous woods, those which have the least sap or gum in them, are in general the strongest and most lasting.
- 8. It is stated by some authors that in fir-wood that which has the most sap-wood, and in hardwood that which has the least, is the most durablebut the universality of the law is doubtfut. Timber should be free from such blemishes as clefts or cracks radiating from the centre; 'cup-shakes' or cracks which particularly separate one annual layer from the other, V 'upsets,' where the fibres have been crippled by compression, V 'ringalls,' or wounds in a layer of the wood which have been covered and concealed by the growth of the subsequent layers over them.

The sub-committee of the Kingston city council appointed to consider the advisability of the city encouraging the establishing of cement works there, has reported that there is plenty of the material required for cement manufacture available. There is said to be marl at the bottom of every lake in the county of Frontenac, the whole of the bottom of Laboro lake, twenty miles long, being composed of it. A specimen of cement of satisfactory quality has been made from this material by Mr. Lenderoth, the promoter of the new enterprise. A Committee has been appointed to canvass the city for stock in the proposed works.

Not only are the natural colors of oak and mahogany, including the white variety, very extensively used, but with the partiality for light wood generally apparent, even a library, as in a recent decorative armagement by a good architect, may be finished in sycamore free from stain. The method is not claimed as a novelty, considering that for centuries the Japanese and East Indians have done the same. Instead of elaborate molded work, a tendency is shown to have plain panels, rails and stiles, exposing as much as possible the nature of the wood. Whitewood is valued as a material to be finished in enamel, as is done in many rooms.

### SMEAD SYSTEM.

Apparatus for Heating Great Buildings.

### IT GROWS IN FAVOR.

In use in all parts of the Dominion.

TESTIMONY FROM MANY PLACES-FILLING A GREAT WANT IN THE PUBLIC SCHOOLS-AN IMPORTANT TORONTO INDUSTRY

WITH the increasing size of Canadian towns and cities and with the growing importance of their leading institutions the question of how to heat and ventilate great public buildings has come more and more to the front as to how that must be settled. Especially is this the case with the schools of the country, for the rooms in these buildings are in use almost every day and almost continuously for at least six hours a day, and their occupants are those with whose lives and health we can least afford to trifle. Engineers and sanitarians have long been convinced that the two questions of heating and ventilation were in reality only the two phases of one question, and that to solve one rightly was to solve the other also. Judging by the favor with which it has been received, the system inaugerated by Mr. Smead, and developed and brought into practical use by the firm of Smead, Dowd & Co., answers satisfactorily the public demand in this regard. The firm established a Canadian agency some three years ago, with headquarters in Toronto, and in the short time since then the excellent work done has established for the firm a reputa-tion equal to that it has already gained in the United States, where it stands unsurpassed, if not unrivalled. Mr. Dowd, one of the leading members of this great manufacturing house, gave to a reporter yesterday some facts concerning the apparatus and the extent to which it is in use. "You understand," sald Mr. Dowd, "that our

"You understand," said Mr. Dowd, "that our system is adapted especially to the heating and ventilation of public buildings. We not only warm a room but ventilate it, changing the air in a school room, for instance, from six to eight times every hour. The importance of such a thing in relation to the health of children can hardly be exaggerated. One feature of our business that is very cratifying to us is that once our apparatus is tred in a town or by any section of the community and the need arises for a further order we always net the cantract. Soon after we the community and the need arises for a further order we always get the contract. Soon after we established our office in Canada in 1886 we got the contract for the Collegiate Institute in Chat-ham. When the question had to be decided how the new Chatham and Kent county building should be heated the contract was given to us. This building is a very large one, and is now just being completed. In 1887, the Montreal School Beard sent a deputation to Toronto to investigate our system, and they were so well pleased with it that they actually cancelled a contract they had made for a hot water apparatus for Victoria School, then in course of construction, and gave us the contract for the heating system. Next year sensor, then in course or construction, and gave us the contract for the leading system. Next year they placed our apparatus in the Royal Arthur School, taking out a hot water apparatus which had just been overhauled. Last year they introduced our system in the St. Jean Bapitise Ward School, and this year they are placing it in a new school in the Hochelaga Ward, and a tew weeks ago they gave us the contract to take out the combined hot air and hot water heater in the Anne Street School and put in our own.

Olinwa is another city in which we have won success, which is most gratifying to us. The School Board sent a deputation to To-ortho in 1887 to investigate this natter, and, as a result, our system was put in the Percy Street School. This was found to do such satisfactory work that in the following year they adopted it for the Central School West, The Collegiate Institute Board was convinced by the practical results of our work and gave us the contract to take out their steam

heating plant and replace it with our system. In the same year the Separate School Board also gave us a contract for warming: and ventilating three of the schools under their charge which had then just been completed. This year we have nor third contract with the Public School Board to furnish the appliances for heating and ventilat-

ing a new school which is to be erected.

The Hamilton School Board, desiring to be The Hamilton School Board, desiring to be informed upon this question, sent a deputation to Toronto in the spring of 1888 to investigate and report. They were so well pleased with what they learned of our system that they put it in the Pieton Street School, and, as this practical test resulted variableatorily, they called upon us to fit up in the same way the Wentworth Street School and the Ryeston School, two very large buildings. The Separate School Board showed their belief in the completeness of our system by ordering an apparatus for a large new school being built this summer.

The School Board of London, Ont., sent a deputation to the United States in 1887 to invesdeputation to the officer states in 1907 of inco-tigate the various systems of heating and ventilat-ing in use. They adopted our system for the Hamilton Road School. In the following the Hamiton Road School. In the following year they put our apparatus in the new Sincoe Street School, a very large building costing about \$40,000. The work evidently gave satisfaction, for we were given the contract for the Collegiate Institute, which had decided to use our system Institute, which had decided to use our instead of the hot-air furnace then in use. year we have contracts from the School Board for the Waterloo North School and the Talbot Street School, and our system has been adopted for two other schools, the apparatus to be put in place

this season.
Winnipeg made a trial of our plant last year in the Girls' Central School. The experiment resulted to their satisfaction as well as ours, for we suited to their satisfaction as well as ours, for we were instructed to place the apparatus in three other schools. We have just received word that our system gives complete satisfaction in every respect. As the temperature last winter went as low as 45 degrees below zero, the test shows that our claim of being able to warm and ventilate a large building in extremely cold weather is fully justified.

justified.

In 1886, soon after we established our business in Canada, the Board of Education of Campbell-ford gave us a contract for the warming of the Pligh School. Last year they built a new school and adopted our system for it. Peterbore gave us a contract last year to place our system in two schools—the North Ward and the South Ward schools—and the reputation that this work has established for us is such that his Lordship Bishop Conner gave us the contract for heating a large estatistical or use such that not a bordship states of O'Connor gave us the contract for healing a large girl's school which is being constructed there this summer. The authoristics in Hallian, N.S., have given the subject of warming and ventilating a great deal of consideration, and this week we have their signatures to a contract to place qur

have their signatures to a contract to piace qui heating and ventilating plant in a large fourteen-roomed school which is to be built this year. Of course, our record in Tromoto is well known. Our first work here was done in the Brock Avenue school in 1886, and was so satisfactory that we have had the contract for every new school since have had the contract for every new school since erected, and for replacing the systems formerly in use in many of the old schools. Our system is now in use in over thirty large public school buildings in this city. The Toronto School Board about a year ago sent a deputation to the United States to inquire into the subject of school architecture, including heating and wentiating. This deputation spent about six weeks in its mission, and visited twenty of the largest cities on the other side, of the line. In making their report they concluded with these words:
"Your committee are unanimous in the opinion that in no one in all the schools visited distinct of the great properties."

son that in no one in all the schools visited fill we find a system of heating and ventilation superior to the Smead & Co.'s, such as we have in our recently built schools, nor one equal to it in the facilities for the admission of large volumes of fembair."

iresh art."

"In Windsor, two years ago, we placed our apparatus in the new High School that had just been completed there. This year we were instructed to provide the means for heating and ventilating three new schools which are now in

The heating and ventilating of hospitals is a very difficult matter. Our system was adopted for the General Hospital in Brockville, and in the new Roman Catholic Hospital in Peterboro where the work is about completed. The Protestant Hospital for the Insane in Montreal, very large building costing over \$200,000, also uses our system, and we have just been awarded the contract for the new Nicoll wing of the hospital at Kingston.

pinl at Kingson. In churches we have done considerable work, especially in Toronto. We have our system inine of the largest churches in the city, including the Trinity Methodist, Cooke's Presbyterian, College Stroet Baptis, Dovercourt Baptis, the Presbyterian church just completed on the corner

of Bloor and Huron streets, the new Methodist church in Parkdnle, which is to be opened on the 29th of this month and the Presbyterian church now being crected on Bloor street, to be occupied by the congregation of the old Charles street

Complaint, and, as I say, when a church board of furstees once use our system. they take an interest in seeing it adopted for buildings.

In the United States our system is extensively In the United States our system is extensively in use. Our apparatus exists in go school buildings in Washington city, in more than ao school buildings in Columbus, Ohio, in every school building in Toletoh, Ohio, and in 23 school buildings in Detroit. In the last named city the apparatus is now being placed in three larger 15-roomed school buildings in course of construction. The outlook for our business in Canada this season is better than it has ever been before, Wr. flatter ourselves that we have added an

season is better than it has ever been bedore. We flatter ourselves that we have added an important industry to the many industries of Toronto. We made over a million pounds of iron into castings last year in Canada alone, and the prospect is that this year the output will be considerably larger.

considerably larger.

Our dry closet system, which is an important feature of our work, is held by sanitary experts to be better than any system of water closest, especially for use in public buildings. All danger to health is avoided, and there is no chance of any breakage or disarrangement of machinery such as occurs in systems now in use, causing great danger to the health of every occupant of the building."

### RULES REGARDING CEMENT.

EMINENT engineers are authority for the following important conclusions:

Cold water is probably not injurious, only as it retards setting.

All cements when mixed with sand to a proper consistence for mortar will fall to pieces if placed in water before setting has commenced,

Any American cement of good quality will with one and one-half to two measures of sand give a mortar strong enough for most engineering pur-

Pressure while setting, with the degree of thoroughness of the mixing or the gauging, the proportion of water used, and other considerations, may easily affect the results one hundred per cent. or even much more.

American cement requires less water than

Sand retards setting, so that cement which, by itself, would set in half an hour, may not do so for some days if mixed with sand.

When one part sand is added to one part of cement, the strength is lessened one-half. Two parts of sand to one of cement, averages about one-third the strength of pure cement. for tensile and transverse strains.

The crushing strength does not diminish so rapidly,

Slacked lime retards the setting of cement.

After using in air, cement, or cement with sand, should be kept moist or watered until completely hard.

Walls of buildings are often built of cement concrete deposited between smooth-faced planks as a mould, the planks being moved upwards as the work goes on. Cement should be nearly dry and tamped hard.

Post holes running down below frost and tamped full with concrete are safe and economical supports for warehouses and similar buildings."

Concrete may be used in large masses under water, and when properly put down, is found good for piers and shore protection.

Incorporation has been granted "The Ottawa Brick Manufacturing Co., limited." The company propose to manufacture and sell brick, including terra-cotta, pressed, ornamental and firebrick, brick used for street paving or coping, also tile, pottery and other articles made from clay. The promoters are: Alexander Maclean, G. H. Perley, G. B. Greene, J. E. Askwith and H. C. Monk, Ottawa.

A very complete filling for open cracks in floors may be made by thoroughly soaking newspapers in paste made of one pound of ordinary flour, three quarts of water and about a table spoonful of alum; these ingredients to be thoroughly boiled and mixed, the final mixtures to be about as thick as putty, and it will then harden like papier mache, and may be used for moulds for various purposes.

A correspondent of the St. Croix Courier describes the new granite cutting factory of Epps, Dodds & Co. at St. Ceor8e, N. B. This is 115 feet long and 70 feet wide; the main building 40 feet wide and 25 feet high. On each side are two wings running its entire length, and 15 and 19 feet wide respectively. A main line of shafting carries to all parts of the building power obtained from a 100 horse power water wheel. This is probably used for polishing, the north wing being occupied by stonecutters. Upwards of fifty hands are employed, and the company pays an average of \$500 per week in wages. One-third of the trade of this firm is with the United States, nearly all the remainder with Ontario.

J. C. SPENCE & SONS,

### ARTISTS IN STAINED CLASS.

ECCLESIASTICAL AND DOMESTIC.

Mural Decorations, Art Tiles, Brasses, Church Furniture, etc.

BLEURY STREET. MONTREAL.

G. & J. E. GRIMSON.

30 UNIVERSITY ST., MONTREAL. STAINED, PAINTED & DECORATIVE

### **EMBOSSED GLASS**

For Church and Domestic Purposes.

Estimates given for all work at low prices, according to design and finish. **Dominion Stained Glass Works** 

### 60 KING WILLIAM ST., - HAMILTON. STAINED AND PAINTED

### WINDOW GLASS

For churches, public buildings & private residences.

W. C. BARNES, SON & GILSON.

### THE BELL ART STAINED GLASS WORKS

MANUFACTURERS OF

**Ecclesiastic and Domestic** 

Of Every Description.

LEAD GLAZING AND SAND GUT A SPECIALTY.

110 RICHMOND ST. WEST. TORONTO, ONT.

> D. BELL. MANAGER

### STAINED GLASS



Memorials

—) AND **Church Decorations** 

CASTLE & SON 40 Bleury Street, Montreal, Cap., and New York.

CHARLES EVANS & CO.,

nined Glass, Brass Tablets, Cera-mic and Venetian Glass, Mosaics, Painted Tiles

### DOMINION STAINED GLASS COMPANY

77 Richmond St. W., Toronto.

MEMORIAL WINDOWS And every description of Church and Do-mostic Glass.

Designs and Estimates on application.

W. WARBFIRLD. I. HARRISON. Telephone 1470.

HAMILTON ART STAINED GLASS WORKS MANUFACTURERS OF

Church and Domestic Stained Glass.

LEAD GLAZING AND SAND CUT A SPECIALTY.

H. LONGHURST & CO.. 16 JOHN STREET N. HAMILTON.

### WANTED.

A First-Class Draughtsman Apply to DARLING & CURRY, Mail Building.

T. POLETO,

### GLASS BENDING WORKS.

39 UNIVERSITY STREET, MONTREAL

Glass Bending in all its branches. PAINTER AND DECORATOR.

Rell Telephone 4680.

Federal Telephone 1544.

ME CHUSTAND & SON TE COL WINDOWS TORONTO OF OMEDALISTS. CHURCH & SECULAR PROPERTY SUBSTITUTE OF STATES



# Hardwood Mantelpieces.

### W. SCOTT & SONS.

MONTREAL,

MANUFACTURERS OF

MANTELPIECES -:- AND -:- FINE -- FURNITURE

A Large Stock of English Grates and Tiles, Open Fireplaces, etc. FINE ART DEALERS AND CILDERS.

1739 NOTRE DAME STEET, MONTREAL

### EXCELSIOR PAVEMENT

Sidewalks, Carriage Drives, Corridors, Landings, Steps,

MALT, CELLAR & STABLE FLOORS, VASES.

Estimates given promptly on application.

Office, 299 College Street,

TORONTO.

TELEPHONE 1199.

J. WATSON, Manager,

T. J. WHITTARD, Superintendent.

### STUART'S Patent Granolithic

SIDEWALKS, FLOORS, STEPS, LANDINGS, CORRIDORS, AREAS AND STABLES.
No building perfect without Granolithic Footpaths.
It has stood the test of years and climates,

IMPERIAL STONEWARE LAUNDRY TUBS

Are without parallel the finest and most complete Tubs in the market. Guaranteed perfect.

Building Granite, Granite Paving Blooks, Peliahed Granite of every kind, Monumental Work. Marble for Interiors, Plumbers, Furniture, Connetery, or any purpose, and of all kinds of Marble in the market.

Send for Estimates.

ROBERT FORSYTH,

TORDANYO, 14 Toronto Arondo.

MONTREAL: 130 Bleury St. TORONTO: 14 Toronto Arcade. F. H. COLMAN, President.

PERCY C. HAMILTON, Secy-Treas.

Louis Bacque, Sales Agent.

## THE COLMAN-HAMILTON COMPANY, LTD.

# SEWER AND WATER PIPE.

Fire Brick, Fire Clay, Fireproofing and all Fire Clay Products.

### FIREPROOFING.

### - PAVING BRICK -

Of highly vitrified Fire Clay for Sidewalks, Areas, Stables, Landings, Railroad Stations, and Streets with heavy traffic.

Are noiseless, clean, healthy and lasting. Adopted in many of the leading cities of the United States.

OFFICE AND YARDS and C. P. R. Yards, North Toronto. 44 Price Street, North Toronto.

Telephone 3763.

RENNETT & WRIGHT,

Steam and Hot Water Heating, Sanitary Plumbing, Gas Fixtures.

72 Queen St. East TORONTO. Telephone No. 42.



R. DENNIS.

Manufacturer of

#### IRON STAIRS AND BALCONIES, FIRE ESCAPES

And all kinds of Architectural Iron Work.

Catalogue on application

205 & 211 KING STREET, LONDON, ONT.

USE THE · \*

STAR VENTILATOR

FOR THE

## VENTILATION

Churches, Public Buildings, School-Houses, Theatres, Residences; Cotton, Woolen and Carpet Mills, Machine shops, Foundries, Breweries, Stables, &c.

Upon application-we will furnish a Blue-Print sketch showing detail and uses of the

STAR \* VENTILATOR

MERCHANT & CO. Philadelphia, New York, Chicago, Londo

AND BUILDER when corresponding with adver-

### Building Stone Dealers.

GILLESPIE & BROOKS. DEALERS IN

All kinds of Rubble, Brown and Grey Credit Valley Dimension Stone and Coursing. 80 BIRCH AVE., NORTH TORONTO.

BRITNELL & CO.,

### **Ouarrymen and Stone Merchants.** LARGE FLAT RUBBLE OF ALL KINDS

A SPECIALTY

Freestone Quarry at Milton. Office and Yards: C. P. R. Crossing, N. Toronto. Telephone 3416. Residence 95 Summerhill Ave. ALL ORDERS DELIVERED PROMPTLY.

### VOKES MALCOLM STONE CO..

STONE MERCHANTS.

DEALERS IN

### Block, Rubble, Coursing & Cut Stone

410 QUEEN ST. WEST, TORONTO. Estimates furnished

### TO BUILDERS AND CONTRACTORS.

The firm of Bustrow Bros. are about to open a Stone and Stock Yard on the Esphanade, at the foot of Berketey Street, and will be prepared to supply aft kinde of block and out stone direct from their quarries. A specialty made of Bubble, which can be supplied at the shorest notice in any quantity. Address all communications to

### BRISTOW BROS..

FOOT OF BERKELEY STREET. - TORONTO.

### THE ADJUDA QUARRY CO.

CREDIT FORKS.

Are now prepared to supply large quantities of

### Credit Valley Brown and Grey Stone.

The following on hand for immediate shipment:

DIMENSION COURSING, CURBING, FLAGGING, BRIDGE AND RUBBLE STOKE.

Write for prices. K. Chisholm, Pres. Head Office, Brampton.

Please mention the CANADIAN ARCHITECT

### THE CANADIAN ELECTRIC MFG. CO.,



Manufacturers of ANNUNCIATORS

JANARD'S Patent Telephones

Batteries.

Push Buttons,

Electric Supplies. 1953 St. Catherine St.

MONTREAL. Fed. Telephone 1523.

Architects, if you want a first-class article



prices on application to


BUNTIN, REID & CO., TORONTO.



Importer and Dealer in
Paints, Dry Colors, Varnishes, Chamois
Skins, Glues, Bronze Powders
and General Manufacturers' Supplies.

Agent for Samuel Cabot, Boston, U. S., Interior and Exterior Creosote Stains and Mortar Colors; and for Lewis Berger & Sons, (Ltd.) Celebrated Carringe and House Painters' Varnishes, London, Eng. Painters Varnishes, London,
ANDREW MUIRHEAD,
TORONTO, ONT.

82 BAY STREET



### C. SELLERS & CO.

For Steam and Hot Water,

### HOT WATER BOILERS,

TORONTO, ONT.

Free Circulation, Even Castings,

Al solutely Tight and Permanent Joints,

Simple, Economical, Effective.

Guaranteed to be inferior to none in effect-IVENESS AND ECONOMY OF OPERATION, and

MUCH LOWER IN PRICE.

Write for full particulars, C. SELLERS & CO.,

146 to 150 Niggara Street.

TORONTO.

### EDWARD EARL &

Embossed, Encaustic, Enamelled and Plain

For Bathrooms, Hearths and Vestibules.


69 BLEURY STREET,

MONTREAL.

#### THIT HANSEN

# Salt-Glazed Terra-Cotta Weather-Protecting Chimney-Topping.

Patented in the United States and Canada.









Indorsed by Architects throughout the country; are mainly designed to replace the common corboled chimney top; for the PROPER PROTECTION of same by the action of rain and frost. These toppings are manufactured by steam press and dies, same as first-class satt-glazed sewer pile, for keeping in stock in sane manner, and as made in pieces (see diagrams) present the CHEAPEST, MOST PRACTICAL ever REAPLY and LASTING material for brieklayers use in topping out chimneys. Deducting value of mason's material and time saved when using these toppings, their COST PER FLUE does not exceed go to 60 cents that of common brick tops, which secures absolutely PERMANENT chimney masonry, and saves annoyance and REPAIR EXPENSES, the usual and too frequent experience of owners.




88 La Salle Street,


CHICAGO, ILL.

THESE CHIMNEY TOPPINGS ARE MANUPACTURED AND SOLD UNDER LICENSE BY

THE STANDARD DRAIN-PIPE CO.,

ST. JOHNS. P. O.,





THE CELEBRATED

# Howard Furnaces

₫.⊆ ccessful beyond all precedent.

DEALERS!

Here is the Furnace you want. Low down, all Cast Iron, simple in parts and thoroughly original. Easy to "set up" and a good seller.

WRITE FOR TERMS, PRICE LIST AND CATALOGUE.

Entire Utilization of Fuel, Material, Actual Econom

THE HOWARD FURNACE CO. OF BERLIN.

Berlin,

Ont.

AND SYRACUSE, N. Y.

## R. D. Savage

209 ST. JAMES STREET.

MONTREAL

"CORSEHILL" RED SANDSTONE. (Dumfrieshire, Scotland.)

IRON GIRDERS. CORRUGATED WIRE LATHING. Representing the Leading Manufacturers of

EVERY DESCRIPTION.

PHILADELPHIA PRESSED BRICK. (Peerless Co.)

> ENAMELLED BRICK, MORTAR COLOURS.

## obinson's Fire-Proof Cement

THREE QUALITIES, VIZ.:-

For finishing coat on walls or ceilings, pure white, and capable of being polished to a beautiful surface, whitewashing

mouldings and castings, tile setting, &c.

II. For first coat of plastering, with varying proportions of sand, according to requirements.

III. For concreting, with three to four parts of sand to one of any suitable aggregate. Equal to Keene's, at a trifle over half the cost. No article ever introduced to the trade has given greater satisfaction.

Cabot's Brick Preservative, Shingle Stains, Interior

MARBLE AND CERAMIC MOSAIC FLOORING

List is too long to enumerate every line.

MINERAL WOOL.

CORRESPONDENCE SOLICITED.



### HOT AIR FURNACES.

We are now manufacturing 56 styles of Coal and Wood Furnaces and School Room Heaters. Furnaces with Cast Radiators, Steel Radiators, Steel Dome, Steel Dome with Low Radiators.

Write for prices and catalogue.

MCCLARY MFG. Teronto. London. Montreal, Winnipeg.



**BANK AND OFFICE** 

RAILINGS

MANUFACTURED BY

B. GREENING WIRE CO. HAMILTON. CANADA.

Catalogue on application.



RCHITECTURAL SCULPTORS,

MODELLERS, ETC.

DEALERS IN -

## English Grates & Tiles

JOHN WHITFIELD,


174 and 176 Front Street East,

SUPPLIES ALL KINDS OF

### IRON AND STEEL WORK

FOR BUILDERS, &c.

Telephone No. 2099.



Copper and Galvanized Iron Cornices a specialty. Patent Skylights, Eave Troughing, Val-leys, Metallic Siding, and Patent Octagon pipe.

Jobhing promptly attended to.



TUCKER & DILLON. Galvanized Iron Cornice Works.

87 Bay St., Toronto.

Valleys, Eave Troughs, Patehi Expansion Con-ductor Pipes, Improved Draught Proof Skylights, and other Sheet Metal Trimmings for buildings mad-to any Architectural Design. Furnace Work and Jobbing attended to.

HECGES & LANKIN, and Galvanized Iron Cernico Workers.



GALVANIZED IRON SKYLIGHTS. Furnaces and Registers supplied and put up on the shortest notice.

21, 21 & 25 Garden Av TORONTO, ONT.

### OTTAWA GALVANIZED IRON WORKS.



Douglas & Haines Manufacturers of Galvanized Iron and Copper Cornices, Window Caps, Sky-lights, and other sheet and metal trimmings for buildings.

234 WELLINGTON STREET,

OTTAWA.

Toronto Galvanized Iron Cornige Works 1/14

121 Adelaide St. West, TORONTO
Manufacturers of Galvanized Iron Cornices.
Window Caps of every description. TORONTO.


> JOHN DOUGLAS & CO., Manufacturers of

Galvanized Iron & Copper Cornices & Skylights



Window Caps of every description and all other Sheet Aletal Trimmings for buildings.

395 Spadina Av., Toronto Telephone 1050.



F. WRIGHT.

I. SYCAMORE. WRIGHT & CO.

Designers, Carvers,

-) AND (--

MANUFACTURERS.

Mantel Pieces and Ecclesiastical Furniture a specialty.

### DESIGNS AND ESTIMATES SUPPLIED.

64, 66 and 68 Grange Ave. TORONTO.

A large stock always on hand.

### Builders' and Contractors'

PORTLAND CEMENTS. ROMAN CEMENTS.

KEENE'S CEMENT, (Coarse, Parian and Superfine.) CALCINED PLASTER.

NAVVY BARROWS,

STEEL RAILWAY AND ROAD SCRAPERS,

FIRE BRICKS. FIRE CLAY.

FLUE COVERS.



COACH HOUSE BRICKS, CHIMNEY LININGS. CHIMNEY TOPS, Ornamental,

FLOOR TILES,

ART TILES.

SEWER PIPES, Scotch, English and American.

ENGLISH AND SCOTCH SANDSTONE,

SCOTCH STEAM AND HAND DERRICKS.

A LARGE STOCK AT LOWEST PRICES.

W. McNALLY & CO.,

MONTREAL.

### BEAUMONT

### **Architectural Sculptor and Modeller**

132 BISHOP STREET.

Pulpits, Fonts, Reredos, Screens, etc.,

RECEIVE SPECIAL ATTENTION.

WORKS EXECUTED IN MONTREAL: New York Life Insurance Co.'s Building; Hon. G. A. Drummond's House; Branch Bank of Montreal; Residence of P. Lyall, Esq., etc., etc.

## The Canadian Office & School Furniture Co., (Ltd.)

PRESTON. ONTARIO. (Successors to W. Stahlschmidt & Co.)

MANUFACTURERS OF

Office, School, Church and Lodge





OFFICE DESK No. 54. SEND FOR CATALOGUE.

BOSTWICK, REPRESENTATIVE


West Front Street.

TORONTO.

## SAFFORD'S PATENT RADIATOR

HOT WATER AND STEAM HEATING

Patented April 16th, 1887.



"NEW DESIGN."

赤

The ONLY Radiator in the Market Built WITHOUT Bolts and Washers.

The MOST EFFECTIVE ever invented.

The FIRST ORNAMENTAL Radiator manufactured in Canada.

No Cumbersome Base, No Bolts, No Packed Joints.

Free, Unobstructed Circulation, Even Castings, Nipple Connections, Absolutely Tight and Permanent Joints.



OVER 10,000 NOW IN USE.

Beware of weak imitations by unprincipled competitors, as

"SAFFORD" RADIATOR.

THE TORONTO RADIATOR MFG. CO.

(LIMITED)

366 to 376 Dufferin St.,

- TORONTO.

BRANCH WAREHOOMS: 80 St. Francois Xavier St., -

Montreal.

WRITE FOR PARTICULARS.

PETER LYALL, BUILDER,

— AGENT FOR —

### CORNCOCKLE RED SANDSTONE, From Dumfrieshire, Scotland.

ALSO FOR JOHN GRAHAM & CO.'S, (OF SCOTLAND,)

### STEAM AND HAND POWER GRANES.

For samples and price list address

6 DONEGANI STREET,

MONTREAL.

# SUPERIOR JEWEL" HOT AIR FURNAGE



FURNACE EVER MADE.

Uses Less Fuel

Any other Furnace

Has given satisfaction in every case;
Not a single failure;
Every person using them will give highest recommendation.

Write for Circulars with List of References.

BURROWS, STEWART & MILNE,

Manufacturers,

HAMILTON.

PENNINGTON, BAKER & CO.

Church, School and Lodge

FURNITURE

Hamilton, Ont.

"eastlake" MetallicShingles

SHEET STEEL PRESSED BRICK,

ELEVATOR SIDING.
Prices on application.

METALLIC ROOFING CO., LTD.

Factory in rear of 84, 86, 88 & 90 Yonge St.,

Telephone 1457.

Telephone 1457.

"THE DUROUS"

### Cement Concrete Pavement Co.

Are prepared to supply sample specimens on application for

Sidewalk Pavements and Approaches,

Corridors, Stables, Warehouses, Areas and Basement Floors. ALL WORK, GHARANTEED SOUND, DURABLE AND LASTING.

Estimates given promptly on application to

ROBT. PLOWS, Manager, 369 Sackville Street, TORONTO

хi.

### TORONTO

Telephone No. 1599.

IMPORTING

IMPORTERS OF

BRITISH Every kind Rolled Plates, and Plain, Colored and Ornamental Window MIRROR

# **ROUGH-CAST**

**N N** 55 and 57 Victoria St..

TORONTO.

Plate Glass shipped to and Fixed at any point in the Dominion. PILKINGTON'S WINDOW AND PICTURE GLASS, PLAIN AND ORNAMENTAL.

Cable address. "PLATE."

# The Ontario Terra Cotta Brick & Sewer Pipe Co.

MANUFACTURERS OF



# BRICK

(By semi-dry and plastic processes)



Plain and Ornamental Designs.

We desire to call special attention to our

### TERRA COTTA ROOFING TILES

VARIETY OF PATTERNS.

Samples and prices will be furnished at the Company's office,

103 BAY STREET,

TORONTO.



WORKS AT CAMPBELLVILLE, ONT.

L. M. LIVINGSTON, President.

C. C. WITCHALL, Managing-Director.

### WILLER'S SLIDING BLINDS



THE STANDARD Sliding = ::: Blinds Of the Country.

ey are used in p ference to any other by 'be Leading Architects.

THEORLY Sliding

Blinda GIVING UNIVERSAL SATISFACTION, For full partio

WM. WILLER

Fourth and Cedar Sta., Milwaukee, Wis.

ents Wanted everywhere. State your when writing for catalogue or agency.

**GEO. CLATWORTHY** 

AGENT 60 ADELAIDE ST. WEST, TORONTO. Send for Catalogue. Telephone 1740.

R. D. SAVAGE. Agent Eastern Ontario and Quebec. 200 St. James St., MONTREAL.



### WARDEN KING & SON:

(CRAIG STREET FOUNDRY, MONTREAL,

### SPENCE PATENT HOT WATER BOILERS



"SECTIONAL,"
"CHAMPION,"
and "DAISY,"

The Leading Hot Water Bollers of this continent.

3,000 in use. Send for testimonials and prices.

Manufacturers and Sole Agents in Canada for

THE NEW YORK
Safety Dumb Waiter
(STORM'S PATENT)

This Waiter is very favorably known in the United States; it is the most complete thing of the kind, being also cheap, substantial and derable. No house should be warbout one. Descriptive pamphlet sent on application.

Descriptive pamphlet sent on application.

MANUFACTURERS ALSO OF

Soil and Greenhouse Pipes and
Fittings,

Steam and Hot Water Fittings, Plumbers' Wares,

Columns, Girders, Circular and Straight Iron Stairs, And all kinds of House and Machinery Castings,



'he "Daisy"

### THE "PLAXTON" HOT WATER HEATING BOILER,

Adapted for Public and Private Buildings, Greenhouses, etc.

The Most Powerful and Economical Heater in the Market,

Hundreds in use, giving very best results.

### EXTRACT FROM TESTIMONIAL:

April 9th, 1888.

The six we put in last year have more than met our expectations in every point, being economical in fuel, easily regulated and cleaned, and having good grate. We have every confidence in it.

Yours respectfully,


KENNEDY & HOLLAND,

Architects-Toronto and Barrie.

SEND FOR PRICE LISTS AND TESTIMONIALS.

R. McDOUGALL & CO..

GALT, ONT.



LAIDLAW'S NEW

## ETROPIC HOT AIR FURNACE

Latest and Best Steel Plate Furnace in the Market.

### IMPROVED GIANT FURNACES, BOYNTON FURNACES.

The largest and best assortment of Cast and Steel Furnaces ever made. Be sure and get an estimate. Every furnace guaranteed to give perfect satisfaction.

### A. B. ORMSBY,

\$ 126 QUEEN STREET EAST,

Agent for Toronto.

Telephone 1725.

Ontario Galvanized Iron &

Copper Cornice Works.

CORNICES, WINDOW CAPS, METALLIC ROOFING,

and all other Metal Trimmings for Buildings, all made of Crimped Iron and Copper. Iron Crimped to the trade.

Iron Skylights.



Please mention the CANADIAN ARCHITECT AND BUILDER when corresponding with advertisers.