

**CIHM
Microfiche
Series
(Monographs)**

**ICMH
Collection de
microfiches
(monographies)**



Canadian Institute for Historical Microreproductions / Institut canadien de microreproductions historiques

© 1997

Technical and Bibliographic Notes / Notes techniques et bibliographiques

The Institute has attempted to obtain the best original copy available for filming. Features of this copy which may be bibliographically unique, which may alter any of the images in the reproduction, or which may significantly change the usual method of filming are checked below.

- Coloured covers / Couverture de couleur
- Covers damaged / Couverture endommagée
- Covers restored and/or laminated / Couverture restaurée et/ou pelliculée
- Cover title missing / Le titre de couverture manque
- Coloured maps / Cartes géographiques en couleur
- Coloured ink (i.e. other than blue or black) / Encre de couleur (i.e. autre que bleue ou noire)
- Coloured plates and/or illustrations / Planches et/ou illustrations en couleur
- Bound with other material / Relié avec d'autres documents
- Only edition available / Seule édition disponible
- Tight binding may cause shadows or distortion along interior margin / La reliure serrée peut causer de l'ombre ou de la distorsion le long de la marge intérieure.
- Blank leaves added during restorations may appear within the text. Whenever possible, these have been omitted from filming / Il se peut que certaines pages blanches ajoutées lors d'une restauration apparaissent dans le texte, mais, lorsque cela était possible, ces pages n'ont pas été filmées.
- Additional comments / Commentaires supplémentaires:

L'Institut a microfilmé le meilleur exemplaire qu'il lui a été possible de se procurer. Les détails de cet exemplaire qui sont peut-être uniques du point de vue bibliographique, qui peuvent modifier une image reproduite, ou qui peuvent exiger une modification dans la méthode normale de filmage sont indiqués ci-dessous.

- Coloured pages / Pages de couleur
- Pages damaged / Pages endommagées
- Pages restored and/or laminated / Pages restaurées et/ou pelliculées
- Pages discoloured, stained or foxed / Pages décolorées, tachetées ou piquées
- Pages detached / Pages détachées
- Showthrough / Transparence
- Quality of print varies / Qualité inégale de l'impression
- Includes supplementary material / Comprend du matériel supplémentaire
- Pages wholly or partially obscured by errata slips, tissues, etc., have been refilmed to ensure the best possible image / Les pages totalement ou partiellement obscurcies par un feuillet d'errata, une pelure, etc., ont été filmées à nouveau de façon à obtenir la meilleure image possible.
- Opposing pages with varying colouration or discolourations are filmed twice to ensure the best possible image / Les pages s'opposant ayant des colorations variables ou des décolorations sont filmées deux fois afin d'obtenir la meilleure image possible.

This item is filmed at the reduction ratio checked below /
Ce document est filmé au taux de réduction indiqué ci-dessous.

10x		14x		18x		22x		26x		30x	
								✓			
	12x		16x		20x		24x		28x		32x

The copy filmed here has been reproduced thanks to the generosity of:


Stauffer Library
Queen's University

The images appearing here are the best quality possible considering the condition and legibility of the original copy and in keeping with the filming contract specifications.

Original copies in printed paper covers are filmed beginning with the front cover and ending on the last page with a printed or illustrated impression, or the back cover when appropriate. All other original copies are filmed beginning on the first page with a printed or illustrated impression, and ending on the last page with a printed or illustrated impression.

The last recorded frame on each microfiche shall contain the symbol \rightarrow (meaning "CONTINUED"), or the symbol ∇ (meaning "END"), whichever applies.

Maps, plates, charts, etc., may be filmed at different reduction ratios. Those too large to be entirely included in one exposure are filmed beginning in the upper left hand corner, left to right and top to bottom, as many frames as required. The following diagrams illustrate the method:



L'exemplaire filmé fut reproduit grâce à la générosité de:


Stauffer Library
Queen's University

Les images suivantes ont été reproduites avec le plus grand soin, compte tenu de la condition et de la netteté de l'exemplaire filmé, et en conformité avec les conditions du contrat de filmage.

Les exemplaires originaux dont la couverture en papier est imprimée sont filmés en commençant par le premier plat et en terminant soit par la dernière page qui comporte une empreinte d'impression ou d'illustration, soit par le second plat, selon le cas. Tous les autres exemplaires originaux sont filmés en commençant par la première page qui comporte une empreinte d'impression ou d'illustration et en terminant par la dernière page qui comporte une telle empreinte.

Un des symboles suivants apparaît sur la dernière image de chaque microfiche, selon le cas: le symbole \rightarrow signifie "À SUIVRE", le symbole ∇ signifie "FIN".

Les cartes, planches, tableaux, etc., peuvent être filmés à des taux de réduction différents. Lorsque le document est trop grand pour être reproduit en un seul cliché, il est filmé à partir de l'angle supérieur gauche, de gauche à droite, et de haut en bas, en prenant le nombre d'images nécessaire. Les diagrammes suivants illustrent la méthode.



MICROCOPY RESOLUTION TEST CHART

(ANSI and ISO TEST CHART No. 2)



APPLIED IMAGE Inc

1653 East Main Street
Rochester, New York 14609 USA
(716) 482-0300 - Phone
(716) 288-5989 - Fax

REPORT
OF THE
CANADIAN ARCTIC EXPEDITION
1913-18

VOLUME IV: BOTANY

PART E: MOSSES

By R. S. WILLIAMS



OTTAWA
THOMAS MULVEY
PRINTER TO THE KING'S MOST EXCELLENT MAJESTY
1921

Issued February 8, 1921

Report of the Canadian Arctic Expedition, 1913-18.

VOLUME I: GENERAL INTRODUCTION, NARRATIVE, ETC.

- Part A: NORTHERN PARTY, 1913-18.
Part B: SOUTHERN PARTY, 1913-16. By Rudolph Martin Anderson..... (In preparation).

VOLUME II: MAMMALS AND BIRDS

- Part A: MAMMALS. By Rudolph Martin Anderson (In preparation).
Part B: BIRDS. By R. M. Anderson and P. A. Taverner..... (In preparation).

VOLUME III: INSECTS

- INTRODUCTION. By C. Gordon Hewitt..... (Issued December 10, 1920).
Part A: COLLEMBOLA. By Justus W. Folsom (Issued July 10, 1919).
Part B: NEUROPTEROID INSECTS. By Nathan Banks..... (Issued July 11, 1919).
Part C: DIPTERA
Crane-flies. By Charles P. Alexander.
Mosquitoes. By Harrison G. Dyar.
Diptera (excluding Tipulidae and Calicidae). By J. R. Mulloch (Issued July 14, 1919).
Part D: MALLOPHAGA AND ANOPLURA.
Mallophaga. By A. W. Baker.
Anoplura. By G. I. Ferris and G. H. F. Nuttall (Issued September 12, 1919).
Part E: COLEOPTERA.
Forest Insects, including Inula, Cerambycidae, and Buprestidae. By J. M. Swaine.
Carabidae and Silphidae. By H. C. Fall.
Coccinellidae, Elateridae, Chrysomelidae and Rhyngophora (excluding Ipidae).
By C. W. Long.
Dytiscidae. By J. D. Sherman, Jr (Issued December 12, 1919).
Part F: HEMIPTERA. By Edward P. VanDuzee (Issued July 11, 1919).
Part G: HYMENOPTERA AND PLANT GALLS.
Sawflies. (Tenthredinoidea). By Alex. D. MacGillivray.
Parasitic Hymenoptera. By Charles T. Brues.
Wasps and Bees. By F. W. L. Staden.
Plant Galls. By E. Porter Felt (Issued November 3, 1919).
Part H: SPIDERS, MITES AND MYRIAPODS.
Spiders. By J. H. Emerton.
Mites. By Nathan Banks.
Myriapods. By Ralph V. Chamberlin (Issued July 14, 1919).
Part I: LEPIDOPTERA. By Arthur Gibson (Issued January 10, 1920).
Part J: ORTHOPTERA. By E. M. Walker (Issued September 4, 1920).
Part K: GENERAL OBSERVATIONS ON INSECT LIFE IN THE ARCTIC.
By Frits Johansen (In press).

VOLUME IV: BOTANY

- Part A: FRESHWATER ALGAE AND FRESHWATER DIATOMS. By Charles W. Lowe (In preparation).
Part B: MARINE ALGAE. By F. S. Collins (In preparation).
Part C: FUNGI. By John Dearness (In preparation).
Part D: LICHENS. By G. K. Merrill (In preparation).
Part E: MOSSES. By R. S. Williams (In preparation).

VOLUME V: BOTANY

- Part A: FLOWERING PLANTS AND FERNS. By James M. Macoun and Theo. Holm. (In press).
Part B: CONTRIBUTIONS TO MORPHOLOGY, SYNONYMY, AND GENERAL DISTRIBUTION OF ARCTIC PLANTS. By Theo. Holm (In press).
Part C: GENERAL NOTES ON ARCTIC VEGETATION. By Frits Johansen. (In preparation).

VOLUME VI: FISHES, TUNICATES, ETC.

- Part A: FISHES. By F. Johansen (In preparation).
Part B: ASCIDIANS, ETC. By A. G. Huntsman (In preparation).

VOLUME VII: CRUSTACEA

- Part A: DECAPOD CRUSTACEANS. By Mary J. Rathbun (Issued August 18, 1919).
Part B: SCHIZOPOD CRUSTACEANS. By Waldo L. Schmitt (Issued September 22, 1919).
Part C: CUMACEA. By W. T. Calman (Issued October 15, 1920).
Part D: ISOPODA. By P. L. Boone. (Issue November 10, 1920).
Part E: AMPHIPODA. By Clarence R. Shoemaker (Issued September 7, 1920).
Part F: PYCNOGONIDA. Leon J. Cole (In press, January 3, 1921).
Part G: ETIPHYLOPODA. By F. Johansen (In preparation).
Part H: CLADOCERA. By Chancey Juday (Issued June 23, 1920).
Part I: OSTRACODA. By R. W. Sharpe (In preparation).
Part J: FRESHWATER COPEPODA. By C. Dwight Marsh (Issued April 21, 1920).
Part K: MARINE COPEPODA. By A. Willey (Issued June 25, 1920).
Part L: PARASITIC COPEPODA. By Charles B. Wilson (Issued August 6, 1920).
Part M: CIRRIPIEDIA. By H. A. Pilsbry (In preparation).

REPORT
OF THE
CANADIAN ARCTIC EXPEDITION
1913-18

VOLUME IV: BOTANY

PART E. MOSSES

By R S WILLIAMS



OTTAWA
THOMAS MULVEY
PRINTER TO THE KING'S MOST EXCELLENT MAJESTY
1921

Mosses of the Canadian Arctic Expedition, 1913-1918.

By R. S. WILLIAMS

New York Botanical Garden, Bronx Park, New York

The following list enumerates 68 species of the true mosses. The genus most largely represented is *Drepanocladus* with 11 species, all sterile; next come *Bryum* with 9 species, 5 of which are fruiting; all the other genera, 33 in number, are represented by 1 or 2 species except *Dicranum* of which there are 3, one of which *C. elongatum* is in fruit, and *Stereodon* which contains 4 species.

The greatest number of species (7) separated out from one collection and growing more or less intimately associated, were obtained from a piece of sod, some 4 by 6 inches on the upper surface, cut out from the tundra on Barter island on the coast of arctic Alaska. These seven species, all sterile and mentioned in the order of their abundance, the commonest first, are as follows: *Caloscopium nigratum*, *Swartzia montana*, *Drepanocladus brevifolius*, *Bryum neodamense*, *Chrysohypnum stellatum*, *Eucalypta brevicornis*, and *Drepanocladus scorpioides*. From a small collection made on Sadlerochit over about twenty-five miles inland from Camden bay, Alaska, the following were separated out: *Bryum pallens*, *Leptobryum pyriferum*, *Mnium affine*, *Drepanocladus ulmaceus* and *Lophidium rugosum*. The *Bryum* and *Leptobryum* bearing fruit.

The specimens are sterile unless otherwise stated. One species, *Bryum neodamense*, found in Europe, from the Pyrenees to the arctic coast, does not seem to have been credited before to America. Another, *Drepanocladus brevifolius*, has only been noted from Greenland, while two others are described as new.

The region collected over extends from about latitude 65° to 70° 35' N., and from the northern Alaska coast eastward to about longitude 110° W., and unless otherwise noted the specimens were collected by Mr. F. Jørgensen.

CLASS MUSCI

Subclass PHLEGNEAE

Family Sphagnaceae

Genus *Sphagnum* (Dill.) Ehrh.

Sphagnum subsecuncum Nees.

Tundra pond at Teller, District of Charence, Alaska, Aug. 6, 1913.

Sphagnum fuscum, (Sch.) H. Klinggr.

High tundra swamp on Herschel island, Yukon Territory, July 31, 1916.

Subclass BRYALES

Tribe ACROCARPI.

Family DITRICHACEAE.

Genus *Swartzia* Ehrh.; Hedw.

Swartzia montana (Lam.) Lindb.

On cliffs on "Ptarmigan creek," Sadlerochit river, Alaska, Nov. 13, 1913. Tundra on Barter island, Alaska, summer 1918, J. Hadley; fruiting. Tundra at Bernard harbour, Northwest Territories, June, 1916. On dolomite cliffs Murray point, Victoria island, Northwest Territories, March 25, 1916.

Genus **Ditrichum** Tium.**Ditrichum flexicaule** var. **densum** Braithw.

Near Colville hills, Victoria island, Northwest Territories, July, 1915. D. Jenness. Tundra at Bernard harbour, Northwest Territories, June, 1916.

Ditrichum giganteum R. S. Will.

Port Epworth, Coronation gulf, Northwest Territories, June, 1915. J. R. Cox and J. J. O'Neill.

Family **DICRANACEAE**.Genus **Dicranum** Hedw.**Dicranum Bergeri** Blandow.

On lower hills of Sadlerochit river, 25 miles inland from Camden bay, Alaska, Nov. 13, 1913.

Dicranum elongatum Schleich.

Tundra hummock at Collinson point, Alaska, June 7, 1914.

Dicranum neglectum Juratzka.

Tundra at Collinson point, Alaska, June 7, 1914. Tundra at Collinson point, Alaska, Oct. 9, 1913. Basalt island southeast of Lady Franklin point, Coronation gulf, Northwest Territories, March 12, 1916.

Family **POTTIACEAE**.Genus **Tortella** (C.M.) Limpr.**Tortella tortuosa** (L.) Limpr.

Moist places on basalt island southeast of Lady Franklin point, Coronation gulf, Northwest Territories, March 12, 1916.

Tortella fragilis (Drum.) Limpr.

Port Epworth, Coronation gulf, Northwest Territories, June, 1915. J. R. Cox and J. J. O'Neill.

Genus **Didymodon** Hedw.**Didymodon rubellus** (Hoffm.) Br. & Sch.

Young point, Northwest Territories, July 21st, 1916. On dolomite rocks on Sutton island, Dolphin and Union strait, Northwest Territories, April 10, 1916.

Genus **Barbula** Hedw.**Barbula Johansenii**, n.sp.

Dioica: humillima (3-4 mm.); caules simplices, cespitosi, virides; folia siccata erecto-appressa imbricata, ovato-lanceolata, non papillosa, 1.5 mm. longa, margine integro, plus minus revoluta; cellulis inferioribus oblongis vel

rectangularibus, pellucidis, superioribus subincrassatis, depresso-rotundatis, nervo excurrente (0.4-0.5 mm.), crasso, viridi, fragilissimo, superne saepe latiore.

Barbulae acutae (Brid.) Brid. proxima.

Pl. 1, fig. 1-NH. Sterile, only flowers containing 3-5 archegonia with few or no paraphyses found; the archegonial leaves lanceolate with mostly a long-excurrent costa enlarging toward the apex, the inner leaf often very small and consisting largely of the costa; stems 3-4 mm. high, with rhizoids at the base, about 125 μ in diameter, with rather indistinct central strand and walls of 1 or 2 layers of cells with but slightly thickened cell-walls; stem-leaves erect, rather closely appressed-imbricate when dry, ovate-lanceolate, the blade up to 1.5 mm. long and .40 mm. wide, with an excurrent costa up to 130 μ long above the blade, often enlarging and somewhat flattened toward the apex and mostly broken off in the older leaves, in cross-section showing 2-4 guide cells without stereid cells in the upper part but in lower costa with rather small, thick-walled cells above and below the guide-cells, extending to the surface; leaf-margin entire, more or less recurved along the middle; cells of leaf smooth, in the upper half of blade mostly transversely oval with thickened walls, the median cells 8-10 μ by 5-8 μ gradually changing below the middle of leaf to the more or less oblong or rectangular and paler cells of the basal part.

Type locality, Murray point, Victoria island, latitude 68-40'N., on dolomite cliffs, March 25, 1916, Frits Johansen.

This species comes nearest to *B. acuta* (Brid.) Brid., but the elongate basal cells extend farther up the leaf and the stereids of the lower part of the costa are not so well defined.

***Barbula vinealis* Brid.**

Atkoon creek, Clifton point, Northwest Territories, May 6, 1916, D. Jenness. Valley back of Bernard harbour, Northwest Territories, May 9, 1916, F. Johansen.

Genus ***Pottia*** Ehrh.

***Pottia Heimii* var. *obtusifolia* Hagen**

Tundra at Cape Bathurst, Northwest Territories, latitude 70-35' N., July 26, 1916, fruiting.

Genus ***Tortula*** Hedw.

***Tortula ruralis* (L.) Ehrh.**

On boulder at Konganevik, Camden bay, Alaska, June 29, 1914. Valley back of Bernard harbour, Northwest Territories, May 9th, 1916. Island near Cookburn point, Dolphin and Union strait, Northwest Territories, July 15, 1916.

Family **ENCALYPTACEAE.**

Genus ***Encalypta*** Schreb.

***Encalypta procera* Bruch.**

On cliffs on "Ptarmigan creek," Sadlerochit river, Alaska, Nov. 13, 1913

***Encalypta brevicolla*, Bruch.**

Tundra on Barter island, arctic coast of Alaska, summer 1918, J. Hadley

Family **GRIMMIACEAE**.Genus **Racomitrium** Brid.**Racomitrium hypnoides** (L.) Lindb.

Tundra at Cape Barrow, Coronation gulf, Northwest Territories, Aug. 6, 1915, J. J. O'Neill. On basalt outcrop at mouth of "Mackenzie river" (of Dr. Rae), Victoria island, Northwest Territories, Canada, March 29, 1916.

Family **ORTHOTRICHACEAE**.Genus **Orthotrichum** Hedw.**Orthotrichum Killiasii** C.M.

Harbour island, Bernard harbour, Northwest Territories, June 10, 1916 and tundra at Bernard harbour, Northwest Territories, June, 1916; fruiting. From dolomite rock cliff, at mouth of "Mackenzie river," (of Dr. Rae) south shore of Victoria island, Northwest Territories, March 29, 1916. On boulders at Bernard harbour, Northwest Territories, June, 1916. "Uluksoq's island," Bernard harbour, Northwest Territories, June 12, 1916. Bernard harbour, Northwest Territories, June 11, 1915; fruiting. Cape Barrow, Coronation gulf, Northwest Territories, Aug. 1915. R. M. Anderson.

Family **SPLACHNACEAE**.Genus **Tetraplodon** B.S. & G.**Tetraplodon bryoides** (Zoeg.) Lindb.

Bernard harbour, Northwest Territories, July 3, 1916. Tundra at Collinson point, Alaska, June 3, 1914. Tundra at Young point, Northwest Territories, July 21, 1916. The specimens all fruiting.

Genus **Haplodon** R. Br.**Haplodon Wormskjoldii** (Hornem.) R. Br.

Creek bed at Bernard harbour, Northwest Territories, July 9, 1915. Bernard harbour, Northwest Territories, July 3, 1916. All in fruit.

Family **BRYACEAE**.Genus **Leptobryum** (B.S. & G.) Wils.**Leptobryum pyriforme** (L.) Wils.

On boulders, Sadlerochit river, about 30 miles inland from Camden bay, Alaska, Nov. 13, 1913; fruiting.

Genus **Bryum** Dill.**Bryum pendulum** (Hornsch.) Sch.

Creek bed at Bernard harbour, Northwest Territories, July 9, 1915; fruiting.

Bryum arcticum (R.Br.) B.S. & G. Bry. Eur.

Island near Cockburn point, Dolphin and Union strait, Northwest Territories, July 15, 1916. Probably the same: tundra at Young point, Northwest Territories, July 21, 1916. Both in fruit, but the latter with capsules infected by a fungus.

Bryum Agattuense Philib.

Small island at Bernard harbour, Northwest Territories, June 17, 1916. Having seen no authentic specimens of this species, these sterile, flagelliferous specimens are somewhat doubtfully referred here.

Bryum mucronigerum Philib.

Bernard harbour, Northwest Territories, July 3, 1916. From same locality, creek-bed, July 9, 1916. Both in fruit.

Bryum calophyllum R. Br.

Port Epworth harbour, Coronation gulf, Northwest Territories, June 27, 1915, J. J. O'Neill.

Bryum neodamense Itzig.

Tundra on Barter island, arctic coast of Alaska, J. Hadley, summer, 1918. No previous record found for North America.

Bryum suborbiculare Philib.

On rocks on Sutton island, Dolphin and Union strait, Northwest Territories, April 10, 1916. The specimens are sterile and in rather poor condition, but apparently belong here.

Bryum Wrightii Sulliv.

Tundra at Bernard harbour, Northwest Territories, June 16, 1915; fruiting.

Bryum pallescens Schleich.

Tundra swamp at Konganevik, Camden bay, Alaska, June 30, 1914. Mountain slopes Sadlerochit river about 30 miles inland from Camden bay, Alaska, Nov. 10 and 13, 1913. Atkoon creek, Clifton point, Northwest Territories, May 6, 1916, D. Jenness. Creek-bed at Bernard harbour, Northwest Territories, July 9, 1915. All fruiting except the ones from Atkoon creek.

Family **MNIACEAE.**Genus **Mnium** (Dill.) L.**Mnium affine**, Bland.

From boulder, Sadlerochit river, 30 miles inland from Camden bay, Alaska, Nov. 13, 1913. Shingle point, western edge of Mackenzie river delta, Yukon Territory, Aug. 1, 1914, J. R. Cox and J. J. O'Neill.

Genus **Cinclidium** Sw.; Schrad.**Cinclidium subrotundum** Lindb.

Shore of big lake at Konganevik, Camden bay, Alaska, June 26, 1914.

Family **AULACOMNIACEAE.**Genus **Aulacomnium** Schwaegr.**Aulacomnium palustre** var. **imbricatum** B.S. & G. Bry. Eur.

In swamp on Herschel island, Yukon Territory, July 31, 1916; Diabase island in Coronation gulf, Northwest Territories, March 12, 1916.

Aulacomnium turgidum (Wahl.) Schwaegr.

From lower hill-tops of Sadlerochit river about 25 miles inland from Camden bay, Alaska, Nov. 13, 1913.

Family **CATOSCOPIACEAE.**Genus **Catoscopium** Brid.**Catoscopium nigratum** (Hedw.) Brid.

Barter island, arctic coast of Alaska, summer, 1918, J. Hadley.

Family **BARTRAMIACEAE.**Genus **Philonotis** Brid.**Philonotis fontana** (L.) Brid.

From warm creek tributary to Sadlerochit river, Camden bay, Alaska, Nov. 6, 1913.

Family **TIMMIACEAE.**Genus **Timmia** Hedw.**Timmia bavarica** Hessel.

Tundra at Bernard harbour, Northwest Territories, June, 1916.

Tribe **PLEUROCARPI.**Family **ENTODONTACEAE.**Genus **Holmgrenia** Lindb.**Holmgrenia chrysea** (Schwaegr.) Lindb.

Diabase island in Coronation gulf, Northwest Territories, March 12, 1916.

Family **LESKEACEAE.**Genus **Thuidium** B.S. & G.**Thuidium abietinum** (L.) B.S. & G. Bry. Eur.

Port Epworth, Coronation gulf, Northwest Territories, June, 1915, J. R. Cox and J. J. O'Neill. With *Cassiope tetragona* in creek below Sandstone rapids, Coppermine river, Northwest Territories, Feb. 15, 1915.

Family **HYPNACEAE.**Genus **Amblystegium** B.S. & G.**Amblystegium compactum** (C.M.) Aust.

On dolomite rock, Sutton island, Dolphin and Union strait, April 10, 1916.

Amblystegium serpens (L.) B.S. & G. Bry. Eur.

Small island between Chantry island and mainland, near Bernard harbour, Northwest Territories, June 17, 1916. Harbour island at Bernard harbour, June 10, 1916, F. Johansen.

Genus **Hygroamblystegium** Loeske.**Hygroamblystegium filicinum** (L.) Loeske.

From warm creek tributary to Sadlerochit river, about 25 miles inland from Camden bay, Alaska, Nov. 6, 1913.

Hygroamblystegium noterophilum (Sull.) Warnst.

Locality, etc., of preceding.

Genus **Drepanocladus** (C.M.) Roth.**Drepanocladus aduncus** L. Warnst.

On boulder at Konganevik, Camden bay, Alaska, June 29, 1914. Tundra hummock, Collinson point, Alaska, June 3, 1914. On boulder, Sadlerochit river about 30 miles inland from Camden bay, Alaska, Nov. 13, 1913. Shingle point, western edge of Mackenzie river delta, August, 1914. J. R. Cox and J. J. O'Neill. Tundra at Young point, Northwest Territories, July 21, 1916.

Drepanocladus revolvens (Sw.) Warnst.

Pond in swamp at Bernard harbour, Northwest Territories, June 16, 1915.

Drepanocladus Cossoni (Sch.) Roth.

Mountain slopes, Sadlerochit river, about 30 miles inland from Camden bay, Alaska, Nov. 10, 1913.

Drepanocladus fluitans (Dill.) Warnst.

Attached to stones in creek-bed at Bernard harbour, Northwest Territories, Aug. 16, 1915.

Drepanocladus Kneiffii (Sch.) Warnst.

Shore of big lake at Konganevik, Camden bay, Alaska, June 26, 1914.

Drepanocladus Kneiffii var. **laxum** Sch.

Pond on Pihumalerksiak island, Cockburn point, Northwest Territories, July 15, 1916.

Drepanocladus Sentneri (Sch.) Warnst.

Pond on Chantry island, Dolphin and Union strait, Northwest Territories, June 17, 1916.

Drepanocladus Wilsoni (Sch.) Roth.

Brook swamp on tundra at cape Bathurst, Northwest Territories, July 26, 1916. A lax form; locality of preceding (tundra), July 26, 1916.

Drepanocladus brevifolius (Lindb.) Warnst.

Barter island, arctic coast of Alaska, summer, 1918, J. Hedley. Previously reported for North America only from Greenland.

Drepanocladus trifarius (Web. & Mohr.) Broth.

From pond on Chantry island, Dolphin and Union strait, Northwest Territories, June 17, 1916.

Pond in swamp at Bernard harbour, Northwest Territories, June 16, 1915.

Drepanocladus scorpioides (L.) Warnst.

Barter island, arctic coast of Alaska, summer, 1918, J. Hadley. Pond at Bernard harbour, Northwest Territories, July 3, 1916. Shore of big lake at Bernard harbour, July 19, 1915. Pond at Bernard harbour, Aug. 16, 1915. Attached to stones in creek-bed, Bernard harbour, Aug. 16, 1915.

Genus **Calliergon** (Sull.) Kindb.**Calliergon giganteum** (Sch.) Kindb.

Tundra at cape Bathurst, Northwest Territories, July 20, 1916. Attached to stones in creek at Bernard harbour, Northwest Territories, Aug. 16, 1915.

Calliergon sarmentosum (Wahlenb.) Kindb.

Probably this but with more distant leaves and the leaf-cells with walls thinner and less pitted than is usual. Shore of big lake at Konganevik, Camden bay, Alaska, June 26, 1914.

Genus **Chrysohypnum** Hampe.**Chrysohypnum stellatum** (Schreb.) Loeske.

From bottom of ice covered pond on tundra at Collinson point, Alaska, October 9, 1913. Cliffs on "Ptarmigan creek," Sadlerochit river, Camden bay, Alaska, Nov. 13, 1913. Barter island, arctic coast of Alaska, summer, 1918, J. Hadley. Pond on Chantry island, Northwest Territories, June 17, 1916. From shore of big lake at Bernard harbour, Northwest Territories, July 19, 1915.

Chrysohypnum arcticum, n.sp.

Flores et fructus ignoti; caulis biceps (1-2 cm.), pallide lutescens, ramis paucis; folia caulina e basi appressa, concava, late ovata vel suborbicularia subito in acumen reflexum producta, margine erecto vel involuto, integerrimo; cellulis elongatis, pellucidis non incrassatis, latis 7-8 μ , basi majusculis, laxis plus minus lutescentibus subincrassatis, alaribus variis ventricose fasciculatis.

Chrysohypnum stellato (Schreb.) Loeske proximum sed folia et cellulae latiorae.

Sterile, no flowers found; the pale, yellowish stems without radicles and with few, irregular branches, in cross-section roundish, about 175 μ in diameter, with small central strand and mostly two outer layers of cells with thickened walls; stem-leaves very concave, not decurrent, up to 1.4 mm. wide and 1.7-2 mm. long, the more or less rounded lower part appressed imbricate, with an acute, widely spreading point, the margins entire all round and flat or incurved; costa mostly short and double or rarely single and usually slightly forking above.

rarely extending 1-3 up the leaf; branch leaves narrower than those of the stem, very concave, entire, mostly cestate or with very short costa; cells of stem leaves pale, quite uniform to near the base, with thin walls, the median 25-40 μ long and 7-8 μ wide, the basal cells with often somewhat thickened and golden brown walls, broader and shorter than above and extending to the costa, the alar rarely forming a rather distinct, somewhat inflated cluster.

Type locality, swamp on Pilmalerksiak island, a little stony island off Cockburn point, Dolphin and Union strait, Northwest Territories, July 15, 1916, F. Johansen.

This species seems to come nearest *C. stellatum* but the leaves are relatively much broader below, the cells about twice as broad in proportion to their length, with the cell-walls thinner throughout and not pitted.

Genus **Rhytidium** (Sull.) Kindb.

Rhytidium rugosum (Ehrh.) Kindb.

On boulder, Sadlerochit river about 25 miles inland from Camden bay, Alaska, Nov. 13, 1913. Cape Barrow, Coronation gulf, Northwest Territories, middle of August, 1915, R. M. Anderson.

Genus **Hylocomium** B.S. & G.

Hylocomium alaskanum (L. & J.) Kindb.

On boulder at Konganevik, Camden bay, Alaska, June 29, 1914, and on tundra at Collinson point, Alaska, October 9, 1913.

Genus **Stereodon** (Brid.) Mitt.

Stereodon Bambergeri (Sch.) Lindb.

Tundra at Bernard harbour, Northwest Territories, June, 1916.

Stereodon cupressiformis (L.) Brid.

On boulder at Konganevik, Camden bay, Alaska, June 29, 1914. Tundra hummock, Collinson point, Alaska, June 3, 1914.

Stereodon revolutus Mitt.

"Uluksook's island," Bernard harbour, Northwest Territories, June, 1916. Valley back of Bernard harbour, May 9, 1916.

Stereodon Vaucheri (Lesq.) Lindb.

Chantry island, Dolphin and Union strait, Northwest Territories, June 17, 1916.

Family **BRACHYTHECIACEAE.**

Genus **Camptothecium** B.S. & G.

Camptothecium lutescens (Huds.), B.S. & G. Bry. Eur.

Boulder at Konganevik, Camden bay, Alaska, June 29, 1914. Island southeast of Lady Franklin point, Coronation gulf, Northwest Territories, March 12, 1916.

Camptothecium nitens (Schreb.) Sch.

With *Cassiope tetragona* in creek below Sandstone rapids, Coppermine river, Northwest Territories, February 15, 1915.

Genus **Brachythecium** B.S. & G.**Brachythecium albicans** (Neck.) B. S. & G. Bry. Eur.

Creek below Sandstone rapids, Coppermine river, Northwest Territories, February, 15, 1915. Cape Barrow, Coronation gulf, Northwest Territories, middle of August, 1915. R. M. Anderson

Brachythecium sp.

Swamp on Pihumalerksiak island, Cockburn point, Northwest Territories, July 15, 1916. Some fragmentary sterile specimens that seem to belong to a *Brachythecium* and near some of the entire-leaved forms of *B. plumosum*.

Genus **Eurhynchium** B.S. & G.**Eurhynchium strigosum** (Hoff.) Br. & Sch.

Tundra at Colbunson point, Alaska, Oct. 9, 1913. Cape Barrow, Coronation gulf, Northwest Territories, August 1915. R. M. Anderson.




DESCRIPTION OF PLATE.

Barbula Johnsonii, n. sp.

- Fig. 1. Plant X 19.
 2. Outer perichaetial leaf X 32.
 3. Stem-leaf X 32.
 4 & 5. Cross sections of lower and middle parts of stem-leaf X 210.
 6 & 7. Cross sections of upper part of leaf and excurrent costa X 210.
 8 & 9. Inner perichaetial leaves X 32.
 10. Apex of costa broken off and starting new growth X 50.
 11. Basal cells of stem-leaf X 210.
 12. Median cells X 215.

Chrysohypnum arcticum, n. sp.

- Fig. 13. Plant X 6.
 14 & 15. Stem leaves X 19.
 16. Branch leaf X 19.
 17. Basal cells of leaf X 210.
 18. Median cells X 215.





Report of the Canadian Arctic Expedition, 1913-18.

VOLUME VIII: MOLLUSKS, ECHINODERMS, COELENTERATES, ETC.

- Part A. MOLLUSKS, RECENT AND PLEISTOCENE. By William H. Dall. (Issued September 24, 1919).
Part B. CEPHALOPODA AND PTEROPODA. By S. S. Berry and W. F. Clapp. (In preparation).
Part C. ECHINODERMS. By Austin H. Clark. (Issued April 6, 1920).
Part D. BRYOZOA. By R. C. Osburn. (In preparation).
Part E. ROTATORIA. By H. K. Harring. (In preparation).
Part F. CHAETOGNATHA. By A. G. Huntsman. (In preparation).
Part G. ACTINOZOA AND ALGONARIA. By A. E. Verrill. (In press).
Part H. MEDUSAL AND CTENOPHORA. By H. E. Bigelow. (Issued June 30, 1920).
Part I. HYDROIDS. By McLenn Fraser. (In preparation).
Part J. PORIFERA.

VOLUME IX: ANNELIDS, PARASITIC WORMS, PROTOZOANS, ETC.

- Part A. OLIGOCHAETA
Lumbriculidae. By Frank Smith. (Issued September 29, 1919).
Enchytraeidae. By Paul S. Welch. (Issued November 16, 1919).
Part B. POLYCHAETA. By Ralph V. Chamberlin. (In press).
Part C. HIRUDINEA. By J. P. Moore. (Issued June 10, 1920).
Part D. CEPHYREA. By Ralph V. Chamberlin. (Issued April 7, 1920).
Part E. ACANTHOCEPHALA. By H. J. Van Cleave. (In preparation).
Part F. NEMATODA. By N. A. Cobb. (In press).
Part G. H. TREMATODA AND CESTODA. By A. R. Cooper. (In preparation).
Part I. TEREBELLARIA. By A. Hassell.
Part J. GORDIACEA. (In preparation).
Part K. SPOROZOA. By J. A. Mayor. (Issued February 6, 1920).
Part M. FORAMINIFERA. By E. A. Cushman.

VOLUME X: PLANKTON, HYDROGRAPHY, TIDES, ETC.

- Part A. PLANKTON. By Albert Mann. (In preparation).
Part B. MARINE DIATOMS. By L. W. Bailey. (In preparation).
Part C. TIDAL OBSERVATIONS AND RESULTS. By W. Bell Dawson. (Issued October 1, 1920).
Part D. HYDROGRAPHY. (In preparation).

VOLUME XI: GEOLOGY AND GEOGRAPHY

- Part A. THE GEOLOGY OF THE ARCTIC COAST OF CANADA, WEST OF THE KENT PENINSULA. By J. J. O'Neill. (In preparation).
Part B. MAPS AND GEOGRAPHICAL NOTES. By Kenneth G. Chipman and John R. Cox. (In preparation).

VOLUME XII: THE COPPER ESKIMOS (One part, complete)

- THE LIFE OF THE COPPER ESKIMOS. By D. Jenness. (In press).

VOLUME XIII: PHYSICAL CHARACTERISTICS AND TECHNOLOGY OF THE COPPER ESKIMOS

- Part A. THE PHYSICAL CHARACTERISTICS OF THE COPPER ESKIMOS. By D. Jenness (in part). (In preparation).
Part B. TECHNOLOGY OF THE COPPER ESKIMOS. (To be prepared).

VOLUME XIV: ESKIMO FOLK-LORE AND LANGUAGE

- Part A. FOLK-LORE, WITH TEXTS, FROM ALASKA, THE MACKENZIE DELTA, AND CORONATION GULF. By D. Jenness. (In preparation).
Part B. COMPARATIVE GRAMMAR AND VOCABULARY OF THE ESKIMO DIALECTS OF POINT BARROW, THE MACKENZIE DELTA, AND CORONATION GULF. By D. Jenness. (In preparation).

VOLUME XV: ESKIMO STRING FIGURES AND SONGS

- Part A. STRING FIGURES OF THE ESKIMOS. By D. Jenness. (Ready for press).
Part B. SONGS OF THE COPPER ESKIMOS. By D. Jenness (in part). (In preparation).

VOLUME XVI: ARCHAEOLOGY

- CONTRIBUTIONS TO THE ARCHAEOLOGY OF WESTERN ARCTIC AMERICA. (To be prepared).



