







IMAGE EVALUATION TEST TARGET (MT-3)



APPLIED IMAGE, Inc.
1653 East Main Street
Rochester, NY 14609 USA
Phone: 716/482-0300
Fax: 716/288-5989

© 1993, Applied Image, Inc., All Rights Reserved

**CIHM
Microfiche
Series
(Monographs)**

**ICMH
Collection de
microfiches
(monographies)**



Canadian Institute for Historical Microreproductions / Institut canadien de microreproductions historiques

© 1993

Technical and Bibliographic Notes / Notes techniques et bibliographiques

The Institute has attempted to obtain the best original copy available for filming. Features of this copy which may be bibliographically unique, which may alter any of the images in the reproduction, or which may significantly change the usual method of filming, are checked below.

L'Institut a microfilmé le meilleur exemplaire qu'il lui a été possible de se procurer. Les détails de cet exemplaire qui sont peut-être uniques du point de vue bibliographique, qui peuvent modifier une image reproduite, ou qui peuvent exiger une modification dans la méthode normale de filmage sont indiqués ci-dessous.

☐ Coloured covers/
Couverture de couleur

☐ Coloured pages/
Pages de couleur

☐ Covers damaged/
Couverture endommagée

☐ Pages damaged/
Pages endommagées

☐ Covers restored and/or laminated/
Couverture restaurée et/ou pelliculée

☐ Pages restored and/or laminated/
Pages restaurées et/ou pelliculées

☐ Cover title missing/
Le titre de couverture manque

☒ Pages discoloured, stained or foxed/
Pages décolorées, tachetées ou piquées

☐ Coloured maps/
Cartes géographiques en couleur

☐ Pages detached/
Pages détachées

☐ Coloured ink (i.e. other than blue or black)/
Encre de couleur (i.e. autre que bleue ou noire)

☒ Showthrough/
Transparence

☐ Coloured plates and/or illustrations/
Planches et/ou illustrations en couleur

☐ Quality of print varies/
Qualité inégale de l'impression

☒ Bound with other material/
Relié avec d'autres documents

☐ Continuous pagination/
Pagination continue

☐ Tight binding may cause shadows or distortion along interior margin/
La reliure serrée peut causer de l'ombre ou de la distorsion le long de la marge intérieure

☐ Includes index(es)/
Comprend un (des) index

☐ Blank leaves added during restoration may appear within the text. Whenever possible, these have been omitted from filming/
Il se peut que certaines pages blanches ajoutées lors d'une restauration apparaissent dans le texte, mais, lorsque cela était possible, ces pages n'ont pas été filmées.

Title on header taken from:/
Le titre de l'en-tête provient:

☐ Title page of issue/
Page de titre de la livraison

☐ Caption of issue/
Titre de départ de la livraison

☐ Masthead/
Générique (périodiques) de la livraison

☐ Additional comments:/
Commentaires supplémentaires:

This item is filmed at the reduction ratio checked below/
Ce document est filmé au taux de réduction indiqué ci-dessous.

10X	12X	14X	16X	18X	20X	22X	24X	26X	28X	30X	32X
						☒					

qu'il
cet
de vue
je
tion
nés

The copy filmed here has been reproduced thanks to the generosity of:



Library
Agriculture Canada

The images appearing here are the best quality possible considering the condition and legibility of the original copy and in keeping with the filming contract specifications.

Original copies in printed paper covers are filmed beginning with the front cover and ending on the last page with a printed or illustrated impression, or the back cover when appropriate. All other original copies are filmed beginning on the first page with a printed or illustrated impression, and ending on the last page with a printed or illustrated impression.

The last recorded frame on each microfiche shall contain the symbol $\rightarrow$ (meaning "CONTINUED"), or the symbol ∇ (meaning "END"), whichever applies.

Maps, plates, charts, etc., may be filmed at different reduction ratios. Those too large to be entirely included in one exposure are filmed beginning in the upper left hand corner, left to right and top to bottom, as many frames as required. The following diagrams illustrate the method:



L'exemplaire filmé fut reproduit grâce à la générosité de:

Bibliothèque
Agriculture Canada

Les images suivantes ont été reproduites avec le plus grand soin, compte tenu de la condition et de la netteté de l'exemplaire filmé, et en conformité avec les conditions du contrat de filmage.

Les exemplaires originaux dont la couverture en papier est imprimée sont filmés en commençant par le premier plat et en terminant soit par la dernière page qui comporte une empreinte d'impression ou d'illustration, soit par le second plat, selon le cas. Tous les autres exemplaires originaux sont filmés en commençant par la première page qui comporte une empreinte d'impression ou d'illustration et en terminant par la dernière page qui comporte une telle empreinte.

Un des symboles suivants apparaîtra sur la dernière image de chaque microfiche, selon le cas: le symbole $\rightarrow$ signifie "A SUIVRE", le symbole ∇ signifie "FIN".

Les cartes, planches, tableaux, etc., peuvent être filmés à des taux de réduction différents. Lorsque le document est trop grand pour être reproduit en un seul cliché, il est filmé à partir de l'angle supérieur gauche, de gauche à droite, et de haut en bas, en prenant le nombre d'images nécessaire. Les diagrammes suivants illustrent la méthode.

t

u

fi

d

a

th

b

a

ac

l

gr

bu

pu

pe

in

de

as

pl

th

of

an

th

an

is

po

by

for

ski

ONTARIO DEPARTMENT OF AGRICULTURE.

TORONTO, SEPT. 3, 1894.

REMEDIES FOR THE PREVENTION OF SMUT.

PROF. J. H. PANTON, ONTARIO AGRICULTURAL COLLEGE, GUELPH.

Clean Seed. If there are no smut spores upon the grain sown, there will be no smut upon the plants that grow from it.

Hot Water. It has been conclusively shown that smut spores upon wheat or oats can be destroyed by immersing the grain for fifteen minutes in water at a temperature of 132°F . This not only destroys the smut spores, but hastens the germination of the grain and improves the general growth of the plants. The difficulty in this treatment is to maintain a temperature of 132° , for if it falls below 130° or rises beyond 135° , the remedy is likely to fail.

Any way by which this temperature of 132°F can be kept up and the grain immersed in it twelve to fifteen minutes may be adopted. Some persons take two vessels, one containing water at 110°F to 120°F , the other water at 132°F . Whatever quantity of grain is taken each time for treatment, it should be much less in bulk than the water into which it is to be immersed. The grain is put into a basket or bag made from loosely woven material, so as to permit the water to pass in and out readily without the grain straining through.

The grain is first put into No. 1 a minute or two, raised up and down a few times so that it may be thoroughly wet, and heated so as not to lessen the temperature of No. 2, into which it is next plunged and moved about for twelve to fifteen minutes, so as to be thoroughly saturated. It is very important to keep the temperature of the water in this vessel at 132° ; if it sinks below add warm water and if it rises above add cold water, never allowing it to reach higher than 135° or lower than 130° . The grain, after having been raised and lowered into No. 2 several times for twelve to fifteen minutes, is lifted out and cooled, either by dipping it into cold water or by pouring cold water upon it.

Considerable smut may be removed before treating with hot water, by placing the grain in a vessel of cold water and stirring it about for 30 minutes. The smutty grains will float to the top and may be skimmed off.

Chemical Solutions. In treatment by using solutions of chemical compounds, there is always a risk of injuring the germinating power of the grain.

But this method has been long followed with much success, usually more in the case of wheat smut (bunt) than that upon oats (loose smut).

In both cases the *hot water* remedy ranks the most successful. There are many solutions that have been tried, but we shall refer to only two. It is generally believed that a strong solution used for a short time is better than a weak one for a longer period, especially where the seed is to be sown by a seed-drill. When grain is allowed to soak for a long time, it does not readily pass out of the drill, and hence using a stronger solution for a shorter time is preferred.

The following are among the best solutions that have been tried :

1. One lb. *Copper Sulphate* (blue vitriol) dissolved in 3 gals. water. Wet the grain thoroughly with this solution and then dry it gradually or sprinkle slaked lime upon it.
2. Three lb. of *Copper Sulphate* dissolved in 5 gals. water. Wet the grain thoroughly and dry by sprinkling plaster or slaked lime upon it and mix well. This quantity will be about sufficient for 15 bushels of grain.
3. One lb. *Copper Sulphate* dissolved in 20 gals. water. Allow the seed to remain in this 12 to 15 hours and put it in lime water for ten minutes and then dry.
4. One lb. *Potassium Sulphide* (liver of sulphur) dissolved in 10 gals. water. Allow the grain to steep in this 12 hours, stirring it from time to time so as to thoroughly mix ; then spread the grain so as to dry.
5. One lb. *Potassium Sulphide* dissolved in 20 gals. water. Steep the grain in this 24 hours.

