





IMAGE EVALUATION TEST TARGET (MT-3)



Photographic Sciences Corporation

**23 WEST MAIN STREET
WEBSTER, N.Y. 14580
(716) 872-4503**

**CIHM/ICMH
Microfiche
Series.**

**CIHM/ICMH
Collection de
microfiches.**



Canadian Institute for Historical Microreproductions

Institut canadien de microreproductions historiques

1980

Technical and Bibliographic Notes/Notes techniques et bibliographiques

The Institute has attempted to obtain the best original copy available for filming. Features of this copy which may be bibliographically unique, which may alter any of the images in the reproduction, or which may significantly change the usual method of filming, are checked below.

L'Institut a microfilmé le meilleur exemplaire qu'il lui a été possible de se procurer. Les détails de cet exemplaire qui sont peut-être uniques du point de vue bibliographique, qui peuvent modifier une image reproduite, ou qui peuvent exiger une modification dans la méthode normale de filmage sont indiqués ci-dessous.

☐ Coloured covers/
Couverture de couleur

☐ Covers damaged/
Couverture endommagée

☐ Covers restored and/or laminated/
Couverture restaurée et/ou pelliculée

☐ Cover title missing/
Le titre de couverture manque

☐ Coloured maps/
Cartes géographiques en couleur

☐ Coloured ink (i.e. other than blue or black)/
Encre de couleur (i.e. autre que bleue ou noire)

☐ Coloured plates and/or illustrations/
Planches et/ou illustrations en couleur

☐ Bound with other material/
Relié avec d'autres documents

☐ Tight binding may cause shadows or distortion along interior margin/
La reliure serrée peut causer de l'ombre ou de la distortion le long de la marge intérieure

☐ Blank leaves added during restoration may appear within the text. Whenever possible, these have been omitted from filming/
Il se peut que certaines pages blanches ajoutées lors d'une restauration apparaissent dans le texte, mais, lorsque cela était possible, ces pages n'ont pas été filmées.

☐ Additional comments:/
Commentaires supplémentaires:

☐ Coloured pages/
Pages de couleur

☐ Pages damaged/
Pages endommagées

☐ Pages restored and/or laminated/
Pages restaurées et/ou pelliculées

☒ Pages discoloured, stained or foxed/
Pages décolorées, tachetées ou piquées

☐ Pages detached/
Pages détachées

☐ Showthrough/
Transparence

☐ Quality of print varies/
Qualité inégale de l'impression

☐ Includes supplementary material/
Comprend du matériel supplémentaire

☐ Only edition available/
Seule édition disponible

☐ Pages wholly or partially obscured by errata slips, tissues, etc., have been refilmed to ensure the best possible image/
Les pages totalement ou partiellement obscurcies par un feuillet d'errata, une pelure, etc., ont été filmées à nouveau de façon à obtenir la meilleure image possible.

☒ This item is filmed at the reduction ratio checked below/
Ce document est filmé au taux de réduction indiqué ci-dessous.

10X	12X	14X	16X	18X	20X	22X	24X	26X	28X	30X	32X
						✓					

The copy filmed here has been reproduced thanks to the generosity of:



Library of the Public
Archives of Canada

The images appearing here are the best quality possible considering the condition and legibility of the original copy and in keeping with the filming contract specifications.

Original copies in printed paper covers are filmed beginning with the front cover and ending on the last page with a printed or illustrated impression, or the back cover when appropriate. All other original copies are filmed beginning on the first page with a printed or illustrated impression, and ending on the last page with a printed or illustrated impression.

The last recorded frame on each microfiche shall contain the symbol \rightarrow (meaning "CONTINUED"), or the symbol ∇ (meaning "END"), whichever applies.

Maps, plates, charts, etc., may be filmed at different reduction ratios. Those too large to be entirely included in one exposure are filmed beginning in the upper left hand corner, left to right and top to bottom, as many frames as required. The following diagrams illustrate the method:



L'exemplaire filmé fut reproduit grâce à la générosité de:

La bibliothèque des Archives
publiques du Canada

Les images suivantes ont été reproduites avec le plus grand soin, compte tenu de la condition et de la netteté de l'exemplaire filmé, et en conformité avec les conditions du contrat de filmage.

Les exemplaires originaux dont la couverture en papier est imprimée sont filmés en commençant par le premier plat et en terminant soit par la dernière page qui comporte une empreinte d'impression ou d'illustration, soit par le second plat, selon le cas. Tous les autres exemplaires originaux sont filmés en commençant par la première page qui comporte une empreinte d'impression ou d'illustration et en terminant par la dernière page qui comporte une telle empreinte.

Un des symboles suivants apparaîtra sur la dernière image de chaque microfiche, selon le cas: le symbole \rightarrow signifie "A SUIVRE", le symbole ∇ signifie "FIN".

Les cartes, planches, tableaux, etc., peuvent être filmés à des taux de réduction différents. Lorsque le document est trop grand pour être reproduit en un seul cliché, il est filmé à partir de l'angle supérieur gauche, de gauche à droite, et de haut en bas, en prenant le nombre d'images nécessaire. Les diagrammes suivants illustrent la méthode.

errata
to

pelure,
on à

The World's Columbian Water Commerce Congress

CHICAGO, 1893

THE CHIGNECTO SHIP RAILWAY

BY

H. G. C. KETCHUM

Joint Engineer of the Chignecto Ship Railway

AMHERST, NOVA SCOTIA

BOSTON

DAMRELL & UPHAM

The Old Corner Bookstore

283 Washington Street

Recd, 4/9/24
Mr. Munroe

THE CHIGNECTO SHIP RAILWAY.

THE transportation of heavy and bulky merchandise over great distances at a cheap cost is of vital importance to consumers everywhere, and this is best done by the water. Water carriage has the advantage over railways that railways have over common roads. Ship railway transportation combined with water carriage, by avoiding transshipment of freight, by short cuts over isthmuses, by the saving of distance, and by avoiding the dangers of the sea, has a manifest advantage over common railways. The introduction of ship railways will mark a revolution in means of transport. A ship railway may be considered the evolution of the ordinary railway. It is the outcome of the necessity of carrying heavy loads.* A ship railway is simply a large-scale railway, designed for the most economic transport of freight overland. The vessel may be considered as a large car, where the dead weight bears a small proportion to the paying load. As the biggest horses, the strongest vehicles, carry with the greatest economy on ordinary roads, so, with low speed, powerful locomotives and the most capacious cars become the economic desiderata of transportation on railways. The rolling-stock of railways has grown to great dimensions of late years. Train loads have nearly doubled in weight and length within the past fifteen years, requiring engines of growing power and cars of growing capacity, involving larger rails, better ballast, and stronger fish-joints. This is in order to reduce the cost of transportation of freight and increase the speed for passenger service. The struggle with all railways has been to reduce the dead weight, so as to increase the pay-

ing load. Ten-ton cars were in vogue up to 1875. Then, in 1882, this was increased to twenty-ton cars; and recently, a standard car to carry thirty tons has been decided on, while the car itself shall not exceed twelve tons.

Fortunate are the companies that are already supplied with permanent way and bridges adequate to the increasing weight of locomotives and ever-growing trains. The experience so tardily and expensively gained by common railways teaches the advantages of ship-railway transportation.

The object of the Chignecto Ship Railway is to afford cheap, rapid and safe passage for vessels between the Gulf of St. Lawrence and the Bay of Fundy. Over two-thirds of the sea-going traffic of the Bay of Fundy is with the United States and the country south. The Atlantic Ocean bordering on Nova Scotia, with its iron-bound coast, its fogs, its shifting currents, its reefs and shoals, its Sable Island (the graveyard of commercial navies), its risks and outlying dangers to vessels, operate as almost a prohibition to that extension of commercial intercourse by water between the Gulf of St. Lawrence and the Eastern States which is the great want of the day. Vessels have now to make a long detour around the Atlantic coast, either passing through the Strait of Canso or round Cape Breton. The loss inflicted on commerce for lack of the short means of transit across the isthmus is simply incalculable. The object of the ship railway is therefore to cut the barrier of the Isthmus of Chignecto, to extend the commerce of the Bay of Fundy into the Gulf of St. Lawrence, and to extend the navigable water communication of the Gulf and River St. Lawrence indefinitely south. The ship railway will offer a considerable saving for steamers and sailing-vessels, which may thus be summarized :

(1) Steamers passing through the Gulf of St. Lawrence to St. John, N. B., via the Straits of Canso, will save 500 miles, and from 300 miles and upwards to Portland, Boston, etc., so that in many cases steamers will be able to make two trips where now only one can be made. Large sailing vessels, which are unable to pass through the Straits of Canso without waiting for favorable winds, and which have in consequence

to pass round Cape Breton, would save 700 miles. Such a saving is of the utmost importance in the case of vessels with perishable cargoes, such as vegetables, fresh fish, etc.

(2) There will be a saving in marine insurance premiums, the present rates from Boston to ports in the Gulf of St. Lawrence being about double those to the Bay of Fundy, owing to the increased risk of navigation round Nova Scotia and Cape Breton.

(3) Vessels will be able to pass by the railway earlier in the spring and later in the autumn than they could otherwise do when the Straits of Canso are blocked with ice, thus extending the period of navigation three weeks or thereabouts.

(4) Vessels which, from their build, are not suited to navigate the ocean coast of Nova Scotia, will be able to pass from the north to the south side of the isthmus, so that vessels built and adapted only for inland waters will be able to continue their course with safety from the St. Lawrence and even the western lakes to St. John, N. B., Portland and Boston, or *vice versa*, thus opening a new channel of trade.

The existing commerce between Canada and the United States would in this way be greatly stimulated and developed by the railway. A large trade may be anticipated between the western lake ports and those of the New England States, when a vessel loaded with grain can come direct from Montreal and the lakes to Boston without breaking bulk, thus avoiding transshipment of cargoes and carriage by rail, as at present.

No corresponding district of country in America possesses resources that are at once so diversified and so extensive as the territories bordering on the Gulf of St. Lawrence. The fisheries will be for all time a source of food supply for the nations, and of boundless wealth to the Provinces. For a hundred years the forests of Northern New Brunswick have been an important element of supply in the British lumber markets. The lumber now going to England in the form of deals will find a more certain market in the United States. Where is there a more prolific soil than the rolling lands of Prince Edward Island, or along the south shores and rivers

of the gulf? Added to these resources are coal mines and quarries yet in the infancy of their development. The territory east of Quebec does a foreign business, entering and clearing, amounting to 7,000,000 tons of shipping. With rapid, cheap and safe transit across the Isthmus of Chignecto, with freer trade between the United States and Canada, no one will venture to state a limit to the growth and development of a territory that is so grand in its resources. If the ports along the Bay of Fundy can to-day afford a business with the United States and the country south of 2,000,000 tons inwards and outwards, being almost two-thirds of their total tonnage, who is bold enough to predict that the more abundant resources of the St. Lawrence will not produce a commerce vastly greater? When a new avenue of commerce is opened between the Atlantic and the gulf, those pent-up energies will receive a great impulse. A revolution in trade will result, for the possibilities of future development of wealth and of prosperity are well-nigh boundless. By the Chignecto Ship Railway, propellers and vessels of 1,000 tons burthen now navigating the lakes will be able to come even from Chicago to the gulf, and continue their course in quiet water through the sheltered Bay of Fundy to St. John, Portland and Boston.

The distance saved would be 500 miles between St. John and the great cities of Canada over the present route by Canso, and 700 miles via Cape Breton. An inland lake vessel loaded with grain would be able to come direct from Chicago to Boston without breaking bulk; while the usual vessel, on account of its build, could not face the present route by the ocean coast of Nova Scotia. There is practically an unlimited market in the Western States and Canada for Bay of Fundy lime, plaster, coal and building-stone, which could be exchanged for flour, meal, oil and manufactures of the West. At present, building-stone quarried on the shores of the Bay of Fundy is carried by rail from Sackville, N. B., to Toronto and Buffalo. These products would find a more profitable market if the Bay of Fundy were in ready access to the St. Lawrence by water. Prince Edward Island has an annual

surplus of farm products, principally potatoes. These require quick transit at cheap rates, which cannot be given by the long route by Cape Canso or by rail. A ship railway would allow steamers to place the island products in the markets of New England three weeks earlier in the spring, and later in the fall of the year, than by the present route through the Straits of Canso, owing to ice accumulating there.

The trade between Canada and the West Indies and South America now amounts to \$10,000,000 per annum. It is certain that this trade will be greatly stimulated on the completion of this ship railway, because the varied products of Canada can be collected and shipped to these places without expensive rail carriage, and exchanged for products of the tropics.

Preliminary steps have been taken for the purpose of organizing a steamship company to run from Montreal, or some farther inland port, to ports in the West Indies in summer and from St. John in the winter. The open port of St. John would likely become the depot of all tropical products, which would be forwarded as return cargoes in exchange for the manufactures of the Western Provinces and States.

It has already been stated that the tonnage of the St. Lawrence and Bay of Fundy inwards, and outwards amounts to 11,000,000 tons. *9,500,000 in 1895*

The revenues are estimated on a basis of tolls which will induce ship-owners to send their vessels across the isthmus. Vessels in ballast will be carried at almost nominal rates, and the toll of vessels with cargoes will be graduated according to the value of the cargo and the toll it can bear. It is resolved to make it a commercial success.

This work is unique among the public works of Canada. The Canadian Government has granted a subsidy of \$170,600 a year for twenty years after the completion of the work, but this subsidy is repayable to the government as soon as there is any excess over seven per cent. dividend on the capital of the company. No money has been furnished directly or indirectly by the treasury of Canada. A more

advantageous plan for carrying on a public work in the interests of the people of Canada could scarcely be devised. The money spent has been wholly found in England by a private company on the basis of the government guarantee and Canadian credit.

It may be of interest to refer for a moment to the question, "Why was the ship railway finally adopted in place of a canal?"

The construction of the proposed canal has been variously estimated at from \$5,500,000 to \$8,000,000, every dollar of which would have had to be provided by the tax-payers of Canada; for no company would have undertaken it as a commercial venture. The ship railway accommodates paddle-wheel steamers such as navigate the Bay of Fundy and the gulf, but these could not pass through the canal of the width proposed by the government engineers. The maintenance and repairs of the ship railway will be less expensive than a canal. The construction of a canal would be attended with unusual difficulty, not only from the nature of the work, but from the great difference in the elevation of the respective tides, amounting to about 20 feet. One of the difficulties to be overcome in the canal was the great ebb and flow of the Bay of Fundy tide. At neap-tides there is a range of 40 feet, and at spring-tides there is a range of 48 feet. At the famous Saxby tide in ~~1868~~ the range was 53 feet. The supply of water for the canal would have to come from the turbid waters of the Bay of Fundy. For these reasons and to save the immense cost, the contemplated project was finally abandoned by the Canadian Government, which then adopted the scheme of the ship railway.

The line of the ship railway is 17 miles long, in a straight line from Fort Lawrence on the Bay of Fundy to Tidnish on the gulf side, and is practically without a gradient. There are to be 2 tracks, with rails of 110 pounds each to the yard, 1 line of which is now laid for 13 miles, leaving only 4 miles to connect the 2 docks. The Fort Lawrence Dock is a spacious basin, capable of containing at a time 6 ships of 1,000 tons each. It is excavated 40 feet deep, is 500

1869

feet long and 300 feet wide. Walls of massive masonry rise on either side of the gate, to retain the waters of the basin. A gate 30 feet high and 60 feet wide opens at high water to admit shipping. When admitted, the vessel is floated over a gridiron (which forms a movable part of the track), which with the cradle upon it is immersed to the bottom of the lifting dock to receive the vessel for transportation. There is no danger whatever of injury to vessels from being strained, either from being raised up vertically from the dock, or during transportation, or depositing again in the water by the means proposed to be used in this railway, which will be a great improvement on other lifting docks and marine railways. Keel blocks in the centre of the cradle and adjustable bilge blocks afford ample support to the sides and bottom of the vessel, and the cradle rests on springs affording just sufficient elasticity to render any strain impossible without causing oscillation. The cradle is about 230 feet long, 40 feet wide; it is carried on 192 wheels, and consists of 3 sections.

The hydraulic rams and presses to lift vessels to the level of the track are 20 in number, 10 on each side of the track. The length of their stroke is 40 feet. Each set of lifting apparatus is composed of 2 cylinders, the inner one, performing the functions of a piston and ram, and the outer one, which is called the press. When the vessel is floated over the cradle and received into its place, the whole mass (comprising ship, gridiron, and cradle) is raised to the level of the main track. The gridiron is then locked to the sides of the quay, thus forming a bridged platform. Hydraulic machinery will then be applied to haul the cradle and vessel from the gridiron to the track of the railway. A couple of locomotives are attached, and the journey across the isthmus can then be proceeded with. To sustain such great weights, the roadbed is of the most solid construction and the foundation of the most stable character. Arriving at Tidnish, the vessel is placed over the gridiron in the lifting dock by hydraulic capstans, and lowered into the dock. At this place the dock and basin, instead of being excavated, as at

Amherst, are built out into the bay. The water is shallow, and the moles, or breastwork, are run out nearly half a mile to deep water. Beyond the moles, the entrance channel is dredged 3,000 feet. As the tide rises here only six feet, no gate is required. The bottom of the basin between the moles is to be dredged to a depth of 20 feet at low water, affording ample depth and secure haven for all classes of vessels using the railway. The moles are made of cribs filled with rock. They are supplied with mooring posts, and are decked over and protected from the sea by piles and riprap-work. Thus at both termini, large and safe harbors and good entrances are provided for shipping.

Like all novel enterprises, this ship railway has encountered its full share of scepticism and hostility, and run the gauntlet of the gibes of the incredulous and the criticism of its opponents; but it has steadily made headway among capitalists, commercial men, and engineers, so that no one to-day doubts that the scheme is feasible and practicable as an engineering work, and the doubters are those who now argue that it will not be commercially a success.

When one considers the great advantages and resources of this country for a maritime business, which is to-day in its infancy, and looking at the growth and progress made during the last generation alone, and then at the vast possibilities of the future, one cannot but feel that the ship railway will eventually be a commercial success beyond all expectation. The present tonnage adjacent to it is over 11,000,000, arrivals and departures. The annual increase is nearly half a million tons per annum. It rose from 8,000,000 in 1884 to 11,000,000 in 1890. If the ship railway draws but 10 per cent. of the present tonnage, it will pay a dividend on the capital of the company sufficiently large as not to necessitate calling on the government for any portion of the subsidy agreed to be given.

The reason of this is, that the working expenses will be very small, much smaller than by ordinary railways, and because it so nearly approaches the requirements of a perfect railway. The standard of a perfect railway is to be straight

and level, to have a solid, smooth road-bed, and first-class works of art. The promoters have striven to obtain these conditions for the ship railway. The line is absolutely straight. One-half is dead level. Where gradients have been necessary, they have nowhere exceeded 1 in 500. The rails, made of toughened steel, are the heaviest yet rolled for any railway. The ballast is of broken stone. The road-bed is well drained. Where embankments occur, care has been taken to remove all elastic material, and to form good foundations of rock on the hard substrata. The ship railway is located and constructed especially for the carrying of steamers of 2,000 tons weight and 14 feet draft. The working expenses will be very small. The work is substantially built. It will need but little repairs and maintenance. The speed will be from 5 to 10 miles an hour. Fuel is cheap in the coal-producing country of Nova Scotia. The terminal expenses, consisting of raising and depositing vessels will be trifling. There is no freight to load or unload. This work is done automatically in the docks. The expense of transportation consists almost entirely of the cost of locomotive power, added to the expense of working the hydraulic lifts, the expense of docking vessels (in which the crews of the vessels will assist), and the small cost of maintenance and administration. Counting the cost of locomotive power what experience has shown it to be, on the average, — viz., 17 per cent. on English railways, — it may be fairly estimated that the other named expenses will make up the balance of 30 per cent. of the receipts. The Chignecto ship railway is the pioneer ship railway of the world. It is now three-fourths complete. It will be finished in ~~1895~~ 2. The construction account up to date amounts to almost four million dollars. It will cost one million and a half more to complete. The contracts to finish and equip are all made. Work will be resumed as soon as the company can float the remainder of its prior lien bonds. *& extension of time obtained*

The safe transit of a ship in cargo across the Isthmus of Chignecto will be the signal for many other ship railway schemes to begin construction. The Tehuantepec, the

Panama, the Cape Cod, the Ontario and Michigan isthmuses will be vanquished by this means; and various obstructions can be overcome and short cuts made in different parts of the world.

The money so ill-spent on the Panama Canal would have been more than sufficient to complete a ship railway over that isthmus. Sooner or later the world will discover that the only way to solve that problem at Panama, by which the world's water commerce will be so materially extended, is by means of a ship railway.

AMHERST, NOVA SCOTIA.

isthmuses
obstructions
nt parts of

would have
railway over
cover that
which the
extended, is

