



Yours truly
L. Woodworth

FR

PR

TWENTY-FOURTH ANNUAL REPORT

OF THE

FRUIT GROWERS' ASSOCIATION

OF ONTARIO

1892.

PRINTED BY ORDER OF THE LEGISLATIVE ASSEMBLY.



TORONTO:
PRINTED BY WARWICK & SONS, 68 & 70 FRONT STREET WEST.
1893.

Affiliate
Agricult
Agricult
Alkaline
Annual
Ansjutin
Anthrac
Antonov
Apple B
Apple C
Apple I
Apple I
Apple I
Apple S
Apples,
Apples f
Apples,
Apricots
Arnold.
Babuski
Baldwin
Barberry
Beall's,
Bee Kee
Besseni
Beurre
Black K
Blenheim
Bohemia
Bordeau
Botan .
Botanica
Brant Co
Bubach
Burlingt
By-Laws
Canker V
Carbolic
Catalogu
Cheney I
Cherry F
Cherry, J
Chickasa
Clay Far
Columbia
Columbia
Concord
Constitut
Cranberr
Curculio
Dempsey

1703

INDEX.

| | PAGE. | | PAGE. |
|---|----------|---|------------|
| Affiliated Societies | 133 | Dempsey Pear | 10 |
| Agricultural College Advisory Board... | 71 | DeSoto Plum | 13, 14 |
| Agricultural Divisions | 4 | Diseases of Fruit Trees, Act on | 24, 37 |
| Alkaline Wash | 45 | District Fruit Lists | 142 |
| Annual Meeting | 5 | Duchess Apple | 40 |
| Ansjutin's Apricots | 100 | Enemies of Horticulture | 42 |
| Anthraxnose of Raspberry | 88 | Enhance Strawberry | 50 |
| Antonovka | 94, 95 | Experiment Stations for Fruit | 47, 73, 78 |
| Apple Bucculatrix | 113 | Eye Spotted Bud Moth | 113 |
| Apple Growing | 26 | Fall Web Worm | 113 |
| Apple Inspection | 65 | Fertilizers for the Garden and Orchard. | 125 |
| Apple Inspector, Duties of | 66 | Flemish Beauty | 110 |
| Apple Scab | 32, 82 | Forest Garden | 14 |
| Apples, Best for Profit | 40 | Fruit Catalogue | 137 |
| Apples for Stock | 68 | Fruit Exhibit | 73 |
| Apples, Yield in Ontario | 63 | Fruit Exhibit at St. Petersburg | 105 |
| Apricots, Russian | 100, 106 | Fruit Experiment Stations | 73 |
| Arnold | 121 | Fruit Growing on Clay | 28 |
| Babuskino, or Grandmother Apple | 102 | Fruit in Lambton County | 127 |
| Baldwin Apple | 41 | Fruit Statistics | 68 |
| Barberry | 132 | Fungi Affecting Fruits | 79 |
| Beall's, Dr., Address | 90 | Fungicides | 21, 22, 43 |
| Bee Keeping and Fruit Growing | 34 | Gandy Strawberry | 50 |
| Bessemianka Pear | 97 | Garden, My | 122 |
| Beurre Romain | 103 | Gillespie | 50 |
| Black Knot | 37, 38 | Golden Russet | 42 |
| Blenheim Apple | 41 | Gooseberries | 61 |
| Bohemian Queen Cherry | 101 | Gooseberry Mildew | 85 |
| Bordeaux Mixture | 43 | Grand Duchess of Olga Apple | 103 |
| Botan | 18 | Grapes | 69 |
| Botanical Laboratory | 90 | Grapes, Committee on | 74 |
| Brant County Fruit Growers' Association | 133 | Grapes, Most Productive | 69 |
| Bubach Strawberry | 50 | Grapes recommended | 76 |
| Burlington Horticultural Society | 133 | Gravenstein | 40 |
| By-Laws | 3 | Grimes Golden | 41 |
| Canker Worms | 112 | Hamburg Pear | 103 |
| Carbolic Acid Emulsion | 45 | Hansell Raspberry | 119 |
| Catalogue of Fruits | 137 | Hardy Russian Pears | 108 |
| Cheney Plum | 14 | Haverland | 50 |
| Cherry Rot | 86 | Hawkeye Plum | 12, 14 |
| Cherry, Russian | 101 | Hawthorn | 132 |
| Chickasaw Plums | 15 | Hedges | 131 |
| Clay Farms | 28 | Heebner Raspberry | 119 |
| Columbian Exhibition | 9 | Hellebore | 45 |
| Columbia Raspberry | 118 | Herstine Raspberry | 119 |
| Concord | 70 | History of Association | 6 |
| Constitution | 3 | Honey Locust | 132 |
| Cranberry Pippen | 42 | Honey, Price of | 36 |
| Curculio Proof | 18 | Ida | 14 |
| Dempsey, P.C | 10, 121 | Imported Currant Sawfly | 113 |

17033

| | PAGE. | | PAGE. |
|---|-------------|--|------------|
| Inspection of Fruit | 64 | Prunus Domestica | 13 |
| Kandyl Synap | 99 | " Serotina | 14 |
| Kara Synap | 98 | Psylla on Pear | 56 |
| Kerosene Emulsion | 45, 59 | Purple Yosemite Plum | 15 |
| Koslov Morello | 95 | Pyrethrum | 45 |
| Lambton County, Fruit in | 127 | Raspberries, new | 118 |
| Lettuce growing under Glass | 128 | Raspberry Anthracnose | 88 |
| Liegal's Pear | 111 | Red Panna Pear | 109 |
| Lithunian Pippin | 111 | Report of Fruit in Lambton County | 127 |
| Local Fruit Growers | 4, 75 | Ribston Apple | 40 |
| Long Pear | 108 | Rollingstone Plum | 14 |
| Mercuric Chloride as an Insecticide | 116 | Rostov Pea | 97 |
| Mildew of the Grape | 84 | Russian Fruits | 94 |
| Miner Plum | 16 | Russian Pears | 97 |
| Morello Cherry | 95 | Sapieganka Pear | 101, 102 |
| My Garden | 122 | Sary Synap Apple | 99 |
| Native Plums | 12 | Scab | 32 |
| Native Plums, Advantages of | 17 | Sheep in the Apple Orchard | 114 |
| New Fruits | 77, 119 | Shot-hole Fungus | 87 |
| Newman Plum | 15 | Slutsk | 110 |
| New Raspberries | 118 | Spraying | 46, 112 |
| Niagara Grape | 69 | Statistics of Fruits | 61 |
| Nina Pear | 111 | St. Lawrence | 40 |
| Norway Spruce | 132 | Stone Antonovka | 94 |
| Notes on New Fruits | 119 | Strawberries | 50 |
| Nozzles | 24 | Strawberries for Home Use | 52 |
| Obituary | 78 | Strawberries for Market | 52 |
| Officers | 2, 74 | Strawberries, Twenty Years' Experience with | 52 |
| Olga Apple | 104 | Strawberry Leaf Blight | 87 |
| Ontario Apple | 30, 41, 120 | Synap Apple | 98 |
| Pana Pear | 108 | Thinning Fruit | 27 |
| Peach Yellows | 81 | Thompson's Early | 118 |
| Pear Blight | 81 | Tobacco | 45 |
| Pear Culture, Experience in | 53 | Tobacco Rot | 84 |
| Pear Leaf Blister Mite | 113 | Tomatoes as a Greenhouse Crop | 130 |
| Pear Orchard, Location | 54 | Treasurer's Report | 70 |
| Pears, Report on | 60 | Trenton Apple | 10 |
| Pears, Russian | 97, 108 | Uriuck Apricot | 106 |
| Pear Tree Psylla | 56 | Van Buren | 14 |
| Peterboro' F. G. Ass | 135 | Warfield Strawberry | 50 |
| Planting Trees | 54 | Wayant | 15 |
| Soil, choice of trees, etc | 54 | Wealthy Apple | 30, 41 |
| Plum Leaf Fungus | 87 | Weaver Plum | 14, 15, 17 |
| Plum Knot | 80 | Welcome Meeting | 5 |
| Plum Rot | 19, 23 | Weston Strawberry | 52 |
| Plums, Native | 12 | White Doyenne | 109 |
| Pomace for Stock | 68 | Whitesmith Gooseberry | 61 |
| Powdery Mildew of the Gooseberry | 85 | Wild Goose Plum | 16 |
| Powdery Mildew of the Grape | 84 | Williams Strawberry | 50, 52 |
| Potato Rot | 22 | Windbreak | 33 |
| Pottawattamie Plum | 15 | Winnitza Rambour | 111 |
| President's Address | 7 | Winter Nelis | 53 |
| Princess Strawberry | 50 | Wolf | 15, 16 |
| Problem of our time | 123 | Woolverton Strawberry | 50, 52 |
| Prunus Americana | 14 | Worden Grape | 70 |
| " Dimissa | 14 | Yellows | 81 |

ONT

To the

Sr

Report

value to

extent

to unite

any As

Yo

growers

fruits, h

been car

GRIMSBY

PAGE.

... 13

... 14

... 56

... 15

... 45

... 118

... 88

... 109

... 127

... 40

... 14

... 97

... 94

... 97

01, 102

... 99

... 32

... 114

... 87

... 110

46, 112

... 61

... 40

... 94

... 50

... 52

... 52

nce

... 52

... 87

... 98

... 27

... 118

... 45

... 84

... 130

... 70

... 10

... 106

... 14

... 50

... 15

30, 41

, 15, 17

... 5

... 52

... 109

... 61

... 16

50, 52

... 33

... 111

... 53

... 15, 16

... 50, 52

... 70

... 81

ANNUAL REPORT

OF THE

ONTARIO FRUIT GROWERS' ASSOCIATION

To the Hon. John Dryden, Minister of Agriculture :

SIR,—I have the honor of submitting for your approval the Twenty-fourth Annual Report of the Fruit Growers' Association of Ontario. It contains information of great value to fruit growers, not only in the Province of Ontario, but also throughout the whole extent of our Dominion from the Atlantic to the Pacific; who have so appreciated it as to unite with our Association in large numbers, making our membership the largest of any Association of its kind in the world.

You will notice that the papers and discussions are chiefly given by practical fruit growers and, therefore, have great practical value; and, further, that the catalogues of fruits, both those for the guidance of judges and those for the guidance of planters, have been carefully revised and extended.

I have the honor to be, Sir,
Your obedient servant,

LINUS WOOLVERTON,
Secretary.

GRIMSBY, December, 1892.

OFFICERS FOR 1893.

PRESIDENT :

A. H. Pettit.....Grimsby.

VICE PRESIDENT :

T. H. Race.....Mitchell.

SECRETARY-TREASURER AND EDITOR :

Linus Woolverton, M.A.....Grimsby.

DIRECTORS :

Division No. 1.....W. S. Turner, Cornwall.
 Division No. 2.....John Craig, Central Experimental Farm, Ottawa.
 Division No. 3.....D. Nicol, Cataraqui.
 Division No. 4.....Wellington Boulter, Picton.
 Division No. 5.....Thos. Beall, Lindsay.
 Division No. 6.....W. E. Wellington, Toronto.
 Division No. 7.....Murray Pettit, Winona.
 Division No. 8.....A. M. Smith, St. Catharines.
 Division No. 9.....J. R. Howell, Brantford.
 Division No. 10.....A. McD. Allan, Goderich.
 Division No. 11.....J. D. Stewart, Russeldale.
 Division No. 12.....Alex. McNeill, Windsor.
 Division No. 13.....G. C. Caston, Craighurst.

AUDITORS :

E. B. Edwards.....Peterborough.
 J. A. Morton.....Wingham.

COMMITTEES FOR 1893.

Fruit Exhibit. Messrs. E. Morris, Fonhill ; J. D. Stewart, Russeldale ; and W. S. Turner, Cornwall.

New Fruits. Prof. John Craig, Experimental Farm, Ottawa ; Messrs. W. W. Hilborn, Leamington, and G. C. Caston, Craighurst.

Legislation. Messrs. E. D. Smith, Winona ; A. W. Peart, Burlington ; J. Cavers, Galt ; J. K. McMichael, Waterford, and G. W. Cline, Winona.

Experiment Stations. Messrs. A. M. Smith, St. Catharines ; A. H. Pettit, Grimsby ; M. Pettit, Winona, and W. W. Hilborn, Leamington.

Pear Catalogue. Messrs. D. W. Beadle, 450 Markham St., Toronto ; W. H. Dempsey, Trenton, and G. W. Cline, Winona.

Fruit Inspection. Messrs. A. H. Pettit, Grimsby ; M. Pettit, Winona, and L. Woolverton, Grimsby.

Fruit Statistics. Messrs. E. D. Smith, Winona ; A. McD. Allan, Goderich, and T. P. Carpenter, Winona.

Obituaries. Messrs. A. M. Smith, St. Catharines ; D. W. Beadle, Toronto, and Prof. John Craig, Ottawa.

On representation on Advisory Board of O. A. C. The President and the Secretary.

Art.
 Art.
 meetings
 collectin
 time see
 Art.
 designate
 Art.
 or Secret
 Art.
 ten dolla
 Art.
 regular m
 Art.
 Associati
 members
 shall hav
 also be p
 the Assoc
 the Presi
 shall be
 meeting.
 Art.
 mode of
 its affairs

1. Th
 2. Th
 to the cl
 render th
 may desig
 3. Th
 during th
 different
 to fruit c
 Committe
 the annua
 copy ther
 4. Se
 quorum,
 5. Th
 6. Th
 such time
 requested
 7. Th
 8. Th
 and subm
 previously
 9. Th
 signature,
 10. It
 conduct th
 the busin
 11. Th
 control of
 the Const
 12. A

CONSTITUTION AND BY-LAWS OF THE ASSOCIATION.

CONSTITUTION.

Art. I.—This Association shall be called "The Fruit Growers' Association of Ontario."

Art. II.—Its objects shall be the advancement of the science and art of fruit culture by holding meetings for the exhibition of fruit and for the discussion of all questions relative to fruit culture, by collecting, arranging and disseminating useful information, and by such other means as may from time to time seem advisable.

Art. III.—The annual meeting of the Association shall be held at such time and place as shall be designated by the Association.

Art. IV.—The officers of the Association shall be composed of a President, Vice-President, a Secretary, or Secretary Treasurer, and thirteen Directors.

Art. V.—Any person may become a member by an annual payment of one dollar, and a payment of ten dollars shall constitute a member for life.

Art. VI.—This Constitution may be amended by a vote of a majority of the members present at any regular meeting, notice of the proposed amendments having been given at the previous meeting.

Art. VII.—The said Officers and Directors shall prepare and present at the annual meeting of the Association, a report of their proceedings during the year, in which shall be stated the names of all the members of the Association, the places of meeting during the year, and such information as the Association shall have been able to obtain on the subject of fruit culture in the Province during the year. There shall also be presented at the said annual meeting a detailed statement of the receipts and disbursements of the Association during the year, which report and statement shall be entered in the journal and signed by the President as being a correct copy; and a true copy thereof, certified by the Secretary for the time being, shall be sent to the Minister of Agriculture within forty days after the holding of such annual meeting.

Art. VIII.—The Association shall have power to make, alter and amend By-laws for prescribing the mode of admission of new members, the election of officers, and otherwise regulating the administration of its affairs and property.

BY-LAWS.

1. The President, Vice-President and Secretary-Treasurer shall be *ex-officio* members of all committees
2. The Directors may offer premiums to any person originating or introducing any new fruit adapted to the climate of the Province which shall possess such distinctive excellence as shall, in their opinion, render the same of special value; also for essays upon such subjects connected with fruit growing as they may designate, under such rules and regulations as they may prescribe.
3. The Secretary shall prepare an annual report containing the minutes of the proceedings of meetings during the year; a detailed statement of receipts and expenditure, the reports upon fruits received from different localities; and all essays to which prizes have been awarded, and such other information in regard to fruit culture as may have been received during the year, and submit the same to the Directors or any Committee of Directors appointed for this purpose, and, with their sanction, after presenting the same at the annual meeting, cause the same to be printed by and through the Publication Committee, and send a copy thereof to each member of the Association and to the Minister of Agriculture.
4. Seven Directors shall constitute a quorum, and if at any meeting of Directors there shall not be a quorum, the members present may adjourn the meeting from time to time until a quorum shall be obtained.
5. The annual subscription shall be due in advance at the annual meeting.
6. The President (or in case of his disability, the Vice-President), may convene special meetings at such times and places as he may deem advisable, and he shall convene such special meetings as shall be requested in writing by five members.
7. The President may deliver an address on some subject relating to the objects of the Association.
8. The Treasurer shall receive all moneys belonging to the Association, keep a correct account thereof and submit the same to the Directors at any legal meeting of such Directors, five days' notice having been previously given for that purpose.
9. The Directors shall audit and pass all accounts, which, when approved of by the President's signature, shall be submitted to and paid by the Treasurer.
10. It shall be the duty of the Secretary to keep a correct record of the proceedings of the Association, conduct the correspondence, give not less than ten days' notice of all meetings to the members, and specify the business of special meetings.
11. The Directors, touching the conduct of the Association, shall at all times have absolute power and control of the funds and property of the Association, subject however to the meaning and construction of the Constitution.
12. At special meetings no business shall be transacted except that stated in the Secretary's circular.

13. The order of business shall be: (1) Reading of the minutes; (2) Reading of the Directors' Report; (3) Reading of the Treasurer's report; (4) Reading of the prize essays; (5) President's Address; (6) Election of officers, and (7) Miscellaneous business.

14. These By-laws may be amended at any general meeting by a vote of two thirds of the members present.

15. Each member of the Fruit Committee shall be charged with the duty of accumulating information touching the state of the fruit crop, the introduction of new varieties, the market value of fruits in his particular section of the country, together with such other general and useful information touching fruit interests as may be desirable, and report in writing to the Secretary of the Association on or before the fifteenth day of September in each year.

The President, Vice-President and Secretary shall be *ex officio* members of the Board of Directors and of all Committees. The reasonable and necessary expenses of Directors and officers in attending meetings of the Board of Directors and of Committees shall be provided from the funds of the Association.

Local Fruit Growers' Association.

16. It shall be the duty of the officers and directors of the Fruit Growers' Association of Ontario to encourage the formation of local fruit growers' horticultural societies in affiliation with the Ontario Association.

17. Any one may become a member of such local society for one year upon payment into its treasury of a minimum sum of one dollar; and a compliance with clause 18 of these by-laws shall constitute him also a member of the Ontario Association for the same term.

18. On the receipt of the names of such members, with the required fees, the secretary of such local affiliated society may transmit their names and post office addresses, together with the sum of eighty cents for each, to the Secretary of the Fruit Growers' Association of Ontario, who will enter their names as members of that society, entitled to all its privileges, providing the initial number of such names be not less than ten.

19. Each local society so affiliating, with a membership of not less than twenty-five, shall be entitled to a visit from some member of the board of directors or other prominent horticulturist, once a year, at their own request; it being understood that the railway expenses of such speaker shall be paid by the Ontario Society, and the entertainment provided by the local society.

20. The proceedings of such local fruit growers' horticultural societies shall, on or before the 1st day of December of each year, be forwarded to the secretary of the Ontario Society, who may call out such portions for the Annual Report to the Minister of Agriculture for the province, as may seem to him of general interest and value.

21. These local societies, if formed in cities, towns or incorporated villages, may be formed under the Agriculture and Arts Act (see sections 37, 46 and 47) and receive their due share of the Electoral District grant for the support of such societies.

22. Each local affiliated society is further expected to send at least one delegate to the annual meeting of the Fruit Growers' Association.

The director of the Fruit Growers' Association of Ontario of the Agricultural District in which such society is formed shall be, *ex officio*, a member of the executive committee of such local society and receive notices of all its meetings.

AGRICULTURAL DIVISIONS.

1. Stormont, Dundas, Glengarry, Prescott and Cornwall.
2. Lanark North, Lanark South, Renfrew North, Renfrew South, Carleton, Russell and the City of Ottawa.
3. Frontenac, City of Kingston, Leeds and Grenville North, Leeds South, Grenville South, and Brockville.
4. Hastings East, Hastings North, Hastings West, Addington, Lennox and Prince Edward.
5. Durham East, Durham West, Northumberland East, Northumberland West, Peterborough East, Peterborough West, Victoria North (including Haliburton), and Victoria South.
6. York East, York North, York West, Ontario North, Ontario South, Peel, Cardwell and City of Toronto.
7. Wellington Centre, Wellington South, Wellington West, Waterloo North, Waterloo South, Wentworth North, Wentworth South, Dufferin, Halton and City of Hamilton.
8. Lincoln, Niagara, Welland, Haldimand and Monck.
9. Elgin East, Elgin West, Brant North, Brant South, Oxford North, Oxford South, Norfolk North and Norfolk South.
10. Huron East, Huron South, Huron West, Bruce Centre, Bruce North, Bruce South, Grey East, Grey North and Grey South.
11. Perth North, Perth South, Middlesex East, Middlesex North, Middlesex West and City of London.
12. Essex North, Essex South, Kent East, Kent West, Lambton East and Lambton West.
13. Algoma East, Algoma West, Simcoe East, Simcoe South, Simcoe West, Muskoka and Parry Sound.

THE ANNUAL MEETING, 1892.

The annual meeting of the Fruit Growers' Association of Ontario was held in the city of Brantford, beginning on Tuesday evening, December the 6th, 1892, with a public welcome in the Music Hall of the Institute for the Blind which was presided over by Principal Dymond, a gentleman who extended to the Association every possible courtesy.

THE WELCOME MEETING.

An organ solo, entitled, "*Marche Pontificale*" (Lemmens), was performed in opening.

Principal DYMOND said: It is certainly not by reason of any claim of a standing in the Fruit Growers' Association of Ontario, or of any connection with fruit culture that I have the honor to preside over your meeting to-night; but as the representative of this Institute, in welcoming you here, I express, I am sure, the hearty feeling of all my colleagues and those under my charge at seeing you with us.

If there be any who can appreciate the work of the fruit grower, I presume it is the fruit consumer. I speak of those who, although they may never yet have raised an apple tree to perfection, or become adepts in the description of a grape or pear, are not the less able to appreciate the labors of those who do enter upon those vocations. I had the honor some years ago of meeting your president, when acting on the Agricultural Commission, and I then tried to find out how much, or little, some of these gentlemen knew about fruit culture. I rejoice to know that the result of that undertaking, and of the intelligent efforts of some of those who have been laboring in the cause of fruit culture, has been the extension of the export of fruit to the mother country. Very little things sometimes produce an impression with regard to the character of a people, and, though packing a barrel of apples may seem a small thing, yet barrels of apples by the hundreds of thousands are sent to the mother land and the character of the people who send them is discernible from the character of the packing. But, as one who values above all the character of Canada in the mother land, I would desire perhaps more than most people that the feeling of affection between Great Britain and Canada should be nurtured, and I desire to see this friendship promoted by your Association.

Principal Dymond then called upon the vocal class, composed of about fifty pupils of the Institute, to render "*The Bridal Chorus*" (Cowen).

His Worship the Mayor (Dr. Secord) then addressed the meeting. He said: I am sure it gives me considerable pleasure, not only from my personal capacity, but also from my representative capacity as Mayor of this city, to be present and welcome the Ontario Fruit Growers' Association to Brantford. I am only sorry that the good opinion which possibly the gentlemen from a distance might have entertained of our constantly pleasant climate, should have been marred by unfavorable weather, but I can say that Brantford, in other respects, compares favorably with any other part of Ontario.

The meeting of the Ontario Fruit Growers' Association here for the first time, for the discussion of subjects of importance to the progress of their industry, certainly must tend to the comfort, happiness and general good of the community. The trend of the present age is toward recognizing the dependence of man upon man. Now, sir, your society is certainly an example of what persistent effort will do. I understand that you are well on to a third of a century in age and that from a small beginning, thirty-three years ago, you have grown to considerable proportions at this time. I can only say to you that you must have the gift of patience in observations. You take a seed, which

possibly you may have secured from some distant climate, entirely new to you and entirely new to your climate, and you will watch the development of that seed, and by the fruit which it bears you will endeavor to improve the grades which are already with us in Canada in such profusion.

Now, sir, possibly it would be more fitting if I were to confine my remarks to our own community and to the hearty welcome which we give to you. We welcome all men, and all ladies as well, and we hope that you will continue to prosper and go on adding to the happiness of our citizens by means of the health-giving properties of your fruit, so that in the future you will be one of the best recognized societies in the country, and that your influence will extend from year to year.

We have many things in our city to which I would like to draw your attention, but my time is limited. I may say that our city is one of no mean size, our population now reaching about sixteen thousand, and, while we have some defects and while we have some difficulties, we are happy to say that we are advancing, we are enlarging in population and we are improving in every way.

I thank you sincerely for calling upon me to give you an address of welcome.

The PRESIDENT: I assure you that we fully appreciate the hearty welcome which you have extended to us on this occasion. When your delegates to our meeting in Hamilton invited us to hold our next annual meeting in your city, we accepted with a great deal of pleasure. Our Association moves its meetings from place to place in this country in order to meet with many people who, by rubbing their wits together, help us to solve the great problems which confront the fruit grower; and it is from the practical men that we get the most valuable information with regard to the methods of cultivation.

I must thank you again for your hearty welcome and ask you one and all to come to our meetings and assist us, not only by your presence, but with your voices, and thus help us to raise higher the banner of horticulture.

A combined piece was here rendered on the organ, two pianos and a triangle. It was entitled "*Marche Cortège*" (Gounod).

The SECRETARY: In the absence of Mr. Allan, who was to have addressed you on the "History and Work of our Association," I would like to say that we are just about thirty-three years old, and, not only are we an old Association, but, as our president has said in his remarks, we feel some pride in our growth. I can remember going to the first meeting of the Association, in 1860, when a boy. The Association was then composed of about a dozen members; but, though few in numbers, they did good work in those days, quite as hard work in the interests of the country as the men of to-day. Particularly would I mention Mr. A. M. Smith, the pioneer fruit grower of the Niagara district and I might perhaps say of our country, as being one of the constituent members.

It is interesting to look back over those early years and consider the growth of our Association. The growth has been a healthy one and that is because we are working wholly in the interests of the public. That is the secret of our success. From that membership of one dozen we have grown to over two thousand, distributed not only over our whole province, but in every other province of our Dominion. Nearly the whole of the British Columbia Fruit Growers' Association has united with us, as well as many members of the Associations of Quebec and Nova Scotia. They consider that in receiving the annual report of our Association, a book of no mean size and of great interest to fruit growers, together with our monthly journal, which contains contributions from the leading fruit growers of Ontario, they are well rewarded for the little expense of being members with us as well as of their own Association.

We have included in our list of presidents Judge Logie, Rev. R. Burnet, W. H. Mills, P. C. Dempsey, Wm. Saunders, A. McD. Allan, A. M. Smith, J. A. Morton, and A. H. Pettit. The latter is well-known to you as the Superintendent of the Ontario fruit exhibit at the World's Fair.

Our work is educative. We have no personal interests to serve in our work, our object being to distribute information with regard to the best means of growing fruit and the best varieties to cultivate in the various parts of our province. One great aim, which we have had in view for some years, is the introduction of hardy fruits for Northern Ontario and we have imported large quantities of hardy varieties from Russia and placed them under test at the Central Experimental Farm, Ottawa. In due time these will be distributed to the members of our Association in the various parts of Ontario to be further tested with regard to their adaptability.

I believe that a very important part of our work is done by means of the *Canadian Horticulturist* through which we are able to communicate with one another the results of our experience with various fruits. Each year we distribute to all our members two good sized volumes, the journal and the report, and I trust that every year we may be able to make them of more value to the public.

The vocal class rendered in chorus "*The Cruiskeen Lawn*" (Stewart).

The President, A. H. Pettit, then delivered his annual address.

THE PRESIDENT'S ADDRESS.

Mr. Chairman, Ladies and Members of the Fruit Growers' Association:

It falls to my lot on this occasion to deliver an annual address, a custom that has prevailed in this Association since its first inception; I will therefore ask you to bear with me a few minutes while in the discharge of that duty. The year 1892, upon which we entered with such promises of success, is fast drawing to a close and we find ourselves gathered together in the city of Brantford, one year older, and I trust wiser, in the pursuit of horticultural knowledge. Each year brings us face to face with new anxieties, new hopes or realizations; realizations cheer us onward, but disappointments sometimes strengthen us the most; they make us study and dig down deeper into the laboratory of nature for the reason why. We cultivate the soil to obtain moisture and to obtain plant food, thereby to increase the fertility of our soil; we cultivate the mind in order to expand its power of grasping and solving the great problems in horticulture that are daily and yearly presenting themselves to us. In the spring time just past, the outlook was most promising; in many respects the whole country seemed to be one vast profusion of bloom, but a little later on our hopes were to some extent blighted.

More particularly so was this the case in the southern fruit belt of Ontario; some of us no doubt felt the show was too good to be realized. Looking on the dark side, sometimes we find just what we are looking for; indeed, how often do we find this to be the case, confirming us as it were in our gloomy predictions.

We are here to-day as fruit growers from all parts of this province to discuss questions of great importance to the interest we represent. The great fruit growing industry of this province demands at our hands the dissemination of sound, practical information, and wherewith are we to be supplied if not from the field of practical experience? If we fail in gathering the crop of information this section is so fully blest with, we fail in the realization of our visit in that respect. If we sow seed and it fails to germinate in this locality, we must attribute it to one of two causes: either that the seed was bad or

the soil was not congenial to its growth. If we sow and do not reap, this Association would become exhausted and its usefulness gone. It is by practical experience we arrive at a correct solution of the obstacles that present themselves, not in horticulture alone, but in all the various departments of agriculture.

A new enterprise has of late been trying to revolutionize the whole system of Nature, by the explosion of powerful substances, to cause the rain to fall upon the earth. Man often taxes his ingenuity to accomplish some great result, when perhaps the simple method lies at his very door. Gather up the crumbs—crumbs of practical experience—which can be obtained in quantities all over this land, along our highways, down our lanes, in our vineyards and orchards. Since this Association was organized, some thirty-three years ago, the most wonderful strides have been made in the science and practice of fruit culture. I, sir, once lived in the very garden of Canada; I live there still, but as years roll on, its boundaries keep widening out, until to-day they can only be circumscribed by the producer's knowledge and skill in the science and practice of his profession.

Some imagine this Association should agree and pronounce on what varieties of fruit we would advise for the intending planter. We can in some respects, but in their suitability to the various sections of a great province, like Ontario, with its various formations of soil and climatic influences affecting them, few men can determine with any degree of certainty. When our experiences and observations are noted down and compared, we often find good reading matter between the lines, as well as on the lines.

The matter of marketing and handling our fruit is a subject which should claim our best attention. Some twenty odd years ago, when this Association was organized under most favorable auspices, but laboring under many disadvantages, little was known as to varieties, their hardiness or adaptability to the different parts of this province. Markets were limited, facilities of transportation still more so. It was with doubt that almost any man except an enthusiast, approached the subject; but the little band stood bravely by the ship—she did not carry much canvas, but it was of good material—and to-day we rejoice in their success. They led the great army of producers on to victory in production, until to-day we stand amazed at the magnitude of its proportions, requiring more canvas, more seamen to man the sails and guide the ship laden with those productions, into the ever increasing markets of the world. The fruit growers of Ontario are to-day looking to this Association, their Association, to advance by every possible means the best interest of that branch of industry. How shall we best accomplish that object, in order that the producer may reap the full reward of his labor? Should we not first consider in relation to this matter the product, that, no doubt, cannot be excelled in *size, form, color* or *quality* by any country on the face of the globe.

Next, in importance, is the handling of that product from the tree to the market. We may grow the finest fruits the eye of man may desire, but if they are not properly picked, packed and placed upon the market in proper form, our best hopes of financial success can never be fully realised. Have we not fully arrived at that point where the magnitude of the interest demands our most serious consideration? Take up any catalogue of sales you like and the proportion of *slack, wet* and *wasty* is far greater than it

should
fruit g
done m
and I b
marketi
to mak
an inter
is addin
inspiring
the vari
mation

We
not have
culturist
is to-day
you will
by their

The
new fruit
sed by th
serve the
will be b

In
Columbia
The seas
in their p
of Ontario
tinual an
fied to th
them in c
would hav
collection
fruit grow
their chee
was asked
had been
duty that
looked at
hands. I

From
nothing to
their regre
patriotism

should be, sufficient to make the margin of profit or loss one of great importance to the fruit growers of Ontario and our country at large. I believe, sir, this Association has done much by the dissemination of practical information on the subject of fruit culture, and I believe to-day our best energies should be taxed in promoting and facilitating the marketing of that product. Our Constitution embraces in its objects every point that goes to make up the welfare and success of the horticultural interest of our country, an interest we have cherished with such an abiding faith in its future, one that to-day is adding millions to its resources, not alone in its intrinsic value, but in its health inspiring influence as a ration for young and old alike. We have to-day committees on the various fruits calculated to give, by their long and wide experience, valuable information to intending planters.

We have committees on experimental work, committees on legislation, could we not have a committee on marketing, whose report might be published through the *Horticulturist* at the proper season, and thus our Association might become, even more than it is to-day, the channel of wider information on the subject. Then I have reason to hope you will see thousands of the fruit growers of Ontario joining our ranks, adding strength by their counsel and influence to advance the good work.

The matter of an experiment station for the southern fruit belt of Ontario, where new fruits could be tested and their merits reported upon to the public, has been discussed by this Association, and for the want of some definite plan, whereby it would best serve the interests of the people, no action has yet been taken. A paper on this subject will be brought before the Association at this meeting.

In reference to my work in connection with the Ontario exhibit for the World's Columbian Exposition, I might say that reasonable results have thus far been obtained. The season has been most unfavorable in many respects, and the wide range of varieties in their perfect form was very hard to obtain. The fruit crop of the southern fruit belt of Ontario was deficient in size, form and color, and this rendered the work one of continual anxiety as to where it would be possible to obtain certain varieties. Had I specified to the growers that certain lines of fruit were required from them, I would have kept them in continual suspense, and in many cases no doubt an amount of correspondence would have been the only result. As it is I feel we have a fairly good representative collection of the fruits of this province. I must express my most hearty thanks to the fruit growers of Ontario for their liberal contributions for that purpose, and also for their cheering words of encouragement in the work in which I was engaged. When I was asked to assume the responsibility I must say I shrank from the task. I felt I had been honored by this Association placing me in the chair, and this was the first duty that devolved upon me, as such, in carrying the horticultural banner. I paused, I looked at the great army of fruit growers of Ontario and I said, they will strengthen my hands. I have not been disappointed in my faith.

From one end of this province to the other I have found men who, if they had nothing to send, felt they had a duty to perform, and in the discharge of that duty sent their regrets. What more could I ask? In many cases the utmost liberality and patriotism was displayed. We still have another season before us in which every fruit

grower in our land is asked to uphold the horticultural banner of this province, not for self, but for the honor of his country. A good name is worth millions to a nation, and gives dignity to a people. Where is the man who does not feel proud to see his country stand at the head in all lines of her products, for they, above all others, speak of the glorious climate of Canada, which is too often associated in the minds of the people of the old land with *ice palaces* and bears; they even go so far as to imagine that we live in danger from the Red-skins, a race, all honour to them, which has always proved true and loyal to their good mother, the Queen.

I ask you to-day as fruit growers of Ontario, seeking, as I trust, by every means in your power to advance the fruit interests of Ontario, that you will display during the coming season that energy, that liberality and that patriotism that has characterized the people of Canada at all times and on all occasions, and leave no stone unturned to place the fruit exhibit of Ontario in its proper place.

Some definite plan of operation as regards shipments will be arranged, whereby our tables will be continuously supplied during the season with fresh fruits. These will be exhibited in the producer's name, while at the same time they will form the Ontario exhibit.

Since last we met one of our most valued members has been called to his reward, our late President and co-worker, P. C. Dempsey of Trenton, one always at his post when duty called, one whose wide knowledge of and skill in the field of horticulture gave courage to many a doubting one, and whose cheerful presence lent a charm to our meetings. He leaves behind him more than one monument to his memory.

The "Dempsey" pear, the "Trenton" apple and many other choice fruits for the nation to enjoy were produced by his skill and attention. Let me here quote his own words when referring to the success of others and at the same time inspiring other young men to follow their example. He said: "And what richer legacy can a man leave to the generations that are to follow him than a fine, delicious fruit which he has originated with his own hand. This will be a living monument to his memory when posterity shall recline beneath the shade of its branches and pluck the precious fruit from the trees which he has left them." Truly I believe not one member in our ranks could these words be more applicable to than our departed comrade, P. C. Dempsey, and spoken by his own lips in honor of other men, may we not pause at the threshold and ask ourselves, is it possible for us to leave some token that others may cherish in remembrance of us?

I will not detain you longer now, but invite you one and all to come to our meetings, which will be in session here during the next two days, and by your presence, by your counsel and experience, help us to carry the horticultural banner on to greater successes. We see our cheese producers with their product standing *par excellence* in the market of the world; we see our butter producers climbing the pedestal to fame, and inscribed upon their banner "Pure as Gold." I ask the fruit growers of Ontario to-day to join our ranks, not as reserves, but as active volunteers in the work, until our system of production, of picking, packing and handling and transporting the fruit products of this favored land, o'er every sea to every land, receives universal approval, and then we may truly inscribe upon our banner something better than *gold*.

Several gentlemen asking to hear from Alderman Raymond, he responded as follows
 Alderman RAYMOND: I must thank you for your kind and flattering introduction of myself, which adds to my embarrassment in the few words I may have to say of welcome to the Fruit Growers' Association of Ontario. I believe in the remarks of our worthy Mayor with regard to the city in which we live and we welcome to it the Fruit Growers' Association with joy. We are glad that they will hold their annual meeting in our city. The Association which meets here is certainly an important one, and, judging from the address of the President, is one which is doing very good work, not only adding to the health, happiness and comfort of our people, but adding to the wealth of our country. The export of fruit from our country is constantly larger. Perhaps the cultivation of fruit may in some degree make up to the farmers for the losses which they now experience from the falling in the prices of wheat and oats.

One part of the business of the Fruit Growers' Association is to prevent the spread of fungi and insect pests in the orchard, and in this I may say I wish them every success. It is said that he is a benefactor who makes two blades of grass grow where one grew before, but he who can make two strawberries grow in the place of one is a still greater benefactor. I would wish the Association every success in their deliberations in Brantford. The President has said that he came from the garden of Ontario. While perhaps the Grimsby district is noted for the growth of fruits, we think that no part of Ontario is more charming than that which surrounds Brantford and I hope, as one result of your deliberations, that more fruit may be grown in this vicinity.

The "*Silent Land*" (Gaul) was impressively rendered by the vocal class.

T. H. RACE (Vice-President).—The duty that devolves upon me first is to join with the President in thanking you for the very cordial greeting which we have received to-night and for the very excellent treat we have had in the music rendered by the pupils. I know you have a beautiful town. There are three or four things which weigh with me very largely in making up the character of any town or locality. When I find the people of any community patronize and support well the churches, when they produce the very best newspapers and when they have large and prosperous vineyards and orchards of fruit I take it for granted that this people are to be commended. I was very much pleased in looking about this town to see that you have given so much attention to beautifying the homes, and that besides being fruit growers you give a great deal of attention to floriculture, for I believe that the cultivation of flowers has a great moral influence.

The vocal class rendered "*Ye Banks and Braes*."

The Rev. Dr. COCHRANE, after some happy allusions to previous speakers, tendered a hearty welcome to the Fruit Growers' Association of Ontario. It was one of the characteristics of Brantford that its many comfortable homes were adorned with flowers, and its parks and streets gave evidence of the love of the beautiful in Nature possessed by its people. The humblest dwellings had their little gardens and flower-beds, and even the children in our schools rivalled each other in flower-gardening. He believed that there was a close connection between the love of the beautiful in Nature and the love of the beautiful in Morals, and the man who saw God in Nature and admired Him in His works would also be found of the highest style of character. Dr. Cochrane referred to the fact that Canadian horticulturists might profitably engage in fruit growing, as the English market was open to receive all the larger fruits they could send, at prices more remunerative than now received for staple cereals. He trusted that the present meeting would be a profitable one, and that they would continue to receive both from private individuals, and the Ontario Government that support which the importance of the Association demanded.

The vocal class rendered in excellent style a magnificent selection entitled "*The Last Judgment*," accompanied by the pianos and organ.

JOHN CRAIG: I wish to say on behalf of the Directors and members of this Association that this evening's entertainment has been a remarkable opening for our meetings and I move a vote of thanks to the worthy principal of this Institution and his class, who have so ably entertained us.

MURRAY PETTIT: I second the motion. I think this musical entertainment reflects very great credit upon the management of this Institution. The motion was carried.


 SECOND DAY—MORNING SESSION.

The Convention was called to order at ten o'clock a.m.

President PETTIT expressed his pleasure at seeing so many present. Brantford being in one of the best fruit-growing sections in Canada, a large meeting was expected. The programme this year has been so arranged that the audience would occasionally be asked what subjects they would like to have brought forward, in order that every subject that it is wished to be discussed may be dealt with, and if time does not permit discussing every subject, the subjects least interesting will thus be left out. All persons present are invited to take part in the discussions.

 NATIVE PLUMS.

Prof. JOHN CRAIG, of the Central Experimental Farm, Ottawa, in introducing his paper, said his remarks might not be of great interest to fruit growers in this immediate vicinity, because at present the quality of the native plum may not commend itself to places such as Brantford, where plums can be finely grown; but there is a great future for the native plum in our colder and northern districts. The following remarks are based on our experience at Ottawa for the past five or six years.




Hawkeye.

Up to the present very little attention has been given in Canada to the cultivation and improvement of our native plums. Few lines in horticulture offer greater inducements. Comparatively little has been accomplished in the United States by systematic effort, yet since the introduction of the wild goose plum, about forty years ago, more than 150 varieties have been named and disseminated. This remarkable growth and increase in number of varieties is only surpassed by the marvellous progress made in the development of the American grape. The value of the American plum has not yet been recog-

nized
easy
doubt
profits
There
climat
Ameri

while Po
hardy at
been very
at the E
these fruit
grouped u
and west
southern S
south. M
satisfactor
assisted by
Prunus ho
group, whi
occupies an
these three
from them

nized to any extent except in sections where the severity of the climate precludes the easy or profitable culture of varieties belonging to the *Prunus domestica* class; without doubt, however, there are improved varieties of our native plums which may be grown profitably in all portions of the Dominion, including the most favored localities as well. There is a wide variation in regard to the hardiness of these varieties, due principally to climatic conditions prevailing in the place of origin. Thus DeSoto, belonging to the *Americana* group, and originating in Wisconsin may be taken as the type of hardiness,



De Soto.

while Pottawattamie of the Chickasaw family, and introduced from Tennessee, is not hardy at Ottawa. Up to the present year the botanical status of American plums has been very unsatisfactory. An excellent monograph by Prof. L. H. Bailey, Horticulturist at the Experiment Station of Cornell University, has been a great advance in placing these fruits on a sound scientific basis. Formerly our cultivated native varieties were grouped under three wild types (1) *Prunus americana* (Marshall), the plums of the north and west; (2) *Prunus angustifolia* or *P. chickasa* (Mich.) native of the middle and southern States, and (3) *Prunus maritima* (Wangheim), known as the Beach plum of the south. Much confusion existed, however, as many of the cultivated forms could not be satisfactorily assigned to any of these original types. As a result of Mr. Bailey's labours, assisted by Prof. Sargeant, we shall recognize hereafter another class under the name of *Prunus hortulana*. This is made up of what was formerly known as the Wild Goose group, which in the past was generally referred to the Chickasaw tribe. This group now occupies an intermediate position between *Prunus americana* and *Prunus chickasa*. To these three groups belong practically all the native varieties cultivated in Canada, and from them we may expect important additions to our lists in the future. As already

stated *Prunus americana*, by reason of its natural distribution, extending all over the northern parts of the continent to Manitoba and part of the North-west Territories, contains in its variations the hardest forms of the native plum known to cultivators. These are suitable for culture in the coldest parts of the province; and where nothing in the way of fruits except the chokecherry (*P. serotina*) and pin cherry (*P. dimissa*) obtain, it is safe to plant improved forms of this species. On account of this wide distribution, touching as it does Manitoba on the north and Texas on the south, there is much variation in the hardness of the individuals making up the species, and this, as already pointed out, is an important point for the consideration of intending planters.

The following cultivated varieties belong to *Prunus americana*, and have been on trial at the Central Experimental Farm for the past three years:

CHENEY.—Fruit large, roundish, oblong; skin thick, a dull yellow mottled with red; flesh fairly firm and sweet; quality good; stone medium size, adhering to the flesh. Tree a very vigorous grower, needing annual shortening. Remarkably prolific. Ripe at Ottawa the first week of September. The variety originated as a wilding near La Crosse, Wis.



Cheney.

DESOTO.—Fruit medium to large; round, oblong, sometimes pointed; dark red with a beautiful purplish bloom; skin thick; flesh juicy, entirely free from astringency; stone medium size. This undoubtedly is one of the best red plums. It ripens about September 15th. Found wild at DeSoto, Wis. Although it was introduced by Elisha Hale of Lansing, Iowa, nearly thirty years ago, it has not received the attention which a plum of its excellent qualities merits.

FOREST GARDEN.—Fruit medium size, round or slightly egg-shaped; skin thick, yellow, overlaid with darker mottlings, and a light lilac bloom; flesh yellow, with some astringency, fairly good; stone separates readily from the flesh. This tree is a difficult one to manage in orchards, being a rampant grower, throwing out long horizontal branches which are apt to break when heavily laden with fruit, or during wind storms.

HAWKEYE.—Fruit large, almost round; dark red with lilac-colored bloom; suture indistinctly marked; flesh deep yellow, firm and juicy; stone large, flat, parts readily from the flesh. Equal to DeSoto. Ripe Sept. 20th. A valuable late variety which originated under cultivation, and was introduced by Mr. H. A. Terry, Crescent City, Iowa.

IDA.—Medium size, oval, with slight suture; skin thick, dark red in color; flesh yellow and unusually firm for a red plum, with little juice; stone medium size, almost free; fair quality; hangs well to the tree and becomes quite sweet and sugary ripe; ripens soon after the middle of September. Tree hardy and vigorous. Originated in Illinois.

ROLLINGSTONE.—Fruit large, reported very large in some sections; round, flattened at both ends; skin deep yellow almost covered with red and purple mottlings; flesh yellow, firm, good quality; stone medium to small, cling; ripens about the middle of September. Found by O. M. Lord on the bank of Rollingstone Creek, Minnesota, and by him introduced into cultivation. Valuable on account of its earliness.

VAN BUREN.—Designated by Prof. Bailey as variety *mollis* of *P. americana*. The tree is true to the type, but the fruit seems quite distinct, and is unique among red plums, in that it is a perfect free stone. Fruit medium, roundish, oval; skin thick, yellow with a pink blush; flesh yellow, sugary sweet and melting; picked this year September 25th. Shows a tendency to crack. Not as hardy as many of the preceding. Originated in the State of Iowa.

WEAVER.—Three trees of this variety planted in 1888 have borne good crops the past three seasons, the last two very heavily indeed. Fruit large, oblong, flattened; color dark red, overlaid with a purplish bloom; suture well marked; stone long, narrow


and flat
Iowa a
W
flesh ye
more at
young s
Iowa a
W
meaty,

PURP
with Roll
later in ri
The a
Central F
varieties (A
eye, and if
CHICK
the Chicka
NEWM
class. It is
Fruit large
of October.
POTTA
sections of
light, red in
Iowa, to wh

and flat, cling; ripens at Ottawa about the end of September. Originated in northern Iowa and was introduced in 1875. This I believe will be valuable wherever it will ripen.

WOLF.—Fruit round, medium to large; dark red covered with dense purplish bloom; flesh yellow, tinged with red, firm, good quality; stone separates readily from flesh. A more attractive variety than DeSoto but hardly equal in quality. Tree distinct, having young shoots heavily covered with a downy pubescence. Originated under cultivation in Iowa about forty years ago.

WAYANT.—Tree has partially failed at Ottawa. Fruit of Van Buren type; firm, meaty, entirely free. Probably more valuable for the south.



Weaver

PURPLE YOSEMITE.—A good tree, bearing fruit of fair size and quality, but ripening with Rollingstone, which it does not equal. *Yellow Yosemite* is quite similar and a little later in ripening.

The above list includes the best of the *americana* which have been fruited at the Central Farm. Among those which can be recommended to planters where the finer varieties (*P. domestica*) fail are Cheney, DeSoto, Rollingstone, Wolf, Weaver and Hawkeye, and if a free stone is desired Ida, Wayant or Van Buren may be added.


CHICKASAW PLUMS (*P. Chickasa*).—Accepting Prof. Bailey's classification, none of the Chickasaws have proved hardy at Ottawa.

NEWMAN, originating in Kentucky some years ago, is one of the best known of this class. It is hardy in Central New York and would probably succeed in western Ontario. Fruit large, of good quality, ripening very late, sometimes not before the middle of October.

POTTAWATTAMIE.—This very much lauded variety seems to be deserving in many sections of the high measure of praise accorded it. Fruit is medium to large, round and light, red in color, of good quality. It was introduced by J. B. Pice, of Council Bluffs, Iowa, to whom it came from Tennessee among a lot of Miners.

WILD GOOSE TRIBE: *P. hortulana* (Bailey).—None of this class are hardy outside of peach-growing districts, *Garfield*, *More Man* and *Wayland* are the most valuable.

MINER has been included as a variety of this class, but it differs so much in general appearance and constitutional hardiness as to lead me to believe it to be more nearly related to *Prunus americana*. This is the oldest native plum known under cultivation.



Wolf.

It was raised from seed in Tennessee nearly 80 years ago, and has become widely distributed throughout the western States. Trees planted eighteen years ago at Abbotsford are hardy but only give medium crops every other year; ripens there early in October. These trees have given fuller crops the last few years since being surrounded by Wisconsin wild-plum seedlings.

FOREST ROSE belongs to the Miner group, but has nothing special to commend it.

DISEASES.—They are all more or less liable to attacks of *Septoria* (shot-hole fungus), but are generally freer than numbers of the *domestica* class. The Chickasaw varieties have exceptionally bright healthy peach-like foliage. As there are no such things as curculio or knot-proof plums, except in a relative degree, we may expect to have to fight these enemies with the above as with the old varieties. A new disease which has come under my notice within the last two years and the past season has caused the almost entire loss of the native plum crop. Should it continue its depredations it bids fair to effectually check further planting of these varieties. The presence of the fungus is marked by round spots which appear on the skin of the plum when almost mature; shortly after it suddenly shrivels and drops. This spotting is caused by a parasitic fungus called *Cladosporium carpophilum*, a disease which also is found on peaches, and has been recently noticed on cherries. We have no data of actual experiments in treating this

fungus
also s

Pr
grown
scion fr
admira
account

Pr
of nativ

1.

2.

heavy s

3.

4.

propaga

A.

the plum

Pro

tions of

five year

these, yo

Dr.

attention

plums, to

from thei

Prof

own polle

had atten

blossomed

Later on,

grew up v

the crop o

between t

mentioned

A Dr

Prof.

and they g

Mr. F

understood

very vigor

one of thos

color, and

shy bearer,

and the cor

is a Weave

ton has a t

The S

of trees wit

number of c

Mr. Go

the black kn

ime. We l

2 (R

fungus, but would recommend spraying with ammoniacal copper carbonate, and would also suggest the use of a solution of copper sulphate, 1 oz. to 25 gallons.

PROPAGATION.—Varieties of the *americana* and Miners should as far as possible be grown on stocks of their own type. It is sometimes difficult, however, to distinguish scion from stock when these are used. The Chickasaw and Wild Goose tribe succeed admirably on peach or Marianna stocks and these are preferable to own rooted trees on account of sprouting habits of the latter.

POINTS IN FAVOR OF NATIVE PLUMS.—The following are the leading points in favor of native plums:

1. Hardiness and productiveness.
2. Their wide range of adaptability to climate conditions and to light as well as heavy soils.
3. Their value for culinary purposes.
4. Their comparative exemption from disease and the ease with which they can be propagated.

A. M. SMITH: Is there in these native varieties sufficient value to take the place of the plum we cultivate so freely in this section of the country?

Prof. CRAIG: I don't think they would, especially in this section; but there are sections of Ontario where we are trying to cultivate plums, and get a crop once in four or five years, where I think it would richly pay a grower to plant these varieties. With these, you can get a crop every year, and they are very marketable varieties.

Dr. BEADLE: Have you taken notice of the point to which Mr. Weir first called our attention—that it is necessary first, in order to get a crop of fruit from, say, one of these plums, to have one of a similar type growing near them; because they do not fertilize from their own pollen?

Prof. CRAIG: The Miner is deficient in fertilizing qualities; it is not perfect in its own pollen; the pollen is frequently impotent, and will not fertilize its own flowers, we had attention drawn to that in the Province of Quebec. Miners were planted first, and blossomed invariably for a number of years; but very seldom bore any quantity of fruit. Later on, Wisconsin wild plums were planted in the vicinity of the Miners, and they grew up very rapidly, and blossomed and bore fruit of themselves, but at the same time the crop of Miners very much increased—showing that the cross-fertilization took place between the wild plums and the Miners; but I do not know any variety that I have mentioned that seems to want cross-fertilization.

A DELEGATE: What about the Weaver?

Prof. CRAIG: The Weaver has been planted quite isolated from others in the orchard and they grew quite heavily.

Mr. F. G. H. PATTISON (Grimsby): I have had eight or nine trees that I always understood to be Weaver, but they do not answer your description at all. The tree is a very vigorous grower, and has a leaf almost exactly like the peach. The plum is evidently one of those hardy varieties; it is a very early ripener—ripens in July; is of a light red color, and of excellent quality; but so far—the trees are about five years old—a very shy bearer, with a very thin stem. I have had a great many people look at this plum, and the consensus of opinion seems to be that it is a Weaver. Mr. Woolverton thinks it is a Weaver; and if it is not a Weaver I would like to know what it is. Mr. Woolverton has a tree identically the same, and I understood it was a Weaver.

The SECRETARY: I bought the tree for a Weaver; and I bought quite a number of trees with a special purpose of becoming acquainted with varieties; and in quite a number of cases I have been disappointed in their identity.

Mr. GOTT (Arkona): In our section the European varieties have entirely given out—the black knot is so intensely severe that we can't get them to bear for any length of time. We have resorted to these native plums. The American class, for instance, is

able in some respects to take the place of the European, and we are now experimenting with them. They grow splendidly, and appear to be flourishing in every respect, and as yet we have not seen the slightest approach of black knot upon them. We are not so sure that they are curculio-proof; but in infancy the fruit is so hard that it is almost impossible for the curculio to penetrate them. Then there is the apricot—a fruit in which we are intensely interested all through this country. They flourish most abundantly with us, as they do in the entire western part of the country. The blossoms come out with a perfect sheet. I never saw anything like the display we had last spring for ornamentation; but they are terribly disappointing as to fruit.

Prof. CRAIG: I fruited a Botan at Ottawa this year, and it was the earliest plum in the whole collection. It was ripe about the 15th July. It is a small round red plum, with the smallest pit I ever saw in a plum—about the size of a New Jerusalem cherry. The *Prunus Simoni* grows at Ottawa, and the tree is quite an ornamental thing, but it is going to be no bearer.

Prof. CRAIG: The Weaver plum was introduced in 1865, by C. J. Paton, of Charles City, Iowa.

Mr. MORRIS: There is another plum that fails to fertilize itself—the Wild Goose.

Mr. T. H. RACE (Mitchell): I think there is no doubt that the plum Mr. Pattison has described is the Weaver plum, which I have seen growing in nearly all the parts of this Province, and it does vary some in regard to location. It is a very heavy grower, but it has so far turned out as a very shy bearer. Where the Weaver can be grown at all I have noticed in many sections that the wood is subject to as light frost as some cultivated varieties.

Mr. G. C. CASTON (Craighurst): At Parry Sound I saw and was allowed to taste a can of native plums, and pronounced them as good as almost any cultivated varieties—entirely free from that astringency found in wild plums. It is said the seeds of those plums were brought originally to Simcoe county from France by the Jesuits, and they have been propagating themselves in that wilderness for two hundred years. The natural propensity of fruit is to deteriorate; but the sample I tested was an exception—I don't think we could get anything better than that. It took first prize at the district show as canned fruit. It has no name. There are different varieties, but this is one of particular excellence. It was about the size of a Lombard. I think in the northern country there would be a field for some enterprising nurseryman to get that plum and disseminate it. I consider our wild plums good to graft the more tender varieties on; the wild stock imparts its vitality and vigor to the more tender variety, and we get a more vigorous growth of wood, and a greater quantity and better quality of fruit. I think it is the most successful way of growing plums in the northern districts.

Mr. RACE: Is there anything to be gained by growing these native plums, so-called? As far as I have seen in the Province they are not a success at all, and there is only this to be claimed for them, that they are curculio-proof. My idea is that the curculio has too much contempt for them—and that is about my feeling. We can grow the better varieties, and the native plums that have been taken from their native condition are not satisfactory. You find plums growing in bushes that are worth something, but grown in a nursery they are not satisfactory.

Mr. A. McD. ALLAN (Goderich): People speak of trees being "curculio-proof." Now, there is no such thing, either in the generally-cultivated plum or in the wild plum. I know of no such thing as a curculio-proof plum. There are some varieties less subject to curculio than others; but I would like all parties here present, and any one interested especially in this Association, to distinctly understand that as an Association we do not allow anything of that sort to pass. Speaking for myself, coming from a plum district as I do, I would say we have nothing there—and we have cultivated natives too—that is curculio-proof; but the best we can say of them is that some varieties are less subject to curculio, being extremely hard at the particular time at which the curculio is in for active work. Along the Lake Huron shore we have not gone very largely into the cultivation of new varieties spoken of. To some extent they have been tried, and some

of our
line of
now as
section
can be
that in
so. W
market
like to
but we
both c
hence v

Th
Ex
Ha
Pr
the pap
and dro
Mr
not spre
Mr
nearly t
come qu
Mr
varieties
Mr
ago last
the trees
Paris gr
sulphur
the trees
green, an
it to the
in the P
for the c
I would
Dr.
appearan
Mr.
it seeme
did not h
Mr.
loaded dr
Mr.
to rot—th
Mr.
Mr. C

of our own natives have been grown; but they are discarded, as a rule, for the general line of cultivated plums; and as far as the black knot is concerned, we do not fear it now as we did. The experience is that if the black knot law is enforced in a plum section by individual growers, there is little danger in after years. The plum orchard can be so protected and the black knot so taken care of in the younger years of the tree that in after years you will have little or no black knot to attend to. We have found it so. We still stick to the better imported varieties as more suitable generally for the market. As to these newer varieties spoken of in Mr. Craig's excellent paper, I would like to see some of them cultivated for culinary purposes. They are not dessert plums; but we find when we go to the markets that the general consumer wants a plum that is both culinary and dessert. We cannot find that amongst these newer varieties, and hence we still stick to the old varieties, selecting from them.

PLUM ROT, AND SPOT OR SCAB.

The following questions were then offered for discussion:

Experience in treating rot (*Monilia*).

Has anyone noticed the presence of "plum spot or scab" on red plums?

Prof CRAIG: The plum spot or scab that I referred to has been already described in the paper. It is indicated by a small round red spot. Later on the plum shrivels up and drops suddenly. I would like to know something as to the spread of this disease.

Mr. TURNER (Cornwall): We have diseases of that description in Cornwall. It is not spreading, apparently.

Mr. CASTON: I have noticed it to a small extent on the common wild varieties—not nearly to such an extent as on the cultivated varieties. There is no doubt it will become quite prevalent.

Mr. ALLAN: In the newer varieties I have noticed less plum rot than in the other varieties; as a rule that species of plum is a heavy bearer.

Mr. G. W. CLINE: I have had quite a lot of plum rot for several years, and a year ago last season I treated it with an ammoniacal solution; and in the early spring, before the trees leafed out, and afterwards, with the carbonate of copper in connection with Paris green in spraying for curculio. That season I had scarcely any rot. I also threw sulphur in the trees about the time of ripening. This last year I did not spray before the trees leafed out, but I sprayed with the carbonate of sulphur and solution of Paris green, and I had plenty of rot,—a year ago I had scarcely any; but whether to attribute it to the spraying I don't know. I sprayed twice or three times with the carbonate in the Paris green, but I didn't use the ammoniacal solution at all. When I sprayed for the curculio and added the Paris green it was just along when the fruit was formed. I would not like to say there had been a specific remedy.

Dr. BEADLE: Do you not notice that the fungus—what we call the rot—makes its appearance just about when the fruit is beginning to ripen?

Mr. CLINE: My plum trees were never heavier loaded than they were this year, but it seemed that the wet weather coming on at that time of year, caused them to rot. I did not have more than one-third of a crop, just through that.

Mr. A. M. SMITH: I noticed the same thing in my trees. Some that were heavily loaded dropped off early.

Mr. RACE: I have seventeen varieties that I am growing. I have only two subject to rot—the Glass' seedling and the Quackenbos.

Mr. ALLAN: That is only one.

Mr. CLINE: They are two distinct plums, without a doubt.

Mr. ALLAN : I have tried for years to find out, but I cannot find any further difference between them than I can find between two plums taken off one tree. You will find differences in different soils in the same plums.

Mr. M. PETTIT : My experience is only of one year, and I do not know that it would be of any benefit. I thought this year spraying had been a great benefit, but possibly it might have been from some other cause. Where I used it was on Lombard plums that had rotted very badly the previous season. This year they commenced again when they were quite small—the size of a bean ; great blotches commenced to appear the same as they did before ; and I sprayed with sulphate of copper. I used two ounces of sulphate of copper in a forty gallon barrel, and left about six days between the sprayings, and this—or some other cause—entirely stopped it, and the plums were quite clean in comparison with the previous year.

The SECRETARY : I have been experimenting with these fungicides with a good deal of success. My plum orchard is too small to give me much experience with plums, but I think I can see an advantage in treating plum rot with copper. Mr. Blanchard, who has been conducting the experiments for me, is here and may have something to say.

Mr. BLANCHARD (foreman for Mr. Woolverton, the Secretary, Grimsby) : I have been treating a plum tree that was especially bad with the rot—a McLaughlin. For two years I have been trying the carbonate of copper. This tree is standing right alongside a spruce and it is growing partly into it ; and I think that is one thing that makes it rot more than others—because the spruce keeps it damp and wet, especially in cool weather. I sprayed it three times for two years now, and I find it completely prevents the rot and the tree bears every year a big heavy crop. Though this year has been especially bad for plum rot, I found the carbonate stop it suddenly. I use three ounces to 25 gallons ; this was the powder in connection with Paris green.

Mr. ALLAN : When do you apply it first ?

Mr. BLANCHARD : Just at the time when you spray for curculio. I find when they are grown to that size they rot the worst.

Mr. ALLAN : Did you ever try using the solution before the leaves appear at all ?

Mr. BLANCHARD : No.

Mr. CLINE : I have tried that.

Mr. ALLAN : Did you decide that there was benefit in doing so ?

Mr. CLINE : I only tried it one season. I sprayed it twice before the trees leafed out and also used the carbonate in suspension with Paris green, and also sulphur ; I had no rot that year, I also picked all the rotten plums off the trees ; and I would advise every person to clean the ground of every rotten plum they can find, and burn them.

Mr. ALLAN : There is no doubt benefit to be gained by using the solution at least once before the leaves appear at all.

Mr. CLINE : I think so.

The SECRETARY : I think Mr. Allan has struck a very important point, that our efforts to stop the plum rot must be by prevention, and that we want to begin in advance. We usually wait till we see the rot and the mildew appearing before we take any measures to treat them ; and then it may be too late. In using the Bordeaux mixture in the vineyard I have had almost complete success in preventing mildew.

Mr. PATTISON : Does not Mr. Cline find a great difference in the plum rot according to the soil the plum is grown on ? I have a plum orchard on a heavy clay soil, but I have had no rot whatever, I think Mr. Cline told me that those of his trees that are on heavy clay do not suffer from rot.

Mr. CLINE : Yes, that is true ; I find that the lighter and moister the soil, the plums seem to take the rot the more readily than they do on the heavier clays. Plums do not grow so large on those heavier clay soils. I have a small orchard that has been planted some twenty-five years, and there is very little if any rot in it ; although within less than

a quart
plums
rot. I

Mr.

Mr.

foliage,

Pro

on this

getting

monia is

Dr.

fungus a

seeds, as

spread in

that has

benefit—

point is

Mr.

present v

damage

grain mo

does any

not take

that the

ture act

favorable

consideri

Mr.

use the su

upon the

vines, we

duced tha

the plum

plum tree

All dropp

ing toward

Mr. I

It rained

Mr. A

and you h

first spray

The S

With rega

understand

leaf or fru

than the f

strong, we

by the pois

applying p

where thro

the rotten f

and is wait

Mr. CAST

render it pr

a quarter of a mile from it, on lighter soil, they rot quite badly. Another thing about plums: if you plant them where they are open to the air it is a great preventive of rot. If they don't get the wind to keep the dampness away they are very apt to rot.

Mr. HILBORN: Isn't that true of peaches

Mr. CLINE: I think it is, even in grapes it is an advantage to cut away some of the foliage, if very heavy, and let the air in underneath.

Prof. CRAIG: I am very glad indeed to have evidence coming in from so many sides on this question. It is especially gratifying to me that the growers are taking it up and getting practical results. Using the carbonate of copper in suspension without the ammonia is a valuable and cheap preventive for fungus.

Dr. BEADLE: We should emphasize the necessity of spraying early. When this fungus appears so that we see it, it has gone to seed. The spores, as we call them—or seeds, as they might be called—fall upon the fruit, and in favorable circumstances they spread immediately—take root, as you may say—into the tissues of the plum. After that has taken place, all the carbonate of copper in the world won't be of any possible benefit—the fungus has got into the tissues of the plum, and is out of reach. The great point is to kill the first crop.

Mr. CASTON: We are told by the scientists that the germs of all this fungus are ever present with us, but one year is more favorable than another. I find they do the greatest damage in wet, close, damp weather. If we have a breeze blowing so as to keep the grain moving, we have no rust on the wheat. Do these fungicides kill the germs, or does any aroma given off repel the germs? Does any one know whether the fungus may not take the leaf or the young wood and go up by the way of the stem into the plum, so that the rot may be from the inside instead of the outside? How does this spraying mixture act in repelling these diseases? Is it of much practical value in a season that is favorable for the propagation of these diseases? Will the game be worth the candle, considering the cost of it?

Mr. ALLAN: It is like mildew in grape. The same principle applies. We used to use the sulphur on the grape about the time the mildew appears. Now we scatter the sulphur upon the soil; and the result is, so long as we have a good current of air surrounding the vines, we find very little difficulty in subduing the mildew. That is the reason I introduced that point into the discussion—as to using the solution before the leaf appears on the plum tree at all—and the important point, in the fall of the year, of seeing that your plum trees are perfectly clean—not only the trees themselves, but the soil under the tree. All dropped plums should be gathered up and destroyed, because those are all contributing towards the disease we are fighting.

Mr. HUNTER: Has any gentleman had success in spraying this spring for the fungus? It rained so incessantly that any solution you might put on would be washed off.

Mr. ALLAN: I have had success, although the continual rain was a perfect nuisance, and you had to keep up a continual spraying. I did so on a few trees; but I found the first spraying was the all important one.

The SECRETARY: I think several of the instances given have reference to this year. With regard to Mr. Caston's question: How does the poison act on the fungi? As I understand it, it acts by direct contact. The fungus is a little plant growing upon the leaf or fruit, and it appears that it is easily injured in those cases—more easily acted upon than the foliage of the tree—fortunately for us, because if we do not make our poison too strong, we can destroy the fungus without injuring the foliage. The spores can be affected by the poison as well as the little plant itself. That is the explanation of the utility of applying poison before the foliage appears; because these little germs must live somewhere through the winter, and it is thought they do live through upon the old leaf, upon the rotten fruit; and some have thought that the apple scab is bred upon the little buds and is waiting for the time that it can damage the foliage.

Mr. CASTON: Will the early application of the fungicides affect the foliage so as to render it proof against attacks?

The SECRETARY : Even before the foliage appears it is recommended to use the sulphate of copper strong—even as strong as one pound to twenty gallons of water—so that there would not be any left to attack the tree.

Dr. BEADLE : The question is : Suppose the leaves are open, then we spray ; does that render those leaves proof against the growing of these fungus spores upon that leaf ?

Mr. CASTON : Yes, that is what I was trying to get at.

Dr. BEADLE : The answer is this : if one application has spread itself over the leaf, and has not been washed off by a subsequent rain, it will ; but if rain comes and washes off one application, we have to renew the application so as to have the spores killed. I think our scientists tell us that these spores germinate ; they make these spots on the leaf ; they go to seed ; these spores—or seeds, as I call them—drop upon the soil, are washed into the soil by the showers ; get upon the tubers of potatoes, for instances, and there they find the conditions for growing.

Prof. CRAIG : My understanding is that the disease grows down through the stalk of the potato, and passes up through the tuber to the stalk.

Dr. BEADLE : Do they take root in the stalk and keep growing downwards until they reach the tuber, or is it that they take root in the stalk and keep multiplying, and so going down ?

Prof. CRAIG : Keep multiplying, and so going down.

Mr. D. ALLAN (Galt) : I apply a little alum in the water—I have been doing it for 25 years—for fixing the poison on the leaf. I mix it with a little warm water. I put about the same amount of alum as hellebore—an ounce to a pail of water. The hellebore thus applied will stay on my currant bushes all the season.

Mr. HEAD : Does alum affect the leaf ?

Mr. D. ALLAN : It may give it a little light color.

Mr. HEAD : You don't think it interferes with its functional capacity in any way ?

Mr. D. ALLAN : It never troubled it, to my mind.

Mr. BEALL (Lindsay) : I use a little flour paste instead of alum, which I feared might rot the leaves.

The PRESIDENT : We would like to hear any remarks from Mr. James, Deputy Minister of Agriculture.

Mr. JAMES : I have nothing to add to what has been said. I would emphasize what has been mentioned with reference to where these fungi come from. Mr. Caston said that they are present everywhere. That is so, with a modification ; but the place in particular where they are is on the tree itself and in its immediate neighborhood—upon the old wood from last year's growth ; and hence an early application of the solution upon the tree itself will remove the principal source from which next year's crop of fungus material is going to be derived from.

Mr. TURNER : I think our worthy Secretary made the best point yet, when he advocated early spraying. When the opening bud first appears it is in its most receptive condition. It is very tender ; and I think the fungicides used at that time in a mild form, and repeated after that, will answer every purpose. I would advocate a strong solution to be used before the opening bud.

Mr. GOTT (Arkona) : We should be careful where and how we plant those trees. I don't think the plum is adapted to all soils. We should reserve our heavy soils for plums. We should plant them in long thin rows. In a close, tight block the fungus will grow in spite of all efforts. The inside of a block will always be more affected than the outside—just exactly the same principle as the peach. The plum diseases can be remedied very largely by other agencies outside of the plum. To make the plum orchard a piggery—to make it a fowl yard, to be used for poultry—these will have a beneficial effect on the growth of the plums.

Mr. JAMES : What was the principal cause of the plum failure this year ?

The
Mr.

plum.
rot wha
full gro
that wh
and I b
liability
disease.

Mr.
had no
alluvial

Mr.
do the c
as a con
disease
will resi

Mr.
are affe
have the
contrary
that are
liar har

Mr.
every ye
can go in
exactly t
required
understa
must be
producti
point ve
we must
extent in
that our
should b
should st
other ro

Mr.
of one ci
trees are
soil—lea
or not ;
stances t
soil, sho
may tak
very diff
before w
different
one man
It requir
ber years
in his ap
was any

The

The SECRETARY : I think the rot was the worst.

Mr. PATTISON : The free application of wood ashes and lime is very beneficial to the plum. I have fed them very freely with these substances, and have had absolutely no rot whatever, although I have grown plums for over nine years, many of my trees being full grown when I went there, I never lost a basket from rot. Mr. Cline informs me that where he has fertilized with special fertilizer that is compounded at Smith's Falls and I believe is largely composed of potash, that he has noticed quite a difference in the liability of plums to rot on that account, and in the general immunity of the plums from disease.

Mr. FISHER (Burlington) : We didn't have any plum rot this year where I live. We had no plums (laughter.) Last year I noticed that the trees I have growing on an alluvial deposit were very much worse with rot than on other soil.

Mr. JAMES : I think careful experiments ought to be made on the question. Why do the diseases strike certain trees? Are we starving, or partially starving, our trees, and as a consequence getting the trees into such an unhealthy or weak condition that the disease strikes them readily? Can we build up the constitution of the trees so that they will resist the disease?

Mr. CASTON : It is a well-known fact that some of the best and thriftiest apple trees are affected by apple-scab. You would think the tree with the greatest vigor would have the greatest ability to resist the attacks of these diseases; but it seems to be the contrary. Although what would bear out the opposite would be this fact, that trees that are not susceptible to the apple scab at all, are particularly hardy, and it is the peculiar hardiness that prevents the attacks of the scab.

Mr. ALLAN : There is a simple reason for all that. We are seeing more and more every year that throughout our fruit orchards there is a lack in the soil. No doubt you can go into the country and find a young tree badly spotted; but the reason there is exactly the same as in the other instances, the soil lacks some particular substance that is required for the production of perfect fruit. Now, in order to get at this subject and understand it, we must analyse our soil; we must know what those qualities are that must be in the soil for the perfect production of strong, perfect, healthy wood, and the production of healthy, good fruit. When we reach that point, we will have come to a point very much in favor of the fruit-growers of this Province; and come to that point we must, or go down largely in the markets. We have gone down to a considerable extent in the markets of Britain with the apple; and I trace it all back to one point—that our orchards are lacking; the soil is not cultivated and fitted for the crop as it should be. We should look on the orchard as we do any other part of the farm. We should study the orchard's wants; and feed its soil as we do for a crop of wheat or any other roots. (Applause.)

Mr. JAMES : Very frequently we draw erroneous conclusions from simple observation of one circumstance. Here is a man who examines his orchard; and he says: "Those trees are growing on a heavy soil;" and he draws conclusions from that one point—the soil—leaving out entirely the slope of the land, the prevailing wind, whether it is shaded or not; so that in coming to conclusions on those points we have a variety of circumstances to take into consideration. The mere fact that a tree is not thrifty on heavy soil, should not disprove the fact that perhaps those trees would grow on such soils. You may take a variety of soils, they are all clay and they are all heavy, but they may be very different in composition. We should take all the circumstances into consideration before we arrive at any conclusion. Hence a number of experiments carried on at different places all grouped together, will give us better results than the results on one man's farm. We are not very likely to put too much fertilizers on our orchards. It requires something to prove that heavy clay is the material that is needed. I remember years ago hearing Mr. Allan speaking on this subject, in referring to the use of salt in his apple-orchard making the fruit and the trees strong and healthy. Not that there was any benefit in the salt, but it set free other ingredients in the soil.

The SECRETARY : Some people believe that the yellows can be cured by an appli-

cation of potash; but I believe that is not substantiated. Still in my own orchard I use wood ashes very freely, and I do not think there is any orchard in the section that has had less yellows. True, we have had to pull out trees every year to keep our orchard free from that disease, still I think there has been less yellows in my peach orchard from the fact that we apply wood ashes liberally to these trees. That substantiates to a certain extent the point that has been made, that if we knew just what the trees required we might in the case of many trees protect those trees by feeding them properly. In regard to the remark of one of the members that the plum tree is subject to fungus when highly manured, I would say that it was growing so fast that the young growth of wood was tender, and hence more subject to the spores.

Mr. MORRIS: While it is necessary to feed the trees and protect the healthy growth, to prevent those diseases that food needs to be balanced. Vegetable manure—barnyard manure may cause such a growth, an unhealthy growth; particularly if the trees are kept cultivated, and that growth made late in the season. In such case, if pears you will always see blight. There is nothing more conducive to blight than to manure your pear trees with barnyard manure and bring them on late. To my mind the best manure for trees in almost any soil—of course you can vary according to the soil—would be a proportion of barnyard manure, wood ashes, and bone dust. I think you would get in those three all that is required. To grow trees with ashes alone, you do not get the strong growth you do with the manure; but it is a healthy growth of wood, is more solid, and a tree grown with lime and wood ashes is much healthier than one grown with wood ashes alone.

The SECRETARY: You use those elements largely yourself in your nursery?

Mr. MORRIS: Yes. Unless you have healthy wood your trees will be subject to those diseases that are being discussed.

Mr. BLANCHARD: Would you use those elements all together?

Mr. MORRIS: Yes.

Prof. CRAIG: This matter of getting healthy trees and feeding the soil is a very complicated one. It is necessary to get the trees in the best condition, and to get the trees least liable to these diseases. After that we must come down to spraying. It is proved it is a practicable remedy. It can be applied with paying results to every man who will apply it intelligently and at the right time. It has been pointed out the spray must be put on in a fine film—that is, the protection is given by giving this coating. The way to get that is to put on a fine spray. In spraying we must use a nozzle which will put the spray on in a finely-divided condition, and cover the leaf and the fruit and the whole thing completely. Two nozzles which I have found give me very good results are the Vermorel Improved and the Nixon.

Mr. HUNTER: If we were to accomplish that—cover up the leaf so completely that nothing would reach it—that would kill the whole business. The leaf is the lung of the plant, and must take in air.

Prof. CRAIG: The thickness of the covering on the side would be so thin that it would not interfere with the breathing.

Mr. JAMES: The breathing is chiefly on the under side of the leaf.

ACTS RELATING TO THE SPREAD OF DISEASES.

The SECRETARY: I have wanted to move a committee to revise the Act with regard to the spread of diseases of trees. In my opinion the present Act is very imperfect indeed, and some proposals were made last year in the Niagara District for a change in the Act, but those were not fully approved of, and the Minister of Agriculture did not think they were just in the right shape to have them brought before the House, and he suggested that we should consider the matter here. It is the duty of every man who has black knot in his place to cut down the trees. That is very well if he will do it. Then

the cou
unless
round a
the orch
an inspe
not be a
he does

DE

The

the insp
complai
long to
sees yell
somebod
was app
Institut
were bei
not put
in the se
the Frui
the part
inspecto
inspecto
ister of
cannot o
bring in
suggestio
or Presid

Mr.

The

the name

The

The

The

The

The

The

The

The

The

The

The

The

The

The

The

The

The

The

The

The

The

The

The

The

The

The

The

The

The

the council is to appoint an inspector to see that this is done ; but he has not to do it unless on the petition of fifty ratepayers. That is all right if any one has time to go round and get fifty names ; but if the plum knot is ravaging a district and destroying the orchards I think if five men put their names to a paper asking the council to have an inspector appointed, surely it is enough. (Hear, hear.) I don't see why there should not be an inspector anyway. I suppose he gets no pay unless he does some work, and if he does work he ought to be paid.

DELEGATE : I think two names would be quite enough.

The SECRETARY : There are other cumbersome details in this Act. Another is that the inspector has some trouble in carrying it out. I believe he has got to have a written complaint from somebody that the disease exists before acting. Now I think this is too long to wait. I don't see why the inspector should not have eyes of his own, and if he sees yellows in anybody's orchard I do not see why he should not act without waiting for somebody to complain. At the Farmers' Institute meeting held at Grimsby a committee was appointed to co-operate with the Canadian Institute in Toronto. The Canadian Institute, who are interested in the health of the city, found that peaches with yellows were being offered for sale and they wanted to stamp out the disease, but the matter was not put just in shape to be acted upon. A committee waited on the Government too late in the session. As a matter of fact the Minister of Agriculture wanted to know what the Fruit Growers' Association had done, and he thought the fruit growers of Ontario were the parties to take the matter up. It has been proposed that there be one general inspector the same as there is for foul brood in bees, and that he might work with local inspectors. [The Secretary here read letters from Mr. W. E. Wellington and the Minister of Agriculture.] Of course the work would be mostly done in committee. We cannot discuss it till the matter is properly before us, and I think the committee should bring in some recommendation for some change in this Act, and we might discuss their suggestions and see whether they would meet the case or not. I move that the Chairman or President be asked to name a committee of three to consider this matter.

Mr. A. M. SMITH seconded the motion.

The motion was put and carried, Dr. Beadle suggesting that the President submit the names of committee after noon adjournment.

The Convention then adjourned at twelve o'clock, to resume at two p.m.

SECOND DAY—AFTERNOON SESSION.

The Convention resumed at two p.m.

The PRESIDENT : I am glad to see a large addition to our numbers of this morning. I have also pleasure in announcing that we have with us Mr. O. F. Brand, a member of the State Horticultural Society of Minnesota. We welcome him to our council, and shall be very glad to have him take a seat and join us in our discussions, and in every respect we tender him the courtesies of our Association. I will name the following committees :

ON FRUIT EXHIBIT.—Messrs. Morris, Fonthill ; J. D. Stewart, Russeldale ; and W. S. Turner, Cornwall.

ON NEW FRUIT.—Prof. Craig, Ottawa ; Mr. Hilborn, Leamington ; Mr. G. C. Caston, Craighurst.

ON REVISION OF LAWS AS TO BLACK KNOT.—E. D. Smith, Winona ; A. W. Peart, Burlington ; J. Cavers, Galt ; J. K. McMichael, Waterford ; G. W. Cline, Winona.

Mr. BRAND, in accepting the hospitalities of the Convention, said he had come not so much to afford information as to gather it. Fruit growing began in Minnesota thirty-eight years ago, and he was pleased to say that the oldest apple tree in that State was grown from a seed from an orchard near St. Catharines, and the fruit has been named the Catharine apple. The tree bids fair to reach a hundred years in age. He had been

asked by the President of the Minnesota State Association to find out what the Canadians were doing in originating new fruit; also what success had been met with here in growing Russian apples. He would be glad to listen to the discussions and to afford any information he possessed. (Applause.)

APPLE GROWING.

Mr. THOS. BROOKS, of Brantford, read the following paper :

The apple is one of the oldest of fruits. There is an old book with which I have no doubt most of you are familiar in which we find these words: "As the apple tree among the trees of the wood, so is my beloved among the sons,"—something beautiful and lovely—beautiful in its growth, form and appearance, lovely in its fruit and usefulness; such ought the apple tree to be, for apple trees like ourselves are known by their fruit. Plant in the spring, thirty feet apart each way, and do not forget that you are planting a living thing with a life to be fed, protected and cared for if you would have it a thing of beauty and profit. If you do not mean to feed, protect and care for it, do not plant it. Of all the kinds of fruit grown in this country the apple is capable of adapting itself to the greatest variety of soil, climate and surroundings, but under no circumstance must we neglect to feed, care and protect it. "Dig about it and dung it" is still good advice, though it has come down through the centuries. In regard to the apple tree, just remember this, though it is a living thing it cannot roam about for food; it is tied to the spot. Take your cow into the field and give her only twenty feet of rope. She will soon have eaten up all the feed within her reach and have nothing but the ground to stand on, and if you do not supply her wants the pail will soon show the reason. Now I believe this to be the condition of too many of our apple trees: they have little more than the ground to hold them up, and if there was any such thing as their getting out they would follow one another over the fence like so many breachy sheep. General practice has been something like this: For the first ten years the orchard has been made to grow all the grain and roots that could be got from it, thus doing double duty. All right if double fertility has been applied to the trees, but this is too often neglected. Unless the orchard has had very liberal treatment in the way of manure and cultivation the ground will be poorer than when the trees were planted. To me there appears a great similarity between animal and tree vegetable life. For our domestic animals to become strong, healthy and vigorous, they must be fed and cared for in a proper manner. The cow, to give good results at the pail, must have the proper feed in right proportion and quantity, with good care; so the orchard, to give good results in the barrel or cellar, must have its wants supplied to that end from year to year. The animal and its needs, and how and with what to supply them for any desired end, is now pretty well understood. In the case of the orchard these points are rather more obscure and perhaps not so well understood by the average farmer. The suitable treatment of the tree itself, in the way of cleaning and pruning, may in the main be agreed upon as to what is best. And, not to go below the surface of the ground, may there not very easily be some special fertilizer, particularly adapted for the production of fruit, that we do not yet know of? And when we have done our best so far, may there not easily exist some subsoil conditions which will counteract all our best efforts. The only remedy that I know of to cure any unfavorable subsoil conditions, either in the field or orchard, is tile draining. This will greatly benefit a hard clay subsoil, or a cold damp bottom, and in the orchard I believe a good depth, even to four or five feet, to be necessary. If tile drain is too near the surface in the orchard there is danger of the tiles filling with small roots from the trees. I do not wish to be tedious, and of what I have written this is about the sum: First, if the orchard is on hard clay, or cold subsoil, deep and thorough tile draining with perfect outlet; if in grass, which I always think is the nicest condition after the trees are well to bearing, not, however, to be sod-bound, but kept mellow with top dressing, ashes and coarse manure. Next is clean bark and proper pruning—and let me say right here, better prune too little than too much. I have seen most ruinous results from over much pruning. Get the tree

into nic
the di
stances
off the
might l
in man
facts w

Th
had ex
neglect
orchard
because
rich so
good so

M
worked
trimme
been pl
if prop
the gr
sub-soil
there is

M
believe
to grass
with ba
fungus
withsta
not, per

Mr
course i
and of f
small se
you can
the orch
up. In
vate the
trees an

Mr
soil?

Mr
what is
fertilizin
I think
they cor

Pro
had not
as large
Romna.
could ha
tree.

A
Pro
fruit gro

into nice shapely form as to the desired height of the lower limbs from the ground and the direction of leading branches, during the first five years; after that, under no circumstances ever prune closer than to cut a branch off a limb. Never cut a leading branch off the trunk. Now, sir, I know there is nothing new in this paper. I leave much that might have been said to more able men. Still, I think that success in apple-growing as in many other things, lies in the faithful carrying out of some of the old well-established facts which I have tried to point out. *First and last, feed the apple tree.*"

The SECRETARY: We have had a good paper. Two points, gentlemen who have had experience will heartily approve of. Fertilizing the orchard well is too much neglected in our country. The point about pruning is well put. I think our apple orchards are over-pruned in a great many cases. Trees are made sickly and short-lived because of barbarous butchering. With regard to the distances apart, I think on some rich soils 30 or 32 feet is perhaps a little too close. I have old trees 40 feet apart on good soils where the branches are interlacing.

Mr. JONES (Burford): A great many contend that orchards should be plowed and worked. By so doing you trim, in a measure, the roots, which are thus said to be trimmed at the top; but my experience is that isolated trees, where the ground has never been plowed, are the best trees in the orchard. I believe top-dressing an excellent thing if properly done—to cover the whole ground with coarse manure, and frequently to keep the grass down. As to under-draining, where there is gravel and a good deal of sub-soil, orchards do not do well. I have observed the best results in orchards where there is a very deep soil, or, if clay, sub-soil.

Mr. McMICHAEL (Waterford): In the last few years my observation has led me to believe that the fungus or spot in the fruit is worse in orchards that have been laid down to grass. I have also known orchards that have been very highly cultivated by fertilizing with barn yard manure, that year after year have raised large crops, with very little fungus on them. It seems the vitality of the tree has, to a certain extent, the power to withstand this trouble if highly fertilized; and where they are left to grass the trees are not, perhaps, one-fifth as productive as where they are more cultivated.

Mr. CASTON (Craighurst); I agree with the last speaker about fertilizing. Of course it stands to reason that a tree must be fed. There is a growth of tree, of leaves, and of fruit. It is claimed that it exhausts a tree just as much to perfect the fruit in a small seed as a large one; and it might be well to thin out the fruit while small. Where you can work close up to the tree with a plow, never leave it in grass at all. While the orchard is young we grow a crop of roots, provided the fertility of the soil is kept up. In this climate, where we have six or seven weeks of very drouthy weather, cultivate the ground all the time you possibly can; and keep up fertility if you want healthy trees and good fruit.

Mr. RACE: How do you mean to cultivate? Would you take a crop off the soil?

Mr. CASTON: I would not unless sufficient fertilizing material was put in, so that what is taken away by the crops would not rob the tree. If you cannot find sufficient fertilizing material, do not crop at all, but simply summer-fallow and feed the tree; and I think it will be found that the trees at forty feet occupy the ground pretty well when they come to maturity, and you will thus make as good use of the ground as you can.

Prof. CRAIG here showed two specimens of fruit picked at the same time—one which had not been thinned, and the other thinned early in the season. The latter was twice as large as the former. The apples were both of the same variety—a Russian called the Romna. The large one was of poorer color than the small one, but the speaker said he could have secured color as well as size by allowing the large one to remain longer on the tree.

A DELEGATE: Which give the best financial results—the thinned or the unthinned?

Prof. CRAIG: The thinned gave me a larger number of bushels, and I leave it to the fruit growers to say which would bring the most money.

Mr. ALLAN : The big apple.

The SECRETARY : How early would you do this thinning ?

Prof. CRAIG : I should say just after the first apples are fallen from the effects of the codling moth.

The SECRETARY : Just about the time we do our spraying ?

Prof. CRAIG : A little after.

A DELEGATE : How old was the tree from which these specimens came ?

Prof. CRAIG : It was six years planted.

The PRESIDENT suggested calling for the paper, "Fruit Growing on Clay soils," by Mr. F. G. H. Pattison, of Grimsby, and discussing it in connection with the paper just read.

FRUIT GROWING ON CLAY SOILS.

For a long time it was supposed, at all events in the section of country in which I am situated, that fruit would not succeed except on a light soil, preferably a sandy one. Consequently, those who had the temerity to plant fruit on the clay were laughed at by their neighbors, as being likely to have nothing but their labor for their pains. Even now the same impression prevails largely, especially amongst those who own farms of sandy texture.

To aid, then, in dispelling this idea is one of the objects of this paper. From a personal experience in the heart of one of the best known fruit sections in Ontario extending over eight years, and from observation of the operations of others over a longer period, I have come to a conclusion slightly different from the foregoing, and I ask you to lend me your ears for a short time that I may present the other side of the case to your notice. Now, in my experience clay soil, and especially high red clay, is peculiarly well adapted to growing profitably the following kinds of fruit, namely; grapes, pears, plums, apples, quinces, red and black currants. Peaches and cherries will also do fairly well; the former must, however, be given exceptionally good attention and cultivation, when they will bear fruit some seasons when there is little or none on the sand, and the quality will be very fine. Still for profit clay does not compare with sand in the case of the peach, which naturally loves a light warm soil. Small fruits, also, with the exception of red and black currants, mentioned above, cannot be profitably grown upon clay to any great extent, although an excellent supply for home use can be easily obtained. But let us examine into those fruits that I have already said *can* be profitably grown there. To begin with grapes. For them I claim the following advantages on clay soil: Firstly, earliness. On the high red clay most varieties will ripen from 10 days to 3 weeks earlier than on sand in the same locality. This advantage is of great importance from a pecuniary point of view, especially in an early section, frequently from this cause alone doubling the profits to be obtained from the vineyard. Secondly, healthiness. Grapes on clay are not nearly so subject to diseases, especially rot and mildew. Thirdly, the quality of the fruit is vastly superior. So much is this the case, that the same fruit grown on clay is like a totally different and superior variety compared to that grown upon sand, although the name be the same. To give you an example from my own experience, which is the more valuable as it was purely voluntary and quite unbiassed. A year or more ago a young friend of mine who had been staying with me for a considerable time and had been accustomed to eat my grapes grown upon a clay soil, expressed a wish to go through some of the large vineyards in my neighborhood upon the sand. It was a fine day in the early part of October, and as we walked through the vineyards the grapes hung in tempting clusters, perfectly ripe. Naturally enough, he sampled them as he went along, but after doing so his face did not express the satisfaction one might have looked for under the circumstances. Instead of which he said, "whatever is the matter with these grapes? they have no flavor." I suggested that it

might be the variety, so he tried other varieties; but with the same invariable result—no flavor. It was quite true, for I have no hesitation in saying that grapes grown upon sand are insipid, watery, flavorless productions, and are as much inferior to those grown upon clay as those grown out of doors are inferior to the hot house varieties in a cool climate.

I am informed by a neighbor who is in the habit of attending the Hamilton market, that the dealers and buyers there eagerly seek for grapes grown upon a clay soil, the effect of which is that it is hard to find them grown upon any other soil—at all events when they have reached market. I am also informed that wine makers, both at Hamilton and at St. Catharines, vastly prefer grapes from the clay, indeed, will not purchase any others if they can help it.

Now we come to pears, and here again the quality and flavor are much superior, some varieties almost flavorless in sand, being excellent on clay, *i.e.*, Flemish Beauty. Clapp's Favorite, too, which rots at the core if allowed to hang upon the tree on sandy soil will hang for weeks upon the clay without suffering deterioration. The trees are healthier, bear as well and are much less subject to blight, that fell enemy of the pear grower.

Plums revel in a clay soil; they bear early, last long, and produce abundant crops of excellent quality, often bearing heavily in seasons when there are none upon the sand. They are also less subject to disease and to the curculio.

Apples do excellently upon a high clay; they come into bearing early and do not feel climatic changes so much as on the sand. The fruit is of finer quality and keeps better. The trees as a rule bear more fruit and less wood and do not require so much feeding.

Quinces will do well on clay if given good cultivation and a moderate supply of manure; also red and black currants.

Yet other two points in favor of the high clay and I have done.

Firstly, it does not require underdraining to produce fruit profitably, of excellent quality. This is frequently a very important item in the expense of putting out fruit. One of our prominent members declared at a meeting of the Farmers' Institute, held at Grimsby last winter, that it was quite useless to underdrain the high red clay. While not going so far as this, I am of opinion that it will make so little difference as not to be worth doing.

Secondly, the fertility of the clay for fruit is not easily exhausted, and can be kept up for an indefinite period with a very moderate supply of manure. Now, on sand it is feed, feed, feed all the time if you wish to obtain the two requisites, *viz.*, quantity and quality. I am convinced that the reason a great many orchards do not bear upon the sand is from no other cause but soil-exhaustion. Now, the clay (like the Scotchman, of whom it was said on some one asking if he kept the Sabbath, Yes, he keeps the Sabbath, and everything else he can lay his hands on) will retain all the fertility you can supply to it, and will unlock it gradually.

Summing up, I think we may safely say that the fruits I have mentioned *viz.*, grapes, pears, plums, apples, quinces and red and black currants, can not only be profitably grown upon clay, but will excel those grown upon almost any other soil.

Mr. ALLAN (Goderich): I can't agree with a great deal that Mr. Pattison has said. I believe in clay; I believe in clay loam; I do not believe that fruit culture can be successfully prosecuted upon a heavy clay, and I take it when he speaks of clay it is pure clay or a heavy clay, and not a clay loam, without a thorough system of underdraining upon such soil. Under-drainage is important on almost any soil—even in gravelly sub-soils, which are often springy, where the top soil is mellow and easily penetrated, so that the feeding roots reach substances that are not altogether beneficial to the formation of perfect wood and fruit. As to quality, there is unquestionably a difference in some

fruits in proportion to the soils they are grown upon; but that difference means the difference in the substances in that soil that are required to produce first-class fruit. If there is sufficient lime and iron, and substances of that sort, you will get a high color and a high flavor—in other words, the flavor is brought out better. I believe in a mixture of manures, because in the mixture we find the substances that are required for the purposes we are after. You will find the highest possible color and flavor in a particular variety, for instance, where you place some salt, some sulphate of iron, and a certain quantity of potash; whereas that same variety grown a few feet distant, under slightly different circumstances, will not grade as high, because the flavor is not brought out as well. My experience is that apples grown in a southern section will not, after shipment, compare in any way in a foreign market with apples grown in the far north and east; and if I were in the southern district I would devote myself to those fruits that can reach the highest perfection for those markets that they were to be shipped to.

Mr. ORR (Winona): I have taken nearly all the apple trees out—both clay and sand—and made firewood of them. As to underdrainage of clay, the water never finds its way down to the drains. I have had experience growing pears on clay; but they load so heavily that we do not get size.

The SECRETARY: How about Clapp's Favorite getting rotten in the heart?

Mr. ORR: We have had no difficulty with the Clapp's Favorite on that score.

Mr. HUNTER: I have had Clapp's Favorite rotten on the outside and sound in the heart.

Mr. RACE: Mr. Allan comes from Goderich, which is on a sand belt about twenty-two feet in width. The apple exhibit around Goderich this last fall was the largest and finest I saw in the province. The next finest was at the town of Clinton, only a few miles east of that. These were very much larger and finer than the exhibit at London, and quite equal, if not superior, to the one at Toronto. On enquiring in these and other places I found that the very finest specimens were grown upon a sandy loam, or else a clay-loam underdrained; and in many cases where we found samples which came in competition with those, I found that they were grown on clay which was not underdrained. So I concluded that last year the sandy loam had been the very best, and the second quality was produced on a clay loam underdrained. There are two apples that have come into notice during the last three or four years—the Wealthy and the Ontario. The finest specimens I saw of these anywhere this season were at Stratford, cultivated by Mr. Dempsey.

Mr. ALLEN: It was later in the season when you saw the specimens there?

Mr. RACE: It was about two weeks later than I saw at Goderich.

Mr. DEMPSEY (Stratford): Those that Mr. Race speaks of were grown on blue-clay subsoil. It was highly cultivated, well manured, and a good deal of ashes on it.

Mr. HILBORN: I think that elevation has something to do with it; but I find that sandy soil produces fruit of a better quality, though very often not quite so large. Small fruit crops like strawberries are of better quality on sandy soil—they get more sunshine and heat.

Mr. MORRIS: I think the question of clay or sandy soil depends altogether on what the clay soil is and what the sandy soil is. There is much clay soil that can be thoroughly tile-drained; and I think that kind of soil is as good as any we can get for fruit. There is a good deal of sandy soil that is of a damp, sour nature, that is not fit for fruit. That which is sandy loam and dry grows good fruit. I think Mr. Dempsey has given us the secret of those fine Stratford apples by saying that he used much ashes. Ashes are made from wood, and when fed to land turns to wood—it seems to be a natural manure, and makes a healthy growth of wood. Perhaps many, like myself, have orchards that we do not like to dig up, and we would like to know what varieties we can grow with advantage.

Mr. PATTISON: I did not for a moment purpose to say that all clay soil does not

require underdraining. I said the high red clay did not require underdraining; and that is so. It may rain for weeks and weeks, and if you dig down three and a-half feet into the red clay you will never find a drop of water there. It is true that underdraining does render the land slightly more porous where the underdrains are not laid too deep; but it is a question whether it pays to do it. High red clay requires no underdrainage for apples or any other fruit. As to quality, my experience is that it will bear shipping, and will keep long, and has a very fine color. There is no comparison in the results between clay and sand in the same locality. As to earliness of crops in our section, the red clay is from ten days to two weeks earlier than the light soil in almost any variety.

Mr. PETTIT (Winona): Coming from Mr. Pattison's neighborhood, I cannot agree with that statement. No doubt you can get them earlier, but there is a great falling off in quantity.

Mr. CASTON: The term "sand" is quite indefinite. A sandy loam is the best for the most fruits. Next to that we like a clay loam. The best soil for the apple is the light loam. I think Mr. Pattison's description may be accounted for from the fact that the locality in which he is has been settled for a long time, and had been wrought for a long time with grain before they turned their attention to fruit; and I think the clay there is very probably an alluvial deposit. I have no doubt that Lake Ontario was up to the top of the mountain at one time.

The PRESIDENT: There is another question that would come in here very well for discussion—one of the topics on the programme: "What is the proper way of caring for an orchard after it begins to bear fruit?"

Mr. THOS. A. GOOD (Brantford): The fruit growers of this section have reason to feel gratified for the information that is being imparted to them. I think the fruit growers in the Dominion understand fruit culture better than any in the world. We have various soils in this county, but none that water will not penetrate. I should not like to grow fruit where water would lie on the surface. In our part of the country we have the best success with Fameuse apples, and I think with cherries on clay land. The next best land is clay loam; and the worst for apples, and pears especially, is what we call sharp sand. It is almost like building sand. If you go down two or three feet you would get sand fit for making mortar; whereas a few rods off you get a soil entirely different. In some sections that sharp sand is no good for fruit at all, except small fruits, such as currants and strawberries—and they can be grown to perfection. An orchard on this sharp sand, within half-a-mile of my house, has not produced in sixteen or seventeen years more than sixteen or seventeen barrels in three years. It has been our plan to let an orchard run to grass after the trees got to bearing size. A neighbor of mine who has made his orchard successful attributes it to the thorough cultivation he gives it. Another orchard near me on a sandy loam, well sheltered by a row of trees along the west side, which thoroughly protects it from the west winds, has been a success the last two years, but orchards near it have not been successful. I would like to know why you consider wind-breaks in such a season as this a protection to the apple. In my own and other orchards there was hardly a perfect apple, while in the shaded orchards they were nearly all first-class, and brought \$1.60 a barrel, having been sold as Extra No. 1 apples. The windbreak was the only thing I could see to account for the difference. I cannot agree with the statement that poverty of the soil causes scab. We have raised the snow-apples to perfection for years. Last year they were very good, and this year they were perfectly worthless. If it was poverty of the soil, how could you account for that? There must be some other cause. The Baldwin and Northern Spy and Greening were also cracked and scabby, whereas in those former years they were almost perfect.

Mr. A. MCD. ALLAN: The impression that poverty of the soil causes fungus is no correct. Poverty of the soil has a great deal to do with any disease, because the "constitution" of a tree—so to speak—grown in an impoverished soil cannot be strong enough to bear the burden of a crop of fruit, which will weaken a tree. There must be sufficient food to provide for the life of the tree, and also for the bearing of the fruit and for the production of healthy and strong wood. You are thus growing two crops on

that soil ; and many people will attempt to grow a third crop—of grain—and thus rob the soil of its vitality. Whether you cultivate or not, after trees come into bearing you must feed, and you must subsoil sufficient to allow the manures to penetrate the soil. If you allow the top sod to become consolidated you must adopt some measures to allow the manure to penetrate it. Never cultivate your orchard after midsummer ; and the manuring must be done before. Follow nature as closely as possible—and nature provides a top-dressing under the soil of the trees in the fall of the year ; and then when the rains have percolated and worked that manure into the soil I carry on cultivation there very lightly. I planted in the first place in a nice friable soil, underdrained so that the roots would strike deeper than they otherwise might, so that I have the roots pretty well out of the control of the plow in cultivating—though I use a cultivator in cultivating. I would stop a little before mid-summer so as to allow the growth of the season to thoroughly ripen before winter comes in.

APPLE SCAB.

The topic was then introduced for discussion : “ What causes the apple scab ? Can it be prevented ? ”

The SECRETARY : This is a case illustrating the great value of science in horticulture or any other branch of agriculture. Not long ago a great many of us engaged in apple-growing in Ontario were inclined to give up growing apples on account of the apple scab ; but now we know that it is a little fungus, and that it lives not only on the fruit but also on the leaves ; that it is propagated by little spores that correspond to seeds, and that they lie upon the apple or upon the leaf, and very soon begin to germinate and produce these little spots. You will have observed these spots on the leaves, not knowing that they were on the apple. You will also have observed that the foliage on the trees ripens and drops much earlier than it should. It is all caused by the apple scab, which causes it to weaken and mature and grow out of shape and fall, and so takes away from the vitality of the tree, causes the apples to grow mis-shaped and small and worthless for market. We find that the apple scab can be treated. I would suggest that every fruit grower in the room make up his mind to apply fungicide for the apple scab. Let him apply it before the foliage appears at all. Try first: sulphate of copper—a pound to twenty five gallons of water ; apply it so that every part is covered, any time before the foliage is expanded ; you might almost say in the winter, but anyway in the early spring. Then try ammoniacal carbonate of copper as soon as the bloom appears :—carbonate of copper, five ounces ; ammonia, three pints ; water, forty-five gallons. I think if we would faithfully try this experiment next spring we would have something to talk about a year from now.

Prof. CRAIG : A year ago the Department at Ottawa issued a bulletin giving instructions for the manufacture of this carbonate. It is somewhat expensive when bought from the druggists, and this prevents its general use. This bulletin will be sent to any one who writes to the Horticultural Department, Ottawa.

Mr. W. S. TURNER (Cornwall) :—I received a bulletin from Mr. Craig, and acted on it, and found considerable benefit from spraying. I had finer fruit than ever before, with the exception of one tree, which shows the necessity of planting thirty or forty feet apart, one Wallbridge tree interlaced with a Ben Davis. The spot was worse in that part than in any part of my orchard, showing that interlacing tends to make the disease worse.

The PRESIDENT : I would like to vouch for Mr. Turner's fruit. I have several jars of it put up for the World's Fair—very superior in every respect.

Mr. FISHER : Has the presence of a windbreak anything to do with freedom from scab ?

The SECRETARY : I cannot see any connection between windbreak and scab.

Mr. FISHER : A windbreak would be injurious rather than beneficial.

Mr. hedge. the tree close. bility of twenty

Mr. C of the w know.

Mr. have a v grown t past the in the ot break, w that orch

Mr. ground distance, will tend rather so

Mr. them on built it w to be con have the had for a portion of they were with us t I would fence. I

Mr. surround about ten can be gre and who l

Mr. I have very found it n composed but as to tionable g distance fr trees in ot larch. I from five that of 18 With rega by sprayin five per ce sprayed.

Prof.

Mr. B

3 (

Mr. ALLAN (Goderich) : The windbreak as generally grown is a closely planted hedge. Now, you want something that will allow the wind to thoroughly run through the trees, but merely break the force of it. People make a great mistake in planting too close. I would plant windbreak trees thirty or forty feet apart, so that there is no possibility of them ever interlacing ; plant in a double row, which would make them practically twenty feet apart.

Mr. GOOD : You can carry a lighted match almost any time of the year on the lee side of the windbreak I spoke of, and there was less scab in that orchard than in any one I know.

Mr. JOHN J. FRASER : Mr. Good and I are, comparatively speaking, neighbors. We have a windbreak on the west and north, of evergreens planted about twelve feet apart, grown to the height of thirty feet or upwards, and I have noticed that for many years past the apples in that orchard have been very much subject to scab—much more so than in the other orchards we have. I have always attributed it to the closeness of the windbreak, which prevented the free circulation of air. There was not a bushel of apples in that orchard last year that was free from the scab.

Mr. MORRIS : The roots of those trees thirty feet high will extend through the ground the same distance, and come in contact with the roots of the fruit trees in that distance, and will rob the ground of food which those trees should have had ; and that will tend to bring about the scab. I would not have evergreens for windbreak, but rather something like European larch, which the wind will pass through.

Mr. CASTON : In our part of the country windbreaks are beneficial. I would have them on north and west sides if possible. I have a board fence fourteen feet high. I built it when I planted out the trees, and at the same time I planted a row of evergreens, to be coming on while the orchard was growing, so that when the fence got old I would have the evergreens. The winter of 1884-5 was very severe—averaging colder than it had for thirty years—and I lost between sixty and one hundred trees. The more exposed portion of the orchard suffered most severely, and right in the neighborhood of that fence they were scathless. A neighbor of mine had no windbreak—because it was an axiom with us that we ought to have a northern exposure—and his orchard was entirely ruined. I would certainly have a windbreak fourteen or twenty feet high, whether of trees or fence. I think in close, foggy weather the fungus gets in its work.

Mr. GOTT : Windbreaks are good. The finest plot I ever saw was five acres entirely surrounded by white pine, about thirty feet high—the branches interlacing—planted about ten feet apart. I believe the tender fruits such as plums, fine peaches, and apricots, can be grown within a windbreak of that kind. I had a friend who had perfect apples, and who had a forest along the whole northern part of his orchard.

Mr. BRAND was asked by Prof. Craig to speak about windbreaks. He said : We have very high windstorms, and frequently tornadoes, in July and August, and we have found it necessary to protect with windbreaks our main orchards—which are chiefly composed of Duchess of Oldenburg, which blows off very easily—to ensure a good crop, but as to the health of trees I never could see that they were beneficial, but rather objectionable generally. The largest, best and most productive trees that I have stand a long distance from any windbreak ; so also do the best in the State—and I have seen as many trees in our State as any other man in it. I have been planting a windbreak of European larch. I have windbreaks of evergreens, which I find of a great benefit in catching snow from five to seven feet deep, and thus protecting tender trees through severe winters like that of 1884, when all our Wealthies were destroyed, except such as stood in deep snow. With regard to the scab, Prof. Goff, Professor of Horticulture in Wisconsin, succeeded, by spraying a Fameuse tree three or four times during the season, in producing seventy-five per cent. of perfect apples, as against twenty-two per cent. on trees that were not sprayed.

Prof. CRAIG : On what sides are the windbreaks planted ?

Mr. BRAND : West and south—our most damaging winds coming thence.

3 (F.G.)

Mr. JOHN LITTLE (Granton) : Forty years ago I planted a windbreak of twenty rods on the west and the north, and it became of great benefit to me since I became a strawberry man. On the north side the snow remained there probably two weeks longer than any other place.

Mr. STEWART (Russeldale) : Many years ago I planted out a young orchard, and I planted a row of Norway spruces along the north, east and west, leaving the south free, and I have never had reason to regret it. I had the best fruit, and the freest from scab, and the largest crop of pears in that enclosure, of any in my place.

Mr. HOWELL (Brantford) : My neighbor on the west has a windbreak of natural pine on the north and east, which makes a windbreak on the west of mine, and I have also a windbreak on the south. My neighbor had the best crop of apples, and mine was a poor sample except on the road right next to the evergreens on the south. I think in the last two years his orchard was better than mine. Mine has been used as a hen and hog pasture, and his has been seeded down with peas and oats.

Mr. PATTISON : In the more northern sections, where they suffer from low temperatures, a windbreak is valuable; but in the southern section I should be inclined to doubt its efficacy at all, except such a windbreak as would lessen the force of the fall winds, as larch or Lombardy poplar.

Mr. HUNTER : To prevent the robbing of the orchard by windbreak trees I plow furrows as deep as possible not far from the shade trees, and then dig down with a spade and cut off all the roots leading towards the orchard, as deep as I can find them. This repeated at intervals five or six years apart will prevent injury by robbing.

Mr. FISHER : There are two opinions about the usefulness of windbreaks. The Robertson pear orchard at Oakville, which generally bears 300 or 400 barrels of first-class fruit every year, was predisposed to scab this year, and the crop was only 30 or 40 barrels of good fruit. It is surrounded by a very close hedge, and there are, I think, two windbreaks running through the orchard. I believe the presence of those windbreaks had a great deal to do with the large amount of scab. I had an unusually heavy crop of pears, though somewhat scabby; but my orchards are entirely unprotected.

Mr. THOS. IVEY introduced the topic : "What is the proper method of caring for an orchard from the time the trees are planted until they begin to bear?" It is said we learn as much by our failures as by our successes. Five years ago I planted 100 plum, 100 pear, 50 cherry and 75 apples. The ground was clay loam with gravel subsoil. I dug deeply. I made large holes and put good soil around the roots in planting, and the poorer soil dug out of the hole was thrown in on top, I got good growth of trees all around. My cultivation was well kept up during the five years. I manured heavily—put on from 50 to 75 one-horse loads of manure each year—and kept the ground well cultivated, and grew garden truck between the trees. The trees have been admired by my neighbors, and they have been looked upon as a success; but this spring I found that 50 of those trees were totally dead. I have imagined there must have been something wrong in the nursery care of those trees before they were planted. I have lost a number of plums which grew to a large size.

BEE-KEEPING AND FRUIT GROWING AS A UNITED INDUSTRY.

Mr. R. HOLTERMANN (Brantford) : The impression has gone abroad that bee-keeping requires very little attention, experience, etc. The reasons for this are various. In the old system we had the box hive, which required very little attention. Men who attend conventions are not lured into business that does not require care and knowledge. The business you want is a business that requires experience and knowledge and care—which bee-keeping does. Of course we can go into business in a small way, and read up, and as our experience increases we can increase our colonies. Fruit growing and bee-keeping are businesses which for various reasons can be well combined. You

know there
are men w
growers—
Canada th
We find n
have lost r
perhaps a
who has a
have kept
yard being
the result
which is p
has been p
treat; and
the highest
which we o
seasons wh
little to do
tus, there i
and now an
bees in fert
purpose of
having the
that otherw
another we
we require
fertilize the
the locality
spring of th
for feeding
—and, later
secure any
poison from
year; and s
getting it u
four miles f
close later;
to be where
clover is a v
light land it
that Golden
only once in
The only tin
berry-pickin
sometimes t
could be left
off at other
When it com
to market;
fruit to. Fe
well. Those
great many i
keep a few c
men around
your flowers.
business. (A
Mr. Go

know there are men making failure of fruit growing every day, and you know also there are men who are making money at it; in fact I believe that the dairymen and the fruit-growers—that is the specialists—are the men who are making more money to-day in Canada than is made in any other branch of farming. With bee-keeping it is the same. We find men on every side who are failing in bee-keeping—who are giving it up, and who have lost money; and on the other hand we find men who are making a fair living and, perhaps a little more, at it. I have 95 colonies of bees in my cellar. Any fruit grower who has a good cellar can winter his bees successfully in it. For the last two years I have kept careful account of my bees. Every item has been charged—the labor in the yard being counted at the rate of \$1.25 a day—and every sale has been credited; and the result is that the net profits amount to the value of the present stock of the yard—which is probably \$700 or \$800. Now, that is a fair investment. Of course business has been pushed in every possible way. We have attended shows in Toronto and Montreal; and we have counted the prize-money by crediting the apiary with that honey at the highest market price; and any prize-money went towards expenses at the exhibition, which we considered would just about be covered by the prize-money. There are certain seasons when the bee-keeper is very busy, while during the winter season he has very little to do. After a man has all the hives he requires, his combs, his extracting apparatus, there is very little to do. The bees require constant observation during the winter, and now and then a few minutes' work. Prof. Panton will tell you the necessity for the bees in fertilizing. The primary object of the bee is not to gather honey, but for the purpose of fertilizing flowers. In damp seasons the time for fertilizing is limited; and by having these fertilizing agents we are able to secure fertilization in greater abundance than otherwise. Further: we know that by securing pollen from one flower to fertilize another we are liable to secure a better fruit. For instance we know that in the apple we require five distinct fertilizations to give us a perfect apple; and if we have bees to fertilize the flower we are likely to have a larger percentage of perfect apples. Of course the locality has a great deal to do with it. A good locality requires flowers in the spring of the year for the purpose of giving the bees pollen and honey; and they use that for feeding the larvæ and producing bees which will eventually give a surplus. Willow—and, later on, fruit-blossom—is very important for this purpose; but we very rarely secure any surplus before clover. Therefore the danger of bees carrying to the hive poison from the spraying is very little, for we secure no surplus at that season of the year; and should poisoned honey be carried to the hive there is no danger of the consumer getting it upon the table. I have found by observation that if we can get from three to four miles from the lake, our seasons are prolonged; the blossoms will open earlier and close later; therefore that is a good locality. Of course a great many of us are content to be where blossoms all open at the same time within the radius that bees fly. Alsike clover is a very good honey plant—in fact I know of no better. If we can get high and light land it gives us the advantage of having blossoms early and late. If we can add to that Golden-Rod and Boneset, so much the better; but they produce an inferior honey yield only once in a long while, and hence I do not consider them of any special importance. The only time I can see when bee-keeping would interfere with fruit-growing would be berry-picking time. We are very busy with the bees during the latter part of June, and sometimes the whole of that month. The balance of the work required with the bees could be left off till some other time; and I think the fruit growing work could be put off at other times—that is the preparing for market, and work of that kind—winter work. When it comes to marketing the two can be combined very well. You have to take fruit to market; and you can ship your honey to the same commission man that you ship your fruit to. For these reasons I think bee-keeping and fruit growing can be combined very well. Those who already have too much to do should not go into bee-keeping. I find a great many in the country fail because they attempt too much. Every fruit grower should keep a few colonies; but the beginner should not start with many. If there are other men around you who keep bees, there is no object in your keeping them for fertilizing your flowers. Unless you are prepared to take an interest in the bees, don't go into the business. (Applause.)

Mr. GOTT (Arkona): A friend of mine undertook to combine these industries. He

attended to his bees very freely; seemed to get along with them very nicely for a time, but then fruit was suffering. He had to leave his bees and attend to the fruit. While he was attending to the fruit the bees would fly away. After awhile the moth would begin to enter into some of the hives and play havoc with them. The bees after a short time went into winter quarters very weak. They came out weak and silent. They wouldn't combine. These two things will not combine except on a small scale; but to make a profit so as to be recommended to us as fruit-growers is a very doubtful question.

Mr. HOLTERMANN: I am not anxious to convert any of you into bee-keepers. I was asked to present the question and have done so. We know there are a great many men in the country who are combining fruit-growing with other things. They have a small farm, or they have cows, pigs and so on; and why not bees under those circumstances? Of course if a man keeps nothing but fruit, and devotes his entire attention to it, he is all right—there is nothing like that kind of a man; he will advance the fruit-growing industry and will be a successful man himself. The farming community is suffering from combining too many things. If you are so situated that you can keep bees with advantage, keep them; if not, keep out of the business. As far as the moth is concerned, our good friend must have been behind the times—he must have had black bees—because if he had Italian bees I guarantee they will not trouble him.

Mr. CASTON: How about the market for honey? Is it likely to continue?—a sufficient demand at a fair price?

Mr. HOLTERMANN: We find no difficulty in marketing our honey and that of a good many others. The price has depreciated in the last two years, but it is like everything else—like the fanning-mill which sold for \$30 two years ago, and is selling for \$15 to-day. Bee-keepers must understand how to produce for less money. I think in the neighborhood of Brantford honey is selling at 12½ cents a pound, and 9 pounds for \$1, and in exceptional instances I believe 10 pounds for \$1. Whether the depreciation in the price of honey will remain I do not know.

Mr. CASTON: You don't call that a bad price?

Mr. HOLTERMANN: That is not a bad price. Of course if a man wholesales he has to sell for less. Bee-keepers feel that they are not getting what they should; and a good many bee-keepers feel that others should not go into the business.

The SECRETARY: Our busy season begins when the busy season begins with the bee-keeper—about the berry season. How long does your busy season last?

Mr. HOLTERMANN: To the middle or end of July. As to swarming. I have not a great deal of sympathy with people who have to hive a great many swarms. For the last six or seven years I have not had more than an average of twenty per cent. of swarms. If you manage your bees rightly, that is, shade them, ventilate them, and so on, the swarming will be reduced to a minimum, and you will also get more honey. There is no money in selling bees at the present time. In the spring of the year, if you are posted in the business, you can buy for \$5 a colony, and thus save the risk of wintering. A friend of mine, Mr. C. A. Post, of Murray, has 346 colonies of bees and never has a man to watch the swarm at all.

Mr. MORRIS: I believe the bee-keepers have got a little the start of the fruit-growers by having a law passed that the fruit-growers will not be allowed to spray trees while flowers are in blossom. Now it is well known that the bees not only carry pollen and produce fertilisation, but also carry the disease known as "yellows" in peaches, and spread them. Now shouldn't we take a leaf out of the bee-keepers' book, and have a law passed that bees shall not carry the yellows?—(laughter)—or if they do make their owners responsible, because they do it.

Mr. HOLTERMANN: I think the fruit-growers have for many years had the start of the bee-keepers, and I believe they have the start of them yet. Of course I am not prepared to say whether bees transmit poison or not, and I have an idea that it is altogether likely; no one else is prepared to say whether that is the case or not. I would not care

to enter into
in the inter

Mr. C.
he got the
clear from
something
has frequen
am very gl
to see anyth
their usefu
(Laughter).

Mr. L.
Mr. L.
berries the
regards stra
fertilize his
grapes. Th
sawing. Th

Mr. H.
direction, a
not sufficien
peach shoul

Mr. A.
forbidding t
grower who
but quite th
care not to
the best frie
pears; but

Mr. PA.
the country,
able amount
fruit-growin
no reason v
small fruits.

Mr. H.
colonies, an
have known

REF

Mr. C.
on the Adv
further on.]

Mr. E.
the Act rela

to enter into that discussion about the law being passed. My own opinion is that it is in the interest of the combined industry.

Mr. CASTON: I know a man in our neighborhood who began by hunting up trees; he got the bees in the woods, and now he makes an income of about \$500 every year clear from his summer's work with the bees, and in the winter-time he is free to go at something else. He does not work as hard as the farmers do, or as hard as I do; and he has frequently advised me to keep a few colonies of bees in connection with my work. I am very glad when I see my neighbor's bees among the blossoms, and I would be sorry to see anything that would reduce the number of bees in the country, because I recognize their usefulness. I am waiting till the bee-keepers produce a bee that has no sting. (Laughter).

Mr. LITTLE asked whether bees would fertilize strawberries?

Mr. L. J. MULLET (Waterdown): Bees work very little on strawberries. Raspberries they derive a great deal of honey from. I think they are a great benefit as regards strawberries; but the gentleman would have to have perfect flowering plants to fertilize his strawberries with. Some fruit-growers claim that bees injure peaches and grapes. That is, I believe, caused by hornets, whose jaws or mandibles are so placed for sawing. The bee has not that power to puncture the skin of the grape or peach.

Mr. HOLTERMANN: There has been a great deal of experimenting done in that direction, and I think it has been conclusively shown that the honey bee's mandibles are not sufficiently strong to puncture the skin of the grape or peach; but if a grape or a peach should break open or be bruised, then the bee will take the juice.

Mr. ALLAN (Goderich): I do not see anything injurious to fruit-growers in the Act forbidding them to spray with poisonous substances while the bloom is on; for a fruit-grower who understands his business will not spray then—there is no object in doing so, but quite the contrary; and it should be the object of every fruit-grower to take good care not to spray at a time when he would injure the bees, because the bees are among the best friends we have. I have noticed bees feeding upon the pieces of the grapes and pears; but I believe they never do so except when the skin of the fruit has been broken.

Mr. PATTISON: My neighbor on the west is the largest bee-keeper in our section of the country, and is distinctly making a success of it; and he also grows a very considerable amount of fruit, as well as attending to a farm of 125 acres of arable land. His fruit-growing and bee-keeping are decidedly a success—especially the bee-keeping. I see no reason why the two could not be combined; the only thing would be not to grow small fruits. My neighbor confines himself to grapes, pears, plums and apples.

Mr. HOLTERMANN: My father-in-law, S. T. Pettit, of Belmont, commenced with 69 colonies, and secured 8,000 pounds this year; and his increase he counts as nothing. I have known years in which he made as much as \$1,200 on honey alone.

REPRESENTATION ON AGRICULTURAL COLLEGE BOARD.

Mr. CAVERS (Galt) gave notice of motion as to representation of this Association on the Advisory Committee of the Agricultural College at Guelph. [See discussion further on.]

DISEASES IN FRUIT TREES.

Mr. E. D. SMITH, Chairman of the Committee, appointed to consider amendments to the Act relating to black-knot in trees, reported as follows:

CHAPTER 202, REVISED STATUTES OF ONTARIO.

Whereas the "Act to prevent the Spread of Noxious Weeds and Diseases affecting Fruit Trees," has been found inoperative and practically a dead letter, your Committee begs leave to report the following amendments they would suggest:—

To amend sec. 2, clause 3, to read as follows:—"Such council may, at its first meeting each year and shall on being petitioned by *five* ratepayers appoint at least one inspector to enforce the provisions of the Act, his appointment to be made at the first meeting of the council after such petition has been presented, and his salary or remuneration be determined and paid by the council; and in case a vacancy shall occur in the office of inspector, it shall be the duty of the council to fill the same forthwith.

To amend sec. 8 to read, "It shall be the duty of the inspector to give or cause to be given notice in writing to the owner or occupant of any land containing fruit trees affected with yellows or black-knot, requiring him within five days from the receipt of the notice to deal with such trees in the manner provided by sections 2 and 3 of this Act.

Your Committee begs leave to suggest that your Association respectfully recommends to the Hon. the Minister of Agriculture, the appointment of a Provincial Inspector, whose duties shall be to superintend the carrying out of the provisions of this Act by the local inspector in so far as it relates to the black-knot and yellows, said Provincial Inspector to be paid by the Local Government.

Mr. SMITH: We could not as a Fruit Growers' Association very well recommend the appointment of this inspector whose duty it should be to look after noxious weeds, and that is why we suggested the co-operation of the Farmers' Institute, so that one Inspector might look after both interests.

Mr. JAMES: One difficulty arises at the very outset: How are you going to compel councils to do it that have no interest at the start? Suppose the city of Brantford says: "That is all nonsense; we won't have anything to do with that;" what are you going to do then? I doubt very much the advisability of connecting this with the weed extermination. You can handle the one, but you cannot the other, simply because they are linked together in one statute it does not necessarily follow that the amendment should cover the whole statute. I think the end will be better accomplished by attempting less. One officer for each municipality means over 700 officers in the Province. Members of parliament are going to vote upon that as they think it would be voted upon in their own municipality. Do you think you can get a majority of the members of the House to vote on that, compelling the councils to appoint that officer? They would say: "Black-knot is prevalent principally in certain sections of the Province. They are the ones who want this enactment."

Mr. SMITH: Have the Provincial authorities not power to compel the councils to do this?

A DELEGATE: It is permissive—not compulsory.

Mr. JAMES: Could one man cover the Province as regards black-knot and weeds? We find it cannot be done with regard to bees. I should think the inspector of fruit trees alone would be sufficient.

Mr. ORR: We have a law on our statute books with respect to noxious weeds, and they cannot be controlled. I have 10 or 12 acres that it is utterly impossible to kill all the weeds out of. The inspector should have power to do the work at once—to go into an orchard and cut the trees down, not ask the owner of the property to do it.

Mr. SMITH: We discussed that, and suggested that the decision of the inspector should be subject to appeal by the owner, in case the inspector might make a mistake.

Mr. ORR: The noxious weed law is a dead letter now. Every pathmaster is required to do it now, and it can't be done.

A DELEGATE: Is there a municipality in the Province that the proposed suggestion would not benefit? Is there a country municipality that produces no weeds; or is there a city or town where fruit trees are not grown? If there is, our suggestion would not apply; but there is no municipality in the country in which we cannot find either weeds or fruit trees.

Mr. JAMES: Suppose an inspector were appointed in a certain township; could he go through the entire township and have all the weeds cut down, and the black-knot trees cut down, and send his bill to the council?

Mr. down. V
A D
up time a
regard to
Mr.
act, and
act it wo
Mr.
every insp
because th
Mr.
loth to m
The
there is,
inspector,
of that pr
tor. If n
a curious
that with
to the Le
Mr.
cient inte
disease go
Mr.
enforce it
Mr. S
The
to appeal
inspector i
Mr. J
tor—if I
and waiti
trees have
think the
appointme
three or fo
Mr. O
the townsh
Mr. A
object, bec
be an un
Mr. M
can be ma
Mr. C
Mr. H
to get a p
Mr. M
the duty o
of five the

Mr. SMITH: No; the expenses are to come off the party whose trees are cut down. We recommended that the owner be compelled to cut the trees down.

A DELEGATE: In the Central Farmers' Institute that question of weeds has come up time and again; and I doubt if they would do any more in that direction; but in regard to black-knot they would co-operate.

Mr. M. PETTIT: The original act to prevent the spread of the yellows was a good act, and very easily put in force; and I think if we asked that this be added to that act it would work. I see no necessity for asking for a Provincial inspector with that.

Mr. SMITH: Under the present provisions of the Act there is a penalty of \$20 for every inspector who does not do his duty; but in fact our inspectors do not do their duty, because there is no one to look after them.

Mr. PEART: The inspectors are well known in their own localities, and they are loth to make complaint.

The SECRETARY: I think there should be some one to whom people can appeal. If there is, fruit growers will take advantage of it; they will appeal to this Provincial inspector, and the work will be done. I think the first clause should have the insertion of that provision that the council shall on petition of five ratepayers appoint the inspector. If nobody wants an inspector, the council certainly would feel that they were doing a curious thing in appointing one. I would move that those words be inserted, and that with that change we accept the recommendation of the committee and refer it to the Legislative Committee,

Mr. SMITH: There might be townships where there were not five men with sufficient interest to petition; and yet that township might be a breeding-ground to let disease go sweeping through the whole Province.

Mr. JAMES: If you could not get five men to petition for that, you could not enforce it.

Mr. SMITH: If there were somebody to go around they could get those five men.

The SECRETARY: I think when you have the Provincial inspector, there is somebody to appeal to; and I should think that he could, perhaps, act independent of a local inspector if he were called upon by local individuals.

Mr. J. W. SMITH (Winona): I don't think it is right to have more than one inspector—if I have to pay the bill. After a man goes to the expense of setting out the orchard, and waiting a few years to get something, for a man to come in and say, "So many trees have to be cut down," would be hard; and I think we ought to go carefully. I think the township council should pay the inspector, as they do the road master. The appointment of the road master is statutory. An inspector should inspect an orchard three or four times a year at least; and they should be carefully examined.

Mr. ORR: I think it is a clear case that as it is for the benefit of the whole township, the township should pay.

Mr. ALLAN (Goderich): I am afraid the Secretary's amendment would defeat the object, because neighbors in a township would not like to petition, as it would be said to be an unneighborly act.

Mr. M. PETTIT: The government would not make compulsory legislation where it can be made permissive.

Mr. ORR: Could not those five ratepayers appeal to the Provincial inspector?

Mr. HUNTER: I would bear the black-knot all around me before I would go around to get a petition from five men.

Mr. McMICHAEL: We would soon have the black-knot stamped out if it was made the duty of the councils the same as keeping the roads up; but if it is left to a petition of five the matter will be neglected.

Mr. RACK: I think a Provincial inspector would be sufficient to put all the machinery in motion. Complaints could be made direct to him, and he in turn would deal with the municipalities in detail.

Mr. John LITTLE: In the municipality I am in, every pathmaster is an overseer, but for fifteen years not a fence viewer or overseer has taken anything to do with the Canada thistle.

On motion of Mr. T. Lloyd Jones, the matter was referred back to the committee to report to-morrow morning; and the Convention adjourned at six o'clock.

SECOND DAY—EVENING SESSION.

The evening meeting was held in the Temperance Hall. The weather was very unfavorable, yet a large number assembled.

The PRESIDENT opened the meeting by calling upon Mr. A. McD. ALLAN to lead the discussion on the topic:

"What are the six best varieties of summer, fall and winter apples for profit. What proportion of each is advised for an orchard of 200 trees?"

Mr. ALLAN: I did not expect this topic to come up till to-morrow, and I wanted to draw up proportions after figuring on the matter. If you will name varieties to me, I will reject or accept them, and give my reasons therefor. I will begin at once by naming the Duchess of Oldenburg. I take commercial value to be the ruling element, dollars and cents; and I look on that as the variety that will succeed over the largest possible section of the country. I consider it is impossible for any one to name absolutely varieties that are going to succeed over this whole Province in the other seasons, as I am supposed to do. I can, however, name, as the one for the earliest, the Duchess of Oldenburg, because that is the first apple that comes in for home use. Although it is not the earliest to ripen, yet it is an apple that you can, with benefit to the tree, cull some off when the apple is half-grown; and you will find that for stewing purposes you can use nothing better than a half-grown Duchess of Oldenburg, and by culling them off the tree you will benefit the rest. (Tetofsky suggested.) That has not commercial value, it will not ship as well to a distant market as the Duchess of Oldenburg. I can't make as much money out of it as out of the Duchess. Then I go on to the next—Gravenstein; of course in some sections it cannot be grown profitably, such a section would have to take something else. My preference would be for Gravenstein; and when making a preference I am taking as a basis the general market for our Ontario apples, the market that rules prices generally, the prices at which buyers go out to buy; I mean the British market. The Gravenstein is one of those that commands the highest possible price, for its particular season, in the British market. The Duchess of Oldenburg is an apple that will ship well to Britain, notwithstanding what a great many seem to think. It is to be picked when it gets its bluish color, and before it gets its yellow tinge; the yellow tinge it will get on its voyage over, and come out a perfect apple. Of course we must attend to the shipping and the storing in ship, etc. After the Gravenstein I may mention the St. Lawrence. There are sections where they could grow the St. Lawrence to perfection, and perhaps they could depend upon a crop year after year. It is a good apple when you can get it clean. From the county of Simcoe, in Mr. Caston's section, I have found about as fine St. Lawrence as I have seen in Western Ontario. It is a profitable apple to grow, because it will bring a high price in the British markets. Then we come to one of the highest-priced apples in the British market, the Ribston Pippin. It is, however, a shy bearer in many sections. There are circumstances under which it is a very regular, though not a heavy, bearer. With me it is a regular bearer. If I get from a Ribston Pippin about one-half the crop that I would get on some other varieties, I can make more money out of it than I can out of those other varieties, because I can

get a
market
on eve
good.
in Wea
Wealth
some se
Maiden
will bri
poses.
high pri
ago; bu
quality
may hav
profitabl
you are
speaking
clean, an
keep lon
I would
that is a
a fault.
heims suc
crop the
fancy ma
in the Br
perly and
will find
County is
apples tha
in dollars
thing in.
have quali
British m
money up
for the re
would lea
dollars and
present tin
deal of mo
is, for the
sufficiently
apples, it m
found Ontar
find the san
they will ta
not under se
softer, not a
takes more
Grimes' Gol
and it is too
was getting
he will come
all I have at
tion as they
have left out

get a much higher price for it. Even this year the top of what they call the "fancy market" in Britain can be got for prime Ribstons. It will go over the twenty shillings on every barrel easily; but they have to be prime. (Wealthy suggested). Wealthy is good. I would take Wealthy in preference to Snow at any time. There is more money in Wealthy, many times over in shipping; and as far as it has been grown some time, Wealthy is a cleaner apple than the Snow, generally speaking, although you will find some sections where Snow has been grown profitably. (What about Maiden's Blush?) Maiden's Blush is not in the number, it is a fancy apple. Under some circumstances it will bring money in the Old Country, where they want a fancy apple for decorative purposes. Some years ago Maiden's Blush would stand very well to the top of the list for high prices; but John Bull is getting a little sense now. He had very little a few years ago; but he has begun to look at the quality of the apple more than he did; and the quality of the Maiden's Blush is not well liked there. Be it that, or other reasons they may have, they are not paying the same price for Maiden's Blush. Colvert is a very profitable apple if you can grow it thoroughly clean. If you are thoroughly satisfied you are going to get rid of the fungus spotting, then I would say Colvert. If I were speaking in the Georgian Bay section I would say, "Grow Colvert." They can grow it clean, and get a finer color and a closer, finer grain; and as a result their Colvert will keep longer and ship better than ours, and the quality is finer. Along with the Ribston I would mention the Blenheim, because they go together in price. That is another apple that is a comparatively sectional apple, and it is not a very heavy bearer, and that is not a fault. I think the Blenheim is quite a good enough bearer in the sections where Blenheims succeed; and with a fair crop on the tree you are more apt to get a medium crop the following year; and Blenheim is an apple that will stand at the top of the fancy market with the Ribston side by side, any year. I don't care if there is a glut in the British market, as there has been this year, Blenheim and Ribston Pippin, properly and honestly put up, will bring their own price, year in and year out; and you will find very little if any variation in that price. Then the King of Tompkins County is another, and in naming these I am looking largely, not altogether, to the apples that are bringing perhaps now, or have brought for the past few years, the most in dollars and cents; but I am looking to the future as well, and taking the whole thing in. That is why I am trying as far as possible to name those varieties that have quality, that have flavor that is sure to commend them, and to remain with the British market. I have not named Baldwin yet, though Baldwin has made more money up to the present date than any of those over the whole country, but simply for the reason that Baldwin has not the flavor, it has not the intrinsic quality that would lead me to believe that Baldwin is going to remain at the top of the list for dollars and cents in the British market. It is going to go down, I believe. At the present time there is more money in Baldwin than anything else. There is a great deal of money in Ben Davis. (Ontario?) Ontario I would have instead of Spy, that is, for the profit. Of course Ontario is comparatively a new variety, and has not been sufficiently tested to speak absolutely in regard to it. Like the Spy and smooth-skinned apples, it may be just as subject to this fungus spotting. So far it has not. I have found Ontario clean. I have found it a very even sample, one that you can pick, and find the samples even, all pretty large, fit for No. 1, off the tree. In the British market they will take it in place of Spy. The quality is not altogether special, as the flesh is not under some circumstances. It varies more than Spy. I have seen Ontario very much softer, not as firm in flesh as Spy; but generally it is much more tart than Spy, and partakes more of the Wagener. (What about Grimes' Golden?) There is no money in Grimes' Golden. It is too small for the British market, and the color is quite against it; and it is too small for the markets generally. (The quality is there; you said John Bull was getting sensible?) Well, he wants to get all he can for his penny. I don't think he will come to the size. It is difficult to name six varieties to cover these seasons; and all I have attempted to do is to give you the names of those varieties, about in proportion as they come in price in the British market, that is, the way the demand is; and I have left out those varieties that I think have not sufficient quality to warrant me in

saying that they are going to remain in a high priced place in that market. They are getting out of appearance and looking more to quality; and hence the Rhode Island Greening is coming up to the Baldwin, and will pass it. (Cranberry Pippin?) Better quality than Baldwin, very good apple. Of course in our markets there is a run for Spy. I don't wonder at that, I do not include Spy, because of its lateness of bearing, and there are so few on a tree that are clean enough and fit to take the top place in the British market. Spy is spoiling all the time where it is afflicted with the fungus spot. Taking the average over the province, the Spy has not been bringing enough to warrant me in putting it on the paying list. (Ribston and Blenheim Orange are very much the same type of apple). They are very much alike. A great many growers in the Annapolis Valley, Nova Scotia, are making a specialty of Gravenstein, Ribston, Blenheim, and King, they won't grow anything else, because for these they can get fancy prices. (Cox Orange Pippin?) Too small. (Fallwater?) A long keeper. We have made money with it, but it is not a sufficient bearer, that is, you cannot get apples up to the picking period sufficiently well, unless we had those windbreaks around the orchard that we heard of to-day. It is a heavy apple, and a large apple. The quality is not large. The only thing in that that would bring a price would be its long-keeping quality. The actual value there is in any of these varieties is in shipping that variety at the particular season when the British public want to get that right into consumption. Don't ship anything over to be stored there and wait for the consumption, it must go right into consumption. If storing has to be done, let it be done here.

Mr. RACE: You have named no apple that is suitable for the late season.

Mr. ALLAN: Ontario is fit for the late season. I did not take the Russet in. Of course there is more money in the American Golden Russet than in any other russets so far, although the Roxbury Russet is a finer-looking russet, but a little too tart. It will take the market without any trouble from its appearance. (Any sweet apples?) No; the sweet apples are not asked for over there. (Nonpareil of Nova Scotia?) I have always considered that as Roxbury Russet. I have examined them side by side in the Old Country, and I have pronounced it Roxbury Russet. (Swaar?) Swaar has good quality and high color; but the size is against it for the British market.

The PRESIDENT: I will adjourn this discussion till to-morrow.

Piano duet—The Misses Swayze.

Vocal solo—Miss Buck—"The Fairies?" which received an encore, to which she responded.

The PRESIDENT: I thought we had everything about the apple fixed up, but it is like the work of the fruit-grower, just when we think we have got everything done there is something else. We have selected the varieties of apples to grow, and got the land ready, and the windbreaks; but then the little insect needs attention; and Prof. Panton will now show us the insect on the sheet here, so that we can see him in all his beauty. (Laughter.)

The room was then darkened, and Prof. Panton gave a stereopticon exhibition of the various insects, those which are enemies, then those which are friends of the fruit-grower.

THE ENEMIES IN HORTICULTURE AND HOW TO OVERCOME THEM.

MR. PRESIDENT, LADIES AND GENTLEMEN: The duty devolves upon me to-night to introduce to your notice some of the enemies that war against the horticulturist.

With a view to make the subject interesting and instructive I shall take advantage of this stereopticon and throw upon the canvas pictures of some of the most common pests that check the success of the fruit grower.

by pa
spray
sions.
thus

find t
slide
seed.
and g
Seeds
point

S
case o
parasi
Flowe
the so

S
the str
ture, a
now se
inflic
several
plants
observ
study.

P
canvas
commo
togeth

Fu
of destr
their ju
smuts,

It
plant li
depart
in check
some of

(1)
lowing
pared b
water, s
oughly.

Ow
(2) 6 lb
lime and

(1)
1 lb. cop
plate in
to 25 g

The figure now before you represents an unfortunate tree attacked on the one side by parasitic plants and upon the other by insects: the former can be much controlled by spraying with copper compounds, the latter with arsenical mixture and kerosene emulsions. These common enemies put a premium upon skill, patience and industry, and thus to some extent fulfil a good mission.

All plants may be spoken of as flowerless or flowering. Among the flowerless we find the fungi, all developed from spores, while the flowering develop from seeds. The slide now represented on the canvas illustrates the difference between a spore and a seed. Spores are minute, have no embryo, have no definite direction in germination, and give rise to a mass of threadlike structures upon which spores are borne in due time. Seeds, on the other hand, are quite visible, possess an embryo, germinate at a particular point and develop roots, stem, leaves and flowers and seeds.

Slide 3 indicates that the fungi grow upon organic substance, either dead, as in case of mushrooms, or upon living, as rust of wheat, etc. These last forms are called parasites, among which we find the mildews, blights, etc., that trouble the fruit grower. Flowering plants feed upon inorganic substances, such as nitrates, sulphates, etc., in the soil.

Slide 4 introduces to your notice the nine family names which require to be known by the student of parasitic plants. Two of these contain most of the enemies in horticulture, and two trouble the farmer with rust and smut. Two embrace the microbes you now see upon the canvas. Among these are invisible foes which lash even man by inflicting upon him many forms of disease. I shall now bring before you the forms of several of the mildews, followed by a series of slides illustrating a number of parasitic plants largely connected with grape rot, cherry rot, etc. In both these groups you will observe that a general structure is common, but they vary considerably when you study them with reference to specific characters.

Prof. Pantan pointed out the striking feature of each fungus as it appeared upon the canvas, and then gave the remedy. These were followed by illustrations representing 21 common insect enemies for which remedies were also given, all of which are grouped together for convenience under the head of Fungicides and Insecticides as follows:

I. FUNGICIDES.

Fungicides may be defined as chemical compounds or mixtures used for the purpose of destroying such injurious forms of plant life as live upon other plants by absorbing their juices to such an extent as to affect their vitality. Examples are seen in the *rusts*, *smuts*, *mildews* and *blights*.

It is but a comparatively short time since the life history of these obscure forms of plant life has been made out; but during late years wonderful strides have been made in this department of biology, and we are now in possession of knowledge that enables us to hold in check their destructive effects by the application of so-called fungicides; among which some of the most important are:

(1) *Bordeaux Mixture*. This consists of copper sulphate, lime and water in the following proportions: 6 lb. copper sulphate, 4 lb. lime, 22 gals. water. This may be prepared by dissolving the copper compound in 16 gals. water; slake the lime in 6 gals. water, and when the latter is cooled pour it slowly into the copper solution and mix thoroughly. Some use less water for dissolving the first.

Owing to a tendency of this to clog the nozzle of a sprayer some use a modified form (2) 6 lb copper sulphate, 4 lb. lime, 50 gals. water, or (3) 4 lb. copper sulphate, 4 lb. lime and 50 gals. water, and have had good results.

(1) *Ecu Celeste*. This consists of copper sulphate, ammonia (commercial) and water, 1 lb. copper sulphate, 1½ pints ammonia and 25 gals. water. Dissolve the copper sulphate in about 2 gals. hot water, as soon as cool add the 1½ pints ammonia and dilute to 25 gals.

2. A modified form has given better results, viz.: 2 lb. copper sulphate dissolved in two gals. water, $2\frac{1}{2}$ lb. sodium carbonate (washing soda) dissolved in another vessel. Mix these, and when chemical action has ceased add $1\frac{1}{2}$ pints of ammonia and dilute to 22 gals. Some dilute even to 30 with good results.

Eau Grison (Grison Liquid). This consists of sulphur, lime and water. Boil 3 lb. sulphur and 3 lb. lime in 6 gals. water until reduced to 2 gals. When settled pour off the clear liquid; this may be bottled and when used dilute with 100 parts water. This is used to destroy downy mildew and powdery mildew of the grape and the mildew of the gooseberry.

Copper Sulphate. 1 lb. in 25 gals. water is used to spray on vines and trees in early spring to destroy the winter spores of Fungi.

**Ammoniacal solution of copper carbonate*.—Copper carbonate, ammonia and water. Dissolve 4oz. copper carbonate in 2 quarts ammonia, and when about to use dilute to 30 gals.

Potassium Sulphide. 1 oz. potassium sulphide to 2 gals. water.

*Galloway's mixture No. 5 is equal parts ammoniated copper sulphate and ammonium carbonate. 10 oz. of the mixture to 25 gals. water. Combined Insecticide and Fungicide, 4 oz Paris green to 5) gals. of Bordeaux Mixture, No. 3.

REMEDIES.

"*Spot*" of *Apple*. 1. Spray in spring before the blossoms open with Bordeaux mixture No. 3, then as soon as fruit is well formed, again with the same, and repeat about twice at an interval of two weeks. If 4 oz. of Paris green be added to the barrel when spraying 2nd, 3rd and 4th times, it will be effective against insects. 2. Galloway mixture No. 5. 3. Ammoniacal solution of copper carbonate. 4. Modified Eau Celeste. 2, 3 and 4 may be applied once before blossoming, next when fruit is about the size of peas, and the last time about two weeks later. Nos. 3 and 4 have been very successful.

"*Brown Rot*" of stone fruits found on the cherry, plum and peach.

The same as remedy No. 1 for "Spot" on apple.

"*Pear Leaf Blight*." 1. Spray with ammoniacal solution of copper carbonate as soon as the leaves begin to unfold, repeat 3 times at intervals of two weeks.

2. Dilute Bordeaux mixture as for apple "spot."

Strawberry Leaf Blight. Spray with ammoniacal solution of copper carbonate, Bordeaux mixture or eau celeste every two weeks during July and August.

Gooseberry Mildew. Spray with a solution of potassium sulphide 1 or to 2 gals. water. Begin as soon as the leaves commence to open, repeat every three weeks.

Black Rot of Grape. Spray with ammoniacal solution of copper carbonate 6 times commencing early in May and repeating every 15 days.

Downy Mildew of Grape. Spray eau celeste upon the vines 10 days before they blossom; a second time when berries are well set, and a third three weeks later.

Anthrax of the Raspberry or Cane Rust. Spray Bordeaux mixture No. 3. Apply once before the leaves come out, twice after, but not after the blossoms open. Spray especially on the young growth.

II. INSECTICIDES.

Compounds or mixtures used to destroy insects injurious to vegetation:

Paris Green (arsenite of copper containing 50 to 60 per cent. of arsenic). Applied dry or in solution. In the dry form best mixed with 50 to 100 parts plaster, wood-ashes, flour or air-slaked lime and dusted upon the affected plants. The wet form is usually used in the proportion of 1 lb. Paris green to 200 gals. of water, but if the foliage is ten-

der 25
der do
cide a
and co

Lon
is larg
injure
not lik

In
apples
and a
formed
this ca
of wat

K
this kin

(a
solved,
perly m
(soft).

(b
hot ad
water.

(c
oil, and

Th
bage-w

He
be appl
and che

Py
the sun
Used in
A good

*C
1 quart
bark lice

Tob
solution,

Alk
about as
healthy,

The
machines
readily o

The
incurred
Ammonia
pyrethru

* In th
begin to cr

der 250 to 300 gals. water (applies to application upon the plum). As this green powder does not dissolve it requires to be kept thoroughly mixed. It is an excellent insecticide against potato bug, plum curculio, canker worm, tent-caterpillar, grape-vine beetle and codling moth. It can be used successfully in nearly all cases of leaf-eating insects.

London Purple. An arsenite of lime obtained as a by-product in manufacturing dyes; is largely used instead of Paris green; but being more soluble in water it is likely to injure the foliage, and besides its composition varies considerably so that when used it is not likely to give as uniform results as Paris green.

In spraying for codling moth it is usual to spray after the blossoms fall, when the apples are about the size of peas and before they have turned downwards on the stem, and a second time about ten days after. For plum curculio, as soon as the fruit is formed, followed by two or three applications with an interval of ten days between. In this case the solution is weaker than that used upon the apple, 1 lb. in 250 to 300 gals. of water.

Kerosene Emulsion. A mixture of coal oil and water. There are three mixtures of this kind that are used to a considerable extent:

(a) *Riley-Hubbard Emulsion.* $\frac{1}{2}$ lb. hard soap in 1 gal. rain water, boil till dissolved, then add 2 gals. coal oil and mix thoroughly for about five minutes. When properly mixed it will adhere to glass without oiliness. In using dilute with 9 parts water (soft).

(b) *Cook's Emulsion (soft soap).* 1 quart soft soap, 2 quarts boiling water. While hot add 1 pint of coal oil. Mix thoroughly. In using dilute with equal amount of water.

(c) *Cook's Emulsion (hard soap).* $\frac{1}{4}$ lb. hard soap, 2 quarts water and 1 pint coal oil, and thoroughly mix while hot. In using dilute with twice the amount of water.

These emulsions are very excellent against plant lice, scale insects, chinch bug, cabbage-worm, and even rose-beetle.

Hellebore. Obtained from the powdered roots of a plant (*Veratrum album*). May be applied dry or as a liquid. 1 oz. to 3 gals. water. Excellent against currant worm and cherry slug.

Pyrethrum. Made from the powdered flowers of the genus pyrethrum, a plant of the sunflower family. It should be fresh, and hence should be kept in closed vessels. Used in dry form, 1 part pyrethrum, 5 to 8 parts flour; or liquid 1 oz. in 3 gals. water. A good remedy for cabbage worm.

**Carbolic Acid Emulsion.* 1 part carbolic acid to 7 parts of a solution consisting of 1 quart soft soap or $\frac{1}{4}$ lb. hard in 2 quarts water. This applied to affected trees destroys bark lice and the borers. It should be well rubbed upon the parts attacked.

Tobacco. The refuse from cigar manufactories answers the purpose. A strong solution, about 1 pound of tobacco to 2 gals. water, destroys plant lice and flea beetles.

Alkaline Wash. A strong solution of washing soda mixed with soft soap until about as thick as paint. Applied to the trunk of trees destroys the borers and gives a healthy, vigorous tone to the tree.

The foregoing compounds and mixtures are usually applied by means of spraying machines, many of which are now advertised, and information concerning them can be readily obtained from seedsmen or others concerned in their sale.

The following list of prices will give the readers an idea of the approximate cost incurred by the use of certain compounds in making up mixtures. Price per lb. :— Ammonia, 25c.; copper carbonate, 60c.; Paris green, 30c.; London purple, 15c.; pyrethrum, 40c.; copper sulphate, 12c.; hellebore, 25c.; sodium carbonate, 5c.

* In the case of bark lice kerosene emulsion should be sprayed upon the trees as soon as the young lice begin to crawl about the twigs; this is usually about June.

PRECAUTIONS IN SPRAYING, ETC.

1. Keep poisonous substances labelled and out of the way of children.
2. Do not continue to spray so far into the season as to affect the fruit.
3. In making emulsions remember the inflammable nature of coal oil.
4. Never spray trees in bloom.
5. Try mixtures on a small scale if you have any doubts regarding their effect upon the foliage.
6. Be careful and thorough in your work.

Much has been said of late regarding the danger incurred by eating fruit from trees and vines which had been sprayed with Paris green; but careful chemical analysis shows there is no ground for such an alarm. The same is true regarding the copper compounds which are sprayed in such weak mixture that there is no danger of any one eating sufficient fruit to injure them from the poison upon it by using the above spraying mixtures.

The PRESIDENT: We have been in the dark for some time, but we have got a great light (Laughter) and if there are any questions, Prof. Panton will be pleased to answer them.

A DELEGATE: How would you destroy canker worm?

Prof. PANTON: Paris green one pound to 200 gallons.

Mr. GOTT: Why should the remedies be different for fungi from those used for very small insects?

Prof. PANTON: They are not very different now-a-days. The Bordeaux mixture is a remedy for a great many of them; but there are many things that are alike to a certain extent, and yet the same thing would not have the same effect. This whole question of fungicides is just in its infancy. Who heard of spraying until about 1885 or 1886? The only thing that was heard of was throwing a little Paris green with a watering can upon a bush. We have made a great deal of progress, and can stay a great many of them; but we may have one compound that will do more.

Mr. ORR: Can the spores that you speak of forming in the fall be successfully treated in the fall by the Bordeaux mixture?

Prof. PANTON: I hardly think so. I think you will have to wait till the spring. They are in a sort of dormant condition—lying over.

A DELEGATE: Where affected by mildew should we burn the leaves?

Prof. PANTON: By all means. Wherever there is fruit or anything like that that has been affected by a fungoid, it should be burned up and destroyed.

Q.—How would it do to plow it under? A.—It would be just as easy to destroy it. Plowing would do if you plow it deep enough.

Q.—Where there is black knot on the tree would it be safe to leave the tree without cutting it out? A.—That is a very difficult thing to do. You can hardly find a case where there is a single knot.

Q.—I mean the limbs? A.—The difficulty is to cut out all what we call these mycelium threads. If you could get to the end of that, and were sure you had cut it out, you would be sure you had got rid of the trouble; but the difficulty is to do such a thing. I live in hopes that we may strike a compound that will be successful. As I take the plum knot in June and look at it, I find spores by the thousand. The Bordeaux mixture has been tried, and met with some success. The success reported by a single person you cannot lay great stress on—there must be a number of examples before you can rely on the results. I believe there will be a compound for this fungus, but it has not appeared yet.

A DELEGATE reported that last fall he had cured the black knot on his cherry trees by cutting out the knot as clear as possible and painting with pure turpentine over the

blaze.
as if the
treating

Mr.
same ex

Q.—
any tim
ferent r

Mr.
apple sp

Pro
of exper
the same

Pro
had been
proportio
taken in
will be f
quite eff
there wil

Mr.
The

The
The
Patterson
State, M
Toronto,
and Mr. J
inability t
The
local asso
Associatio

The f
Mr. K
programm
but such i
try" is mo
doing so, I
least; but
my assertio
tural Socie
president,
that there

blaze. This fall there was not the least sign on them, and they had healed all over just as if the parts had been cut out of a healthy tree. This proved to be a good way of treating trees where the limbs were too large to cut off without injuring the tree.

Mr. RACE: I did the same thing, only nipping them with nippers; and I had the same experience as you have.

Q.—Are we always safe in using Bordeaux mixture? A.—Yes, it may be used at any time. It is especially good for spraying in the early part of the spring. All the different remedies are mentioned in Bulletin No. 79.

Mr. PEART: Do you think anything is going to come from the experiments on the apple spot?

Prof. PANTON: Prof. Goff, of the Wisconsin station, has been making one of a series of experiments. His report shows that there was a less development of spots. I think the same bulletin on insecticides is issued from Ottawa.

Prof. CRAIG expressed pleasure at the way in which the enemies of the fruit grower had been shown up by the lecturer. The formula of the Bordeaux mixture, if used in proportion of 6 to 4, will clog the nozzle very much; and considerable care has to be taken in straining the lime which is used. If this is not done a considerable difficulty will be found in getting it into a fine spray. Using it half strength, which had been found quite effective, and taking some little care to strain the lime after mixing it with water, there will be no difficulty in using it effectively.

Mr. HADDLESEY gave a piano solo.

The meeting closed by the audience singing the National Anthem.

THIRD DAY—MORNING SESSION.

BRANTFORD, Thursday, Dec. 8, 1892.

The Convention was called to order at 10 a.m.

The SECRETARY read a telegram from Hon. A. S. Hardy, and letters from Mr. W. Patterson, M.P., Mr. S. D. Willard, Vice-President Horticultural Society, New York State, Mr. Shutt, Chemist of the Experimental Farm, Ottawa, Mr. W. E. Wellington, Toronto, and Mr. E. B. Edwards, Secretary Peterborough Fruit Growers' Association, and Mr. J. S. Woodward, Secretary Farmers' Institutes, New York State, regretting their inability to be present.

The PRESIDENT: I wish to announce that arrangements have been made with the local association here that on payment of \$1.05 persons may become members of both Associations.

EXPERIMENT STATIONS FOR FRUIT.

The following paper was read by Mr. A. M. SMITH:

Mr. PRESIDENT AND GENTLEMEN: From the title of my subject as announced on the programme you might think I was going to give my own experience in growing new fruits but such is not my intention. "Experimenting with new fruits and its cost to the country" is more properly the subject which I wish to present for your consideration, and in doing so, I may make some statements which you may think extravagant, to say the least; but I want you to carefully examine the facts and see if they will not bear out my assertions. Last winter while I was attending a meeting of the Michigan Horticultural Society it was stated by one of their prominent members, I think their venerable president, T. T. Lyon (who is also a director of one of their fruit experiment stations), that there was annually enough money spent in the purchase of worthless fruits to

maintain the poor of the state." I have been thinking upon this subject and making a little estimate of the amount spent here in Ontario and I have come to the conclusion that the amount spent here in worthless fruits and fruits not adapted to the climate and wants of the country and in their cultivation would far exceed that sum, and I will venture the assertion that within the last 25 years there has been more money wasted in them in Ontario than would take to pay her share of the national debt (which you all know is not a very small sum.) I know it is far easier to make an assertion than to prove it, and that what might be accepted as proof by those familiar with a subject might not be understood by those who were not. But I think all of you who have had experience in growing fruit and in marketing it will fully understand the difference between the value of a tree that produces ten dollars worth of fruit and one that produces 50 cents worth, or less, annually; particularly if the latter cost five times as much when planted and has perhaps had twice the time and money expended upon its cultivation. And I doubt not but your experience in finding this out has cost some of you more than your share of the national debt. But there are others perhaps who are not familiar with this business whom it would be hard to convince that there was such a loss. But suppose we take an ordinary farmer's orchard, like a majority of them in our neighbourhood, and on an average what proportion of good paying varieties do we find that will yield a good fair crop, of a quality that will bring a first-class price in the market? Take the country through and you will not find over 25 per cent. I have packed apples in nearly all of the best apple sections in the country and I did not find that on an average, and what are the rest? They are apples ranging from fair to worthless. Let us see what this means: Take 100 apple trees which should, at a low estimate, average 2 barrels to the tree for 20 years—worth one dollar per barrel—and because three-fourths of them are not adapted to the country or the market and they only average one barrel, you have a yearly loss of \$100 to each one hundred trees, or \$2,000 in 20 years. How much would that amount to on the total orcharding of Ontario? And this is not all, the same holds good on all other varieties of fruit; pears, plums, peaches, cherries, grapes and small fruits. One-half of the money expended upon them has been a total loss, except to the nurseryman and perhaps the experience bought may be of use to some, though I am sorry to say one-half of our farmers do not seem to profit by it, for the very next agent that comes along with a picture of something new and wonderful and a recommendation that it will bear from July to January in any soil or climate, from Manitoba to Texas, will get their order. This loss is not confined to farmers and fruit growers alone. Our mechanics and townspeople are annually spending thousands of dollars for trees and plants to stock their gardens, more than one-half of which is inferior or worthless or not adapted to the climate. Now the question is, how has this state of things come about? Who is to blame for it? And what is the remedy? In the early history of our country there was some excuse for this. People were anxious to grow fruit and they had no means of knowing whether a variety was good or would succeed here or not till they tried it; and later on, agents from the other side thronged the country recommending this and that variety, and many with the hope of getting something good, planted a little of everything which accounts for the large collection of varieties in some of our old orchards. But as years rolled around and there began to be a demand for shipping fruits and planters began to understand what varieties were profitable they commenced to order these varieties largely and plant new orchards—and here comes in the iniquity of the tree agent, and I am sorry to say some of the nurserymen. There was not enough of this class of trees to supply the demand and these were inserted in their blank orders—which they always carry to be filled out, this clause (which is generally unobserved by the purchaser who signs it.) "If you have not the varieties called for you may substitute others which you think equally desirable." The consequence was that many a man who gave his order for Baldwins, Greenings, Northern Spy or some other choice variety he wanted, found out when they came to bear that he had Talman Sweet, Colvert, or some variety he did not want; something the nurseryman wanted to get rid of or the tree agent could buy the cheapest and which they thought would be "equally desirable" for them to get the money for. I could point you to hundreds of such cases, but many of you know of them to your sorrow. Besides this there is a laudable desire on the

part of
and they
neighbor
getting
yours" p
better
a hundre
thousand
their cul
and culti
report la
ceeded or
able for a
ties alon
untried f
eral acre
price, rep
self befor
came to
earlier th
iveness.
know th
think, ca
as we con
dation of
loss and
are all ro
as are eng
like the r
the count

And
courage e
contrary v
of having
know whe
for it. Th
but consum
will produ
perfection
better or fa
matter by
tested by d
boring stat
criminal off
frauds of a
the matter
necessity of
been taken
carrying ou
more defini
before our
and we wan
ject—talk i
he has not go
some one in

part of planters to get something new, something there is more money in than the old, and they are on the alert for new things, some of them anxious to get the start of their neighbors. Nurserymen, knowing this, are continually introducing new things and by getting high recommends from one another—a kind of a “scratch my back and I’ll scratch yours” process. They succeed in selling often at ten times the price of varieties 100 per cent. better. It is true that an occasional one may be of value in some sections, but not one in a hundred proves to be superior to the old established varieties I could mention. That thousands of dollars have been paid for through the country and thousands more spent in their cultivation, and which never paid for the time spent in planting much less in nursing and cultivating them. Prof. Lyon, of the Michigan Fruit Experiment Station stated in his report last winter that “not more than one in a hundred of the new sorts or novelties, exceeded or even equalled the old standard varieties, though some of them might appear valuable for a year or two,” and his advice to fruit growers was “for general planting let novelties alone.” Yet glib-tongued agents will often induce men to invest largely in new untried fruits. I knew of one in my section who persuaded a farmer to plant several acres of a new grape called the Early Dawn, for which he obtained an enormous price, representing that they were so early that he would have the market all to himself before his neighbors grapes were ripe and thus secure a fortune. But, when they came to bear, the fact dawned upon him that he had been swindled—they were no earlier than some of the old sorts, and far below them in size, quality and productiveness. Similar instances might be multiplied—but it is not necessary. We see and know that these are facts and can understand how they have come about, and I think, can see that we are in a great measure to blame for it ourselves. As long as we continue to invest our money on these new things simply upon the recommendation of a tree agent, or a few men interested in their sale, we shall be doomed to loss and disappointment. I do not wish to insinuate that nurserymen, or tree agents are all rogues; far from it. I believe nurserymen are as honorable men as a class as are engaged in any calling and some tree agents are also; but there are those who like the manufacturers and dealers in whisky are “not in it” for the good they can do the country but for the money they can get out of it.

And now about the remedy for this state of affairs. We do not want to discourage experimenting in new fruits nor introducing them, if they are worthy—on the contrary we want to encourage this work. But we do want to devise some means of having it tested by competent parties not interested in its sale so that we may know whether it is worth planting or not, before we pay out our hard earned dollars for it. This is a matter that affects the whole country at large, not only fruit growers but consumers. We are all interested in getting the very best fruits that our country will produce and at the best possible rates. Anything that hinders their production in perfection diminishes the supply on our markets and adds to their cost. And I know of no better or fairer way to remedy the evil than by asking our government to assist us in this matter by establishing experimental stations in fruit growing districts where fruit can be tested by disinterested parties under its supervision as is done in nearly all of the neighboring states and by enacting laws regulating the sale of trees and plants, making it a criminal offence to wilfully substitute an inferior fruit for one ordered, or in perpetrating frauds of a similar nature. We have advocated this measure before in our Society, and the matter has been brought before the Minister of Agriculture, who I think sees the necessity of it and is willing to do what he can to assist us. No definite action has yet been taken farther than the appointing of a committee to consult as to the best means of carrying out the work, but who as yet have accomplished but little. Still I hope some more definite action will be taken during the coming winter and the matter brought before our legislators, who I think will see the need of this work and grant us what we ask and we want every fruit grower and lover of fruit interested in this work to agitate the subject—talk it to your neighbors, bring the matter before your member of Parliament and if he has not got sense enough to see the necessity of it ask him to step down and out and put some one in his place who has.

Mr. LEE asked whether the statement by fruit-tree men: "We will not be responsible for any verbal statements made by our agents," is binding on the purchaser.

The SECRETARY: I don't see how the nurserymen could protect themselves from some agents who might say a good many unauthorized things unless that was allowed. I think that what is written is all right to be understood as the agreement between the two parties.

Mr. M. PETTIT: I think that was a very excellent paper, and covers the ground pretty thoroughly; and as the time is short possibly it would be better to refer it to a committee without discussion.

The SECRETARY moved that the subject of Experiment Station be referred to a committee of three, with Mr. A. M. Smith as chairman, and that A. H. Pettit and M. Pettit be the other two members of the committee.

Mr. A. MCD. ALLAN, seconded the motion;

Prof. CRAIG: Would it not be advisable to add a member from some other part of the Province—perhaps the western part?

The PRESIDENT: Will you suggest a name?

Prof. CRAIG: Mr. Hilborn, of Leamington.

The motion was then carried.

STRAWBERRIES.

The following topic was then taken up: "Three best strawberries for market and three best for home garden."

Mr. John LITTLE, of Granton, Ont., was called on. He said it was a difficult question to answer, so as to get strawberries that will suit all parts of the Province. Amongst the later varieties for commercial purposes the best are Haverland, Bubach, Warfield, Gandy. There are larger varieties than those, and superior, but they are not in cultivation yet—they are two seedlings that I have tried for some time. One is Regina of Alabama, and the next is Weston from Wisconsin; and that matures about six days later than any variety I have ever grown.

Mr. RACE: Would you say anything about the Bubach for foreign markets?

Mr. LITTLE: For shipping purposes I would mention the Woolverton. In all the strawberries I have ever raised I have never grown any that beats that variety. I would name the Princess of Minnesota. Barton's Eclipse is a pistillate variety, but it is early. Bederwood is the proper one to fertilize with, and comes in about the same time.

Mr. A. M. SMITH: Have you any experience with Williams?

Mr. LITTLE: Yes. I cannot find any fault with the Williams with regard to the plant—it is a very good plant; but the white tip is just like that of its parent—the Sharpless. That is detrimental to it in more ways than one. Although some say it suits the market well, in our market they do not care for either the Sharpless or the Williams, yet both are excellent bearers.

The SECRETARY: The Williams is a good deal better shipper than the Sharpless, isn't it?

Mr. LITTLE: Yes.

Mr. RACE: Tell us what three varieties would be the most suitable for the St. Mary's district.

Mr. LITTLE: The Princess, both for shipping and home use. It is large and beautiful and good. It has got several prizes at the Minnesota fairs, Gillespie would be another very good one, both for shipping and home use—it is large and good. It is a seedling of the Haverland, and resembles it very much in shape, it is solid. The Haverland, although a good bearer, is not a good shipper, it is soft. Enhance would be another good bearer, and a good shipper too. There is nothing I like so well for its size as the Greenville, introduced this year from Ohio. Among the older varieties for the commercial grower the best are Haverland, Bubach, Warfield and Gandy. The following are equally as good, and some of them better, owing to their size, color and productiveness, and even for keeping longer in fruit: Woolverton, Princess, Moore's Early.

 RESULT OF TWENTY YEARS' STRAWBERRY CULTURE.

Mr. JOHN LITTLE of Granton, read the following paper, being the experience gained in growing strawberries during the last twenty years.

Experience implies failure as well as success, and these are not always pleasant to contemplate or rehearse. The thought of a failure, even in review, has a depressing effect. Still failures are lessons, and if followed by improvement, are profitable. "Variety is the spice of life" is true with regard to the strawberry industry. Why, there would be no need of horticultural societies if there were no failures to recount, and think how much we should miss!

To give a detailed account since I first began growing the strawberry, would fill too many pages and take up too much time, and I take it, that to give methods of procedure since I commenced growing this, the choicest of God's choicest gifts to man, would be simply reiterating what has been said, and so well said, over and over again at the yearly meetings of this society, and embodied in their reports. When I first commenced growing the strawberry I had no idea of growing the berries for market, or plants for sale, but to raise berries for our home use. I enlarged our planting, and had no difficulty in selling the surplus, and during all these years I have sold to the same retail house in St. Marys never having to ship to other points. Up till this date I have tested all other varieties that have been brought to the notice of the strawberry-loving public. There is no mystery about strawberry growing. The plant thrives upon any good soil, and its culture is simple, the only secrets of a bountiful yield of fruit are, first, the selection of suitable varieties and, second, thorough preparation of the ground and systematic cultivation; and, when thus generously treated, there is no product of the soil that gives larger returns for the time and labor expended nor is there any more certain fruit crop grown in our country. From the great number of strawberries now in cultivation, it is impossible to say of any two or three, or of any half dozen or dozen, "these are the best and should have the preference of all others." The value of many varieties depends on the locality where they are raised—soil, climate and the particular market where they are disposed of determining in some measure their worth. Many of the varieties of the highest qualities and which are most estimable for the garden when they are to pass directly to the table, have peculiarities which unfit them for profitable cultivation for shipping to distant markets, and on the other hand some of the most profitable varieties for large growers who send them to distant markets are so inferior in quality that they would be refused at the table of a connoisseur such as every amateur grower of this most delicious fruit should be. To some extent every strawberry grower must test varieties for himself, but the varieties now in cultivation are all so good, and the information in regard to them so full, that there is little danger in obtaining any that is really worthless.

ARE NEW VARIETIES VALUABLE IN COMPARISON WITH THE OLD.

Some selected hints in this connection are worth careful consideration. Just what variety will give best satisfaction on your grounds. A knowledge of varieties is of the most importance and no one cares to limit his acquaintance to two or three. The statement is made at horticultural meetings and elsewhere, that, with all the talk and all the efforts for forty years, no one has yet produced a better market berry than "Wilson's Albany seedling" and the conclusion was reached that all should stick to the "old reliable" and let others prove the new. This may be good advice but it is hardly necessary inasmuch as the majority of cultivators are inclined to that course and will pursue it without any prompting,

Fortunately for horticultural progress there are a few "cranks" in this as in other callings—enough to keep the world moving—and the improvements in small fruits which they have brought about are really marvellous when we remember that but little more than fifty years ago the only varieties known, were the wild berries of the field and wood. There is not one of the many fine varieties now known that will not in time be superseded by others still better. The "Wilson" was a great berry in its day (forty years ago), when

horticulture as a science was in its infancy; it was then deemed a prodigy, and it was in everything but quantity a decided advance from previously existing varieties. No one would suppose it was ever new to note the observations of some conservative growers and writers who venerate it for what it has been rather than for what it is, and who despise and would belittle varieties because they are new without having tried them. The Wilson possessed wonderful vitality, and held its own for a long time, though, as some one has said, it was never fit to eat. But age and much transplanting have weakened it as they will weaken any variety. Except in a very few northern localities the famous Wilson is now uncertain in yield. That it is nowhere as profitable as formerly is the testimony of all well posted cultivators who grow for profit. Some nurserymen still grow the plants to satisfy the wants of a few old growers who love an old berry for its name's sake; a good deal as they would love an old coat or an old political party.

The time was when Wilson, Crescent, Sharpless, and others were our best varieties, but these have been almost displaced by other, and better kinds.

Success with strawberries does not end with growing; but one who is really successful follows up every detail, the selection of plants, planting, cultivating, picking, packing, and putting them on the market fresh, whether it be for shipping or for the home market. The home market is usually the most satisfactory, and if a grower is careful in all the details being sure that there are just as good berries at the bottom and all through the basket as at the top, he will soon acquire a reputation and trade for all he can grow, at prices that will pay him for his trouble.

Among the older varieties for the commercial grower the best are Haverland, Bubach, Warfield and Gandy. The following are equally as good as those, and some of them are better owing to their size, color and productiveness, and keep longer in fruiting, and are good to ship. I head the list with Woolverton, Princess, Lovett's Early (not early—it is medium and good), Gov. Hoard, Greenville, Middifield, Barton's Eclipse, Gillespie, Enhance, Williams. The very late berries here are in the order named: Gandy, Regina, and Weston from Wisconsin. In planting for a fancy market and to name a few varieties to cover the entire season I would advise: For early—Barton's Eclipse, Woolverton, Gov. Hoard; early to medium—Beder Wood, Haverland, Bubach No. 5; medium to late—Lovett, Gandy, Regina, Weston. For near market—Beder Wood, Bubach No. 5, and Haverland.

Mr. RACE (in the chair): We would like to hear from Mr. Greig as to his experience in the Williams?

Mr. GREIG of Cainsville: My experience is very favorable. The Williams is far more profitable—that is if any strawberry in this locality is profitable. It is superior to the Wilson and the Crescent. The Wilson does not do well in our soil. We tested the Crescent along with the Williams. The first two pickings we will have more from the Crescent, but it dwindles down. The Williams has a long season; I think last season we gathered them a little over four weeks. We had no trouble with the white tips last year. By leaving them a day longer on the plant they ripened up to the very tip. We had trouble with some pickers, who would take them with the white tips; but we were hard put to get pickers last year, and we picked them ourselves. We always received a cent or a cent and a half over the common berry.

Mr. RACE: What three varieties would you recommend for the home market?

Mr. GREIG: The Williams, the Bubach and the Warfield.

Mr. RACE: You would not care to recommend any three for shipping?

Mr. GREIG: No.

Mr. W. H. LEE (Niagara): I have had, possibly, more experience in the Williams than any one in the Association, having introduced the berry to the Association while they were in session at Niagara, and grown it now for about eight years. My experience has been such that if I had to grow the Wilson and the Crescent, and allow somebody else to grow the Williams, I would quit right off, for I would feel that I could not make a living. In shipping to Toronto I can get for the Williams from two to three cents a bas-

ket mo
the W
I hav
I am n
the Bu
kets to
althoug
would
locality
peninsu
the tw
Here, w
thing;

Mr.
The thr
and fir
became
firmer l

Mr.
Mr.
prolifc

Mr.
field; fo

Mr.
strawber
land; a

Mr.
round.
rust on
—I thin
from pla
if grown

Mr.
out a ru
hand.

Mr.
Wh
pear cult
in a posi

I ve
husband
none, bu
quite a n
and that
three ye
would sa
and intri
twig is
trees, un
the farm

ket more than for the Crescent and Wilson. You will make a mistake if you do not give the Williams strawberry prominence. I say it with no personal interests whatever; but I have tested it in this locality—once having lived here—and it is doing very well where I am now. Of course it will do better upon heavier soil. It may not stand drouth with the Bubach, but it is a very much better paying berry. I can safely say I get two baskets to one, and a better price. The Bubach is too soft to ship to any distant market, although I shipped them as far as Montreal with no bad results. There is one point I would like to make about windbreaks. Pretty thick windbreaks are very essential in this locality—and the farther you go north the more essential they are; but in the Niagara peninsula where I am you don't want too many of them, because we are situated between the two waters, and when this muggy weather comes on we want a circulation of air. Here, where the thermometer sometimes goes 20° below zero, a windbreak is a very good thing; but if the thermometer doesn't go below zero you don't need them.

Mr. E. D. SMITH: Sufficient importance is hardly given to firmness in strawberries. The three chief elements of success in strawberries are: vigor of plant, productiveness, and firmness of strawberries. We have a large market in the Maritime Provinces, because our market opens up two or three weeks earlier than theirs. We must grow a firmer berry.

Mr. LITTLE: And larger.

Mr. SMITH: The Williams fills that bill—it is large and it is firm. It is almost as prolific a plant as the Crescent.

Mr. BLANCHARD: I would name the three for home: Saunders, Eureka and Warfield; for Market: Bubach, Haverland and Saunders.

Mr. RACE: For the last few years I have run from twenty to thirty varieties of strawberries in my garden. I ran these down to the Williams, the Bubach and Haverland; and I would limit farther to Bubach and Williams.

Mr. HILBORN: I think the Haverland is far superior to the Bubach, take it all round. The Wilson is still a favorite in our section, only it is badly affected with the rust on leaves. If we could cure it of that, and be careful about the selection of plants,—I think there is a good deal about the point that was made as to getting the new plants from plants that have never borne—there is no better berry for canning or for shipping, if grown on a loam, for our locality.

Mr. LITTLE: Take the first runner that comes, and no more; and if it offers to put out a runner, nip it off and let it get fully established, with roots you could hold in your hand.

EXPERIENCE WITH PEAR CULTURE.

Mr. S. HUNTER, of Scotland, read the following paper:

When I received the invitation from your worthy Secretary to give a paper upon pear culture, I felt that had he given me pear failure instead I might probably have been in a position to do a measure of justice to that side of the question.

I very much resemble the man in the parable who planted a vineyard, let it to husbandmen and took his journey to a far country. He came seeking fruit but found none, but in some respects he was better off than I. His vines were there, while I found quite a number of stumps and the skeleton of my once beautiful and thrifty pear orchard, and that too after an absence of only about seven years. I should therefore have two or three years time allowed for treatment before being called to account. Just here I would say, that of all the fruits we grow in this climate the pear is the most capricious and intricate, ever determined to grow its own way. Some one has written "as the twig is bent the tree is inclined," but that man had not much experience growing pear trees, unless it might have been Winter Nelis and a few of that class. They would suit the farmer who planted his potatoes in the moon and wanted to get up there to hoe them.

I would add a note of caution to the person who just takes to pear growing for what money there is in it ; unless he has a love for the pursuit for its own sake and expects to trim up the body so he can work close to or under them with his team, sow and reap grain annually, besides making a stockyard of the orchard all winter, that person had better try something else. Yet it is a most fascinating pursuit to those who become interested in it and make it a sort of hobby.

My first experience with the pear was on the other side of the Atlantic. When an apprentice I was allowed to compound the clay for grafting a few trees in the garden, and there my love for the pursuit was first aroused, but I need only go back about twenty-five years to the time I purchased the site of our present home, commencing with four pear trees, if I count dead as well as partly so. One I dug up, one had a sucker from the root that I grafted, cutting the old tree even with the ground, the other two were partly blighted, which parts I carefully removed. My scion grew, showed no signs of blight, in three years, I topgrafted again with another variety, and it is to-day as good a tree as any left. It was a little blighted when I returned, I kept the soil well worked and manured and like many amateurs did a great many unnecessary things.

I scraped the bark, washed the trunk with a variety of preparations, mulched with straw, coarse manure, grass, sawdust and chips and it would be difficult to tell what all I did ; all of which I regard as a waste of time, excepting whatever plant food there is in it. Mean-while I kept increasing the number of trees and varieties, which numbered more than the trees, at one time obtaining the stock from a variety of sources, the Fruit Growers' Association included. I did not heed the warning against too many varieties, a rock upon which a goodly number have struck, as we find when the buyer comes around and will take but one variety. I also raised quite a number of seedlings. I am saving two for further trial, which I think have merit. Two rows of seedlings suffered quite as much from blight as did the grafted varieties, during my absence. After a few years cultivation and care, blight disappeared and, for about twelve years before I left, I could have carried all the blighted branches in my arms at one time. Nor was there any sign of blight on trees young or old, when I left eight years ago, nor so far as I can learn two or three years later, the orchard then consisting of about four hundred trees, a few in other lots. During all that time, blight was just as common all around, as at present although not quite so many pears grown, but here let me draw the curtain and sum up my experience, or lessons of the past.

Location.—Whilst it is well to select a suitable location when a choice is possible, still in most cases we have no choice, and, if lacking in any important quality, supply it as far as we can, such as drainage, shelter, or, even qualities lacking in the soil may be, to a great extent, made up. Our land is a sandy loam, with limestone, gravel and clay subsoil, naturally drained, and with southern exposure.

Shelter.—I plant both evergreens and deciduous trees. Our native hemlock (*abies canadensis*) is a favorite with me, although of slower growth than many others. Our are sheltered on three sides, north, east and west, planting trees and shade at the same time and letting all grow up together.

Preparation of soil.—When time permits I manure and fall plow, but for the most part I have planted the trees and prepared the land afterwards which answered quite as well, often saving a year's growth in the trees.

Choice of trees.—When possible I select good sized, thrifty young trees, the wood well ripened. I prefer those grown south of where they are intended to grow, they are not so likely to be blackhearted. I get them either in spring or fall, with a preference for fall, heel in, but in no case plant in the fall. I can then plant in spring just as soon as frost is out, which is much earlier than we can get them from the nursery.

Varieties.—The choice of varieties depends so much upon what disposition you are going to make of the fruit, as well as location, that I will say very little about it, especially as there is such a good list of pears given in the last year's Annual Report of this Association, and although I have in cultivation about fifty named varieties, I would not like to discard any with two exceptions, that is the Autumn Belle and the Kieffer. To

illustrat
known
to be go
never d
ware, w

Plu

in the C
and kee
will rec
leaving
tendenc
deeper t
little fir
a little f
are usua

Cu

trees for
if not, I
last of
mulch a

Ma

Well ro
sand or
also use
crops as
shade it

Pru

of the a
any tree
prune a
look at
of last
best tim
fulness,
whether
noticed
sap rot
Winter
it were
with bra
rapidly s
roots and
shaded,
to work
of the lo
bling a m
this, mo
Better p
summer
part of t
to shield
as thoug
Those th
have gru

Thin

apt to ov
thinned.

illustrate, when I tried to sell a few of the first named variety to Mr. B. Foster, a well known fruit dealer of this city, he said: "No, sir, Mr. H., for I tell you when they come to be good, they are good for nothing, and that is more than can be said of Kieffer, for it never does come to be good at all, and I have tried it both here and in the State of Delaware, where it ought to grow to perfection, if any where."

Planting.—Having the ground staked out I use a planter, figure of which was given in the *Canadian Horticulturist* some time ago. I only take up a few trees at a time, and keep them covered from sun and air with a horseblanket, dig the hole larger than will receive the roots and a little deeper, throw two spadefuls of surface soil in the bottom, leaving it a little crowning in the center, on this let the roots radiate, with a downward tendency, (after having cut of all broken ends with a sharp knife) and only a little deeper than the tree stood in the nursery, for most trees are planted too deep. Put in a little fine soil and fill well among the roots, then fill level and pack firm, holding the top a little to westward. Head in a little, cutting of all broken and crushed twigs. Trees are usually sufficiently pruned before leaving the nursery to suit me.

Cultivation.—I make a point of keeping the ground well stirred around all young trees for the first two years at least, if situated where I can reach them with a cultivator; if not, I keep a circle hoed at least three feet from the tree once in two weeks until the last of August. I prefer keeping the ground well stirred, to mulching, in fact I do not mulch at all. I think it does more harm than good.

Manuring.—Give the land a liberal manuring broadcast, the trees will find it. Well rotted barnyard manure, wood ashes, broken or crushed bone, and if the land is sand or gravelly, a mixture of swamp muck is good for leaf and wood growth. I have also used considerable horse hoof-parings, which I think beneficial. I grow hoed crops as long as there is room, and light corn is a favorite crop on account of the shade it affords during the hot weather.

Pruning.—In the matter of pruning, I find myself in direct opposition to most of the advice given, even in the *Horticulturist*. I cannot help it. I would not prune any tree that I wished to live and grow, out of the growing season. I would not prune a scrub oak in winter, unless I wished to make it more scrubby. Why just look at those once beautiful shade trees in parks and streets of this city. The scars of last winter's pruning will not be healed over in the next ten years. I find the best time to prune is when fruit is setting, or a little later, both for growth and fruitfulness, as well as quick healing. To prune in this climate in winter, or early spring, whether hard frozen, or not frozen at all, is, to say the least, very injurious. I have noticed wounds made from winter pruning to bleed for three years in succession, causing sap rot and attracting borers and that too after the application of a coat of paint. Winter pruning came from across the Atlantic and, although not so injurious there, it were better done in the growing season. I like the pyramidal form of the pear tree, with branches coming close to the ground; head in to keep them from going too rapidly skyward, and only remove the lower branches gradually. I use them to grow roots and stocky stems, being careful to leave enough of the lower ones to keep the trunk shaded, unless otherwise provided for. I am fully aware that it requires more hand labor to work under them, but we cannot get pears to do well with a tall bare trunk, like some of the long legged appletrees you see standing all about, with a tuft of branches resembling a broom on the end of a pole. Mine were so treated during my absence and to this, more than anything else, I attribute the loss of so many of the most thrifty trees. Better prune none at all than too much, or out of season. I was much interested last summer in watching the fight for life with some trees that had been thus mutilated. A part of the branches grew straight up and part grew downward, forming a sort of cloak to shield the body from the burning sun. They spoke to me in unmistakable language, as though they felt the pain and said never allow me to be stripped in that way again. Those that had not vigor enough to thus shield themselves gave up the contest and I have grubbed out already over one hundred.

Thinning.—I regard this as a very important operation, the pear, like the plum, is apt to overbear, and both for the life of the tree and quality of fruit should be carefully thinned.

Spraying is now a necessity. I suppose those who would grow smooth and sound fruit but not having sufficient experience in that line will be glad to hear it from some one who has, and this paper being already too long I thank you for a patient hearing and take my seat.

SERIOUS INJURY THREATENING OUR PEAR TREES.

The following paper on this subject was presented by Mr. D. W. BEADLE of Toronto :

In Saunders' "Insects Injurious to Fruits," brief mention is made of a very small insect that has recently spread in such immense numbers into western New York, and has inflicted such severe losses upon cultivators of the pear, that it seems highly important to warn our fruit growers of the probable invasion of Canada by this destructive foe of the pear tree. It is known to entomologists as the Pear-tree *Psylla*. *Psylla pyricola* was imported from Europe in 1832 on some young pear trees into the State of Connecticut, from whence it has spread into Massachusetts, New York, New Jersey, Michigan and Illinois. In the season of 1891 it suddenly appeared in such enormous numbers that thousands of dollars worth of fruit and many trees were destroyed by it. It seems at present to be most abundant and therefore most destructive in the adjoining State of New York, and for this reason we call attention now to this minute but formidable insect, that our pear growers may be warned in time, and be on the look out for its appearance and prepared to give it battle.

Its presence in force is indicated by the drooping and withering of the young shoots early in the season, followed by the sickly appearance of the whole tree, the leaves turning yellow, and the fruit scarcely increasing in size, until at length the leaves and fruit fall. Accompanying these indications is the presence of large quantities of honey-dew on the twigs, branches and trunks, sometimes dropping in a shower upon the ground. This sweet, water-like fluid appears soon after the leaves expand, and continues during the season. At first it is clear like water, but soon a black fungus grows in it, spreading rapidly, giving it a dark sooty appearance as if the trees had been a long time enveloped in the dense smoke of some factory.

The insect that is the cause of all this mischief may be found laying its eggs just as soon as mild weather sets in, usually about the middle of April. The insects found at this time have passed the winter hidden under the loosened bark of the large limbs or trunk or in cavities formed by the bark growing about the scar of a severed branch. They are so small and in color so like that of the bark that it is not easy to see them. Yet they are larger than those of the summer broods and differ from them so much in many respects that eminent entomologists have supposed them to be a different species, and gave them the name of *Psylla simulans*. But the only differences are in their larger size and darker color. They are nearly one-third larger, and the predominating color is black, the body being of a dark reddish brown with intensely black markings, while the front wings are quite transparent. Both sexes will be found in about equal numbers, and if sought for as soon as the mild weather has warmed them into life will be seen in copulation. In the course of ten days the work of procreation will have been completed, and most of the eggs been laid. These are deposited in the creases of the bark, in the leaf scars about the bases of the terminal buds, and occasionally about the side buds near the terminal. Usually they are laid singly, but sometimes in rows of eight or ten. These eggs are so small that it would require eighty placed end to end to measure an inch, hence are scarcely visible without the aid of a magnifier. They are somewhat pyriform, smooth, shining, light orange when first laid, becoming darker before hatching, attached to the tree by a short stalk on the larger end, and exhibiting a long thread-like process from the smaller. The length of time elapsing between the laying and hatching of the eggs depends upon the temperature. Those taken into a warm room hatched in eleven days, while those left upon the trees did not hatch until more than a month after they were laid, the weather being cool. In about forty-five days from the time the egg-laying commenced the most of the eggs were hatched, and the insects that had passed the winter in hibernation had disappeared.

Imme
being the
unlike the
the larval
stages of l
crawl off q
Figur
attached to
like elonga
Figur
full grown,
side of each

When
the abdom
insects are
.013 of an
they underg
and the ny
the globule
four days th
and the win
the nymphs
and the win
moult for th
figures 2 and
of a general
wing-pads ar
flattened, fi
In about five
these stages
selves, but th
quantities of
Figure 4
placed end t
inch. The g
The front w
and more de
wings slope

Immediately that the insect is hatched it seeks a feeding place, its favorite place being the axil of the leaf stalk, or of the fruit stems. At this stage of its life it is very unlike the mature insect; it is now in what is called the nymph stage, corresponding to the larval stage of the butterfly, or to speak with greater precision, to the combined stages of larva and chrysalis. They do not move about much unless disturbed, then they crawl off quite rapidly.

Figure 1 is a highly magnified drawing of an egg, showing the stalk by which it is attached to the bark projecting from the under side of the large end, and the long thread-like elongation of the small end.

Figure 2 is a representation of the nymph as seen from above, when it has become full grown, also highly magnified; and figure 3 exhibits the under side. The line at the side of each indicates its actual size.



Fig. 1. Egg.




Fig. 2. Full grown nymph, dorsal view.

When first hatched the nymphs are oval in outline, of a pale transparent yellow, the abdomen more opaque and darker; the eyes crimson, large and distinct, but the insects are so small as to be scarcely visible without the aid of a lens, measuring only .013 of an inch in length. The wing pads are not yet to be seen. In about seven days they undergo their first moult, the skin bursts along the middle of the head and back, and the nymph crawls out to seek a new feeding place, leaving the old skin attached to the globule of honey-dew it had secreted. The wing-pads are now discernible. In about four days they moult a second time, and have now attained to .027 of an inch in length, and the wing-pads, perceptibly larger. The third moult occurs about three days after; the nymphs are now .038 of an inch long, the eyes have become of a dark crimson hue, and the wing-pads are larger. They continue in this stage about four days, and then moult for the fourth time. The nymphs have now assumed the appearance shown in figures 2 and 3, measuring .055 of an inch in length, and .045 of an inch in breadth, are of a general blackish color, often tinged with red, and the eyes of a bright crimson. The wing-pads are black and form a conspicuous feature; while the whole body is very much flattened, the thickness being only one-fifth of the length. This is the last nymph stage. In about five or six days the perfect insect crawls out of the nymph skin. In all of these stages the nymphs secrete globules of honey-dew several times larger than themselves, but the adult insects do not appear to secrete any, but instead void considerable quantities of a whitish excrement.

Figure 4 is a magnified representation of the mature insect. Nine or ten of them placed end to end, and about forty placed side to side would be required to measure an inch. The general color varies from a light scarlet to crimson, with black markings. The front wings are slightly tinged with yellow, the hind wings are quite transparent and more delicate. When the insects are at rest these two pairs of large transparent wings slope roof-like over their sides. As might be expected from the fact that in this

stage they are provided with wings and strong legs, they jump up and fly off at the least disturbance; and as they can fly from tree to tree by taking advantage of strong currents of air, they are able to spread rapidly over considerable distances. They are provided with a beak with which they feed upon the sap drawn from the tissues of the leaves and tender twigs.

In three or four days after the mature insects are hatched procreation and egg-laying for another brood commences. These eggs are laid on the under side of the tenderest leaves near the mid-rib or on the leaf-stalk near the leaf, usually singly, sometimes several in a row or in a group. The weather now being warmer than in the spring, the eggs are hatched in from eight to ten days, the crimson eyes of the nymph becoming plainly visible through the shells near the larger end of the egg a day or two before hatching. It is not yet known how long they live in this mature stage under natural conditions; when confined in breeding cages in the house they lived for several days.




Fig. 3. Full grown nymph, ventral view,
a. anus; b. beak.



Fig. 4. Adult Insect.

It has been ascertained that this year the number of broods was at least four. The adults that hibernated laid their eggs in April, and the adults of this brood made their appearance about the middle of June, and a new brood appeared about a month after, and so continuously during each month until about the 25th of September. The adults that appeared in September differed from those of the spring and summer broods, being nearly one-third larger, their coloring darker, the crimson changed to a dark reddish brown, the veins of the wings dark brown or black, and the front wings instead of being of a yellowish tinge were quite transparent with blackish shades of varying intensity in the cells. These adults are the hibernating form of this insect pest; they continue to feed until the leaves fall, and then hide in crevices of the bark, etc., where they pass the winter and emerge in the spring to begin again the cycle of perpetuation of the species.

During all the stages of active existence they feed upon the sap of the tree; their feeding apparatus both as nymphs and adults consisting of a short, pointed beak, and three long thread-like setae which move along grooves in the beak. When feeding the point of the beak is placed against the leaf or tender twig, the setae inserted into the sap cells, and the sap drawn up through the beak. The nymphs elaborate most of their food into honey-dew, but the adults do not seem to secrete any honey-dew, but all their food being assimilated they void considerable excrement, much more than the nymphs.

The interesting question of how we can successfully combat this very destructive insect remains to be considered. Experiments carefully conducted during the past

summer ha
kerosene, t
of potash
benzine un
trees, for n
they can r
when they

But it
once under
kerosene, d
this that th
for at this
come large
even seven
of the succ
rain wash t
kerosene en
become aga
by such a d

It is t
trees in the
insects reso
ous lose no
numerous i
night succe
will be so g
examine the
again to the
be unable to

The wr
the pear, an
tion, and of
Stingerland,
Bulletin 44,

The wr
there being
found to be
shower his
honey-dew,

Keros
quarter of a
and while it
agitated by
kettle for at
adhering to
time if plac
taken and d
fifteenth pa
This is Prof.
The Hubbar
or soft soap,
combined in
reduced to t

summer have demonstrated that it is of no use to apply kerosene emulsion, undiluted kerosene, turpentine emulsion, turpentine undiluted, crude carbolic acid emulsion, sulphide of potash, double strength, concentrated potash, one pound to a gallon of water, nor benzine undiluted to the egg. Nor can the mature insects be destroyed by spraying the trees, for no sooner does the spray strike the tree than they take wing and fly off until they can return in safety; also spraying has but little if any effect on the old nymphs, when they are so enveloped in honey-dew that the insecticide cannot reach them.

But it was found that the young nymphs were very tender, that they succumbed at once under an application of kerosene emulsion containing less than three per cent. of kerosene, dying almost immediately after the liquid touched them. It will be seen from this that the best time to spray is early in the spring, just after the leaves have expanded, for at this time the first brood of nymphs will have been hatched and will not have become large enough to cover themselves with honey-dew; and if we can succeed in killing even seventy-five per cent. of this brood we have made a great reduction in the number of the succeeding summer generations. It has also been found that heavy showers of rain wash the honey-dew from the nymphs so as to expose them to the fatal effects of kerosene emulsion if it is applied immediately after, or so soon after that they have not become again enveloped in the honey-dew. The trees are in no danger of being injured by such a dilute emulsion as one containing only three per cent. of kerosene.

It is therefore important that fruit growers should very carefully examine their pear trees in the spring when the leaves are expanding, and search in the places where these insects resort for the newly-hatched, crimson-eyed nymphs, and if they are at all numerous lose no time in spraying the trees with the kerosene emulsion. If they are very numerous it will be advisable to repeat the spraying two or three times during the fortnight succeeding their first appearance. If thoroughly done at this time the destruction will be so great as to preserve the trees from any serious injury, yet it will be well to examine the trees frequently during the summer, and if they are still to be found return again to the spraying so that the hibernating brood may be so reduced in numbers as to be unable to multiply in sufficient numbers to work serious mischief the next year.

The writer is indebted for the knowledge of the life history of this insect enemy of the pear, and of the efficiency of kerosene emulsion as a means of keeping it in subjection, and of the time when spraying will be found to be most efficient to Mr. Mark V. Stingerland, whose careful observations and experiments are published in extenso in Bulletin 44, October, 1892, of the Cornell University Agricultural Experiment Station.

The writer would further suggest that in the event of the weather continuing dry, there being no showers sufficient to wash the honey-dew from the nymphs, and they are found to be present in full force, the pear grower might find it highly advantageous to shower his trees artificially with pure water from a force pump, thus washing off the honey-dew, and following this speedily with the kerosene emulsion.

Kerosene emulsion is made by thoroughly dissolving one quart of soft-soap, or one quarter of a pound of hard soap in two quarts of boiling water; as soon as this is done and while it is yet quite hot, one pint of kerosene oil is stirred in, and the whole violently agitated by drawing it into a syringe or force-pump and driving the liquid back into the kettle for at least five minutes, or until the whole mass assumes a creamy consistency, adhering to the sides of the vessel, not gliding off like oil. This will keep for a long time if placed in a cool, dark place. When wanted for use measure out the quantity taken and dissolve it in sufficient boiling water to make the amount of kerosene one-fifteenth part. If the whole is taken the quantity of water required would be four quarts. This is Prof. A. J. Cook's formula, of the Michigan Agricultural Experiment Station. The Hubbard-Riley formula is much stronger of kerosene. It is half a pound of hard or soft soap, a gallon of boiling water, and two gallons of kerosene. These are to be combined in the same manner, and the emulsion diluted with water until the kerosene is reduced to the desired proportion.

REPORT ON PEARS.

Mr. D. W. BEADLE read the following report of Committee: (See appendix II).

Mr. BEADLE explained that the late, Mr. Dempsey was a member of the Committee, and Mr. Holton had been unable to meet. A letter was read from Mr. Holton, suggesting that the column headed cooking should be omitted; the list, as at present prepared, being more liable to mislead than to assist. The Vicar is rated at 10, while a number of better pears, in Mr. Holton's opinion, are rated only at 8 or 9. Mr. Holton asked that his resignation as a member of the Committee be accepted, as he was not able to properly perform the duties, Mr. Beadle moved the adoption of the report.

The SECRETARY seconded the motion, and suggested that the meeting hear criticisms on any pear any person wishes to mention, not to go over the list one by one, as time forbids.

Mr. HUNTER thought the Keiffer pear should be cut out of this list.

Mr. A. M. SMITH: It is one of the best keepers in our district, and in Wisconsin has been so considered.

Mr. ORR asked if the Keiffer hybrid is the same?

Mr. SMITH: All the same.

Mr. HUNTER thought there must be some confusion as between the Keiffer and the Leconte.

The SECRETARY: They are different in every way. The Keiffer is of very poor quality we all acknowledge, as a table pear. It has no place as a table pear, and ought not to have; but if well grown it has a beautiful color, and certainly sells remarkably well until people get to know it. As a canning pear I believe it is not excelled.

Mr. A. M. SMITH: I would not place Souvenir de Congres among Summer pears. It is as late with me as Flemish Beauty.

Mr. BLANCHARD: The Buffam should be struck out. It comes in with the Bartlett.

Mr. PATTISON: My experience with the Bartlett is that it does not generally ripen till October.

Mr. RACE: There is no object in striking a pear off the list, give it a low value.

Mr. BLANCHARD: We are obliged to pick that pear at the same time as the Bartlett.

Mr. A. M. SMITH moves that the Doyenne Boussock be put out of the list of autumn pears.

Mr. BEADLE suggested that the words Summer, Autumn and Winter be struck out altogether, and that the names be put down alphabetically, because summer pears in the Niagara District are not summer pears down toward Trenton or up toward Muskoka.

The SECRETARY: I would second Mr. Beadle's motion as to the adoption of the report, with the addendum that the list be re-arranged alphabetically.

Prof. CRAIG: The present arrangement by seasons is a very valuable guide to the planter.

Mr. MORRIS: Put them alphabetically, and the date when they ripen.

Mr. BEADLE: The date when they ripen at Niagara is one, and the date of ripening at Ottawa is another.

Prof. PANTON: Why not put a foot note saying this list is for Niagara District, and that for other districts allowances have to be made.

Mr. MORRIS: If this list is for planters it should go further and give something about the condition of the trees, and productiveness, and so forth. It is a little misleading in that respect. I will move that the report be sent back to the committee for revision.

The SE

the public,

Mr. M

Prof. C

charged, bu

gested, be a

W. H. Dem

special view

productiven

Mr. RA

Mr. M,

take the late

Mr. PE

For the

Mr. BE

Pearl and D

than any thr

before our A

certainly one

profit in it t

quantity of s

Mr. RAC

place the W

against it fo

have a larger

in the Provin

now except a

and purify y

prevent the

was away fro

putting ashes

there has bee

prevent milde

extending for

ing the summ

Mr. BLA

Mr. ORR

them with ash

mildew

The SECR

more complete

the question is

ons of grapes

he amount of

to the orchard

attention shou

The SECRETARY. That is throwing it off for a long time. Let the matter go out to the public, and let them criticise it.

Mr. MORRIS: Those varieties subject to disease, and so on, should be mentioned.

Prof. CRAIG moved that the report be accepted as it is, but the committee be not discharged, but stand over, to report next year and make such additions as have been suggested, be accepted, and a committee composed of Mr. Beadle, Messrs. G. W. Cline and W. H. Dempsey be reappointed to further consider this question of a pear list, with a special view of adding a column giving the season approximately and another giving productiveness.

Mr. RACE: That is a very practical suggestion.

Mr. M. PETTIT: I would suggest that G. W. Cline be added to that committee, to take the late Mr. Dempsey's place.

Mr. PETTIT, Winona, seconded Prof. Craig's motion, which was carried.

For the pear list, which constituted this report, see Appendix III.

GOOSEBERRIES.

Mr. BEALL (Lindsay) named, as the three most profitable gooseberries, Whitesmith, Pearl and Downing. He said: I am satisfied that these will produce more money than any three that I am aware of. I think we have neglected to bring this matter before our Association as we should have done for some time past. The gooseberry is certainly one of the most profitable fruits that is grown in Canada, I think there is more profit in it to-day than there is in grapes. Better financial results can be got from a quantity of gooseberries than from any other fruit grown.

Mr. RACE: The gooseberry has been a hobby of mine for a number of years, and I place the Whitesmith at the head of the list for profit. There is a general complaint against it for mildew. I never had any mildew in my garden on that berry; and I have a larger growth of bush, I think, than almost any man that I have seen anywhere in the Province, and my bushes bear heavier than any I have seen. I use no fertilizer now except ashes. I believe if you give the Whitesmith plenty of sunlight and air, and purify your soil beneath it every spring with a scattering of ashes, that it will prevent the mildew. That is all I have done for the last eight years. This year I was away from home a great deal, and did not do much in any garden, and neglected putting ashes beneath all my gooseberries; and this is the first year in nine years that there has been a specimen of mildew in my garden. This has proved to me that ashes prevent mildew. I sprinkle unleached ashes from half an inch to an inch in depth, extending for about two feet from the centre of the roots in bushes, and leave them during the summer time. My soil is a clay loam.

Mr. BLANCHARD: Pearl, Conn and Downing are the three that I have selected.

Mr. ORR: I have grown the Whitesmith for a number of years, and have treated them with ashes—not so heavy as you speak of—and have had a crop every year without mildew.

STATISTICS OF FRUIT.

The SECRETARY introduced the topic: "Could not the Bureau of Industries give a more complete report of the yields of the various fruits of Ontario?" Very frequently the question is asked: What is the quantity of the products of any fruit, the number of tons of grapes in any section, any county; and we are totally unable to give any idea of the amount of the products of strawberries or any other fruit. Some attention is given to the orchard in general, and to the apple in the report; and I do not see why more attention should not be given to the various other fruits. There is very full attention

given to agriculture. We have full report as to oats and potatoes and beans, and we can find out just what each county produces; but we cannot get at the figures at all to answer such questions regarding fruits. The collection of statistics is an important question to us, and if it would be at all practicable I am sure we would all be glad to have more attention given to the fruits in that way. I think probably Mr. James would say something to us in regard to that.

Mr. JAMES: You will remember that last year this subject was brought to the notice of the Association, and some resolutions were adopted; and in accordance with the request of the Association at that time, I attempted this year for the first time to obtain some statistics in regard to fruit cultivation and fruit production. If there is any fault in the matter I think you will have to admit that the fault lies not with us but with the fruit men themselves. In the first place it will be necessary for us to get the acreage, or rather the number of bearing trees of the various fruits in the Province. I sent out and got from the various directors of the Association lists of apple growers. We attempted apples first. I got long lists, and sent out one thousand cards to apple-growers all over the Province. Now, from that list how many returns do you suppose I got? ["Fifty," "a hundred."] Well, I got just about 100. That is, one out of every ten men who were recommended by you as directors of this Association, replied to that card. Now, if we cannot get the fruit men to answer these questions, what are we going to do? That is the first difficulty; and I put that right before you just to show where we are met. Now, it would not be advisable to make returns from simply one hundred answers. However, I had taken the precaution among our regular correspondents to ask certain questions in regard to apples and other fruits; and thereby I got the material which was used as the basis of our reports in connection with the August crop bulletin, in which I gave a special section to the apple production of Ontario; and I put the probable yield in Ontario at three million barrels. Well, I have been pretty harshly criticised for that by apple buyers. The criticism has not come from the apple producers, but from buyers, who say that the estimate was away under the quantity. I suppose they thought the price might be affected somewhat by limiting the product. I might say, however, that some apple buyers of the Province thought that we were quite within the mark at that time. This estimate was based on some three hundred returns that we got from all over the Province. The later returns, which I hold in my hand, we have not published, and I am not quite certain whether we shall publish them or not. I want to consult some of the fruit growers in regard to it; these later estimates were made from returns from the fruit-growers themselves. If that estimate was too small it is not our fault; but it is from small returns made by the very men who were producing the apples; still, later returns are quite a bit larger. As I stated last year, I did not think we would be able the first year to get anything that might be considered satisfactory—you never can the first year; but now we have got something to work upon, and we hope next year, by going a little further, to get returns that may be a little more accurate than those this year. I will give you the returns I have here, and you may give me your opinion on them, as to whether they are too large or not. Lake Erie District, commencing at Essex and Kent and reaching along the north shore of Lake Erie, the average produced per tree we figured out at a little over three bushels. That of course is the most unfortunate district in Ontario this year for apples. We have returns here for pears, peaches, plums, cherries and grapes; but we have no time to go into those. Then Lake Huron—taking in Lambton, Huron and Bruce, which was one of the best apple sections this year—an average return of about six bushels to the tree, Georgian Bay, including Grey and Simcoe, about the same. The Central Counties in the west, what we call the West Midland Counties, a little under six bushels per tree. Lake Ontario, commencing at the west end of Lake Ontario and stretching through to Prince Edward County, between five and six. St. Lawrence and Ottawa, about five. The East Midland about five; and the Northern Districts a little under four. This makes an average over the Province of five bushels per tree. That would give an estimate, if the number of trees that we have returned is correct, of about ten million barrels in Ontario. Now, some stated before that our estimate must be entirely too low on account

of the en
upon whi
tion of t
the reput
instance,
many tha
with Old
plaint co
of apples
farm at a
worm-eate
largest co
at 3s., 2s.
barrel. M
Country.
are bringi
and 7s., p
from Woo
over there
that went
that large
ing Nov.
last year
the year b
less than
year; ther

Mr. J
poor quali

This i
of you wh
tity of fru
you know
estimate of
obtained fr
land, Onta
in full, or
of pounds
that would

Mr. B
you, you sa

Mr. J
Mr. C
bearing is

The S
for the Pro

Mr. J
quantity.
—then, or r

The S
of the numb
ual quantity
number of b
that is not
to me it wou
from each d

of the enormous export of apples this year. I do not think that is a fair ground upon which to criticise our returns at all, for this reason: I think a large proportion of the exports of apples made from Ontario this year have very seriously injured the reputation of Canadian apples in the Old Country markets. (Hear, hear.) For instance, you saw the letter in yesterday's *Mail*, which was simply a sample of very many that have come to us indirectly. I have had a large amount of correspondence with Old Country producers in trying to get at these special statistics; and the complaint coming to us from various sources is, "inferior fruit." An enormous quantity of apples have been shipped to the Old Country that ought never to have left the farm at all. Here is one statement that was made: "Many of the apples were worm-eaten, gnarled and mis-shapen." I have here the market sales of one of the largest consumers in London of Nov. 23rd; and apples are here quoted as being sold at 3s., 2s. 9d.; 5s., 9s., and if I am not mistaken I have one return of 1s. 9d. a barrel. Mr. Allan tells me it costs about 75 cents to ship apples to the Old Country. Taking the average, you will find that whereas there are some apples that are bringing as high as 17., 18s. and 20s, there are large numbers bringing 5s., 6s, and 7s., probably an average of about 8s. per barrel. Then here are two statements from Woodall & Co., of Liverpool, Nov. 12th, which show that a large number went over there early, therefore they were not winter fruit, or else they were winter fruit that went undoubtedly too early—which I think you will find is correct—as well as that large quantities were sent that should not have gone at all. For the week ending Nov. 12th the arrivals at Liverpool were 49,000 bbls.; for the corresponding week last year they were 52,000 bbls.; and yet at that time 23,000 bbls. had arrived over the year before; so that although the arrivals during two or three weeks then were less than they were last year, nevertheless the total arrivals exceeded those of last year; therefore the early arrivals this year must have been far in excess of last year.

Mr. JAMES here read further extracts from English correspondents. Showing the poor quality of the apples shipped.

This large quantity of poor fruit has been sent away to the detriment of those of you who have been sending good fruit. I think we have shipped a larger quantity of fruit out of the country than should have gone this year. Now, from what you know of the different sections, how does our estimate strike you—the average estimate of five bushels per tree over the entire Province—the large quantities being obtained from Huron, Bruce, Grey, Simcoe, the Counties of Durham, Northumberland, Ontario. I am not quite sure whether it will be wise to publish these returns in full, or to use them as the foundation of our figures next year. The total number of pounds of grapes we have figured on this year is 62 million pounds for Ontario; that would be 31 thousand tons.

Mr. BEALL: When you spoke of the average per tree in the circular I got from you, you said "average per bearing tree."

Mr. JAMES: Yes; trees that have come to the bearing age.

Mr. CASTON: Some bear early, but bear a very small quantity. What we call full bearing is bearing $1\frac{1}{2}$ to 2 barrels.

The SECRETARY: What was the number of barrels, according to your last estimate, for the Province?

Mr. JAMES: 3,384,000 barrels at first. This one gives us about three times that quantity. Now, who was right? When were the farmers right in making their returns—then, or now?

The SECRETARY: Would it not be possible to get at that from the actual statement of the number of barrels shipped from different points, and soon, so as to get at the actual quantity produced?—because when you multiply those two numbers together—the number of bearing trees and the supposed average quantity that each tree produces—that is another only approximate estimate. When you get these two together it seems to me it would not be quite as safe as if we could get at the quantity really sent away from each district.

Mr. JAMES: To do that you have to wait till after your work is done. Of what consequence it to you, then? You want to know it before the shipment is made.

Mr. E. D. SMITH: It strikes me that the estimate is immensely too high. It may have occurred in this way:—You found the number of trees and multiplied it by the bearing. Now, more than one-half of the bearing trees had not a single apple on them.

Mr. JAMES: That is for your section?

Mr. SMITH: Yes, and it would apply to the Province.

Mr. JAMES: You see from this discussion the difficulties in the way.

Mr. SMITH: I know it is difficult to get answers to enquiries.

Mr. JAMES: It is an easy matter to get, for instance, the wheat returns. We can get that accurately by two or three methods, and we feel satisfied that our ways of getting the wheat returns are quite accurate.

Mr. SMITH: I suggest that you ascertain the amount of the product in a given year from actual shipments and sales, as near as possible; and then in future years an estimate could be made from that at such a percentage, higher or lower.

Mr. JAMES: We tried for two or three years the plan of percentage, and it upset matters entirely. You would be surprised how few men would handle the question of percentage properly.

Mr. PATTISON: Does your estimate mean only those apples fit for shipment, or does it include apples of a second quality?

Mr. JAMES: This includes the apples produced in this country.

Mr. E. D. SMITH: What makes me think the estimate is high is that the total shipments for this Province will not exceed half-a million barrels.

Mr. JAMES: How many barrels of fruit does the average family use?

The SECRETARY: Say five barrels—that is a low estimate.

Mr. JAMES: How much is wasted in the country?

Mr. PATTISON: My neighbor calculated he had 200 barrels. He shipped 30. The other portion he fed to stock. I think in our section the proportion that was not shipped was a great deal larger than the proportion that was.

Mr. JAMES: I was astounded when I got out the figures. I would not put them in the last Bulletin.

Mr. McMICHAEL: I think one reason why that report would be misleading would be that many of your correspondents have given the trees that were of bearing age. Perhaps one-third of the trees in the orchard were not actually bearing; and then in making up your report you take the full number of trees in the orchard.

Mr. JAMES: No; we asked first for the trees—those that were bearing and those that were non-bearing. We figured out 66,000 bearing apple trees, and 2,200,000 non-bearing.

Mr. PATTISON: It would be better to use another term. Instead of using the word "bearing," put it "for ten years planted."

The SECRETARY: I think we ought to express our approval of this work. I really think that it promises to be of great benefit to the fruit growers of the Province.

On the suggestion of the President the matter was left till after dinner for action.

REPORT OF COMMITTEE ON INSPECTION OF FRUIT.

Mr. A. H. PETTIT reported on behalf of the Committee on this subject. This matter was pretty well discussed at the last meeting. The Bill that has been framed was of such a stringent nature that it was considered it could not be put in working shape; and we asked that the Bill be amended in accordance with the plan submitted to and adopted by the meeting last year.

You
with a de
ment and
An
were of s

" 109
less than
lent or un

" 2.
Inspected
if fit to be

" 3.
tion, and
iety is not

" 4.
and such o

" 110
iety, of un
shall be fr

" 2.
from scab,
colour.

" 11
and the br
be allowed

We w
ciation, bu

We w
first defined
upon a bet

The to
p. 128, the

The so
per inspect
Association
buyer, beca
crossed the
grower or s
charge.

If it is
would know
offered him
much more
cash at his
always know

By refe
ved that thi
to urge upon

5 (F.G.)

Your Committee on Fruit Inspection beg leave to report: That they, in connection with a delegation of the Central Farmers' Institute of Ontario, waited upon the Government and presented the wishes of this Association.

An Act was framed by the Government and passed, but the provisions of the Act were of such a stringent nature it was not considered workable. It read as follows:

APPLES.

"109. In the inspection of closed packages of apples, the inspector shall open not less than one package in every five; and if the manner of packing is found to be fraudulent or unfair, then he shall open all the packages put up by the shipper of such package:

"2. Every package found to be fairly and properly packed he shall brand as 'No. 1 Inspected Canadian Apples,' or 'No. 2 Inspected Canadian Apples,' as the case may be, if fit to be so branded:

"3. The inspector shall also examine the varieties of apples submitted for inspection, and shall correct the nomenclature if incorrectly marked, or if the name of the variety is not marked he shall cause it to be marked on the package:

"4. The inspector may charge a fee of ten cents for each package inspected by him, and such charge shall cover the cost of opening and closing the package.

"110. No. 1 inspected Canadian apples shall consist of perfect specimens of one variety, of uniform size, and, in the case of a coloured variety, of fairly uniform colour, and shall be free from scab, worm-holes, knots and blemishes of any kind:

"2. No. 2 inspected Canadian apples shall consist of specimens of one variety, free from scab, worm-holes, knots and blemishes of any kind, but not of uniform size or colour.

"111. The Governor in Council may make regulations for the inspection of cheese and the branding of packages thereof, and may make a tariff of the fees and charges to be allowed to the inspector for such inspection." (General Inspectors' Act, chapter 23.)

We wanted a well defined standard of excellence, such as was defined by this Association, but we are hardly prepared for perfection itself, such as is embodied in the Act.

We would therefore recommend that the Bill be amended in accordance with your first defined standard, as one calculated to promote the best interests of trade and place it upon a better basis.

The following extracts are from the Canadian Horticulturist for 1892, volume XV., p. 128, the organ of the Association, and may assist in further explaining this subject:

APPLE INSPECTION.

The solid advantages which might accrue to Canadian fruit growers through a proper inspection of fruit intended for export, has been twice discussed at meetings of our Association. As things now are, it is impossible to sell for cash f. o. b. to an English buyer, because he cannot be satisfied of the quality and grade until the apples have crossed the ocean and come under his personal inspection. In this way the Canadian grower or shipper is entirely at the mercy of the English buyer, who has the goods in charge.

If it is possible to plan some definite system of grading, so that a distant buyer would know, from the mere mention of the grade, just what kind of stock was being offered him, there is not the slightest doubt that apple growing in Canada would be a much more remunerative occupation than it is; for the Canadian grower could sell for cash at his own home for the full value of his stock, and a Canadian shipper would always know exactly what margin he was allowing himself on any lots he was handling.

By reference to our combined reports for the years 1890 and 1891, it will be observed that this subject has been pretty fully discussed, and that a committee was appointed to urge upon the Minister of Agriculture for the Dominion, the importance of a system-

atic inspection and branding of Canadian apples for export. We have drawn up an outline of the duties that would be expected of such an inspector, and defined what would be understood as meant by grades No. 1 and No. 2, expressing as nearly as possible the sense of our meeting on the subject, and submitted it to the committee. As it soon may be presented for consideration at Ottawa, we have thought best to publish the outlines of the inspector's work, in order that the committee may have the benefit of criticisms from any of our readers.

DUTIES OF THE DOMINION APPLE INSPECTOR.

1. To make headquarters at the most important shipping port of the Dominion, probably at Montreal, during the fall, and at Halifax during the winter months.

2. In the inspection of closed packages of apples, the inspector shall open out as many of the packages, say, one in ten, less or more, as shall enable him to judge fairly of the grade, and of the manner of packing.

3. Upon satisfying himself of the grade, he shall apply his inspector's brand, marking them "Canadian Apples, No. 1, inspected," or No. 2, as the case may be. There should be no No. 3 inspected; any such stock going forward should go without the inspector's brand.

4. The inspector shall have a special care to avoid branding any package, unless he is satisfied that it is honestly packed through and through. He may refuse further attention to any carload of apples, which he finds faulty in this regard; and the shipper of such carload shall forfeit the privilege of having any further attention from the inspector for the current season.

5. The inspector shall hold himself in readiness to inspect all fruit within one or two days after receiving notice, and engage a sufficient number of assistants to accomplish the work speedily, without delaying the loading of a cargo.

6. No person shall be obliged to have his fruit inspected, but, if he desires the benefits of the higher prices which will be eventually secured by the inspector's brand, he will be expected to pay a fee of at least one cent per barrel for each barrel branded by the inspector.

7. On account of some lots going by Suspension Bridge and New York to Great Britain, and other lots going to Chicago, the inspector should have, as soon as practicable, one or two trained assistants in Western Ontario during the apple season, ready to go when called upon, to any station for the inspection of car-lots of apples which are ready for shipment.

8. The inspector may make arrangements, wherever practicable, to do the work of inspection at railway stations where apples are being loaded, providing a certain number of car-loads are in readiness.

9. The inspector shall also make it his business to see that all lots of apples branded by him are properly named as well as graded.

10. The inspector shall take especial care to make known to growers generally his address, and business, and also to give them a full description of the proper methods of packing and grading as to the No. 1 or No. 2 brand.

11. Grade No. 1 shall consist of well-grown samples of the variety named, somewhat uniform in size, well-shaped, of normal color, free from scab, worm holes, curculio knots, etc.

12. Grade No. 2 shall consist also of apples free from scab and worm holes, but which, for lack of uniformity in size, deficiency in color, abnormal shape, or for any other reason, are considered by the inspector unfit to be graded No. 1.

13. In addition to the ordinary grades No. 1 and No. 2, the inspector may use his judgment in the use of one or more stars, in cases of very fancy stock in his opinion having especial merit.

14. Any inspector proven guilty of receiving compensation for his work from interested parties, and thus being in any way influenced to favor any particular shipper, shall at once forfeit his position, and be subject to a heavy fine.

15. It might, perhaps, be well, the first season, to have little or no fee for inspection until the benefits of the work begin to be appreciated, and growers begin to find that they can sell for cash f. o. b. to distant buyers their inspected stock, on account of the confidence gained by the brand.

The following extract is from the same volume of the journal, p. 292, appearing after the amendment of the Act :

We have just received a copy of the "Act to Further Amend the General Inspection Act," to which has been added a section providing for the *inspection of apples*. This, of course, was in reponse to the request of our Association, made through a committee to the House of Commons at Ottawa. Unfortunately, the wording of this amendment has been done without consultation with the members of our committee, or with any apple grower; and the standards have been made so absurdly exacting that it will be absolutely impossible for our packers to come up to the requirements. In consequence, no one will be likely to attempt to comply, and the Act will become a dead letter.

Then follows a copy of the amendment.

Now let us look into the matter. To open one barrel in five may be necessary in the case of shippers that are known to be somewhat careless, but we are of the opinion that, where the inspector has become acquainted with the character of a certain packer, it is not at all necessary that he should open more than one barrel in ten, taken at random. To open one barrel in five would mean at least thirty barrels in a car-load. Now this would cause too great a delay of a shipment of apples, at Montreal, or at whatever port they were inspected and transferred to the steamer. The inspector should not be obliged by the Act to open more than one barrel in ten.

It is all right to correct the nomenclature, if incorrectly marked; but to make it compulsory that every unnamed lot should be named by the inspector might frequently give him a task which no human being could satisfactorily accomplish.

The fee of ten cents a barrel is too high, at least while the benefits of inspection are as yet unproved. The Dominion Government should provide for the larger part of the work; a small fee of two or three cents would be enough for the shipper to pay, and, if found necessary, after the benefits are fully appreciated, the fee might be raised.

In section 110 we read that No. 1 shall consist of perfect specimens. Now perfection is a lofty word and is a state not easily reached either by apples or men. Had there been a modifying adverb it would have been all right, but no packer would be able to submit his apples to inspection, with any confidence, if the inspector is to apply this word in its strict sense. It provides that the apples are to be of a uniform size. "Nearly uniform" would have been a more suitable phrase. How would it be possible to put up a barrel of apples of *exactly* one size? Perhaps it is well enough, in the case of No. 1, to say that they shall be free from blemishes of any kind, but in the case of No. 2, the same provisions are made, making scarcely enough distinction between the two grades.

That a properly arranged system of inspection, for Canadian apples which are going forward to Great Britain, would result in immense benefit so apple growers in Canada, seems well assured. We have lately received a communication from an extensive dealer in apples in Liverpool, England, who says that he is pleased with the prospect of such an Act being in operation, and that a reliable Canadian brand would much encourage our export trade. What a pity that the whole thing is inoperative, for this season, on account of such stupid legislation. It will be necessary that this whole matter be carefully discussed at our next meeting, at Brantford, and the secretary authorized to make representations to Ottawa concerning these egregious faults, in order that they may be remedied before another fruit season.

Mr. CASTON moved that the report be accepted and referred to the afternoon session for discussion.

The SECRETARY urged that the matter be disposed of at once, on account of shortness of time.

Mr. A. M. SMITH moved that the report be adopted without discussion, and referred to the Legislative Committee for action. Seconded and carried.

FRUIT STATISTICS.

The SECRETARY moved that Messrs. E. D. Smith, A. McD. Allan and T. Carpenter, be a committee to make suggestions to Mr. James, Deputy Minister of Agriculture, and to advise with him in relation to the collection of fruit statistics.

Prof. CRAIG : I would second that motion. Mr. James came here for suggestions, and I think there are practical fruit growers who are qualified to give them.

Mr. JAMES : One or two have said that they thought that estimate was very far astray, now, we have about 200,000 farmers and agriculturists in this country. The estimate would require an average of fifty barrels apiece.

Mr. A. McD. ALLAN : Looking at the County of Huron, I am perfectly safe in saying 200 000 barrels for shipment this year, and 200,000 barrels besides that for the home market use, for family use, for the stock, and for the evaporator.

The motion was carried.

OBITUARY COMMITTEE.

The SECRETARY moved the appointment of Messrs. A. M. Smith, Beadle and Craig as an obituary committee. Special notice should be made of the decease of Mr. P. C. Dempsey, one of the esteemed directors of the Association.

Mr. A. H. PETTIT seconded the motion, which was carried.

On motion of Mr. CASTON the Convention adjourned to meet at 1.30 p.m.

THIRD DAY.—AFTERNOON SESSION.

Convention resumed at 1.30 p.m.

APPLES AND APPLE POMACE FOR STOCK.

Mr. H. R. NIXON, (St. George) said : I am not a very large fruit grower in any line but apples. I raise a great many apples, and I am a pretty large stock raiser as well ; so, running those two lines in connection with other branches of farming, I have fed a great many apples to stock. The first valuable lesson I learned in relation to feeding apples to stock was about six years ago. We had a very large apple crop, and I was at that time shipping milk to Hamilton. I had a large dairy, and thought I would try the experiment of feeding apples to the cows. My contract with the milk dealer required that I should feed no turnips to the cows. I had always fed turnips pretty largely, and I told him I could feed turnips and he wouldn't know it. However, he thought that was not possible, so I had to agree to feed none during this contract. So we started feeding apples—first very lightly, about a peck to a cow, and we found it increased the yield of milk considerably. Then we got up to about half a bushel and three pecks per cow, and we found them very valuable in increasing the yield of milk. When I got my March payment of milk the dealer wanted to know why I sent such good milk during the latter part of November and December, and the milk had not been up to such a good standard since. I told him I did not know,—did not think of the apples. "Well," he said, "We haven't had as good milk from you since the first of January as we had previous to that. That started me thinking ; and when I came to consider the matter thoroughly, I found that just on the first of January, my supply of apples had given out. He said the milk had tested one-half per cent. higher during the month of December than it did later on. I could not attribute that to any other cause than feeding apples to the dairy cows. I consider apples fully equal to any kind of roots for stock, no matter what kind of stock you have on the farm—horses, pigs or cattle. I think they are far preferable to any roots for pigs. A neighbor of mine tried feeding his pigs one-quarter less peas and more apples, and he found they fattened faster. It is a mistake to allow apples or wind-falls to lie around and rot. I never do it. I give my boys three cents a bag for picking them up,

and th
half th
Hamil
all my
great c
pasture
a profit
regard
feed ou
other f
horses
they w
One ser
and as
conditi
appear
ten cen
ourselv
by, tho
stock o
and he
and th
there w
That w
Mr
apples o
Mr
times o
about t
whole a
fed mod
Mr
Mr
the app
are fed,
Thi
Mr
Mr
Mr
go outsi
grow suc
above th
Mr
Concord
Mr
points.
A gentle
at it ripe
Mr
ten miles
Mr
Concord
prefer th

and they are always glad to do it. Some Saturdays they make 50 cents and don't work half the time. I never allow any apples to go to waste, but have fed them ever since my Hamilton experience. As regards feeding pomace to stock, I have operated a cider mill all my life until about four years ago, and made a great quantity of cider, and handled a great quantity of pomace, and always considered in the dry season, when we had no fall pasture, that the pomace repaid us well for all the work in making cider—though we got a profit as well. I never tested the pomace quite as thoroughly as I have the apples, in regard to direct increase of milk; but as soon as we started to make cider we started to feed our horses on pomace in connection with other feed. We never shortened off the other feed, but gave them a peck of other grain and a peck of pomace every day; and the horses always put on a sleek coat at once. We would notice the difference immediately—they would always look shiny as if they had been fed on oil cake, or something like that. One season we took our horses in off the pasture, and put them to hard work in August; and as soon as we started to make cider, we began to feed pomace and they gained in condition and showed it at once in their coats looking sleek, and the hair having an oily appearance. The next season I sold out my cider mill, and contracted to buy pomace at ten cents a load; and we drew it to the farm about a mile distant, all the fall, and thought ourselves very well repaid for money and trouble. The season after that a farmer near by, thought I was having a snap on the pomace, and offered more for it. He had a large stock of cattle, about 30 head, put into his hands by the sheriff, to hold for two months, and he had them in a small field, about ten acres, and fed them on nothing but pomace, and they gained in condition so that at the time of the sale they looked fine—though there was no more pasture on the field, after the first week, than there is on this floor. That was a very striking illustration of the advantage of pomace as feed.

Mr. HUNTER: Did you find any difficulty with the teeth of the cattle fed on either apples or pomace?

Mr. NIXON: No, not the least, with apples or pomace or ensilage—which is sometimes objected to on that account. When I first began feeding apples I was very nervous about them choking, and ran them through a pulper for safety; but we tried them with whole apples, and never had the least difficulty in choking. Of course apples should be fed moderately at the start.

Mr. BEADLE: Do you see any difference between sweet and sour apples?

Mr. NIXON: Yes, I would certainly prefer sweet apples; but I would like to have the apples ripe. It is a good thing to have the apples gathered some time before they are fed, so that they will get mellow.

GRAPES.

This topic was then taken up: "What Grapes yield the most tons of fruit per acre?"

Mr. ORR: I would say Niagara.

Mr. ALLAN: I will back that up.

Mr. LEE: I have no objection if you confine that to the Niagara Peninsula. If you go outside of that district you find that it is cut off, more or less. The Niagara will not grow successfully here. Niagara is all right for Hamilton and below; but when you rise above the mountains I would object to it, and take the Concord.

Mr. HUNTER: I have had very little experience in grapes, but I would suppose Concord would have the greatest amount of yield for our section.

Mr. ORR: I have been surprised to learn how well the Niagara was doing at different points. A gentleman from Galt told me the Niagara there was bearing very abundantly. A gentleman from Goderich said it was doing very well there. We have been surprised at it ripening so soon as it does.

Mr. NIXON: I think the Concord would be far the heaviest bearer with me—about ten miles from Brantford.

Mr. MITCHELL, (Innerkip): Ours is a very poor district for any kind of grapes. The Concord gives us a larger yield than the Niagara. I think for yield of ripened grapes we prefer the Worden in our district.

Mr. DEMPSEY: I think the Worden and Concord are best yielders with us. The Vergennes is next to the Niagara.

Mr. ORR: We are obliged to take a large amount of the crop of the Vergennes off before we can get a yield.

Mr. TURNER: Does the Worden drop the fruit in this district?

Mr. E. D. Smith: I don't think it does with us. I had Wordens hanging on this year till all the rest of the grapes were picked—and good then.

Mr. RACE: Don't you find a difficulty in getting enough wood with the Worden.

Mr. SMITH: Not with the Worden.

Mr. TURNER: The grower I alluded to uses a large amount of wood ashes. Perhaps that has a detrimental effect.

Mr. ORR: The cause of the fruit dropping is that there is too much matured on the vine. Take off the fruit; and if you find it drops with ease, take off more next time, and you will get a better quality of fruit, and just about as much.

TREASURER'S REPORT.

Mr. WOOLVERTON read his annual report as Treasurer, which was adopted on motion of Mr. M. Pettit, seconded by Mr. Turner.

TREASURER'S REPORT FOR THE YEARS 1891-92.

| RECEIPTS. | | EXPENDITURES. | |
|---------------------------------|------------|----------------------------------|------------|
| | \$ c. | | \$ c. |
| Balance on hand last audit..... | 120 51 | The Canadian Horticulturist..... | 1,604 19 |
| Members fees..... | 2,102 24 | Salary..... | 1,033 40 |
| Government grant..... | 1,800 00 | Chromo lithographs..... | 388 00 |
| Advertisements..... | 361 11 | Directors' expenses..... | 312 10 |
| Bound volumes..... | 56 34 | Plant distribution..... | 225 25 |
| Back numbers, etc..... | 46 58 | Express and duty..... | 190 68 |
| Petty cash..... | 1 10 | Postage and telegrams..... | 133 34 |
| | | Printing and stationery..... | 124 11 |
| | | Commission..... | 112 29 |
| | | Stenographer..... | 66 00 |
| | | Electrotypes..... | 65 34 |
| | | Committees..... | 23 85 |
| | | Auditors..... | 20 00 |
| | | Exchanges..... | 12 28 |
| | | Discount and interest..... | 12 27 |
| | | Russian exchange..... | 6 00 |
| | | Care of rooms at meeting..... | 5 00 |
| | | Balance on hand..... | 153 78 |
| | \$4,487 88 | | \$4,487 88 |

We, the undersigned auditors, having examined the various books of accounts kept by your secretary-treasurer, and carefully proved them by comparison with the vouchers, have pleasure in testifying to their correctness and to the careful manner in which the books have been kept.

JOHN M. DENTON, }
W. M. ORR, } Auditors.

NOMINATIONS.

The PRESIDENT named Messrs. A. M. Smith and Prof. Craig to act on the nominating committee.

The three other members of the committee named and adopted by the convention were: Messrs. Dempsey, of Stratford; Race, of Mitchell, and Turner, of Cornwall.

REPRESENTATION ON AGRICULTURAL COLLEGE.

Mr. CAVERS: In accordance with notice of motion given yesterday, I beg to move my resolution relating to the Agricultural College, Guelph. Many members have been considering the matter since the meeting in Hamilton last year, when the same matter was suggested by myself; but it was then found impracticable. My object in bringing this matter up is to endeavor to bring this Association into closer relations with the Ontario Agricultural College than have hitherto existed. As is well known, the College is in a very prosperous condition as regards general form. The horticultural interests have not had very much attention so far; but having acquired some additional ground it is in a better position to do some experimenting than it has hitherto been. The question of an experiment station comes up in this connection. The climate of Guelph is not the most favorable for experimenting on fruits, except those that are of the hardest character. At the same time, it is the agricultural college of the Province, and it seems to me it should be the centre of all the experiments made in any kind of horticulture or farming, having regard to provincial interests; and what I would like to see would be that in course of a little time, by the exertions and influence of this Association on the Advisory Board with our Minister of Agriculture, that at least one sub-station should be established in close relation to the Ontario Agricultural College, but situated in a more favorable locality for testing new fruits, vegetables and nursery stock. I therefore beg to move:

That, in the opinion of this meeting of the Fruit Growers' Association of Ontario, the horticultural interests of the Province are of such importance as to entitle these to be specially represented on the Advisory Board of the Ontario Agricultural College; that the President and Secretary be a special committee to bring this matter under the notice of the Hon. the Minister of Agriculture; and further, that this meeting respectfully recommends the following names of members of the Association, viz.: A. H. Pettit, Grimsby; L. Woolverton, Grimsby; T. H. Race, Mitchell; A. M. Smith, St. Catharines; James Goldie, Guelph, and D. Nicol, Cataraqui, as a suitable list from which might be selected representatives of the horticultural interests of the Province on the said Advisory Board.

You will understand that the affairs of the Ontario Agricultural College are directed to a certain extent by the Deputy Minister, who is present with us, and seven other gentlemen. These latter are principally representative men in general farming—cattle feeding, raising grain, etc.—but I think no one of these seven has any special interest in horticulture—either in fruit growing or in nursery growing; and my object is that two or three members of this Association should be added to the Advisory Board, or that they should take the place of two or three of those gentlemen who are already on the Board. I have not asked any member to second the resolution; I hope some member will second it, so as to bring it before the meeting in proper form.

Mr. PATTISON: I have much pleasure in seconding it.

Mr. MORRIS: Perhaps it is not very well known that some few years ago there was a committee from this Association that was appointed to take part in the management of the horticulture; and I believe it was considered that they did not make a success of it, and through that means it was discontinued. At present they have a horticulturist, and men at the head of different departments who are paid large salaries, and I do not see why we should not leave that work in their hands and let them become responsible for it. The suggestion in the resolution would add very much to the expenses of the College, and I do not believe the government would agree to it.

Mr. ALLAN : Placing one upon the Advisory Committee would not add very much expense. Practically, in some ways they have had advice of this description on several occasions past. The matter Mr. Morris refers to I remember very well. It is now ten years ago ; and there are very good reasons why that work was not successful. I believe the same thing could not be repeated with the same results. They are in better shape there now ; and I believe with one—or at most, two men—on the Advisory Board, they would now be in a position to carry out experiments that they could not have done in former years. It was simply an unfortunate thing at the time the orchard was planted there. I was there at the time ; looked the land over, and picked out a place where the experimental orchard should be planted ; but Prof. Brown at the time said that it was impossible to get that particular piece of land, and pointed out a piece on the western side of the gravel road and said that it was the only available field. I said : " Very well ; that settles it in the meantime, because it will take a year to properly under-drain that particular field to make it in any way fit for the purposes that we want." However, thinking that he knew more than we did, he proceeded to have it planted, with the results that we predicted—that the orchard never would be a success. It never has been. But that thing would not be repeated, I am satisfied ; and things are now in much better shape to prosecute work of this description properly. Other matters are brought into the resolution, connected with experiment station, etc. I have had some conversation with the Minister on this subject, and also with one or two of the present members of the Advisory Board ; and at present there is no possibility, that I know of, of making any change in that Advisory Board so as to allow extra members ; nor is there any vacancy on the Board—in fact, one of the members gave me to understand that there was so little for the Board to do in that way that, comparatively, they were not required.

Mr. ORR : There is a committee appointed by this Association that is looking to having an experimental station for horticulture in the southern section somewhere. Now, to associate that with the Agricultural College I am afraid would not be advisable. Guelph, as a point for testing fruits for the southern section, is utterly worthless. I think we don't want the matter in that shape. I think we are looking to the time when we will have an experimental station of our own, and be entirely independent of that institution in that connection. Guelph is all right for agriculture, but no use for horticulture.

Mr. BEALL : Prof. James at the last meeting of our Association made a suggestion that I think was the wisest thing said there. It would, I think, cover all the difficulties connected with our present system of experimenting. It is to furnish trees or plants, as the case may be—to buy them in comparatively large quantities—and send them to different persons who could be depended on in different parts of the Province ; thus making perhaps a hundred different experiment stations without any expense whatever more than the cost of the trees themselves. I cannot see the slightest good that can result to the Province at large from an experimental farm, say in Hamilton, or somewhere not far from Hamilton, or Grimsby, or somewhere in that direction. I do not see how they can experiment for the benefit of those who are in the northern portions. What necessity is there for an experimental station for a few persons just where we know almost everything will grow ?

Mr. JAMES : The point as to experiment stations has—or should have—nothing to do with the original question. Perhaps a word here may be useful. The Advisory Board of the Agricultural College is appointed by the Government to advise with the Minister in regard to the teaching and experimenting carried on there ; and those men have been chosen from different parts of the Province. They are called together at least once a year, and spend two days at the College looking over the institution and its work ; and on account of their wide range of information and experience, they perhaps are able to suggest certain things that would not occur to a man whose experience was limited simply to one locality. They are simply paid for the one or two days that they are there, and the traveling expenses. The expense of course is not very large. They have nothing to do with the question whether an experimental station will be there or not. That does not enter into it at all, and should not be connected with it, in my

opinion,
Whether
know at

Mr.
in the so
would be
while th
fruit at t

Mr.
this reso
of the ex
on the A
tion with
I hope th
interest t
there is n
Niagara
chief exp
Agricult
the purp
as it is in

Mr.
northern
Mr.

intended
the sever
Dominion
horticultu

The
other. I
horticultu
southern
there felt
be a bran
northern
really a s
Georgian
superior,
branch in
thing to i
other.

The

Mr. I
and move

The
exhibits
Blenheim
to be a se

The
or Baxter
appearance
samples o
Shiawasse

opinion, but simply whether they can increase the efficiency of that department. Whether the Government would add to that Board or replace one by another I do not know at all.

Mr. E. D. SMITH: It is altogether astray to imagine that this experimental station in the southern part of the Province would be for the benefit of a few persons only. It would benefit those who grow 99-100ths of what is put on the markets of this country; while the station at Guelph would not. If they are going to conduct experiments in fruit at Guelph, then certainly a fruit grower ought to be on the Advisory Board.

Mr. CAVERS: The question of an experiment station really does not come in under this resolution except in a very indirect way; and it seems to me it advances the idea of the experiment station rather than otherwise, because this Association, if represented on the Advisory Board, must surely have more influence with the authorities in connection with the Agricultural College than when the Association is not represented at all. I hope the experiments at Guelph may be enlarged; but even so, they cannot be of great interest to fruit growers of Grimsby and Niagara, and along Lake Erie counties. I hope there is room for the experiments at Guelph and for the sub-station somewhere in the Niagara Peninsula. The idea is not original at all. In the State of Michigan the chief experiment station is pretty near the centre of the State, in connection with the Agricultural College, and the chief fruit experiment station is near the south-west. All the purposes that the fruit growers can possibly require can be served by sub-stations, as it is in several places in the United States.

Mr. ORR: We have an experiment farm at Ottawa; we have one at Guelph for the northern section; let us have one in the south for the fruit-growing section.

Mr. CAVERS: The institution at Ottawa belongs to the Dominion as a whole. It is intended to further the farming interests of the whole country, and by sub-stations in the several provinces. What we have to deal with chiefly is the Provincial, not the Dominion institutions, though the Dominion institution is doing excellent work for the horticultural interests of this Province.

The PRESIDENT: My view would be this—that one matter would facilitate the other. If we can improve the present system of Guelph in reference to experiments in horticulture, it ought to be a benefit not only to some portions lying adjacent in the southern belt, but also greatly facilitate the northern portion. Again, if the authorities there felt that their location is not suitable for the southern belt of Ontario, there might be a branch established from which it would fulfil the purpose. Now, I have heard northern men expressing the same view of the situation at Guelph—that it is not really a suitable place even for the very northern section of the Province all along the Georgian Bay and Huron districts. They have a splendid fruit section there—much superior, I would think, to the section at Guelph, and they might require an additional branch in that portion of the Province, even further north. I do not wish to say anything to injure either cause, but would like to see them work together and help each other.

The resolution was put and carried.

FRUIT DISPLAY.

Mr. MORRIS read the report of the Committee on Fruit Exhibit at the Convention, and moved the adoption of the report. Carried.

The Committee on Fruits on Exhibition beg to report as follows: L. Woolverton exhibits very fine samples of Cranberry Pippin, Roxbury Russet, Canada Baldwin, Blenheim Pippin, Ribston Pippin, also fine specimen apple from British Columbia, said to be a seedling and having a strong resemblance to Canada Reinette.

The next collection a very attractive one by W. S. Turner, Cornwall. La Rue, or Baxter, in size and appearance leads the well-known King of Tompkins in size and appearance, and of sufficient firmness to be a good shipper. Quality fair. Also fine samples of Bourassa, Wealthy, Pewaukee, Fameuse, Golden Russet, Blue Pearmain Shiawassee Beauty.

Professor CRAIG of the Ottawa Experimental Farm exhibits an interesting collection of new Russian and hardy native apple seedlings, altogether twenty varieties, we place at the top of this list McMahon White for size and appearance, and Belle de BosKoop for flavor, firmness and keeping qualities.

T. H. RACE, exhibits nine varieties of apples, one of which Olivers' seedling deserves special mention. It is grown in Hibbert, South Perth. Tree said to be strong grower, and very productive of evenly sized fruit. The apple is large, light red, of good quality and from the specimens produced evidently a fair keeper. We heartily recommend this variety for propagation.

E. B. Edwards, Peterboro', exhibits beautiful samples of Blenheim Pippins. Their uniform size, freedom from spots, and excellent dessert qualities, make them worthy of this highly esteemed apple, and grown at Peterboro, shows that they can be cultivated successfully in northern localities.

Seedling apple shown by S. C. Wait, St. George, lacks size and quality for profitable market purposes.

In pears a very fine specimen, President Druard, exhibited by W. M. Orr and five varieties by A. M. Smith, St. Catharines, as follows: Clairgeau, D'Anjou, Lawrence, Mount Vernon, Josephine de Malines.

E. MORRIS.
W. S. TURNER.
J. D. STEWART.

ELECTION OF OFFICERS.

Mr. A. M. SMITH reported from the Nominating Committee. He said: Most of you are aware that two years ago we adopted a Presidential term of one year; but circumstances have occurred which I think render it very necessary for the Association to either break or waive that rule. Our present President, as you know occupies the position of Superintendent of Fruits at the coming exhibition at Chicago; and we want to strengthen him in every way we can, and we believe that by occupying the position he now holds as President of this Association, he will be in a position to do more for our Society and for the country at large than he would in any other way. We have therefore nominated him as our President for the next year.

The SECRETARY, at the request of the President, took the chair, and the name of President Pettit was put to the meeting and carried unanimously.

The PRESIDENT: I would like to say that I feel very much flattered and very highly honored by being placed in the chair for another year. I must say that I have a very responsible duty placed upon me during the past season as your President. As I said in my address, it was with a great deal of doubt in my mind that I accepted so responsible a position as the superintendency of the fruit exhibit at the World's Fair. I have put forth my best efforts up to the present time, and I look to you to day to strengthen my hands during the coming season, so that Ontario may at the World's Fair stand where you and I and every Canadian wish to see her—at the head of all other countries in the world. (Hear, hear.) While you honor me by placing me in the chair of this the most active organization of the kind on the American continent, I ask you to strengthen my hands in every way that you possibly can. (Applause.)

The remainder of the officers suggested by the Committee were elected without debate. The complete list of officers appears on page 2.

COMMITTEE ON GRAPES.

Mr. G. W. CLINE, Chairman of the Committee on the Catalogue of Grapes prepared for the guidance of judges at fairs, in presenting his report, said the list had been revised after spending a day over it. Copies of the report had been printed and were circulated. For catalogue of grapes see Appendix III.

EXPERIMENTS TO ASCERTAIN THE VALUE OF DILUTE SULPHURIC ACID FOR CHECKING THE SPROUTING OF POTATOES.

By FRANK T. SHUTT, M.A., CENTRAL EXPERIMENTAL FARM, OTTAWA.

The quality of potatoes for culinary use is seriously affected in spring by "sprouting." Despite great care this often takes place, materially deteriorating the value for table use large quantities of potatoes annually.

Of late a statement has been widely circulated in the press of Canada, setting forth a so-called successful treatment for the prevention of this sprouting. This treatment consists in immersing the potatoes in a two per cent. (2 per cent.) solution of sulphuric acid (oil of vitrol), for some time, and then rinsing with cold water. This, it is claimed, will effectually prevent the eyes from sending forth shoots. In order to ascertain the validity of this statement, a series of experiments was inaugurated in the spring of the present year with the following results.

Experiment 1.—February 25th 1892. Variety of potato, Early Ohio. The potatoes showed no signs of immediate sprouting, and were in good condition. They were immersed in a solution of sulphuric acid and of the recorded strength, in which they were allowed to remain 17 hours. The potatoes were then rinsed with cold water, spread out to dry and put in large wide-mouth glass bottles. Result: On standing, the potatoes become covered with pink spots or patches, which after a few days shrivelled. Decomposition soon set in at these places. After about two weeks a few of the eyes began to sprout. On cutting the potatoes, litmus paper showed that the acid had thoroughly permeated the tuber. The appearance of the potatoes was entirely destroyed for marketing purposes.

Variety, Chicago Market; treated as above throughout. Result: The potatoes were more shrivelled than the Early Ohio. Many of the eyes were deeply pitted and decomposed, yet one or two, apparently unaffected, sprouted after two weeks. Examination showed that the acid had completely permeated the tissue of the potatoes. The potatoes were not fit for use.

Experiment 2.—Variety, State of Maine. Immersed for four hours in the acid solution. Subsequent treatment was identical with that in former experiments. Result: Potatoes became slightly pitted with pink spots; sprouting greatly retarded, but beginning after nine days.

Experiment 3.—Variety, Beauty of Hebron. Immersed for two hours; subsequent treatment the same as before. Result: Potatoes showed a few pink spots upon drying, sprouting evidently retarded, but beginning after one week.

Experiment 4.—Variety, Empire State. Immersed for one hour, subsequent treatment the same as before. Result: Potatoes but very slightly affected by the acid; sprouted readily.

Experiment 5.—Variety, Thorburn. Immersed for twenty minutes; subsequent treatment the same as before. Result: Potatoes were not apparently affected by the acid, sprouted readily.

Summarizing these results we find that immersion for 17 hours did not kill all the eyes, though the potatoes as a whole were much affected by the acid, destroying them entirely for table use. Immersion for 4 hours injured the potatoes somewhat, but sprouting, though retarded, finally set in. Treatment for 2 hours but slightly affected the appearance of the potato but was valueless in preventing sprouting. Shorter periods of treatment did not injure the potatoes, but the acid was then not efficacious in killing the eyes, sprouting took place after 20 minutes immersion as readily as in untreated tubers.

Conclusion.—Under the conditions stated above, there can be no doubt that two per cent. sulphuric acid is valueless in preventing the sprouting of potatoes. In these experiments no effort was made to preserve the treated potatoes from the light; future trials will be made in order to ascertain to what extent light is instrumental in promoting the sprouting of treated potatoes. It is also proposed to treat the potatoes in the autumn instead of in the spring, as it is possible that the eyes would then be more easily killed.

VOTE OF THANKS.

Mr. D. M. LEE, Secretary of the Brant County Association, reported the following resolution as having been passed by the local body :

That the members of this Association do hereby tender our hearty thanks to this Provincial Association now in session in our midst for accepting our invitation and holding their winter meeting in this city ; and further that we shall ever be thankful for the benefit we have received from the very able papers and the discussions that have followed the same.

FRUIT GROWERS' ASSOCIATION.

Mr. LEE said the local Association had entertained the Convention as best they could considering the unfavorable weather. He invited the Association to meet in Paris from which he came ; and extended an invitation personally to every delegate to call and see him when in Paris. Some of the members of the Provincial Association had contributed papers during the past year to the local Association, for which the latter were very thankful.

The PRESIDENT acknowledged the courtesy, and said the general expression from the delegates showed that in no place yet visited had there been a more hearty reception than in Brantford. The delegates had thoroughly enjoyed the intellectual and social entertainments provided for them. This meeting would be remembered for years to come (Applause.)

Mr. MITCHELL thought this an opportune moment to move that the thanks of the meeting be tendered to the people of Brantford and those who contributed to the pleasure of the delegates. Never since he had been a member of the Association had he seen such interest taken, or so many new faces, or met so many local members.

The motion was carried amid applause.

The SECRETARY : I notice Sheriff Watt present. We are thankful for the courtesy he has shown us.

Sheriff WATT said the County Council and the officials of the Court House were only too glad to welcome the Association. He regretted that owing to a misunderstanding yesterday the delegates were crowded in the County Council Chamber. It was the oversight on the part of those who had the matter in charge and if it had been known in time it might have been remedied.

The SECRETARY called attention to a proposed change in the by-laws which appears in a report which was not formally adopted. He moved that these amendments be embodied in the report as approved of formerly.

Mr. THOS. GRAHAM seconded the motion.

Mr. BEALL : I am the only representative of affiliated societies that have a place on the Board, therefore I would like to move that No. 18 be changed so as to read " provided the first lot of names shall be ten in number, and after that as many as may be convenient." Also to change No. 19, from " fifty members " to " twenty-five members " for local societies.

Mr. DAWSON, from the Brantford Society, seconded the amendment, which was put and carried.

GRAPE REPORT.

The PRESIDENT : Is the Convention ready to discuss the grape report ?

Mr. A. McD. ALLAN : Amendments could be made, but on the whole, I think the Committee have paid a great deal of attention to it, and they have looked upon it as a Provincial report, and I don't know that any single committee could do very much better, and perhaps no other Committee could do as well as the report now before us ; and I do not know but that, under the circumstances, the better plan would be to adopt the report as it is. I would so move.

Mr. J. D. STEWART seconded the motion, which was carried.

Mr. G
printed for

After
Mr. C
grapes best
the large li
would put
don't want
places you

The S
to make an
consultatio

The P
Secretary's

Mr. A
generally t
another yea
list that w

Prof. C
mittee on g
wished by
and that th

Mr. R

The P
The S
Mr. A
and I consi
can have.

all new frui
—there is n
the country

The P
Horticultur

The S
Mr. A

every year,
fruits. It i
ally brought

Prof. C
know what

The S
year.

Mr. A
from year to
for examina

The P
Secretary, V

GRAPES RECOMMENDED.

Mr. G. W. Oline presented the report of this Committee, which was distributed in printed form.

After some discussion and some changes in the list to suit various localities

Mr. CLINE moved the adoption of the report as amended. He said: I consider the grapes best fitted to any one neighborhood are the few that are doing something; and the large list that can be grown don't amount to a row of beans. That is the list that I would put, and that is what I endeavored to get when I asked for those best adapted. I don't want to limit a man to twelve varieties, or to five varieties, because in some places you can grow a dozen, and in other places you can't grow more than four or five.

The SECRETARY: I would move that this report be referred back to the Committee to make any changes, before handing it to the Secretary, which they consider wise, in consultation with parties present.

The PRESIDENT: It ought to be carefully considered before we send it out; and the Secretary's motion is good.

Mr. ALLAN: I would rather see the list go into publication so that the members generally throughout the country would have the advantage of looking it over, and by another year we would be in a much better position than we are to-day to so classify the list that we would have a reliable one.

Prof. CRAIG moved that this be printed as a preliminary report of the Fruit Committee on grapes, and that it be subject to revision next year; that any special change wished by any particular director of any district be made now, before the report goes in; and that the report be revised as a whole next year if necessary.

Mr. RACE seconded this motion, which was carried.

(See Appendix III. for list.)

NEW FRUITS.

The PRESIDENT: Have the Committee on new fruits any report ready?

The SECRETARY: I don't think they have any report to make.

Mr. A. M. ALLAN: That is a matter that has fallen out of the Association entirely, and I consider it a great pity that it has. It is one of the best reports the Association can have. If we could get a competent committee to act as they do on the other side—all new fruits being sent to the chairman, who examines and gives a description of them—there is nothing this Association can do that will be of higher value to the people of the country generally. (Hear, hear.)

The PRESIDENT: Suppose the Secretary be that committee, and report through the *Horticulturist* in that respect?

The SECRETARY: I would prefer to have others to consult with.

Mr. ALLAN: That report ought to be read at the annual meeting of this Association every year, and it should cover everything that is being introduced in the way of new fruits. It is more and more necessary as we are getting new varieties of fruits continually brought into the country and forced upon growers.

Prof. CRAIG: I understand that I am on the new fruit committee, but I do not know what the duties are.

The SECRETARY: The committee already appointed, is to act through the coming year.

Mr. ALLAN: I think the committee—or at least the chairman—should be the same from year to year, so that the people will know to whom they shall send these fruits for examination, and they will look for that report from year to year.

The PRESIDENT: The following committee were duly appointed last year: The Secretary, W. E. Wellington, and A. McD. Allan.

Mr. ALLAN: I know that, but it is expected by the rest of us that all these new fruits shall be sent in to the Secretary. Two years I was chairman of the new fruit committee, and there was no trouble at all in getting a report. Of course we had to work for it; and I was under the impression we looked to the chairman for everything; we who are in the ranks take no responsibility. Amongst other things we are supposed to look into all the new fruits placed upon the tables at exhibition time; but the chief duty is to report on the new fruits as being introduced into the country. It is a heavy piece of work, but most important.

Mr. CASTON: I think the Secretary has done pretty well in reporting on new fruits. The reports in the *Horticulturist* from time to time are quite satisfactory.

OBITUARY.

Mr. A. M. SMITH reported as follows, and the report was adopted on motion by Mr. Smith, seconded by Prof. Craig.

RESOLUTION REGARDING THE LATE P. C. DEMPSEY.

Resolved: That this Association hereby expresses its deep sense of sorrow at the dispensation of Providence in the removal from our midst, by death, of the late P. C. Dempsey, of Albury, Prince Edward County. One who was an esteemed president of our Association and for many years an honored and efficient director. The Society ever recognizes the value of his sagacious counsel and his efforts in encouraging improvements in hybridizing and in importing new fruits adapted to the wants of the country; and, be it further resolved, that this Association does hereby express its sympathy with the bereaved members of his family, and request our secretary to forward them a copy of these resolutions.

AN INVITATION.

Mr. BRAND was asked to speak, and invited all the members to the Minnesota Fruit Growers' Convention at Minneapolis about the 10th January.

EXPERIMENTAL WORK.

Mr. A. M. SMITH wanted to get an expression of opinion from the Convention whether plans should be formulated and laid before the Minister of Agriculture during the coming season, with a view to getting legislation in regard to experimental farm work.

The SECRETARY: To simplify this matter I would move that the following committee be empowered to prepare some scheme for the carrying out of the experimental work in southern Ontario—or in our Province, I might say—and to advise with the Minister of Agriculture with regard to further procedure: A. M. Smith, M. Pettit, A. McD. Allan, and W. W. Hilborn.

Mr. ALLAN: "I beg to be left off that committee, for certain reasons I do not think it necessary to explain now. I have had some conference with the Minister, and I know certain difficulties that will arise; so that I would rather not be on.

The SECRETARY: Then I would propose the three names that are left.

Motion put and carried.

The SECRETARY moved a hearty vote of thanks to the Brantford press for their full and interesting reports of the meetings.

Mr. CASTON seconded the motion which was carried.

The convention closed at 4.30.

PAPER

Ho
apples,
the coun
orchard
laden o
of joy,
for one
suppose
one con
gold.

Ho
view."

So,
people v
any oth

Ou
are the
culties
idea of
to prepa

The

Fungus

to plac

under t

to the v

pursued

men, bu

they we

but now

who vis

that he

he said

was ast

universi

the eart

Suc

Queen's

Dean sa

it was

himself

think Po

APPENDIX I.

PAPERS CONTRIBUTED TO THE WINTER MEETING AT BRANTFORD
BUT NOT READ.

FUNGI AFFECTING FRUITS.

BY THE SECRETARY.

How charming, to the inhabitant of the town, are the scenes of rural life; the rosy apples, the golden peaches and the various-hued grapes—how attractive! His visits to the country are usually made during the summer season, during the time when the orchards are either clothed in rich abundance of pink and white blossoms, or else are laden down with their luscious fruits. The harvest time to him appears a time of joy, a time of festivity, and he thinks that, if he could exchange his life in the town for one upon the farm, he would reach the height of bliss. It is a mistaken notion to suppose that the whole round upon the farm, and especially upon the fruit farm, is but one continued round of pleasurable occupation and at the end of the year a pot of gold.

How true in this case is the old proverb, "distance lends enchantment to the view."

So, old Horace, the Roman poet, puts it when he describes in his first Satire, the people who are always wishing they could exchange their lots with others, fancying that any other occupation is more pleasant than their own.

"Qui fit, Maecenas, ut nemo, quam sibi sortem
Seu ratio dederit seu fors objecerit, illa
Contentus vivat, laudet diversa sequentes?"

Our friends in the town know little of the hardships and discouragements which are the lot of the fruit grower, nor of the many long years spent in battling with difficulties before reaching his present prosperous condition; and it is to give the public some idea of the difficulties which are in our way as fruit growers that the writer has agreed to prepare this paper.

The recent problems facing horticulturists come naturally under two heads, first, Fungus Diseases, second, Insect Enemies; and in the brief time which you will be able to place at my disposal, I shall only have time to outline some of those which come under the first head. It is only recently that these two branches of science which refer to the very tiny subjects, such as can only be studied through the microscope, have been pursued far enough by scientists to make their investigations of real use to practical men, but now we are finding that the professor and the farmer are nearer friends than they were in days gone by. "Book larnin'" was for many years despised by the latter, but now the prejudices are wearing away, owing largely to the exertions of our professors who visit the Farmers' Institutes throughout the country. A neighbor used to tell me that he could not see any use in "eddication"; he never had any "larnin' hisself" and he said that he knew more than those who had. His favorite subject of conversation was astronomy, and he used to delight in meeting with us young students from the university and proving to us that all we learned at school concerning the rotundity of the earth and the distance away of the sun, moon and stars was erroneous and absurd.

Such men remind one of the redoubtable preacher spoken of by Dean Alford in his Queen's English, who used to hold forth at Cambridge, in a chapel on Green street. The Dean says his wont was to rail at the students of the university, trying to make out that it was a waste of time to study Greek and Latin. On one occasion, having wound himself up to the requisite pitch of fervor, he exclaimed in a voice of thunder, "Do ye think Powl knew Greek?"

One of the problems that was long unsolved among us fruit growers was the cause of the Plum-knot, but lately mycologists have given us an insight into its life history. For a long time it was thought to be caused by some insect, and even yet we meet with men who will not give up this theory. Insects are found in it, they say, and this they claim is positive proof that they are the cause. Careful investigation, however, shows that these insects are not the cause of it, but they simply make use of it as a favorable place for oviposition. We have had many foolish remedies proposed and as often tried by foolish fruit growers. No less an authority than an American Consul, residing in a Canadian town, recommended, as a sure cure for plum-knot, boring a hole in the trunk of the tree and filling it with flowers of sulphur. He said this would circulate through the sap of the tree and destroy the insect of the black-knot. Any one cognizant with chemistry or botany will see the foolishness of such a recommendation.

THE PLUM-KNOT is now known to be a well defined fungus, and is called by mycologists *Plowrightia Morbosa*. Little spores, corresponding with seeds, float along in the air and alight upon a suitable host, either in the form of a cherry or a plum tree. Soon the hated parasites send down their mycelial branches among the cells of the wood and derive means of nourishment. Soon they begin to throw up innumerable filaments, called conidia, on the ends of which are borne egg-shaped spores, as shown in the accompanying drawing, figure 1. These are summer spores which ripen and fall off and are carried by the wind long distances to propagate the disease.




FIG. 1.—Conidiospores enlarged.




FIG. 3.—Asci, containing Ascospores.



FIG. 4.—Ripe Ascospores.




FIG. 2.—Cavity of Perithecium, with Ascospores. (May be seen in February with hand glass.)




FIG. 5.—Ascospores germinating.

But it is not only in the summer time that the knot is active, but also in the winter. During the month of February winter spores are formed in the little sacs called asci (fig. 2). On cutting through a knot in the month of February, these little sacs are plainly discernible with a small hand-glass (fig. 3). Each contains about eight winter spores, known to mycologists as ascospores, which one by one are carried forth to some favorable host. For a long time the cause of the plum-knot was an unsolved problem, but, thanks to science, this problem has been solved, and we now know that cutting and burning the affected limbs will effectually stamp out the disease. We also know that a

paste ma
have inf
remains
plum and
inoperati
but the
fifty rate
inspector
this is a
times dur
from any

ANO
YELLOW
of the M
througho
of our ov
destroyin
ing for s
success.

matter up
and to th
ports of h
tion durin

A ye
was a dele
ing in Tor
his own
considerat
scientific m

One t
character,
tree to tree
ing the or

We r
BLIGHT wa
of pear gr
choicest tr
at night, th
and sickly
electricity,
the remedie
bark, paint

But no
tiny bacter
botanists A
about half
was at tha
described th
the pear bl
healthy tiss
result, the
that the bli
after the ge

The sa
some exten

paste made of kerosene and paint or turpentine is destructive to it. But, although we have information enabling us to overcome it in our own orchards, the problem still remains, how we can compel the lazy and indolent in town and country to destroy those plum and cherry trees in their gardens which are affected. The present law seems very inoperative. True, it provides for the appointment of an inspector in every municipality, but the council is not obliged to appoint such inspector except on a petition of at least fifty ratepayers, and this is too cumbersome a mode of procedure. Further, the inspector is not required to act unless he receives written notice of the disease. All this is a mistake. He ought to be obliged to make a round of the orchards several times during the season, and have all affected trees destroyed without receiving notice from anybody.

Another problem in horticulture, which, as yet, is unsolved, is the cause of the YELLOWS in the peach. This mysterious disease originated in the peach orchards of some of the Middle States a good many years ago. It has gradually spread from state to state throughout the larger part of the Union, and across the borders into the peach orchards of our own country. Periodically its visitations seem to be more severe in character, destroying orchards by wholesale. Then, after peach growers have given up peach growing for some time, they find themselves able to begin again with some fair hopes of success. The Department of Vegetable Pathology of the United States has taken this matter up and spent an immense amount of money in investigating into this disease, and to this work have appointed Professor Erwin Smith, who has made elaborate reports of his work. But, although a large amount of money has been spent in this direction during the last three years, as yet no definite results have been obtained.

A year ago last summer I had a call from Professor Burrill, of Champaign, Ill., who was a delegate to the American Association for the Advancement of Science, then meeting in Toronto. He was looking up cases of yellows, which he said were not common in his own state. He is a man of most careful research, and his opinions are worthy of consideration. He believed that the disease was caused by bacteria, and, in this, most scientific men are in accord with him.

One thing we do know about the yellows, and that is that it is of an infectious character, in which respect it equals scarlet fever and small-pox. It may be carried from tree to tree, either by the bees in their searches for honey, or by instruments used in pruning the orchard.

We may hope, however, that ultimately the mystery will be solved, for the PEAR BLIGHT was, until lately, quite as mysterious. This latter has been the terror and despair of pear growers in all parts of the country. It would come in a single night upon the choicest trees in the garden and sometimes upon the whole orchard. You viewed them at night, the pride of the homestead, and on your next visit the foliage was blackened and sickly and the young fruit shrivelled and worthless. Some said it was caused by electricity, others by sunshine, others by insects, and so on, and just as numerous were the remedies proposed; as, for instance, digging in iron filings about the tree, slitting the bark, painting the bark, etc., all of which have been tried in vain.

But now it has been shown conclusively that this terrible disease is the result of a tiny bacterium, which lives in the sap and has the power of locomotion. It is called by botanists *Micrococcus Amylovorus*, and its size, when magnified 890 diameters, is only about half the size of a pin's head and very similar in shape. Prof. J. C. Arthur, who was at that time botanist of the Geneva Experiment Station, in his report for 1887, described this bacterium and stated that it was proved to be the real and only cause of the pear blight. He discovered the organism itself in blighting tissue, and inoculated healthy tissue of other trees with the germs from that which was diseased, and, as a result, the healthy trees were at once affected with the blight. Besides this, he found that the blight could not be communicated to healthy trees by the juices of the disease, after the germs were removed from them by filtration.

The same organism causes the twig-blight of the crab apple, the quince, and even, to some extent, ordinary cultivated varieties of the apple.

Prof. Burrill told me at the time of the visit referred to, that the bacterium of the pear blight ordinarily comes through the young and succulent wood of the trees and also through the stomata of the leaves and blossoms in the early part of the growing season. This explains why pear trees, which are stimulated to make a very rapid and succulent growth, are more subject to the blight. The little bacterium, according to Mr. Burrill, has a sort of corrosive nature which enables it to pass through the cellular tissue from cell to cell, thus working along through the wood, carrying destruction in its course.

Still the pear blight is only a half-solved problem. It yet remains to be shown how we may prevent its ravages and how to save the trees that are already affected. Spraying with the Bordeaux mixture early in summer has been recommended by the United States Department of Agriculture as being of great value in preventing leaf blight.

One of the greatest plagues of the fruit grower is the APPLE SCAB. This has been known to botanists on the continent of Europe for some fifty years, but, since the year 1869, its habits have been more carefully observed by mycologists, who have named it *Fusicladium dendriticum*. We gave some space to its description in the *Canadian Horticulturist*, volume x., page 103, and since that time have endeavored to keep apple growers posted concerning the progress of the evil and the success of the various remedies proposed for its destruction. At that time it had reached Australia; now we have reports of its presence even in New Zealand.

An important step in advance was made when it was shown that the fungus causing the leaf blight of apple, which resulted in its early dropping from the tree, was identical with that known as the scab on the fruit itself.

On the leaves the scab appears first as small olive-green spots, of a definite and rounded outline. (Fig. 6). These increase in size, and assume a velvety appearance, with a less regular border; sometimes two or more spots will coalesce, as it were, forming one large and irregular one. Sometimes even the petioles and the young twigs become affected, thus in every possible way the fungus tries to rob the tree of its vigor.

The most favorable conditions for its growth are the cool, moist weather of spring and fall, while its spread is retarded by the drouth and heat of midsummer. Owing to the dry warm weather prevailing in the early part of last summer, our apples were much freer from scab than usual.

The fungus appears to retain its vitality during the winter season, being known to spread even in barrels from apple to apple; and it remains in a living condition through the winter on the twigs of the apples, ready to begin its work of devastation in spring.



Fig. 7.



Fig. 8.



Fig. 9.—Spores of fungus of Apple Scab, one germinating.

time. The loss caused to the country is alarming. The Secretary of the Illinois State Horticultural Society places the annual loss due to this parasitic growth of \$400,000, but this is very small compared with the annual loss to apple growers in Ontario.

Fig. 7 shows a section of one of the leaf spots, and fig. 8 a section of the skin of an apple with scab bursting up through the epidermis, or outer skin, both magnified 200 diameters. The mycelium, or plant body of the fungus, resembles a dense mass of tissue composed of dark brown walled cells. These do not penetrate the cuticle, or inner skin,

but grow open, after propagat

They ger germ tub Fig. 9 sho

Prof spring be then, aft Release

This Green as scab, with The meth gallons of add water the lime

One to the foli as compar

In th ports his (1) in su ammonia, was first c

He f was nearly the advan trees before the Canad cation pre badly infe least twen

The r of three qu creasing th addition to means a g mixture is Station wi Of the 100 while of th only 40 sec not wholly

There The leaves much potas leaves can growth, th the tree, an blight and

but grow between it and the epidermis, or outer skin, which they soon burst open, and send up brown threads on the ends of which are borne the spores for the propagation of the fungus.

These latter are so tiny, that it would require 3,200, side by side to reach an inch. They germinate in moisture at a temperature of 50 F., in about eight hours; and the germ tubes have power to penetrate healthy skin and thus quickly spread the disease. Fig. 9 shows spores of fungus of Apple Scab; one germinating.

Prof. Scribner, in his report of 1887, recommended spraying the trees in the early spring before the buds began to expand, with sulphate of iron, 4 lbs. to 4 gals. of water; then, after fruit is set, with Bordeaux mixture. More recently, Prof Taft and Prof. Trelease have highly commended the use of ammoniacal copper carbonate.

This spring, in the last report of the Ohio Experimental station, we observe that Prof. Green asserts that the most satisfactory of the copper compounds for destroying apple scab, with regard to cost, convenience and effectiveness, is the dilute Bordeaux mixture. The method of preparing it is as follows: Dissolve four pounds of copper sulphate in two gallons of hot water; add sufficient water to cool it. Slake four pounds of quick lime add water to make a milk of lime. Pour into copper sulphate through sieve to dissolve the lime better. Dilute to fifty gallons.

One advantage of this mixture is that Paris green may be used with it and no injury to the foliage results. The effect should be bright, clean, healthy foliage and fruit, as well as comparative freedom from curculio and codling moth.

In the *Journal of Mycology*, Vol. VII, No. 1, Prof. Goff, of Madison, Wisconsin, reports his experiments in 1891, in treating apple scab. He used, chiefly, copper carbonate (1) in suspension, using one ounce to twelve gallons of water, and (2) dissolved in ammonia, one ounce to twenty-five gallons of water. In the latter case the ounce of salt was first dissolved in a quart of ammonia.

He found that the copper carbonate applied in suspension, just as we use Paris green, was nearly as effective as when half the amount was used diluted in ammonia, and it had the advantage that Paris green for codling-moth could be safely added. Treating the trees before the opening of the flowers was of great value; indeed, in one instance, where the Canada Peach apple was sprayed with copper carbonate, it was found that one application previous to the opening of the bloom was more effective than four after. On trees badly infested, the scab reduces the size of the apples so much as to lessen the crop at least twenty per cent., besides rendering a large part of it worthless.

The result of the use of diluted Bordeaux mixture was, by Professor Green, a saving of three quarters, at least, of fruit which would otherwise have been ruined, besides increasing the size of the fruit itself, and giving it greater beauty for market purposes. In addition to this there resulted a brighter and healthier foliage upon the tree itself, which means a great deal for the vigor of the orchard. The excellent effect of spraying with this mixture is shown in the results of Professor Green's experiment at the Ohio Experiment Station with the Newton Pippin, a variety perhaps more subject to scab than any other. Of the 100 apples from the sprayed trees, 15 were first class, 74 second and 11 third, while of the same number of apples from unsprayed trees there was no first-class samples only 40 second, and there were 60 third-class. Thus, it appears that, while spraying does not wholly prevent the scab, it pays well for the outlay required of time and money.

There are other ways in which the results are beneficial besides those mentioned. The leaves of our trees, when affected by the scab, fall prematurely, carrying with them much potash and phosphoric acid, a direct loss to the strength of the tree. Now, if the leaves can be made, by spraying, to hold fast until the proper season for maturity of growth, these fertilizing constituents will be withdrawn from the leaves into the body of the tree, and there be stored up for the following year. This spraying is useful also in blight and some think in plum knot.

TOMATO ROT.—This is a fungus for which no remedy has been certainly found. It is very wide-spread in Ontario, and does great injury to the business of truck gardeners. Some varieties, as Acme and Mikado, seems very subject to it, while Perfection, Paragon and Trophy are less so. The appearance of the affected fruit is shown in fig. 10.

By scientists it is called *Macrosporium Solani*. The fungus consists of a dark colored mycelium or vegetative system, the growing tubes of which can be readily traced to the cells of the sound tissue of the tomato, (see fig. 11a), and of spores, which are borne on the end of branches, called hyphæ, represented in fig. 11, b and c. These are at first dark brown, but at length turn olive-black. When these spores come in contact with green or ripe fruit they germinate rapidly under favorable circumstances, such as heat and moisture, and send out slender tubes, shown at fig. d. These spores survive the winter in the shrivelled fruit, and in old leaves and stems. The remedy proposed by the United States Department of Agriculture is: One half ounce sulphuret of potassium, dissolved in a gallon of water, and sprayed upon the vines, so as to thoroughly wet all the fruit.

THE POWDERY MILDEW OF THE GRAPE (*Uncinula Spiralis*) is quite common in the Niagara district, and in some varieties very injurious. It appears first early in June, in the form of dull greyish white patches on the leaves and fruit. Under the microscope these patches are seen to be the mycelial growth of the mildew which spreads over the




FIG. 10.—Tomato Rot.




FIG. 11.

surface of the host plant, and does not penetrate its tissue except that it sends down among the cells occasional suckers (see fig. 12, b. b.,) by which it draws nourishment. That threads of the mycelium are not easily distinguished is evident when we note Prof. Scribner's statement that they are each only one six-thousandth part of an inch in diameter. In June or July short upright branches appear, which are jointed, as shown in Fig. 12. One by one these terminal cells drop off. They are really summer spores for the propagation of the mildew, and are known as conidia. Two of these are shown in Fig.

12, a. a., length at host soon Fig. mycelium Late different eye, and asci, three



FIG. 12.

in turn, a season by allow the dew is no able of wh the Salem

The v dusting fl certain an bonate of

THE powdery n and only a affected, a is owing o English va

It fir young ber gives full i to carefull similarly t dropping o winter spo When the in its last the conditi

Any ren of flowers o Experiment

12, *a. a.*, which according to Prof. Scribner, are only one-thousandth part of an inch in length at their largest diameter. These float about in the air, and alighting on a proper host soon germinate under the favoring conditions of summer heat and moisture.

Fig. 13 shows a very small portion of epidermis of a grape berry, upon which the mycelium of *Uncinula* has grown, highly magnified.

Later on in the season, during the months of September and October, spores quite different in character are formed. The case in which they grow is apparent to the naked eye, and is known as the perithecium, or "fruit" of the mildew. Each of these is full of asci, three of which are shown emerging from the perithecium in fig. 14. Inside these,




FIG 12.—Mycelium of *Uncinula Spiralis*, from a grape leaf.




FIG 13.

in turn, are the ascospores, or winter spores. These are safely protected during the winter season by the hard compact walls of the perithecium, which in spring crack open and allow the asci to escape, and bring about a new infection of the vines. While this mildew is not nearly so destructive as that variety called the Downy mildew, still it is capable of wholly ruining the crop of certain varieties which are subject to it, as for instance, the Salem.

The usual remedy found to be quite effectual in most cases in the Niagara district is dusting flowers of sulphur on the vines, or, in hot weather, underneath them; but a more certain and effectual method is spraying the vines with the Bordeaux mixture, or the carbonate of copper early in the season.

THE POWDERY MILDEW OF THE GOOSEBERRY (*Sphaerotheca mors uvæ*).—Like the powdery mildew of the grape, this is a parasitic fungus, filamentous or thread-like in growth, and only attacks the surface of the host, giving it a powdery appearance. Gooseberries affected, as everyone knows, are rendered both unsightly and undesirable for food, and it is owing chiefly to the prevalence of this mildew in Ontario that so few of the superb English varieties are found in our gardens.


It first appears on the young half grown leaves and young wood, and later upon the young berries. Prof. Scribner, in his report on Vegetable Pathology for the year 1887, gives full illustrations and description of this fungus, and to it we refer any one who wishes to carefully examine its growth. Suffice to say here, that its summer spores are formed similarly to those of the powdery mildew of the grape, the upper segments of the conidia dropping off, and being carried about easily by the wind to scatter the evil; and that its winter spores are also formed within perithecia in a similar manner to those of the grape. When these perithecia ripen they become a chestnut color, hence the gooseberry mildew in its last stage loses its white appearance and becomes a dirty brown; and in this way the condition of the mildew may be determined.

Any remedy to be successful must be early applied. Early and frequent applications of flowers of sulphur are useful, but not so effective as in the case of the grape vine mildew. Experiments at the Geneva Experiment Station, conducted last summer, have resulted in

the discovery that the most successful treatment of gooseberry mildew is with sulphuret of potassium. The bushes were sprayed at an early date with a solution of one half ounce of this substance dissolved in a gallon of hot water. It is therefore recommended as the best known remedy for this evil.

CHERRY ROT (*Oidium fructigenum*) is the most serious obstacle in the way of the successful cultivation of this valuable fruit. The Heart and Bigarreau varieties, and especially the latter, are particularly subject to this fungus. The Napoleon Bigarreau, for instance, is frequently very heavily laden with fruit, but a protracted season of wet weather so encourages the development of this fungus that the rot, beginning in small spots, soon spreads from cherry to cherry, until, before picking time, the whole crop is entirely unfit for shipping. Could we succeed in overcoming this evil, we are of the opinion that the cultivation of the many very excellent varieties of cherries would be more remunerative to the grower than strawberries.

The fungus itself consists of much branched threads, or mycelia, which permeate the tissue of the fruit, causing it to turn brown and decay. When the air is moist these throw up tufts of dirty white dusty fruit stalks. These divide into minute sections, which, when ripe, separate and fall off from the top, one by one, in the form of spores. These spores



Amici

FIG. 14.—Perithecium of *Uncinula Spiralis*, with hooked arms, which give rise to the name *uncinula*.

are so light as to be readily carried about in the air from tree to tree, and thus the evil is rapidly spread about through the orchard. Fig. 15 is a representation of two fruiting threads of this fungus before the spores have begun to fall away, magnified 250 diameters. The engraving is reproduced from a late report of the Geneva Experiment Station.

Since the spores can only develop in a moist atmosphere, it is quite evident that, if we could keep our cherries perfectly dry, there would be no rot. But, as this is impossible, we must endeavour to find some other means of preventing the evil. The spores have great vitality and preserve their generative powers from one season to another. The old ripe cherries which dry up and hang upon the trees during the winter, as well as the fallen cherries beneath the trees, are the means of carrying the fungus through to the following season. Any mode by which these could be destroyed would be helpful, whether by burning or by allowing the pigs to run in the orchard, so as to eat up all that drop. Probably the most reliable method of combatting the evil will be found in the universal remedy of spraying the trees with the Bordeaux mixture as soon as possible after the blossoms have fallen.




FIG. 15.
Fungus of Cherry Rot.

PL
plum tree
in Fig.

The
on the p
Prof. Sc
through
inflicts o
the prop
as the fi
the surf
eighth o
becomes
microsc
fruits of
great ab

transparen
and each

Fig.
four capsu
The paras
cessful, m
or with th
probability

STRA
difficulties
as the "st
Dudley, th

This l
the weathe
the vitality
fungus from
it has a cir

PLUM LEAF OR SHOT HOLE FUNGUS (*Septoria Cerasina*).—The leaves of cherry and plum trees are often affected by this fungus, the appearance of which is well represented in Fig. 16.

The holes are frequently so round and even that they awaken considerable curiosity on the part of the observer as to their cause, but lately the mystery has been explained by Prof. Scribner, who says that they are caused by a fungus which is very widely distributed throughout the States east of the Mississippi. Though not a very serious pest, it often inflicts considerable injury both upon the cherry and the plum trees, by interfering with the proper function of the leaves, causing them to drop prematurely, sometimes as early as the first of August. The leaves attacked show at first, scattered here and there over the surface, dark purple spots, visible on both sides, varying from one twenty-fourth to one eighth of an inch in diameter. After a brief period, the tissues covered by these spots becomes dead and brownish in color. On examining one of these brown spots under the microscope there will be detected from one to several minute black points. These are the fruits of the fungus, like little capsules, in which the spores of the fungus are produced in great abundance. These are very slender and many times longer than broad, and quite





FIG. 16.

FIG. 17.—Section of diseased plum leaf :
a spores.

transparent. They are usually divided by one or more cross walls into two or more cells, and each cell in every spore is capable of producing a new growth of this parasitic plant.

Fig. 17 represents a highly magnified section through the leaf, including one of the four capsules, and at *a*, above, are shown some of the spores, still more highly magnified. The parasite buries itself within the leaf tissue and, therefore, any treatment, to be successful, must be preventive. Spraying the trees with the copper carbonate compounds, or with the Bordeaux mixture, for preventing the plum or cherry rot will result, in all probability, in preventing the growth of this fungus.

STRAWBERRY LEAF BLIGHT (*Sphaerella Fragariae*).—This is another of the well known difficulties which meet the grower of small fruits in Ontario. It is commonly spoken of as the "strawberry rust," "sun scald," or "spot disease," although, according to Prof. Dudley, the term "leaf blight" would be more applicable as a common name.

This blight first appears on the new leaves about the time of the setting fruit, and if the weather of the succeeding months is dry and hot, there will result serious injury to the vitality of the plants. Any one will readily recognize the common appearance of this fungus from Fig. 18. The spot is at first brownish or red purple, but when fully matured it has a circular centre dead white, from one-eighth to one-quarter of an inch in diameter.

The red-purple color is the result of a growth of filaments of the vegetative portion, or mycelium, (fig. 19a) of this fungus, pushing their way through between the cells of the interior of leaves, disorganizing their contents and absorbing their fluids. Air spaces are then formed in the centre of the spot, giving rise to the dead white appearance which results. In fig. 19 there is seen the transection of a strawberry leaf, of which the portion on the left is healthy and of the usual thickness, while that at the right shows a margin of the "spot," and this portion of the leaf is shrivelled to one-fifth its usual thickness. At *b* is seen the reproductive portion of the fungus known as conidia. The conidia spores are oblong and very minute, and when they fall on the fresh leaf surface, where there is a moisture, soon germinate, bore their way to the epidermis *c*, and give rise to fresh spots.

In addition to this mode of propagation by conidia, which are summer spores, and short-lived, there are also winter spores grown in sacs called asci. Each ascus, or sac, contains eight ascospores, and these preserve their vitality in the dead leaves through the



FIG. 18.

winter, and mature in the early spring. From this explanation it is evident that considerable benefit might be derived by strawberry growers through the plan adopted by some, of burning over the plantation in the early spring, for, in this way the fungus, to a large extent, may be destroyed.

The fungicide recommended by Professor Scribner for spraying the strawberry bed, is three ounces of carbonate of copper dissolved in one quart of water, and then diluted with twenty gallons of water. This should be sprayed on the plantation after the crop has been gathered, and repeated once or twice before the first of September. No doubt the Bordeaux mixture would be equally effective.

Some of the varieties, as the Manchester and the Wilson, are especially liable to this disease, while other varieties, such as Sharpless, are little troubled with it.

THE RASPBERRY ANTHRACNOSE (*Gleosporium venetum*).—This fungus is one which has thus far not prevailed to any great extent in Ontario. But from a late report of the Cornell Experiment Station, we note that it was observed in New York State last season, both on the raspberry and blackberry canes. This may yet become a serious injury to us

in Ontario that yielded paid export year 188

It found the canes canes up done by bium layer resulting do not at



FIG. 19.

reach its If the can and bran appeared spots near the leaves

We that in ov tions whi recommen iron, a po

For indebted logy, of t made dur growers a satisfactori importanc tion to th

in Ontario. An instance is given by Prof. Burrill, of a blackberry plantation in Missouri that yielded a profit of \$400 one year, which was so reduced by the disease that it scarcely paid expenses the year following. The apparent injury to blackcaps in Missouri in the year 1887 from this fungus was estimated at from ten to twelve per cent. of the entire crop.

It first appears in the form of small purple spots scattered around the lower parts of the canes. These soon rapidly increase in size and spread from the lower portion of the canes upward, giving them a scabby, pithy appearance, as shown in fig. 20. The damage done by these blotches rarely extend to the pith, but the greatest injury is done to the cambium layer, or the portion through which the sap is conveyed in the process of growth, resulting very much the same as if the canes had been girdled. As a result, the leaves do not attain more than half the normal size, and the fruit, if developed at all, does not




FIG. 19.—Section of diseased strawberry leaf.



FIG. 20.—Raspberry Anthracnose.

reach its full development, but ripens prematurely, or simply dries up and is worthless. If the canes are not killed the first year, the continued action of the fungus on the leaves and branches prevents the formation of fruit the succeeding year. After the fungus has appeared upon the canes, the petioles of the leaves are attacked in the form of purplish spots near their base. Gradually the disease spreads throughout the whole framework of the leaves, showing white blister-like spots.

We omit any description of the botanical character of this fungus, but simply remark that in overcoming it a vigorous condition of the plant is important, and any old plantations which are diseased would be better cleared out and burned. One experiment station recommends spraying early in the spring, before the growth has begun, with sulphate of iron, a pound to a gallon of water, and after the leaves appear, with the Bordeaux mixture.

For many of the illustrations used with this paper, and for much information, I am indebted to the excellent publications of the Department of Agriculture, Section of Mycology, of the United States. In this important field of study a great advance has been made during the last few years, and the results are proving to be of immense value to fruit growers and gardeners. Many of the worst problems facing the horticulturist have been satisfactorily solved, and many others will be cleared up during the coming year. The importance of a widespread dissemination of the work of these experimenters, in its relation to the prosperity of our province, can scarcely be over-estimated.

ADDRESS OF DR. W. J. BEAL AT THE LAYING OF THE CORNER-STONE
OF THE NEW BOTANICAL LABORATORY OF THE MICHIGAN
AGRICULTURAL COLLEGE.

In view of the resolution passed by our Association at its winter meeting in the City of Hamilton, in December, 1891, looking toward the establishment of a Provincial Botanic Garden in the City of Toronto, or at some other convenient point, this address of Dr. Beal's contributed to us by him, seems quite opportune.

THE EQUIPMENT OF A BOTANICAL DEPARTMENT AT AN AGRICULTURAL COLLEGE.

In March, 1890, the old Botanical Laboratory of the Michigan Agricultural College, after serving as a busy hive for ten years, suddenly turned to smoke and ashes. Since that time we have been dependent on the kind hospitality of the Agricultural Department for rooms in which to meet our classes and perform other duties incident to a department of botany. Not without some opposition, doubtless on account of a lack of knowledge as to what modern botany can do for agriculture, the members of the last legislature made a fairly adequate appropriation for a new building, which will be a great improvement over the one destroyed.

Planted on yonder knoll by the wisdom of the State Board of Agriculture, between the laboratories of agriculture and horticulture, this second and better botanical laboratory is to stand. It was doubtless so located, with the notion that botany is the right hand support of the one and the left hand support of the other; or perhaps with a notion that botany is of a greater importance, and that agriculture and horticulture are her foremost allies.

So far as I know, this simple ceremony is the only one that was ever held at the laying of the corner-stone of any building at this college—and this block is not a corner-stone, nor the key-stone of an arch, but a "broadrider" placed near the left of the main entrance, marked "Botany," to let those who enter see what they are coming to.

In 1859, a third of a century ago, when I took my first degree at the University of Michigan, there was but one institution of learning in the United States that employed and paid a man for devoting all of his time to the science of botany. The person referred to was the late Dr. Asa Gray, who was for many years the professor of botany at Harvard University. At that time only eight weeks of daily work were required of undergraduate students, and they had the opportunity of electing about three weeks more. A very few resident graduates—one to three at a time—pursued the science further.

In a limited number of other universities and colleges, botany found a small niche in the course of study, one man usually teaching all the botany, zoology, geology that were taught, and often also taught all the chemistry, and had plenty of time to spare for classes in mathematics and possibly in rhetoric or some other subject. The short course in botany at that time consisted almost entirely of some lessons in the gross anatomy and morphology of flowering plants and ferns and their allies. A very little attention was given to the geographical distribution of plants.

I need not tell you, Mr. President, that in those times most scholars considered botany of little importance, either for the facts acquired or the discipline and culture that it could give. Little was expected and little was given.

For the rapid and wide-spread interest and attention which botany has attracted in this country within the past fifteen or twenty years, nothing in my opinion has done so much as the work performed in our colleges of agriculture, and in the United States Department of Agriculture. I have carefully watched these influences in the numerous national, state and local gatherings of scientific men. The large number and the nature of themes discussed; the practical mode of treatment and the rapid increase of wide-awake and able men and women who bow at Flora's shrine, has been most remarkable, and this movement has but fairly got under way.

I will not attempt at this time to enumerate what botanists are doing, but refer you to numerous journals and transactions of learned societies, to recent books and bulletins, to courses of study in every college which has the least spark of modern thought in it.

In th
cerned, b

Und
the mean

This
botanical

this one.

be many
field work

much yet
school," w

The latter
In an

and other
Anot

cultivated
Ther

ance; am
study of

we are

of many o

should inc

orchards,

good supp

same inst

appearing
Microtom

charts, pu

garret bec

ences for p

For y

given to s

have given

with origi

lecture. C

As no

tables of t

Saab's

Phaneroga

Bacteria;

burger's H

Plowright's

Erysipheae

Elements

Murray; r

those of th

Text Book

number of

freely usin

good librar

Our th

a month, d

ment. In

helped mai

Please

department

in the use o

In these days a well equipped agricultural college cannot get along, so far as botany is concerned, by employing a man to teach botany who shall also be required to teach other subjects.

Under good management a botanical department will advance just in proportion to the means at its disposal.

This may be a suitable time for a little indulgence in considering an ideal plan for a botanical department of a college with as good an endowment and as great pretensions as this one. To attract students and give them good opportunities, the department should be many sided and symmetrical. One or more of the teachers should be enthusiastic in field work—a good collector and well skilled in preparing plants for the herbarium. Very much yet remains to be done in systematic botany, as studied by those of the "old school," with all the aids that have come from histology and physiology and embryology. The latter are indispensable in any course of botany.

In an agricultural college, special attention should be given to the study of grasses and other forage plants, to trees, shrubs and weeds.

Another broad and fertile field is the study of variation and description of our cultivated plants, subjects which have been receiving little attention from naturalists.

There are many sections of cryptogamic botany of great interest and importance; among the most important of which in an agricultural course are the study of parasitic fungi and bacteria. For several years, about these days we are adding annually 5,000 or more plants to our herbarium, including plants of many of the lower families. This growth ought to continue for a long time yet. This should include specimens of cultivated plants, such as grown in the vegetable gardens, orchards, and those which are grown for flowers or foliage. Such a college must have a good supply of compound microscopes, so that only one person shall have access to the same instrument during any term. New and improved instruments are all the time appearing, and we must have them or suffer the consequences of falling behind the times. Microtomes, a host of re-agents, apparatus for experiments in plant physiology, maps, charts, purchased or made to order, must be all the time accumulating, even though the garret becomes replete with old rubbish. Lantern views and means to use, and conveniences for photographing objects large or microscopic are indispensable in 1892.

For years I have been experimenting and watching the effects of numerous lectures given to students on botanical subjects. I have kept reducing the lectures, and instead have given the students references to first-class books in which they could, in connection with original work, read and take notes to better advantage than when following a lecture. Our botanical books are far better and more numerous than they used to be.

As nearly all of you know for some time past we have kept on the shelves or on the tables of the botanical class rooms from five to ten or more copies of such books as:

Saab's Text Book and Lectures on Physiology; De Bary's Comparative Anatomy of Phanerogams and Ferns, his Morphology and Biology of the Fungi, Mycetozoa and Bacteria; Goebel's Outlines of Classification and Special Morphology of Plants; Strasburger's Handbook of Practical Botany; Bessey's Botany for High Schools and Colleges; Plowright's Monograph of the British Uredineæ and Ustilagineæ; Burill's Uredineæ, Erysipheæ and Bacteria; Bower's Course of Practical Instruction in Botany; Campbell's Elements of Structural and Systematic Botany; Cryptogamic Botany, by ~~Becket~~ and Murray; numerous bulletins of the United States Department of Agriculture, especially those of the section of Vegetable Philosophy; Goodall's Physiological Botany; Gray's Text Book; Plant Dissection by Arthur, Barnes and Coulter. These and a smaller number of other good works are on the tables, and we use many others. The plan of freely using these books as needed in place of numerous lectures works admirably. A good library is one of the requisites of our ideal Botanical Department.

Our thrifty botanical club of thirty members, meeting voluntarily three or four times a month, demands some hints and some time at the hands of the teachers in this department. In like manner, for many years past, the students in botany at this college have helped maintain a thriving natural history society.

Please keep in mind that I am naming the necessary equipment for the botanical department of a good agricultural college. Some of the force, at least, should be skilled in the use of the pencil and crayon.

The department will be defective if it abandon a botanical museum, such as was fairly begun and set up in the old laboratory.

Green-houses in variety we have already. Some day we should have one for use in summer in which to grow plants of cold regions. In these houses to serve botany best should be placed a greater variety of plants to illustrate certain points of culture, or plants of economic importance.

We have a botanical garden, recently much enlarged, but still with room enough for far greater extension. In such a garden there are, or will be sunny slopes and shady banks, ponds and bogs, an arboretum for specimen trees and shrubs.

We once agitated the scheme of purchasing twenty to forty acres, two miles from here, because it contained many nice swamp and bog plants. I now think it would be better to move the nicest portion of such a swamp to our own college grounds, and with a little support we can do it and have a gem right at our own door.

Here we have perhaps 200 acres which contain our buildings, the orchards, gardens, lawns, groves and playgrounds, saying nothing about experiment plats and the fields to the south of us. Let us imagine the valley along our lazy brook filled to the top of its banks on either side with hardy herbs and shrubs, with extensions in suitable places along the flats of the Red Cedar and on the north bank of this quiet stream from the boiler-house to the west entrance at the foot of the hill, a distance of three-quarters of a mile. The plants in question should be to a great extent grouped by families and genera, each plant occupying a much larger space than is customary in any botanical garden which I have ever seen or read about. For example, a patch of *viola pedata* should be well grown and not less than three feet in diameter; of *helianthus orgyilis*, six to ten feet; *peltandra undulata*, eight feet or more. So of sedges and grasses, which have not been introduced for use in masses as they might well be. In numerous cases, whether we wish it or not, it is better to grow plants much alike each other a little way apart with something else between them, especially where they are inclined to mix by seeds or root-stalks.

Again, I have learned by experience, that in very many cases it is easier to shift plants to other places every few years than to take up and change the soil and reset in the same spots. A rotation of crops is a good practice for a botanical garden as well as for fields of grass and grain for the farm, or berries and vegetables for the garden. This occasional shifting of plants may seem to some too unstable for a well-planned botanical garden. On the campus in connection with our large groves and groups of trees and shrubs could be planted one or more good specimens to represent many families or genera of hardy, woody plants.

The scattering of duplicate trees, shrubs or herbs is unnecessary and tends to confusion in a botanical garden, but it may often be just the thing to produce the best effect for ornamenting a campus, a park, or a cemetery. For such a garden we should need a map, lists of plants in alphabetical order, and everything well labelled.

With a course of instruction like ours extending through the summer months, a botanical garden is of much greater value, if possible, than it can be to a college which takes a long summer vacation. Such a garden, with all the accompaniments to which I have referred, could not fail to make itself felt in advancing agriculture and horticulture, as well as botany. This campus would more than ever interest visitors from all parts of the State, but would be of great value to the neighboring city and serve the place of one of its parks. In more than one of my former reports I have dealt at length on the relations of botany to agriculture, and attempted to show the great value of botany as a study to cultivate the observation and strengthen the reasoning powers.

The number of botanical gardens in the United States is usually given as one each at Harvard, Washington, St. Louis and Michigan Agricultural College, and none of these are yet what they should be or what they are certain to become. I have seen all of these and am encouraged to believe that with continued and increased support, right here at this college there will be in a very short time a botanic garden which in many respects will surpass any to be found in the country. For many reasons this is an admirable location for a first class botanic garden.

We sense. from 5,0 will not the more

This siderable endowment Mr.

prising v botanical spending instance is that example L. R. Ta Board of deal has a great thing available,

One possible a his duplic mate assoc prosperou the neat a bachele wife and who doubt

We walking Europe, a

In t directions however,

As it name wh immediate scarcely associated

In th endow a best we ca

The especially

Another time and by way of provision i spires ther

On th investigati applicatio year by y You sh ul have a rep thing. A

We have already made a good beginning towards such a garden in the broadest sense. Including species and varieties in the experiment station, we now have not far from 5,000. To maintain an establishment in a creditable manner money is needed. I will not say how much, but considerable; the more the better. The more I think of it the more the subject grows upon me.

This college is supported mainly by the United States Government, and to a considerable extent also by the State. Perhaps this condition of things may tend to prevent endowments by wealthy persons.

Mr. President, as you know we have been looking over the list of Michigan's enterprising wealthy citizens with a view to finding one or more whom we could interest in botanical work. The endowment of a botanical garden is comparatively a new way of spending a fortune in this country, and perhaps in any other country. The only instance that has come to my knowledge of a person liberally endowing a botanic garden is that of the late Hon. Henry Shaw, of St. Louis, Mo. This exceptionally bright example was of so much interest to botanists that three of us, Hon. C. W. Garfield, Prof. L. R. Taft and your humble servant were recently authorized by our wide awake State Board of Agriculture to make a pilgrimage to the Shaw gardens. In St. Louis a good deal has already been done in several directions, and after a little time we may anticipate great things in a botanical way. Only a small portion of this great endowment is yet available, as so much of it consists in unimproved real estate.

One point I had especially in mind during our recent visit was to glean all the facts possible as to the nature and disposition of Mr. Shaw, that this might aid us in finding his duplicate in our own state. What were his surroundings? Who were his most intimate associates in early life? What were the influences after his early retirement from a prosperous business that tended to induce him to lay a large fortune at the disposal of the neatest science known? Who were Mr. Shaw's advisers? We learned that he was a bachelor. The trees, shrubs and other plants he learned to like in place of a loving wife and children. For many years he was accustomed to consult the late Dr. Gray, who doubtless may have done much to shape the destinies of the Shaw gardens.

We learned that in his last visit to Europe Mr. Shaw was much impressed while walking through the grounds at Chatsworth, the most magnificent private residence in Europe, and then and there resolved to have a garden of the same sort in a smaller way.

In this country men of wealth and ambition seek office and promotion in many directions and often wake for themselves good records. In a very large majority of cases, however, the fame is ephemeral.

As it seems to me, Mr. Shaw in endowing the garden of St. Louis has placed his name where it will be long and most favorably known, not only to those living in the immediate vicinity of his former home, but to those living in remote countries. I can scarcely conceive of a pleasanter way of remembrance than to have a name long associated with a garden of native trees, shrubs, flowers and foliage plants.

In the meantime, while all are looking and waiting and hoping to find the man to endow a garden with money, we shall keep making additions and improvements as best we can.

The chief use of a botanical department here is to give instruction to students, especially the sort of botany of greatest value to the farmer.

Another object should not be lost sight of, viz, original research. If the teacher's time and that of his assistant's is fully occupied with routine work, nothing can be done by way of investigation. A college will fail in a very important part of its work, if no provision is made for research by its teachers. This gives them a chance to grow, inspires them with enthusiasm and is a great help to the students, and to the world at large.

On this subject Dr Farlow, one of Harvard's brightest men, says: "What does investigation mean? It does not mean anything which is of necessity capable of partial application at first sight. The investigator is a dull, plodding mortal, working away year by year. But at last he discovers something which is of benefit to all mankind. You should not hurry the investigator; we must have a report in six months; we must have a report in a year. Tell us about this thing, about that thing or about the other thing. An investigator is one who knows what he is about and he knows a great deal

better than you do. He is one who has been trained, who has studied deeply, who is thoroughly in earnest."

Dr. Trelease, the director of the Shaw gardens, says: "No one who has not himself done original work can appreciate the slowness with which results are obtained." I have often heard similar remarks from Dr. Gray, one of the most industrious and successful of investigators of the present century.

The new laboratory is to be a well lighted, substantial building, so constructed that vermin cannot effect a lodging. It is 45x55 feet, practically four stories high. The rooms for museum are expected in a few years.

To summarize: I note a rapid progress which botany has made in this country, attributing the increased number of workers largely to the agricultural colleges and the United States Department of Agriculture.

At present botany is recognized in all of our best colleges as an important part of instruction for the knowledge, culture and discipline it affords. In these institutions investigations in great variety are carried on in all families of plants, from the highest to the lowest.

For the best results a botanical department must be many sided—with teachers who are experts in numerous directions.

We must have a well kept and continually growing herbarium.

Such a department should have as many compound microscopes as there are students using them in any term, and much other apparatus for experiments and photography.

Duplicate volumes of books are needed all the time in the class-room, besides a generous library.

A botanical club or society, which shall meet as does the one here, every week.

The department will not be complete without a museum of plant products.

There must be numerous green-houses, varying in temperature and light and moisture. Also a botanic garden and arboretum.

Original research must not be neglected nor crowded out, nor should the study of varieties of cultivated plants.

A liberal and uniformly increasing and permanent endowment is indispensable.

In addition to what the nation and the state are likely to afford for the purpose, we seek a cultured gentleman or lady of wealth, who shall interest himself in a most substantial manner. In aiding such work follows a guarantee that the name of such person shall be kept green, bear frequent blossoms and a liberal harvest of fine fruit for centuries to come.

In his garden, foliage and flowers, in pond, bog, arid slope and shady ravine, in soil wet or moist, fertile or sterile, in the open air or in the conservatory, each plant in the most favorable surroundings and well kept, shall pronounce a succession of benedictions on the name of the liberal benefactor.

RUSSIAN FRUITS.

Considering the large variety of apples and pears which are being introduced into Canada from Russia by the Ontario Fruit Growers' Association—many of which are being distributed to those of our members who ask for them, it will be of great importance to preserve in a compact form, the letters describing them, sent us by Mr. JAROSLAV NIEMETZ, of Real College, Winnitza, Podolia, Russia, who has been instrumental in procuring the varieties for us, and who has so interested himself in our work as to become a member of our Association. The originals of these letters were written some in French, some in German and some in English. (The Secretary.)

I. STONE ANTONOVKA.


One of the finest of Russian apples, the white (ordinary) Antonovka is well known in America, although it has there unfortunately lost its Russian name, and is cultivated there under other names. "Queen of the Steppes" is the name which has been given it by the celebrated Prof. Budd. In the provinces of southern Russia, where it keeps until October, it is not counted among the winter apples, and is replaced by an apple which they call here "Lipovoe" (Linden apple.) The finest qualities of the Antonovka are developed only in northern Russia, and there is no reason to doubt that in America it

will succe
best is w
nifies stor
North.
identify t
recognize
wood is
occupies
trees. T
is not so
and has a
until it is
losing eit

becomes n
product, e
in the ma
variety su
already kn
Canadian
flavor and
"Duchess

The b
Central R
the growth
It is with
W. Mitsh
are named
"T. W. M
that I wis
and I prop

will succeed best in the North. That apple has several varieties in Russia, of which the best is without doubt the "Antonovka longovia" (meadow) or "Ramenia" (Ramen signifies stone,) which is a veritable winter apple, not only in the South but also in the North. Having only some very insignificant distinguishing points, it is very difficult to identify the "Stone-Antonovka," and it is necessary to have long practise to be able to recognize the two trees, but the former grows more slowly, is less umbrageous, and the wood is so hard that it scarcely yields to a knife; in one word, this apple tree occupies among others the place which the oak occupies among the forest trees. The great difference is in the fruit. That of the Stone Antonovka is not so long in form as that of the Antonovka ordinary; it is of a brighter color, and has a red tint on the side turned to the sun. The wind is unable to cause it to drop until it is ripe in September. The apple carries easily, keeps well until June without losing either its flavor or aroma; while the ordinary Antonovka loses its flavor and



Stone-Antonovka.

becomes mealy. All these qualities have made the Stone-Antonovka a very lucrative product, especially in the gardens situated at a distance away from the great centres, and in the market it is more prized than other apples. It is not by any mistake that this variety supplants all the others in our gardens. Perhaps the "Stone-Antonovka" is already known in America under some English name, if it is not I would advise the Canadian horticulturists to introduce into Canada that variety, which for its excellent flavor and ease of transportation, may become an article of export and as popular as the "Duchess."

II. KOSLOV PROLIFIC BUSH MORELLO.

The best Morello cherries suffer much from the cold in the gardens of Northern and Central Russia, indeed it sometimes happens that they freeze to the root, consequently the growth of the delicate varieties of cherries in the commercial gardens is impossible. It is with great pleasure that horticulturists have learned that an amateur gardener, T. W. Mitshourine, raises in the village of Koslov (province of Tamboff) two varieties, which are named in honor of the originator, "T. W. Mitshourine's prolific bush Morello," and "T. W. Mitshourine's Morello with small leaf." It is the former, which is the better, that I wish to make known to the members of the Ontario Fruit Growers' Association, and I propose to name it, "Koslov bush Morello."



The Koslov Bush Morello.*

*This engraving is reduced nearly one-quarter.

The
have a n
half met
without
about th
is an adv
ished an
small.
in grafti
after thr
tree deli
Rea. †
early fru

The
of which
and som
pears ar
uania li
dessert f
know, a
foreign
cow, and
me exce
Mithour
pears :
and four
zero Fal
and as a
severity
gris d'É
Beurre b
Medvied

The
latter in
quantiti
ment, ar
native sp
best for
or any ot
flavor, it

I w
to give
their po
water, an
up, and t
basket is
in an al
drying in

*A n
†A l
‡Re
water is m

The mother trees, which are in the gardens of the cultivator, are fifteen years old, have a height of one metre* and a half, the diameter of the very large head is two and a half metres, the trunk is three and a half inch. That tree flowers very late and gives without rest, each year, from twenty to thirty five kilogrammes† of fruit, which ripen about the end of August, a time when there are very few cherries in the market, which is an advantage from a commercial point of view. The fruit is large, the surface is polished and of a brilliant color, the flavor is an agreeable acid, the flesh is juicy and the pit small. The originator does not grow this cherry by grafting, but from the pits, because, in grafting, this cherry loses in quality. The plants grown from pits do not vary, and after three or four times transplanting, bear fruit at the age of four or five years. The tree delights in shady places and is not affected by the cold, having already endured 35 Rea.‡ (46 below zero Fahr.) without any injury. I beg you to pay attention to this early fruit.

III. PEARS.

There are some varieties of pears which can endure the rigorous climate of the north, of which I may mention the following: Bessemianka, Tonkovieska, Volga Bergamotte, and some others. They are of no great value, but they are cultivated because the better pears are tender. Lately, attention has been called to some varieties of pears from Lithuania little known here, viz: "Beurre Slutsk" and "Bon Chretien Sobiesky." These are dessert fruits and not yet tested with respect to hardiness. Two pomologists, so far as I know, are occupied in the acclimatisation of some varieties of table pears imported from foreign countries, viz: our renowned connoisseur of Russian fruits, Mr. A. Grell, of Moscow, and Mr. Mithourine, in the Province of Tambow; and their experience appears to me exceedingly instructive. I think it very suitable to quote a passage from one of Mr. Mithourine's letters. Here is what he says about the past winter and the hardness of pears: "The past winter at Koslov has been unusually severe; it began without snow and found the trees still in foliage. The first cold was about 15 degrees Rea. (2° below zero Fahr.) and in the month of February it touched 32 Rea. (40° below zero Fahr.); and as a result all the pears have been frozen. The following kinds have endured this severity without any special protection, viz: *Foreign varieties*: Princess Royale, Beurre gris d'Été, Beurre Six, Champagne longue, Souvenir de congrès. *Russian varieties*: Beurre blanc de Livonie, Beurre verte de Livonie, Kvoschtchinskaia, Bergamotte rouge, Medvedievka. It is astonishing that any of the Bessemianka should have survived."

IV. THE ROSTOV PEA.

The Russians are very fond of roasts served with sweet dried peas, and, indeed, of the latter in many ways. A variety under the name of the "Moscow," is grown in large quantities in Russia. The kitchen gardeners of Rostov, a town of the Jaroslav Government, are occupied with the preparation of these dried peas, and for this they have a native species, which is very sweet. This species, known as the Rostov Pea, is the very best for drying, being the sweetest of any European kind; even the English Marrowfat, or any other of the foreign kinds, are found to be much its inferior. Besides its excellent flavor, it is very productive and hardy, as are all the Russian vegetables.


I will describe the Russian method of drying, and would advise all American ladies to give it a trial. All the young peas, before they are over ripe, are taken out of their pods, and put into a basket, which is speedily plunged into a cauldron of boiling water, and left for a few minutes. After the first plunging, the basket is taken out, shaken up, and then again plunged in. This is again repeated the third time. After this, the basket is plunged into cold water, and when taken out the peas are put on linen cloth, in an absolutely dark place, until they are nearly dry. Then they are put for final drying in a hot bakery. Any one having an evaporator can use it for this purpose.

*A metre is 39.368 American inches.

†A kilogramme is about 2 1-5 pounds avoirdupois.

‡Reaumur's scale of grading the temperature is chiefly confined to Russia; in it the freezing point of water is made 0°, and the boiling point 80°.

It must be remembered that for preserving the green color, which is the beauty of dried peas, the drying must be done in a dark place. For trials, on a small scale, a sieve can be used in place of a basket, and a large pot in place of a cauldron. I now send you a sample lot of the Rostov Pea, and if the members of your Association wish it, I can send you some more.



The Rostov Pea.

V. CRIMEAN APPLE "SYNAP."

The "Synap" is a very ancient Tartar species, propagated in large quantities at Crimea, where there are large orchards, some of them one hundred acres in extent, and Crimean orchardists prefer it for profit to all French Noble Reinettes. Crimea produces one million poods (one pood equals 36 kilogrammes*), and this quantity always sells at good prices in the markets. There are three varieties, all somewhat resembling each other in shape, which is oblong, viz:—1. Kara Synap, which is red, and of poor quality ;


*1. Kilogramme—2.20 lbs.

2. Sary S
Synap, wh
so hardy.
white at
The skin i
fruit may
ger, and r
burg, Mos
windows o
are often s
For fi
not know
proved by

on carts fro
pied from t
The tree gr
and thrives
The qu
Russia, wh
been plant
when only
were frozen
was 20 deg
some a colo
or at the no
I send

2. Sary Synap, which is the most widely cultivated and is perfectly hardy; 3. Kandyl Synap, which is somewhat larger and more handsome than the preceding one, but is not so hardy. The color of the Kandyl and Sary Synap is remarkably beautiful being white at the stem, and the remainder yellow with a red blush on the sunny side. The skin is lustrous, the flavor particularly pleasant and aromatic, so much so that the fruit may be eaten while yet immature. The fruit is harvested about the end of September, and ripens at Christmas, but will keep until the new crop is ready. At St. Petersburg, Moscow and Riga, in the month of May, when there is no other apple to be seen in windows of the shops and in the markets, the Synap is to be found quite fresh. There are often samples of the Synap to be seen which have been kept two years.

For firmness and consequent adaptability for transportation in large quantities, I do not know its equal in Russia, or indeed in all Europe. How it will stand shipment is proved by the fact that when there was no railroad in Russia, the Synap was exported



Kandyl Synap.

on carts from Crimea to the Siberian towns, Perm and Archangel, a journey which occupied from three to four months. Another good quality of the Synap is that it never rots. The tree grows in a pyramidal shape, like the Conifers, yields very large crops annually and thrives best in moist soil.

The question may arise, Why do I describe a kind, the origin of which is in Southern Russia, where the temperature is never lower than 10 degrees (Rea)? The Synap has been planted at the north, and has proved its hardiness during the last severe winter, when only the Antonovka, Anis, Duchess and a few other kinds escaped, while all others were frozen to the roots. Thus, the Synap remained uninjured when the temperature was 20 degrees (Rea.) It is said, however, the fruit is neither so aromatic nor of so handsome a color at the north. Perhaps so, but this apple, growing equally well at the south or at the north, will prove an excellent variety both in Canada and in the United States.

I send you scions for testing, both of the Sary and the Kandyl Synap.

VI. RUSSIAN AND ANSJUTIN'S APRICOTS.

The Mennonites were German colonists of Russia who emigrated to America because they did not believe in military service; they inhabited the southern Governments of Russia, viz: Karonskaja with chief town of Odessa, Ekaterinoslavskaja and Crimea, which last was the central colony. In all these governments, grapes, peaches and apricots grow wild, and on the south coast of Crimea even the almonds and figs will succeed. Although sometimes there is a heavy frost in the governments of Karonskaja and Ekaterinoslavskaja, and the grape requires protection in winter time, yet these countries may be considered well adapted for the cultivation of grapes.

In the above-named governments the apricot grows in vineyards, gardens and fields, into a large tree, and yields abundantly. The fruit is sold in the gardens for twenty or thirty cents per pound (one pound equals 36 kilogrammes). The fruit is used chiefly for eating fresh, and to some extent for preserving; no other use is made or it, because we Russians are not so ingenious in preparing fruit dishes as you are in America.

There are many varieties in southern Russia, of which the following are the chief, (1) "Holland red cheek" (probably raised from pits of the Breda,) a good large table kind, and (2) "Odessa," pale yellow, excellent, sweet and firm; a suitable apricot for preserving.

It is to be inferred that it was chiefly these two kinds of apricots which the Mennonites brought with them into America, as they were generally cultivated in the places from which they emigrated; and, therefore, that all American varieties of the Russian apricot have been raised from pits of the Holland and Odessa. The method of propagating them by pits is very popular in this country. The fruit of such trees is variable, but the trees themselves are more hardy than those propagated by grafting; they are also more productive and long-lived, and the acclimation of them to the conditions of any country is easier. The success of the Russian apricots in North America can be explained in this way, though brought by the Mennonites from southern Russia, they are grown from pits. The difficulty of the acclimation of the apricot, the peach and the tender varieties of plums to cold climates, may be overcome both in north of Russia and in America by propagating by the seed and not by grafts.

No doubt it will at first produce fruit of poorer quality, but many among them will prove worthy of selecting for dissemination.

As I observed above, a seedling that has not been transplanted and whose tap root is entire, is the more hardy because it strikes deep below the reach of frost. The most northern point in Russia where the apricot succeeds, thanks to the labors of our experienced and eminent pomologist, Mr. F. Ansjutin, we must count Niegin, in Chernigovskajagov. His apricot originates in Crimea, and was raised from two pits brought away about the year 1840 by Mr. F. Ansjutin, who was at that time a young man. At first he tried propagating several foreign kinds of grafting. After these had all perished in the first cold winter, he noticed two seedling trees which were wholly uninjured by the cold, and after these had fruited he was so pleased with them that he raised a large plantation. I saw in his garden apricot trees like apple trees in growth twenty-five years old; they require no protection in winter; also a plantation of seedlings which had been raised in quite an open exposure.

Frost is sometimes twenty-eight degrees (Rea.) at Niegin; the trees do not die even at that temperature, but it destroys the flower buds and consequently the fruit crop. Mr. F. Ansjutin raised, from two stocks, some varieties of which the four following are worthy of attention: (1) Apricot, large white, early (like Nicholas); (2) Apricot, small white, late, sweeter than preceding; (3) Apricot, yellow, large, early; (4) Apricot, yellow, small late. I sent you some scions and pits of these, the most hardy of all kinds. Next year Mr. Ansjutin promises to give me more of them for your respected Society. Many American nurserymen's catalogues call these seedlings of the Mennonites "the Siberian Apricot," and some gardeners in their fancy actually suppose it originates in the Blue mountains of eastern Siberia. These gardeners are in fault for inducing buyers to purchase by such ridicu-

lous mis-
would gr
there exc
I fin
suppose t
name wor

The
"Bohemi
ness. A


of excell
is dry and
It is
Spanish "
productive
In qu
Cerise D'
The intro

lous mis-statements. We should be very glad if not only the apricot, but the orange also would grow in Siberia; but to our sorrow it is doubted whether any fruit trees will grow there except Siberian crabs and small inedible wild pears.

I find that the name "Russian" Apricot is not proper, because it would lead one to suppose that it will grow at Moscow or at St. Petersburg, which is not the case. A better name would be the Crimean Apricot, from the place where it originates.

VII. BOHEMIAN QUEEN CHERRY.

The cherry pits which I sent you are taken from the fruit of the celebrated "Bohemian Queen," which I propagate on account of its excellent qualities and its hardness. As a market variety it is unequalled. It is an abundant cropper and the fruit is



The Sapieganka Pear.

of excellent flavor, larger and more fleshy than that of the Ostheim, which some years is dry and therefore poor.

It is more delicious than "Frauendorfer," or "Double Natt," and even the "Large Spanish" can only be compared with the Bohemian Queen in point of size, and not in productiveness or flavor.

In quality there are only two new kinds that can be compared with it, viz: (1) Cerise D'Olivet, large, sweet and delicious, and (2) the well-known Empress Eugenie. The introduction of this cherry is the most important matter, because it can be propa-

gated, like Ostheim, from seeds or root suckers. Sixty per cent of the seedlings are constant. It succeeds well in places where the ground remains moist until the month of May.

VIII. THE SAPIEGANKA PEAR OR AUTUMN POLISH BERGAMOTTE.


I give a description of this pear, not on account of any particular prominent qualities which it possesses, but because I am of the opinion that on account of its hardiness it may be successfully grown in Canada.

In its home in Lithuania, old and large trees are met with which have endured many severe winters. In the Tamboff Government it is the most hardy of all pears there grown, and for this reason the Sapieganka can be positively considered a hardy variety.

The fruit is of middle size, of Bergamotte type, the skin is smooth, yellow and has a red cheek on the sunny side. In Lithuania it ripens on the 1st of September, in the Tamboff Government in October, and keeps in the cellar two months. The flavor of the flesh depends upon local conditions, for though it is tasteful enough in the warmer districts, it is sometimes harsh; and when grown in the north it is juicy and buttery. The fruit is adapted for the table, drying and other home uses. The pear is recommended by Russian horticulturists as being adapted for cultivation in market garden.

IX. BABUSKINO OR GRANDMOTHER APPLE.

This Russian apple may be classed with the best winter varieties. I think it is known in America, perhaps under some other name, but with us this is its only one.



Babuskin or Grandmother Apple.

For localities, where the high winds prevail, there is no better variety than this, because the fruit has such a tight hold upon the tree that the most vigorous storm cannot knock it down.

The tree is a spreading grower, has a large leaf, is hardy and very productive. The fruit, which hangs firmly by its stem, may be gathered about the first of October, at which time it is quite green and flavorless. About Christmas time it becomes a light yellow color, with a little red, and by spring it becomes a rich yellow with a deep red blush, covered with small russet dots. It keeps in good condition until the end of June and even later. At maturity this apple has an excellent flavor, with an especially agreeable degree of acidity. The flesh is very juicy and aromatic. It is little affected by the curculio, probably because of its thick skin.

As
growers
that in
you hav

This
Petersbu
with rus
in the c
As
cold, the

been well
hardy, wh
its flower-
I have se


This
Lieb has g
Germany

As yet, this apple is not very widely disseminated in Russia, but those fruit growers who have found out its merits prize it above any other. I am of the opinion that in Canada, also, it would soon become the chief market variety; therefore, unless you have it already, I will be glad to send you some scions.

X. THE HAMBURG PEAR.

This pear is growing in Chernigov Government, having been brought there from St. Petersburg. It is a pear of the Bergamotte type, not large, yellowish green in color, with russet dots, juicy, of pleasant flavor and ripens in September. It may be kept in the cellar for about three or four weeks.

As there is such a small selection of really good pears that can endure severe cold, the Hamburg has considerable value for horticulturists in cold countries. It has



The Hamburg Pear.


been well tested in the Chernigov Government and has been found to be perfectly hardy, while most other varieties entirely succumb. This is explained by the fact that its flower-buds are firmly closed and, therefore, not sensitive to the action of the frost. I have sent you cuttings of this variety.

XI. GRAND DUCHESS OLGA.*

This is one of the best Russian winter Reinettes, and our celebrated pomologist Lieb has given it the name of Grand Duchess Olga; the same apple is also known in Germany as "Reine Olga." In the gardens and markets it is usually called Little


*The Grand Duchess of Russia is now the Queen of Wurtemberg.

Crimean Apple, Red Crimean Apple, etc. The fruit is large in size, and has a pleasant aroma; the skin is thick and quite smooth. The color at the calyx is green; the rest of the fruit is beautifully shaded with deep carmine dots and stripes on golden yellow ground. Whitish dots are observable on the red ground. The closed calyx



The Olga.

is usually surrounded with five characteristic humps, which do not extend over the surface of the fruit and therefore do not change its round form. The flesh is yellow, fine grained, juicy, of pleasant vinous flavor, and delicious. It ripens in March and keeps till July and even later. It bears shipment well, and is very little affected with



Section of Olga.

worms; indeed, it possesses every quality which a commercial apple should possess, for it is suitable both for dessert and cooking purposes. The tree is hardy, being able to withstand not only great cold, but also extreme heat and drouth, grows rapidly while young, and is very productive. It is also an early bearer. I can highly recommend this kind to you.

In th
at St. Pet
excellently
well stock
was a comp

The fi
the Wars
the Polish
that fruit
ever, were
exhibits.
Glogierowk
fruit growe
dessert sor

From
special me
exhibits w
exported in
of the Syr
Chelebi, sci

From
apples and
attracted e
Tartar nam
Caucasus is
quite new s
its forests.
one of the
quantity of

The ex
from some
and popula
Anis, etc.
Russia, and
names. Th

A larg
Kesselring.
The fruits v
growing in
Regell, we

The fol

sider worth
1. Fron
the type of
everywhere
this respect

2. Fron
3. Fron
4. Fron
5. Fron

(Alexander)
the other fla
without win

The wh
the exhibit

 XI. EXHIBITION OF FRUITS AT ST. PETERSBURG.

In the month of October, 1890, the Imperial Society of Horticulture held an exhibit at St. Petersburg. The department of fruit growing and decorative horticulture was excellently arranged through the efforts of the skilful gardeners who have charge of the well stocked hot-houses in that city, but, on the other hand, the section of fresh fruits was a comparative failure, there being only some forty-two exhibitors.

The finest fruits were those shown by Polish growers, and particularly those from the Warsaw State Pomological Garden, which received very high commendation. All the Polish fruits were correctly named, well formed and large, whereby one would judge that fruit growing in Poland is in a good and prosperous condition. The fruits, however, were mostly tender varieties grown under glass, few native sorts being among the exhibits. Among these latter were some pears, and a winter apple under the name of Glogierowka (of pigeon class). It is a very beautiful apple of excellent flavor and the fruit growers of Warsaw consider it to be one of the best of their hardy and productive dessert sorts.

From Lithuania and Western Russia there were very few exhibits, none worthy of special mention. Crimea showed very few fruits from her commercial gardens; her exhibits were mostly French varieties of pears, peaches, grapes and nuts, which are exported into the northern districts. Of apples there were some very good local varieties of the Synap, and two very beautiful and delicious Crimean apples, Gulpembe and Chelebi, scions of which I sent you, also a large filbert, known here as Bomba.

From Caucasus there was only one exhibitor, who showed some forty six varieties of apples and twenty-four of pears; most of these were local kinds. Of pears, one variety attracted everybody's attention on account of its enormous size, the Tash-Armud, a local Tartar name. It is an excellent, juicy, autumn pear, of about three pounds weight. Caucasus is little known in pomological circles, and it is interesting to know that many quite new sorts of excellent fruits grow there, some without any culture, and even in its forests. In course of time, this country, owing to its favorable climate, will become one of the principal centres for growing apples and grapes; even now it exports a large quantity of wine into France.

The exhibitors of Russian fruits from the northern governments were very few, and from some there were no representatives. In all the exhibits were met such wide spread and popular varieties as the Antonovka, Borovinka (Duchess), Titova, Aport (Alexander), Anis, etc. These typical kinds are known and distributed throughout the whole of Russia, and have reliable names, but other and less known varieties have numerous local names. The most beautiful and perfect apples were from Tula and Luga.

A large collection of apples were exported from the garden of Doctors Regell and Kesselring. Fifty-three of these varieties were seedlings of Dr. Regell's own raising. The fruits were small and poorly colored, and would not tempt anyone to go into fruit growing in the climate of St. Petersburg. From such a prominent pomologist as Dr. Regell, we were really expecting something better.

The following are some of the Russian fruits, among those exhibited, which I consider worthy of mention:

1. From the government of Riasan there were three beautifully colored seedlings of the type of the Crimean Synap, and of the true Chernigov. In your country, and almost everywhere abroad, this apple is known as Borovinka (Duchess.) These apples differ in this respect that the Borovinka is much superior to the Chernigov.

2. From the same government a kind of Anis, the calyx of which is closed entirely.

3. From the Kasan some new local varieties, among them a good-sized Siberian crab.

4. From Chernigov a winter apple, Woloshka, of good quality, resembling Titovka.

5. From St. Petersburg government Aport Riepchatz, a special kind of Aport (Alexander); Metla, a new sort; two varieties of Stone Antonovka one an oblong and the other flat. Besides these, there are exhibited a red autumn plum, growing freely without winter protection.

The whole exhibition was of no special use to Russian horticulture, excepting to the exhibitors themselves, who received a large number of rewards.

The earnest fruit growers expected that by means of such a large collection of Russian apples from the whole of Russia, it would be possible to establish, once for all, a correct nomenclature, and thereby put an end to the chaos of names given them at the whim of gardeners; but the Imperial Society of Horticulture, upon which rests the responsibility of conducting its provincial divisions, did not stir up this important question. It is therefore set at one side, possibly for a long time, and in consequence nobody is in a better position than before to judge of the most suitable kinds for each government of this empire with respect to the hardness and other qualities of the several varieties, a thing which is of the utmost importance to our country.

XII. URIUCK APRICOT.

In the Russian provinces of Central Asia, Bokhara, Khiva, Turkestan, and even as far as the boundary line of China, is met, both in the wild and the cultivated state, a variety of apricot, known locally as Uriuck. As I am better acquainted with the Semirechenskaja district, with its principal town Vjery, than the other districts in Asia, I will, therefore, make some observations on this apricot as grown in that locality. I think it necessary to observe that Vjery and its suburbs have a climate subject to great drouth in summer and extremely cold north-west winds in the winter, and frequently there are very sharp changes from heat to cold.

The Uriuck apricot is growing at Vjery in wild situations in the woods, where there are still to be found very old trees which endured the severe winter of 1877. They have thick trunks about one meter in diameter, with low, broad, but roundish, heads. But such giants are only left in protected places. The cultivated Uriuck is grown in the gardens of Vjery, as also in other places in Asia, entirely from seeds. Previous to the occupation of this country by Russia, the Uriuck was the chief fruit grown in local gardens. Now the inlanders have learned from the Russian people how to grow other varieties of fruit also, especially the popular Alexander apple. They sow the seeds of the Uriuck directly in the place where they wish the trees to grow, usually in the time of the season when fresh gathered from the fruit, spring planting not being so favorable. The Uriuck does not bear transplanting well, because the trees thereby become more bushy and liable to injury from gumming. As soon as the stone opens, it sends out long, vertical roots, which take hold deep down in the ground and supply the plant with water during the extreme heat of the summer. The seedling soon grows up, if there is sufficient moisture, and throws out lateral twigs on the lower part of the trunk. The seedling should be pruned in the second or third year, or else these lateral twigs dry up and render the trunk unsightly. In the third year the seedling usually blooms for the first time, the flowers being small, white, or rose-colored, and in the fourth year it bears fruit. The Uriuck blooms earlier than other fruit trees and sheds its bloom sooner. The time of ripening of the Uriuck at Vjery begins in July; the wild variety in the mountain ripens later. The color of the Uriuck is orange yellow, blushed on sunny side, though not always. In the ripe fruit the stone parts freely from the flesh. In taste, some are sweet, juicy and aromatic, not inferior to our apricots, others are inferior in quality.

There are many varieties of Uriuck which, in general terms, may be divided into wild and cultivated. Usually the wild Uriuck bears a small fruit, oftener round than oval. The color of this is dark green; the kernel of the stone is sweet or bitter in taste. The cultivated, or improved varieties of Uriuck are a larger fruit, often oblong, leaf lighter, but the kernel of the stone is not always sweet, occasionally it also is bitter.

It is the general opinion that the best sugar Uriuck grows in Vjery, being brought there by the Sartes. These are a people of ordinary intelligence, occupying the lovely fruit-growing and kitchen-garden district. They have also very good vegetables, especially melons. The Sartes brought the sugar Uriuck, from South Turkestan. It is a variety much resembling that grown in our European gardens. There are also many other varieties of Uriuck, but there is no great difference between them. They are sold under the name of gargens, where they were raised. In China, they are growing several

varieties.
Khasake
Uriuck (

In the
Armenian
China.

The stone
The

Russian
it is also p
cots in the
Northern
buy dried

But,
account of
grown. T
made from

With
writes, sp
continued
February.
south win
to -13F.
injured, an
there had

every tree f
difficult to
quantity of
mer, but th
think that
was the cau

I shall
have the ho
a gratificati
and gardens
send some p
sents the fru

In the
very difficult
this it may

varieties—but chiefly four, two early and small kinds, known as the Kandak Uriuck and Khasake Uriuck, white and two late, large, very delicate kinds, Pivande Uriuck and Pohar Uriuck (yellow with rose blush).

In the outskirts of Vjerny we still meet occasionally with the Black Uriuck (*Prunus Armenica*), which grows at the town of Djargent, situated at farthest border toward China. The trees bear large fruit, almost round and almost entirely brown in color. The stone is not free. In taste it resembles a plum more than an apricot.

The people living in the inland use the Uriuck fresh and dry it for winter. The Russian ladies cook the Uriuck green in sugar until the stone is soft, and in such a state it is also pleasant to the taste. The Bucharrians dry a great quantity of the Uriuck apricots in the sun, and their trade in this article is large. It is brought on the markets from Northern Siberia and from the governments bordering on the Volga. It is possible to buy dried Uriuck even in the market at Moscow.

But, as a garden tree about Vjerny and the outskirts, the Uriuck is the favorite, on account of its early growth, and its merits for cooking, for which purpose it is largely grown. The wood of the Uriuck is also valuable as a material for wood work. Things made from it are very beautiful, but very heavy.

With regard to the hardiness, a Russian officer who lives in China, P. Alexanderovsk writes, speaking of its hardiness. He says: "In the years 1888 and 1889 heavy frosts continued for about two months, from the middle of December until the middle of February. Some days it was -37°F ., occasionally it was $+5^{\circ}\text{F}$. to -2°F . In February a south wind blew and the thermometer rose one or two degrees. Afterwards it soon fell to -13°F . Notwithstanding such severe changes, only the old trees of the Uriuck were injured, and this not everywhere. Young trees came out all right, just the same as if there had been mild weather. Rich people living inland had no crop, but the poor had



THE URIUCK APRICOT.

every tree full of fruit, and early varieties are very heavily laden. At first view, this is difficult to explain, but the fact is that riches and poverty are measured in China by the quantity of water controlled. Rich people watered their grounds during the whole summer, but the poor watered theirs very little on account of the scarcity. I am inclined to think that it is almost certain that the luxuriant growth caused by the frequent waterings was the cause of their failure to the fruit."


I shall be much pleased if the Fruit Grower's Association of Ontario, of which I have the honor to be a member, will call public attention to this useful fruit. It will be a gratification to me to see the time when the Uriuck apricot will occupy in the orchards and gardens in your country, a place along with the other highly prized novelties. I send some pits of the Uriuck apricot. The illustration accompanying this article represents the fruit of medium size, and pits of various sorts.

XIII. SOME HARDY PEARS.


In the gardens of northern Russia the cultivation of pears without protection is very difficult, indeed, almost impossible, with the exception of a few varieties. From this it may be understood why our northern gardeners are so much interested in all

hardy pears, without very much reference to the quality. On this account I gave a list of foreign pears which grow freely without protection as standards in northwestern Russia and Poland. Of course the seedlings on which they are grafted increase their hardiness. The best wild pear, to be used as stock for these pears, is Tonkovitka, which is not affected by the cold even north of Moscow. It is a strong, upright grower.

Dr. GRELL, one of our pomologists, who has established in Moscow an acclimated garden where he is growing foreign and tender pears, grafted on the root of *Crataegus Oxyacantha* and *Sorbus Aucuparia*, and where he is endeavoring to show that this method of



LONG PEAR.



BUERRE ROMAIN.

treatment has great possibilities for gardening [in the north. So far he has received no positive results.

The following is a list of some hardy and excellent foreign varieties of pears growing in Russia.

1. Pana (Polish name) Krasaoka (Beauty, Russian name). In Germany it is called Langbirne; in France, Vermillon Estranguillon. German pomologists describe it as being of Swiss origin. It is very widely cultivated, growing as much as two

thousand
seen this
governm
lemon ye
white, ve
the begin
principal
large siz
western p
even end
hear that
not wish


2. R
many;
Europe a

beurri, as
soon becom
little red
annually.
central Ru

3. WI
sidered har
nated a see

thousand feet above the surface of the ocean. Judging by the old trees which I have seen this variety has been known long in Russia, growing principally in the western governments and Poland. In form the fruit is long and of a peculiar shape. The skin is lemon yellow with a blush on the sunny side, which is sometimes lacking. The flesh is white, very juicy, but not buttery, sweet and agreeable, ripening in the end of August or the beginning of September, and if picked early will keep a couple of weeks. It is principally good for eating, and also useful for drying or perry. The tree grows to a large size with straight branches and is productive in good ground. In the north-western governments I never knew of this pear being winter killed at any time, and it even endures the cold in Chernigov and Kirsk, where it is being widely distributed. I hear that it is succeeding in Moscow, and I suppose it will succeed in Canada, but I do not wish at present to place it in the hands of your large commercial nurseries.

2. Red Panna, Princess, Beautiful girl in Russia; Romishe Schmalgbirne in Germany; Beurre Romain in France. It is of unknown origin. In western Europe all the markets are full of it, although it cannot be called first-class and buttery,




SLUTSK PEAR.

beurri, as the French say. The flesh is agreeably sweet, a little gritty when ripe and soon becomes mealy. The color of the skin is yellow, with red side, on which there are little red stripes. The tree is not as large as the former sort, but gives a good crop annually. In north-western Russia it winters well, and is grown in many gardens of central Russia.

3. White Doyenne. Of this pear I shall say little as it is well known. It is considered hardy in Russia and is widely distributed in Poland. Near Riga there was originated a seedling which was named by gardeners there Beurre blanc de Livonie, and in

quality and shape it resembles its parent. This variety is remarkably hardy, and for this reason I call the particular attention of Canadian fruit growers to it. It is hardy as a standard, without any protection in Kirsks, Orel, Tambov and Voronej. The winter of 1888 was very severe without snow, the thermometer reaching 40° below zero, F., injuring even the hardy Bessemianka, but the Beurre de Livonie was uninjured. The tree is a moderate grower; the buds are grouped on the ends of the twigs in clusters of five, so that the tree is very beautiful when in fruit. The fruit does not drop from the tree even when ripe. Altogether this tree combines so many excellent qualities that it will be one of the most highly valued in northern Canada.

4. Slutsk. This received its name from Slutsk in Minsk government, near which place it grows in large quantities. Its origin is unknown. Probably it is an acclimatized French variety, or a seedling of some foreign table pear. The fruit is of medium size, variable in form; the skin is green with carmine stripes on sunny side



LIEGEL'S WINTER PAAR.

when taken from the tree, yellowing when ripe. The flesh is juicy, white, delicious. The fruit is good for use at the end of October, and keeps till April. The form of the tree is characteristic, growing very upright in conical form, with thick almost vertical branches. The trees grow very large and bear annually. In Chernigov it endures the cold without protection. Fruit growers in Russia are paying special attention to this new and comparatively little known variety.

5. Beurre Blumenbach (Soldat laboureur). This variety is large, excellent in taste, and ripens late in the autumn. It is an annual bearer and a very productive pear and very hardy. I have old trees which are perfectly healthy.

6. Flemish Beauty (Fondante de bois). This is usually counted very hardy; at 22° below zero, F., of cold the tree does not suffer. I know that positively, but perhaps it might

endure m
longer bri
every year
productive

7. N
our best v
agreeably
tree is no
Chernigov
widely dis

8. Li
commend
mercial or
mushy tast
ruit, notwi
quantity of
in Poland,
highly priz

Descri
which I ha

The tr
time ago an
gave it the

The fr
without it,
ately juicy
size of the
condition.

The tr
one of the l
meters in c
fruit on a s
which it rea

It is a

This ap
it was for a
with its pres
excellent va
scions of thi
page 190).
but the Russ
as this apple
other parts
seeds of the

The desc
size on old o
it is beautif
hold; flesh w

endure more frost than that. This variety is now so largely grown in Russia that it no longer brings its former high price. My trees do not produce fruit in the same quantity every year. In quality they are variable. *Beurre Blumenbach* is a better pear and more productive.

7. *Nina* (Elizabeth de Van Mons, Manning's Elizabeth *Beurre de Jelles*). One of our best varieties of summer pears; yellow, blood red on sunny side, melting, of excellent agreeably sweet taste. This variety ripens in August and keeps a couple of weeks. The tree is not large, but is productive and hardy, enduring the climate of Kersk and Chernigov; good variety for market; very beautiful and delicious, but the tree is not very widely distributed.

8. *Liegel's Winter Butter Pear* (Supreme *Coloma Kopertsche*). This variety is commended by the German Pomological Society. It is very hardy and suitable for commercial orchards. The fruit is large, greenish yellow, somewhat buttery and agreeable mushy taste. It keeps until January. The tree is pyramidal and an annual bearer. The fruit, notwithstanding its size, does not drop early. Formerly Moscow imported a large quantity of this fruit, but now it is grown widely in western and northern Russia and in Poland, at Roon. The young twigs endure 25° below zero, F. This pear, which is highly prized in Europe, I do not notice in your American or Canadian catalogues.

Descriptions of other hardy varieties of Russian pears will follow. Scions of these which I have here described I have forwarded to you.

XIV. WINNITZA RAMBOUR.

(Sent to Canada under the name of *Niemetz' Winter Rambour*)

The tree is of uncertain origin. I found it in a garden which I purchased some time ago and Russian pomologists think it is a new variety of the class *Rambour*, and gave it the name of the place where it was found.

The fruit is roundish, ribbed at the cavity, light yellow with a slight blush, often without it, or with only a rose stripe. Flesh almost white, very firm, sub-acid, moderately juicy and of an agreeable flavor. The seed vessel is very small compared with the size of the fruit. The fruit ripens in October and keeps till January in perfect condition.

The tree is spreading, pyramidal in form, an annual bearer. In size and weight it is one of the largest apples in the world. I have frequently had fruit as much as 14 centimeters in diameter and 2¼ to 2½ pounds in weight. It is difficult to grow such large fruit on a standard tree and for this reason I propose to grow it in the dwarf form on which it reaches a larger size.

It is a very suitable kind for exhibition, but for the table it is not so desirable.

XV. LITHUANIAN PIPPIN.

This apple has been a long time in Russia, but, notwithstanding its excellent quality, it was for a long time unappreciated. Now our new society of Russian fruit growers, with its president, Grand Duke Nikolaus, cousin of the Emperor, drew attention to this excellent variety and made an exact description of it, giving its true value. I send you scions of this apple under the name of *Tirol apple* (see *Canadian Horticulturist*, 1890, page 190). It is also called *Glogiernoka* in Poland, *Hungarian Rosemarine*, *Tirolka*, etc., but the Russian Fruit Growers' Association determined to name it *Pippin of Lithuania*, as this apple is grown there in large quantities, and from there has been distributed into other parts of Russia. It is supposed that this kind occasionally grows true from seeds of the *Tirol-Rosemarine*, while others confirm that this is impossible.

The description of the fruit is as follows: Fruit large on young trees and of medium size on old ones, irregular, oblate; in shade it is yellow, even almost white, on sunny side it is beautifully painted with a carmine blush, and generally is a beautiful apple to behold; flesh white, juicy, tender and highly flavored. The fruit in quality is not inferior

to that of the Rosemarine apple that is brought from South Tirol into Petersburg and Moscow and which is bought at a high price. It ripens in September and keeps till January in a good cellar, and even longer. The fruit is easily knocked off by the wind before it is ripe, and so find their place on the markets early in the season, since they color before they are ripe and have a good flavor and soon become in good condition for eating.

While young the tree grows rapidly, but does not live to a great age. It is an early fruit bearer. The leaf is of a grizzly green color and so characteristic that it is easily recognized by this and by the form of the tree. I consider the Lithuanian Pippin the best Russian apple in flavor and very valuable for the amateur's garden, but as a shipping sort is less suitable on account of its tender skin that demands very careful packing for transportation.

INSECTS INJURIOUS TO FRUIT DURING THE SUMMER OF 1892.

BY JAMES FLETCHER, DOMINION ENTOMOLOGIST, OTTAWA.

Although there have been no outbreaks of injurious insects during the past summer, which demand special mention, still there are a few items which it seems to me are of sufficient interest to fruit-growers to be brought before the members of the Association on the present occasion.

Spraying with Paris Green. The experience of the past season have proved again the extreme value of this insecticide, and the safety with which it can be used when ordinary precautions are taken. With the assistance of the Editor of the *Canadian Horticulturist* and Mr. F. T. Shutt, who analyzed carefully some fruit which had been sprayed in the manner and with the mixture of the strength recommended by entomologists, it was proved that the statement made in some of the newspapers that sprayed apples were dangerous for use, was quite untrue. Not only was it proved scientifically by chemical analysis, but common sense shows that these statements are absurd, and the fact that the English market has in no way been affected, demonstrates that this view is also taken in England, whence these false reports emanated. I will now draw attention to the following facts. One pound of Paris green to 200 gallons of water is the strongest mixture which needs ever to be used. This quantity of water is sufficient to spray a great many trees—a tree of the ordinary size takes from one to three gallons—and these trees bear many hundreds of apples and thousands of leaves, so that there would be only a very minute quantity of poison on each fruit. Even supposing soluble arsenic were used and every apple were covered with it, none could get into the apples. At the time apple trees are sprayed, the fruit is very small, indeed, hardly formed, and is then protected from anything falling on it by a thick covering of down and the spreading lobes of the calyx. In spraying, the liquid is applied as a very fine mist; most of this falls on the foliage; but some—a minute quantity—falls into the open calyx, where the eggs of the codling moth are laid. It is an infinitesimal quantity, yet it is sufficient to destroy the insect if it be there, as frequent experiments have shown us. As to the time of spraying—this need never be done while the trees are in flower. The proper time is after the petals have fallen.

Spraying with Paris green is a useful remedy against all insects which attack the foliage, and it has been lately proved that a small quantity of milk of lime added to the mixture materially reduces its corrosive effects upon vegetation.

The Canker-worms. These are the caterpillars of two small moths which have been complained of in some localities. Last spring they were very abundant about Ottawa, but were not so injurious in orchards as in the surrounding woods, where they attacked particularly ashes and basswoods. The best remedy is undoubtedly spraying with Paris green.

The
years.
just after
winter u

The
large nu
white el
moths e
When th
dom rem
remedy.

The
did not,
clusters
eggs soon
grow rap
growth, t
the very
stroyed b

Pea
amount o
however,
attacks o
as specim
eye, emer
unfolding
a small c
and the y
times the
When me
above the
themselve
winter.

present ti
treated tw
20% of ke
mites app
trees. Th
coal oil w

Impo
received a
gramma.
insects fr
a rare ins
numbers.
are attack
the leaves
crease. S
destructive
of another
specimens

The Eye-spotted Bud-moth. This has been very destructive in orchards for some years. Probably the best remedy is spraying with Paris green very early in the spring, just after the buds burst, but before the flowers open. The young caterpillars pass the winter upon the twigs of the apple trees, protected by a silken case.

The Apple-leaf Bucculatrix. (*Bucculatrix pomifoliella.*) This insect is reported in large numbers from St. Catharines, where they occurred on apple and peach trees. The white elongated ribbed cocoons may be found upon the bark during the winter. The moths emerge from these in the spring, and the eggs are laid on the leaves in May. When the caterpillars are numerous they frequently do a good deal of harm, but they seldom remain long in any one locality. Spraying with Paris green in June is the best remedy.

The Fall Web-worm was one of the most noticeable orchard pests of the year. It did not, however, confine its attacks by any means to fruit trees. The eggs are laid in clusters upon the leaves of a great many different kinds of shrubs and trees in July. The eggs soon hatch, and the young caterpillars at once begin to spin a protecting web. They grow rapidly and remain almost entirely in their tent until just before they attain full-growth, the web being enlarged as they develop. The webs are conspicuous objects from the very first. From the social habits of the caterpillars a whole colony is easily destroyed by cutting off the nests and trampling them underfoot.

Pear-leaf Blister Mite. (*Phytoptus pyri.*) An insect which is giving a considerable amount of trouble in Canada at the present time is the Pear-leaf Blister Mite. It is, however, so extremely small that few people at first recognize the injury as due to the attacks of an insect, and in nearly every instance the blistered leaves have been sent in as specimens of a fungous attack. The mites, which are hardly visible with the naked eye, emerge from the scales of the leaf-bud early in spring and attack the tissues of the unfolding leaves. The blisters soon begin to show as small red spots, each of which has a small central hole on the lower side of the leaf. The eggs are laid inside these blisters, and the young escaping through the central opening at once form new galls, until sometimes the greater part of most of the leaves is rendered unfit to perform its functions. When mature the galls are brown and spongy in texture, and are raised perceptibly above the surface of the leaf. Before the leaves fall, the mites leave the galls and secrete themselves beneath the scales of the winter buds, where they remain throughout the winter. As a remedy, kerosene emulsion seems to be the only substance which up to the present time has given any promising results. Mr. M. V. Slingerland, of Cornell University, treated two lots of trees, one with pure coal oil, another with kerosene emulsion, containing 20% of kerosene, and then compared these with an untreated tree. In the spring the mites appeared in force on the check tree—but there were hardly any on the treated trees. Those treated with kerosene emulsion were uninjured, but those with the pure coal oil were perceptibly injured.

Imported Currant Saw-fly. (*Nematus ribesii.*) The currant worm has this year received a severe check at Ottawa from a minute parasite belonging to the genus *Trichogramma*. Many years ago Dr. Lintner, of New York State, bred one of these minute insects from the eggs of the Imported Currant Saw-fly; but from that time on, it had been a rare insect. This year, however, another species was found at Ottawa in considerable numbers. It may be well for fruit-growers to remember that when eggs of the saw-fly are attacked they turn black and shining. If, therefore, any of these are observed on the leaves, they should be carefully preserved, so that the beneficial parasites may increase. Species of the same useful genus also did good service in destroying the eggs of a destructive saw-fly on willows in the botanic garden at the Experimental Farm, and also of another pest of the garden, the Zebra caterpillar (*Mamestra picta.*) Thousands of specimens were bred from the egg-clusters of this last insect.

SHEEP AS ASSISTANTS TO THE APPLE GROWER.

An address given at Grimsby Park, before the fruit growers and farmers of Ontario, by J. S. Woodward, Lockport, N. Y., by special request of the Association.

Apple growing is one of the most important branches of horticulture in our country and yours. There is no way in which the same amount of land will yield the same amount of human food as by planting an apple tree upon it; and there is no food that is better for mankind than the apple. Consequently, it is to you and to us one of the most important branches, not only of horticulture, but of farm husbandry.

My theme suggests, first, that the apple grower is in trouble and needs assistance. Is it true, or is it not? Nine-tenths of the orchards that are planted nowadays are planted on old soil. Not content with that, the orchardist continues to crop them year after year, removing crops of apples and other products.

Now, in doing this, he has taken from the land the elements that are necessary to the production of apples. One hundred barrels of apples take away thirteen pounds of nitrogen, seven pounds of phosphoric acid and seventeen pounds of potash, and no part of this is ever returned to the land from which it was taken. And that is not the worst, because the poorer the fruit, the more of these elements do you take away. They exist mostly in cores, stems and seeds—the flesh of the fruit is almost all water, so the poorer the fruit the larger the waste of these elements. The leaves take more of these three elements than the fruit; and the leaves are nearly all blown away, so that no portion of these manurial elements go back to the tree.

In coming along in the train this morning, instead of the rank, strong growth and thick, dark-colored leaves which indicate health, I noticed in so many places that the leaves were small and yellow, showing that something is lacking. Worse than that, a large part of the orchards were growing grass and hay. The trouble is, men are too avaricious. They have cropped their orchards, removing crops of grain, grass or vegetables and crops of fruit, and returning very little, if any, manure to the ground to replace what has been taken away, thus literally starving the orchards to death. Years ago we expected a crop at least every two years; now we are happy if we get a crop once in four or five years, and the fruit is diseased and eaten up by insects. Surely the apple grower needs assistance. From what I have said you can easily see that the greatest need in the orchard is fertility in the soil. The question is, how shall we give it. How can we manage to get back the fertility which has been taken away from year to year? We can make the tree healthy and productive by the application of commercial fertilizers, but the question is, can we afford to do it? Every ton of commercial fertilizers bought mortgages our crop to the extent of the cost of it.

There is nothing better for the orchard than the ordinary stable manure; but can we afford to apply even this, if we have to buy it? If we buy stable manure we just as surely mortgage the prospective crops, and before we can get any profit we must pay the mortgage. Is there not a better way? We shall see.

There is another principle involved, and that is, that two bodies cannot occupy the same space at the same time. This is true in the orchard. We cannot grow two crops in our orchard at the same time. As the result of cropping it with grass, the hay robs the trees, and they succumb to the evil influences of the grass. Either cut down the trees and crop the land with something else, or else keep off the other crops and devote the whole to apples. Apples and other crops cannot be profitably grown upon the same field at the same time.

If an orchard be kept in complete and thorough cultivation, it is too expensive. If we attempt to keep the weeds cut down, that, too, is expensive; so you see we are in a dilemma. Sheep, if properly kept in the orchard, will keep down the weeds and grass, eat the fallen apples and the sprouts, and add very materially to the fertility as well.

Orchards are continuously over-run with insects, which are multiplying on every hand, and are more destructive than ever. Among them are the caterpillar, codling moth, maggot, army worm, borer, etc. We have on our hands a very persistent fight. By using the spraying pump with insecticides and fungicides, we can subdue many of

them, I cannot destroy up, the assistant know. them to if they as the variety which a balance faithful

W sheep. and fifth meal. hundred all I ha

By

cides I

sprout,

all that

greatly

dred an

potash a

meal co

orchard,

it would

keeping

put just

support

to the g

I w

It costs

in the b

Two

or two a

make on

tains I

phospho

tains one

and thir

pounds o

dred an

torage of

\$5.43, I

I ha

Here we

contain s

barrels.

potash e

all this b

I ha

healthy,

leaves ar

good app

them, but there is one little fellow that bores through the fruit right and left, which we cannot reach by spraying. I allude to the apple maggot. The only way with this is to destroy the fallen apples as soon as they drop. How are we to do it? If we pick them up, that is expensive, and pigs are too sleepy. Here the apple grower has no better assistants than sheep. How to use the sheep to the best advantage is what we want to know. There is no use of putting twenty-five sheep into a ten acre orchard, expecting them to eat all the weeds, all the sprouts and all the fallen apples. They could not do it if they would. Put in not less than one hundred sheep. Put in at least twice as many as the lot will pasture, and then coax them to work for you. Sheep require a large variety of food, and if you want the sheep to eat the grass and fallen apples, etc., all of which are very carbonaceous, you must hire them to do it by giving such food as will balance the ration; feed them plenty of nitrogenous food and they will work for you faithfully and keep your orchard in the best possible condition.

What shall we feed them? It costs \$3 a week to hire pasture for one hundred sheep. Put one hundred sheep in a ten acre orchard, and with the \$3 buy two hundred and fifty pounds of bran, and in addition, one hundred pounds of new process linseed meal. Feed the one hundred sheep fifty pounds of this each day, which is about one hundred quarts—a very liberal feed for them, and they will thrive wonderfully and do all I have said.

By this means I accomplish these three objects. Those sheep are the best insecticides I ever had as against the codling moth and the apple maggot. They eat every sprout, every weed and every fallen apple, and eat the grass down like a road-side, and do all that at a price less than that at which I could hire pasture for them, and they add greatly to its fertility. Let us see what I am doing in the way of fertilizing. Two hundred and fifty pounds of bran, according to the experiment stations, contain of nitrogen, potash and phosphoric acid, about \$1.63 worth; one hundred pounds of new process linseed meal contains of those three elements a little over \$1.00 worth, so that I am getting in my orchard, value in manure that is equivalent to \$2.63. But you say, that costs money; but it would cost me \$3.00 to get the sheep pastured, so I am here getting the equivalent keeping for 37 cents, or, I am getting this amount of fertility for nothing. Now if I should put just enough sheep in my orchard to keep it eaten down, and so that the orchard would support them and keep them thriving, do you not see that I would not add any fertility to the ground?

I want to enrich my ground and crowd in those sheep and feed them as I have said. It costs 37 cents a week for what the sheep do for me in the way of putting my orchard in the best bearing condition. Look at what I am doing for the season.

Two hundred and fifty pounds of bran per week for twenty weeks make 5,000 pounds, or two and a-half tons; one hundred pounds new process linseed meal for twenty weeks make one ton, and at the figures I have given you, that two and a-half tons of bran contains one hundred and eighteen pounds of nitrogen, one hundred and fifty pounds of phosphoric acid and eighty pounds of potash; the ton of new process linseed meal contains one hundred and eight pounds of nitrogen, thirty-seven pounds of phosphoric acid and thirty-seven pounds of potash, making an aggregate of two hundred and twenty-six pounds of nitrogen, one hundred and eighty-seven pounds phosphoric acid, and one hundred and sixteen pounds potash, worth in the market \$54.57. If I counted the pasturage of the sheep the same as I would have to pay for it, \$60.00, at the expense of \$5.43, I get all that manure value in addition to the work done by the sheep.

I have said that one hundred barrels of apples contain thirteen pounds of nitrogen. Here we have nitrogen enough for thirty-seven hundred barrels; one hundred barrels contain seven pounds of phosphoric acid; here we have enough for twenty-eight hundred barrels. One hundred barrels contain about seventeen pounds of potash; here we have potash enough for six hundred barrels, and all this at the expense of only \$5.43. And all this beyond having all the assistance from the sheep I have indicated.

I have an orchard that has not been plowed for seventeen years, which is remarkably healthy, and it makes an average annual growth of full fifteen inches on the limbs. The leaves are dark green and thick—in short, it is the picture of health, and I attribute its good appearance, health and productiveness to my manner of over-stocking it with sheep.

I am asked, how I keep the sheep from gnawing and injuring the trees? This is a pertinent question. Sheep should have plenty of water. They first learn to gnaw trees for the want of drink, but after the habit is once formed, like all bad habits, it sticks. But the trees can be protected by the use of what is called "chicken wire," simply wire cloth with meshes from one and a-half to two inches in diameter. Use that which is three or four feet wide. Cut pieces long enough to go very loosely about the trees, twisting the ends of the wire together. Where this is applied the sheep will not even rub against the trees. We want full crops of apples. We want good apples, free from worms and scab, and in order to get these we *must* restore the fertility of which we have robbed our orchards. To do all this we can have no more efficient assistants than the sheep.

There is no danger of getting our orchards too rich. In addition to the methods for enriching them which I have indicated, we should aim to make all the manure in winter which we can, which should be applied at least every second year. Here, again, sheep will be found our most available assistants. By the proper selection of stock, proper quarters and by feeding proper food—those rich in plant elements—you cannot fail in making large quantities of manure, and that of the very best kind for our orchards.

So I close by saying long live the sheep. May their numbers in the apple growers' hands steadily increase.

MERCURIC CHLORIDE, AS AN INSECTICIDE AND FUNGICIDE.

BY FRANK T. SHUTT, M.A.

Some few months ago the Editor of the *Canadian Horticulturist* forwarded to the Central Experimental Farm, Ottawa, a letter from one of his correspondents who asked of what value this chemical was as an insecticide and fungicide? We had had no experience with it, nor could any literature on the subject be found, with a view, therefore, of obtaining an answer to the question a series of experiments were inaugurated, the results of which are here given. These experiments have necessarily been of a preliminary character, but they have given some interesting results, and serve to indicate the direction of future work. One of the essential characteristics of a successful fungicide or insecticide is that it shall not be injurious to the foliage to which it is applied. The first step, therefore, was to investigate the effect of solutions of corrosive sublimate of different strengths on the foliage of certain plants and trees.

Mercuric Chloride is a white crystalline salt, soluble in about fourteen, times its weight of cold water. In its physiological action it is irritant, corrosive and highly poisonous. These properties would lead us to suppose that solutions approaching saturation would be highly injurious to foliage as well as destructive to insect life. It is an antiseptic of great value and its well known power in preserving animal tissues from the growth of moulds and bacteria would suggest it as a useful agent in destroying or preventing the development of parasitic fungi.

Solutions of two strengths were made and experimented with, A. 1 part of corrosive sublimate to 1000 parts of water by weight ($2\frac{1}{2}$ drm. to 1 gall.); B. 1 part of corrosive sublimate to 1000 parts of water by weight ($1\frac{1}{4}$ drm. to 1 gall.

FIRST SERIES OF EXPERIMENTS.

The following plants were selected: Hydrangea, Abutilon, Coleus, Geranium and Fuchsia, which at the time of experiment, were in the green-house. An atomizer which made the solution as fine as mist was employed for the spraying.

HYDRANGEA sprayed with solution A. Shortly after drying it was noticed that both leaves and flowers were becoming brown. The sprayed parts soon shrivelled and died, presenting in the course of a few days a burnt and scorched appearance. Solution B was then tried, on drying from the first application no injury was apparent, the plant

was then
Patches
leaf of th

ABU
spraying
injury co
applicati
and vigo

COL
injury ex
and their
applicati
the injur
parts die

GER
brown as
the cours
second ap
dropped.

FUC
even aft
and norm

The
trees as f
feet high
and B,) a
case.

A cl
dropped t
re-ascend
this junct
of poison
in the cas
plant lice
tant (perh
bugs was
periments
fungicide,

CONC
too definit
Some infer
evidently
A solution
house plan
so,) while
sublimate)
secticide.
this role.
may show
or destroy

was then sprayed a second time, the foliage in the interim not having been watered. Patches of small brown spots now appeared on the leaves a short time after drying, the leaf of the sprayed was not, however, visibly affected.

ABUTILON, sprayed with solution A. Small brown patches appeared after second spraying, but the vitality of the leaves appeared to be unimpaired. With solution B, no injury could be detected until about one week after second spraying (ten days after first application,) when a few brown film-like spots appeared, otherwise the leaves to be healthy and vigorous.

COLEUS, sprayed with solution A. The leaves soon showed signs of scorching the injury extending to the destruction of all the cell substance. Death of the treated leaves and their falling off soon followed. With solution B, the leaf was injured by the first application though not seriously. After the second spraying at an interval of three days the injurious effect of the corrosive sublimate was more apparent and finally the sprayed parts died.

GERANIUM, with solution A. Almost immediately on drying, the foliage became brown as if the leaves had been badly scorched. The leaf shrivelled, died and dropped in the course of a week. With solution B very little injury appeared at first, but after the second application the injury was most marked. The sprayed foliage eventually died and dropped.

FUCHSIA, Sprayed with solution A. Very slight injury if any could be detected, even after several sprayings. With solution B, the leaves appeared perfectly healthy and normal after repeated applications.

SECOND SERIES OF EXPERIMENTS.

The effect of the trial solutions was then ascertained on the foliage of certain fruit trees as follows, apple, pear, plum and cherry. These were all young trees from 4 to 6 feet high and were in nursery rows. They were all sprayed twice with both solutions (A and B,) an interval of three days intervening. No injury to the foliage resulted in any case.

THIRD SERIES OF EXPERIMENTS—AS AN INSECTICIDE.

A clover plant infested with aphides was sprayed with solution A. The aphides dropped to the ground, in a short time, however, it was noticed that most of them were re-ascending, apparently none the worse for the spraying. Unfortunately the plant at this juncture met with an accident that terminated the experiment. As the thin film of poison would lie on the surface of the leaves we should expect it to be most efficacious in the case of those insects that eat away the substance of the leaf. To those like the plant lice just cited, that pierce the epidermis and suck the juice it could only act as irritant (perhaps to the extent of destroying) at the time of spraying. A colony of mealy bugs was sprayed several times but only succumbed after prolonged treatment. No experiments have as yet been made to test the efficacy of corrosive sublimate directly as a fungicide, a suitable opportunity not having offered itself.

CONCLUSIONS. With the limited data at our command it is not advisable to speak too definitely as to the future usefulness of this compound as an insecticide and fungicide. Some inferences however, may, I think, safely be drawn. The foliage of different plants evidently varies widely in its ability to withstand the corrosive action of this compound. A solution which is very injurious to one plant is often quite harmless to another. The greenhouse plants with one exception, were all affected by solution B (though some not disastrously so,) while the fruit-tree foliage was uninjured. From the properties of this salt (corrosive sublimate) and the result of work here given, I am not hopeful for its success as an insecticide. I do not think it can safely be applied in solutions sufficiently strong to act in this role. I am more sanguine for its usefulness as a fungicide, and future experiments may show that solutions even more dilute than B, may be used to advantage in checking or destroying fungus life.

NEW RASPBERRIES.

BY JOHN CRAIG, CENTRAL EXPERIMENTAL FARM, OTTAWA.

In introducing this subject Mr. Craig said that "Few of the many new varieties placed on the market within the last five years possess merit over those already in cultivation. Out of a large number tested at the Experimental Farm and which I have observed growing elsewhere, I will mention a few, some of which are decidedly promising, and others which need further trial before a correct estimate of their value can be arrived at.



Thompson's Early. Ripe the second week in June; medium size, round, bright red, fairly firm, attractive. Its earliness seems to be its principal good point. Although hardy it has not been productive.

Columbia. I have not fruited this at Ottawa, and speak of it as seen growing at the N. Y. Experiment Station at Geneva, where I was very much impressed with the vigor of the plant, quality and size of the fruit. It has also received favorable commendation at the hands of the able editor of the *Rural New Yorker*. It is believed to be a cross between the Cuthbert and Gregg, and is intermediate in many characteristics, the fruit being purple and striking root from the tips.* It therefore is of the Shaffer type,

* Many crosses of this kind have fruited at the Experimental Farm. In nearly every instance the fruit has been purple in color. J. C.

but the b
originated
I believe.

Heeb
but not fr
four years
cane is no
place in a

Hers
sufficientl
plete ferti

Hans
been unde
throughou
color and
it equals i

Red

Purp

Black

Yellow

Red

Purpl

Black

Yellow
in the north

For m
been pursu
the subject
Grapes
two or thre
vince. Now
of which ar
days earlier

but the berry is firmer and of better quality, and I am told is a great bearer. This variety originated with Mr. J. T. Thompson, of Oneida, N. Y., who controls the stock at present I believe.

Heebner. Is a large red berry of the Clark and Hornet type. In quality it is A1, but not firm enough for distant shipment. It has been on trial at Ottawa for the past four years, having been introduced by Mr. Hilborn, (now of Leamington), in 1888. The cane is not quite as hardy as Cuthbert, but the fine quality of the fruit should give it a place in amateur collections: It is fairly productive.

Herstine. Is another variety which can be recommended for home culture, but is not sufficiently vigorous and productive for market. It is also deficient in pollen and incomplete fertilization is occasionally noticed.

Hansell. As an early market variety I am inclined to think that this variety has been underrated. It ripens with or before the earliest, and continues giving fair pickings throughout the raspberry season. The berry is of medium size, firm and attractive, bright color and of fair quality. The past two years it has yielded better than Turner, which it equals in hardiness. It needs high culture.

Recommended for the Market.

- Red { Hansell.—Very early.
 { Marlboro'.—Hardy, attractive, poor quality.
 { Cuthbert.—Fairly hardy, productive, firm, late, good quality.
- Purple.—Shaffer. Specially valuable for canning.
- Black Caps { Mammoth Cluster.—Early.
 { Hilborn.—Medium early, productive.
 { Gregg.—Late.
- Yellow.—Golden Queen. Good quality.

Recommended for Home Use.

- Red { Turner.—Early, hardy, good quality.
 { Heebner.—Medium, needs protection, fine quality.
 { Hornet.—Late, " " "
 { Cuthbert.—Good quality, fairly productive.
- Purple: Columbia.—New, promising.
- Black Cap { Doolittle.
 { Hilborn.
 { Gregg.
- Yellow: Brinkles Orange, or Golden Queen. Must be protected in winter, succeeds in the north.

NOTES RESPECTING NEW VARIETIES OF FRUIT.

BY THOS. BEALL, LINDSAY, ONT.

For many years past the business of introducing new fruits or varieties of fruits has been pursued by many persons and by different methods. Every kind of fruit has been the subject of investigation, and great results have followed.

Grapes, perhaps, stand first in order. Fifty years ago the Isabella, the Clinton, and two or three others, now less known, were about all that were then grown in this Province. Now, a hundred or more varieties are successfully grown in Central Ontario, most of which are better in quality and many of them ripens their fruit from twenty to forty days earlier in the season.

The varieties of strawberries have increased to a wonderful extent within the past ten or fifteen years. Almost any number of varieties may now be obtained and all of good quality.

With currants, the recent introductions, are few in number, most of which are larger in size, and therefore, are better market varieties, although the quality is generally inferior.

There are many varieties of raspberries of recent introduction, most of which are wanting in one or more of the essential points necessary to establish a lasting reputation, viz., color, size, quality, and hardness.

The number of pears introduced within the past few years is large, but it is doubtful if a half-dozen of the newer varieties can be named having the necessary qualities which will procure for them favorable recognition ten or fifteen years hence.

Apples—our staple fruit—extraordinary efforts have been made during the last few years to improve this kind of fruit, but with less encouraging results than with other kinds. Perhaps if we enquire carefully into the cause of this comparative failure to improve winter apples some useful lessons may be gained.

New varieties are the results of cross-breeding and this is accomplished in two ways, "naturally" and "artificially." It is said to be "natural" when done without human assistance, and "artificial" when the operation is controlled by human skill.

Russia and other parts of Northern Europe seem to present the best field for those who hope to find better winter apples, and apples better suited to this climate from the results of natural cross-fertilization. Yet, notwithstanding the enormous expenditure of time and money in this pursuit during the last twenty or thirty years, but little has been added to our stock of winter varieties. Nothing, in fact, superior or even equal to those we already have has been found.

The comparatively few workers in the field of artificial cross-breeding—persons who are working only for the furtherance of science and for the general welfare of our people (and without governmental aid) are meeting with much greater promise of success. Indeed, it is quite probable the time will soon arrive when artificial impregnation will be resorted to altogether for the improvement of most of our fruits. The artificial process, when conducted with intelligence and with a fair knowledge of the physiological peculiarities of vegetable life has many advantages over the natural process, inasmuch as it enables us to bring to the aid of nature all the advantages of modern science.

If we look for a moment at the life history of the winter apples in the list recommended by the Fruit Growers' Association, for profit in the several Districts of Ontario, it seems evident that improvement in varieties of apples (and all other fruits) can be accomplished by artificial cross-breeding with almost absolute certainty; while searching for chance seedlings, superior in quality to our own winter fruit, in Russia or any other Northern European country is a very uncertain and exceedingly expensive business.

The list of winter apples referred to contains only fifteen varieties. Two of these, La Rue and Cranberry Pippin, are natives of the State of New York; one—Pewaukee, of Wisconsin; three—Golden Russet, Blenheim and Ribston, of England; one—Ben Davis, of Kentucky; two—Tolman Sweet and R. I. Greening, of Rhode Island; one—Edgar's Red Streak, of Illinois; one—Red Canada, of one of the Eastern States; one—Scott's Winter—(?); two—Baldwin and Hubbardstone's Nonsuch, of Massachusetts; one—Ontario, of this Province. All of these, I believe with one exception, the "Ontario," were chance seedlings, and were discovered in the localities named. Not one of them is from Russia or any other country further north than England.

The "Ontario" was produced by the late Chas. Arnold, of Paris, Ont., and was the result of artificial fertilization while endeavoring to establish his theory, "that any desired quality can be obtained in any kind of fruit by judicious cross-breeding.

To test this theory, Mr. Arnold undertook to produce a variety of apple, combining the color, the quality and the fruitfulness of the Northern Spy (a chance seedling found in New York State) with the early bearing peculiarity of the Wagener (another York chance seedling.) The result—the production of the "Ontario"—was one of the greatest

triumphs
true road
by a thoro

It ma
superior t
better qua
the South
district in
are each o
whence it

All t
commercia
breeding.
given the
cultural so

Woul
ation more
at the sam
by or for
excellence

Succes
sufficiently
Sometimes
performed
apple woul
reach that
lifetime to
cut off in t
nouncing o
A few per
conception
from his li

Under
of the scien
students in
correspond
engage in t
position in

The p
esty on the
commonwe
treated wit
although it
arising from
which may
financial b

Many
tokens of g
gratitude t

If a re
for his succ
recognition
may be esta
the question
nterest in

triumphs of modern horticultural research, and establishes the fact beyond doubt that the true road to success in the improvement of our fruits is in artificial cross-breeding, aided by a thorough knowledge of the principles of vegetable philology.

It may, therefore, be seen that it is unwise to search for varieties of winter apples superior to those we have, in the Northern countries of Europe. But, summer apples of better quality may be looked for with greater prospect of success in the North than in the South. Our three best summer apples—varieties that are successfully grown in every district in Ontario—Duchess of Oldenburgh, Yellow Transparent and Red Astrachan are each of northern origin. The first two from Russia and the last from Sweden, from whence it was imported into England in 1816.

All things seem to point to the fact that real improvement in the quality and in the commercial value of our fruit, must be accomplished by artificial hybridization and cross-breeding. The few persons who have been engaged in this pursuit have, in most cases, given the most valuable portion of their life-time to this most attractive branch of horticultural science almost without a hope of pecuniary reward. Simply a labor of love.

Would it not, therefore, be well to take some steps for placing scientific cross-fertilization more prominently before our people by sowing the necessity for its pursuit? And at the same time to devise means whereby some substantial remuneration could be obtained by or for those who succeed in producing new varieties of acknowledged superior excellence?

Successful results in cross-breeding are rare, because the conditions of success are not sufficiently known, and also because of the length of time often required for development. Sometimes, indeed, an average lifetime is not enough to test the results of operation's performed in early life. Mr. Arnold lived long enough to know that the "Ontario" apple would eventually take first place in public estimation, but not long enough to see it reach that point. The late Mr. P. C. Dempsey gave the greater portion of his valuable lifetime to this subject, but, unfortunately for the interests of pomology he, too, has been cut off in the midst of his work and before the public could have an opportunity of pronouncing on the vale of his very extensive operations in hybridization and cross-breeding. A few persons only know anything of the extent of his operations or who can have any conception of the vast gain to our horticultural wealth which will almost certainly result from his life work.

Under existing circumstances, therefore, we can scarcely hope for that development of the science of cross-breeding which its importance to pomology demands. But if students in this branch of science were assured that extraordinary success would meet with corresponding reward, men in early life having the necessary educational training would engage in this pursuit, and pomology and horticulture would soon be elevated to that position in the scale of natural science to which its importance deserves.

The present system is marked neither by justice to the operators or by common honesty on the part of the people. The work of a man's lifetime is now appropriated by the commonwealth greatly to its advantage, while the producer of this source of wealth is treated with utter neglect. Any person producing a new machine, instrument or process, although it may not have cost one hour's thought, can secure a fair share of the profit arising from its use for his own benefit, while the producer of a new variety of fruit which may greatly enrich a nation cannot legally secure for himself or his family and financial benefit whatever.

Many costly tributes have been presented, or pensions given by the State as tokens of gratitude in recognition of meritorious deeds much less deserving of public gratitude than those rendered by Arnold or Dempsey.

If a respectable gratuity were now presented to the family of the late Mr. Arnold for his successful efforts in hybridizing and cross-breeding and provision made for recognition of similar service to others when the super-excellence of their products may be established beyond doubt, it would, in my opinion, be a satisfactory answer to the question so often asked, "How may our young men be induced to take a greater interest in fruit-growing for profit?"

MY GARDEN.

BY REV. W. H. PORTER, M.A., BRANTFORD.

It is small ; but it is wonderful what a little spot will produce by good cultivation. Indeed, the very idea of a garden is, ordinary land under special cultivation. A young friend in Nova Scotia wrote me once, that he had just got where he experienced a joy and luxury in farming, by having a few acres so well cultivated as to produce more than large farms around him.

Rev. Dr. Goodspeed's garden in Toronto, is a wonderful illustration of what, by proper cultivation, a little plot can be made to do

And so it is with some denominations of Christians, such as the Moravians, who remind one of the description of Joseph, a vine hanging over the wall. A small denomination, but sending out more missionaries into the world than any other.

So with some churches, like the little Plattsville Baptist Church, that does more a great deal for the support and spread of the gospel than many large, and even wealthy churches.

So, too, with institutions of learning. Some comparatively small and obscure ones, like Acadia College in Nova Scotia send out more strongly developed men intellectually and morally than many large and well endowed universities.

And so, too, with individuals. As the old lady said of her garden, "Yes, its small, but it's deep—even to the heart of the earth. And it's high, as the very zenith of heaven."

And thus some lives, hemmed in to narrow spheres, it may be, rooting deep, grow high, and like Bunyan in Bedford jail, John, on the Isle of Patmos, or, the mothers of Augustine, Wesley and Spurgeon, send out their boughs and fruits to earth's and time's utmost limits. Such may be the case even with poor soil to begin with.

A merchant in St. John, N.B., took up a piece of rocky wooded swamp, and by underdraining, manuring and cultivating it well, he not only out-did, but astounded all the surrounding farmers. How true has this been in the intellectual, moral and spiritual world. By proper cultivation, some of the lowest castes in India are becoming superior to the high castes, and cannibal races are ranking with civilized nations.

Take an individual case, one of the most hopeless, such as Laura Bridgman. Blind, deaf and dumb, shut out seemingly from any possible enlightenment. And yet by persistent and skilful effort and cultivation, she became a very intelligent and useful woman.

The garden is my garden, and being mine gives me a great deal more interest in it, interest in properly cultivating and fencing it. I find that leaving my garden unprotected may cause more ruin in one hour, than could be repaired in a whole season. "Take us the foxes, the little foxes, that spoil the vines, for our vines are tender, and have tender grapes." Often the more small and unnoticeable the enemy to the garden, the more dangerous. Such as the insect gnawing at the root or heart of the plant, unnoticed, or those that assume the very color or form of the plant, in order to feed upon it undetected. Plausible errors and virtuous sins, so to speak, are often the most fatal destroyers.

I notice too, that however rich the soil in my garden, the flowers, fruits and vegetables have to be sown, or planted, and cultivated, but the weeds need no such labor or attention. They grow unsolicited and uncared for, and even when eradicated, again and again, will reappear, of the self-same character. The cultivation of good and the opposition to evil, seem to be necessarily constant and continuous.

One thing more, among many that I shall not take time further to notice, in the cultivation of my garden, is, that the time to eradicate the weeds by pulling them out by the roots, is, after a good moistening, mellowing shower. Evils that seem ineradicable, or only to be broken off, immediately to spring up again, like tobacco using, or drinking, or other unconquerable habits, are often easily overcome, when the heart has been softened by God's grace and Spirit. After all, God and man are the two great factors in gardening.

THE PR

Young
carefully ma
scarcely ever
the growth i
efficient wor
definitely ma
stantly and p
have a well
efforts to th
of brilliant
concentrated up
they have se
effort and so
of the prese

Negativ
our time an
a fearful ext
amongst our
connected or
helping on th
bestowments
high and hon
contemplation
and many an
of work to be
and the numb
the many gre
we think we l
most brilliant
substantial re
that we know
object worthy

Practical
briefly as poss
amount of the
is the greatest
persistent stu
work of ours
squandering o
that more or l
possible exten
this country.
bearing upon
to do this in s
not one hundr
work, and one
Canadian soil.
revisit our co
he would be l
must be supp
or live trees o
plot itself and

THE PROBLEM OF OUR TIME—ITS DISCOVERY AND ITS SOLUTION.

By B. GOTT, ARKONA.

Young men who attempt to enter upon life's arduous duties without any well set carefully marked and thoroughly thought-out plans, or aims or objects of their life are scarcely ever a pronounced success. In order to have the satisfaction, the solidity and the growth in their work that is so desirable and that will help to make them good and efficient workers in their calling it is necessary that their course should be well and definitely marked out for them or by them before hand, and then that they aim steadily, constantly and persistently towards that high and honorable purpose. In short, they must have a well devised plan in their life, and then hoard all their varied energies and efforts to the working out that plan to the very end. In order to effect this kind of brilliant success, it is further necessary that their efforts should be properly concentrated upon and in the direction of the one idea, and the one great purpose that they have set up as a mark to aim at. This quality will give them steadiness of effort and solidity of purpose and will help to produce in them that one great want of the present time, viz., "accomplished specialists."

Negatively we notice that not so much a lack of energy is the great fault of our time and people as is a shameful and deplorable wasting of energy, and that to a fearful extent. I need not attempt to particularize, for you know that there is amongst our young men especially a most lamentable amount of hap-hazard, loose, disconnected or evaporated effort that never tells anything on the pages of history or in helping on the individual resources. It is simply life that is the most precious of all bestowments frittered away and to all good purposes lost for ever. No object, no aim, no high and honorable ambition in life; nothing definite or substantial attained! What a contemplation! And yet it is most certainly true in our time of many a young man and many an older one too. Especially is this contemplation sad in view of the amount of work to be done on every side, the number of open avenues temptingly inviting us in, and the number of callings and businesses beckoning us to follow and succeed. Amongst the many great problems of life and the numerous questions that so deeply agitate man we think we have one here in the peaceful, lovely fields of horticulture, one that offers the most brilliant prospects, the sweetest and most alluring labors and the most tempting substantial rewards to satisfy the desires, the purpose and the aims of any young life that we know of in our time. To discover this problem and to effectually solve it is an object worthy of the most exalted and the most cultivated ideal.

Practically we will now first attempt the statement of the problem and, lastly, as briefly as possible, set ourselves to the solving it. It is: *To produce the greatest possible amount of the best and highest excellence of growth from the least possible surface of soil is the greatest problem of our time.* The surest way to discover this question is by hard, persistent study, aided and assisted by life's most potent forces. It is in this line of work of ours that the discovery must be made and cannot be attained by mere listless squandering of our time or abilities or the criminally wasting the precious opportunities that more or less come to us all. Its solution consists in the realization to the fullest possible extent of this grand idea in connection with our business as "Fruit-Growers" in this country. To help to do this it will be necessary to proceed to some calculations bearing upon the question built partly upon actually experienced results. To help further to do this in something like a definite form it will be necessary to take a plot of ground of not one hundred acres or of ten acres, but of only five acres, as a foundation upon which to work, and one will see what can or could be done with this fertile plot of five acres of Canadian soil. Could the much quoted author of "*Ten acres enough*," be now induced to revisit our common earth how greatly would he find this whole programme changed as he would be led to exclaim, "*Truly, this is another era.*" In laying out our plot which must be supposed to be well and properly fenced by post and wire, but not by live hedges or live trees on the inside, to draw anything from the supporting forces of the soil of the plot itself and the who'e must be in the best of "tilth" and thoroughly in order.

In the first place then we will advise one acre, viz., 43,560 square feet, to be planted to strawberries, four feet by one, or 10,890 plants in the spring of the young year, and by the next fall the growth will be most surprising to all and fit on the next season to bear a full crop of the most beautiful and delicious of fruits. About this space after the most slipshod and careless method of management has produced to our knowledge the past season 2,000 quarts at an average of 5 cents, or \$100, and by little effort in good culture and proper fertilization it might very easily be doubled or even better and then not thought to be noticeably large or surprising.

It must, however, at the outset be presumed that good and even high fertilization is applied to this whole system of this sort of *advanced Horticulture* in order to realize the results here indicated, otherwise the whole matter in the highest and best sense will be little less than failure. With high culture and high scientific fertilization what do we know about the possible products of our almost inexhaustible Canadian soils? As yet scarcely anything whatever. The whole secret being as it were locked up and never has been inspected by rude and vulgar ken. Only bring the profound and accurate knowledge of our modern scientists to bear upon this question of soil production and properly apply the results of their mature investigations in thoughtful attentive practice, and who can tell what mysteries may yet be revealed along this line? It may be things to astonish us and our children and almost upset our ordinary credence. Is it practical? Can it be done? you ask. We fully believe it is, and can be done by any ordinary workman fit for the calling and who is intent on the purpose. Perhaps some of you have already seen "Henderson's Market Gardening" and other works of his of great value and that give in full some of the modes, processes and results of tillage in the market gardens in and around the city of New York and other large cities of the neighboring Union? These popular books of this author have done much to open our eyes to the great problems of soil, production and its permanent results. Let something of this sort be applied to one acre of our strawberries of almost any variety and who amongst us can now say definitely what the product would amount to? Not that we would here and now advocate the popular fallacy of unlimited product or that of over-fertilization; not at all. We believe fully that there is a limit to all forms of production in all climes, but we also believe that as yet very few of us properly know what it is. With us and in our experiences the whole matter is yet in its infancy and absolutely undeveloped to the eyes of men. Could we only become acquainted with the modes of culture and systems adopted in older and more thickly populated lands of the "Eastern World," as for instance China and Japan it would most likely do much in helping us forward in the realization of this very important practical idea. It may be so even amongst us shortly, but hardly in our day.

But to our plot again. We will further plant one acre of pears, 16 by 16 ft., or 170 trees and the whole filled in with gooseberries and currants in about equal quantities that is about half an acre of each fruit. These will be planted 4 by 3 ft. or 3,630 plants, as the pears will not for some years take all the ground to themselves, and the whole kept well pruned and cultivated. Next we would plant one acre of peaches and plums in equal quantities, 10 by 15 ft., or say 300 trees, where these fruits are sure to do well; and the whole of this space planted again with raspberries, 4 by 3 ft.=3,630 plants. The products of these two acres cannot now be properly approached, but with the culture and fertilization we have assumed they would doubtless give a good account on the day of reckoning up the profits. We will next have an acre of apples, 30 by 30 ft., say 50 trees, and the whole of this acre planted with blackberries, 4 by 3 ft., or 3,030 plants. Perhaps some of you here may think that this is rather close planting to be profitable and so object? But the great idea is not to gorge and crowd the land by over thick planting but to attain the largest and best production from a given space. It is the largest possible quantity of the most perfect samples of their kind that we must rely upon for our final results, but at the same time it must be constantly borne in mind that this cannot be done unless the plants are not only on the ground but properly supported and developed. The question of how many plants a piece of ground will properly carry must be decided by actual trial. This whole consideration is the great problem of the age, and must be carefully and accurately worked out on these lines, and we believe it can and

will be do
the most p
vines, 12
bearing wi
pounds.
one acre co
by 12 ft.
ises may b
an average
for grapes
soil.

Now
plot. I an
your own i
a line of w
of the men
of our time
to come fo

May
Growers a
ally help to
ulation of t
living men

This is
do with the
the cost of
a margin or
all want to

From
I do. It is
for this paper,

In disc
elements, ca
found in all

Of the
our grasp, l
animal comp
etc. Phosph
mineral in t
in the comp

The pr
present in t
for the deve
ductive.

There a
tions of the
light leachy
their power

will be done after this design and according to this plan. But on our remaining acre as the most promising of all fruits we would most decidedly wish to be planted with grape vines, 12 by 8 ft., or say 460 plants, and these after a few years good growth and in full bearing will at a very moderate calculation yield 20 pounds of fruit per plant, or 9,200 pounds. But 9,200 pounds of grapes at 2½c. per pound are worth \$230. But our plot of one acre contains 43,560 square ft., the square root of which is 208½ ft. and this measured by 12 ft. the distance apart of the trellises gives 17 trellises. But between these 17 trellises may be planted 17 rows of Red Currants, 4 ft. apart=900 currant bushes. These at an average of 5 quarts per bush, mean 4,500 quarts at 3c. each=\$135. But \$135 plus \$230 for grapes makes \$365 as the whole amount of product of one acre of our rich and fertile soil.

Now I will not attempt to sum up the entire product of every acre thus of our five acre plot. I am sure you will gladly and carefully work this out, every man for yourselves in your own individual experiences, but I am persuaded and can testify if required that here is a line of work that can be made adequate to occupy the attention and employ the best energy of the men of our age both young and old. Aside from this there is scarcely any problem of our time that is so important in its practical bearing upon this age and upon the ages yet to come for all time.

May the appreciated and timely labors of this Association of Canadian Fruit Growers as it has in the past, yet much more in the near future, more sensibly and materially help to work out a problem so very influential and so deeply concerning the whole population of this young and growing country and through them the whole race of sensitive living men.

FERTILIZERS FOR THE ORCHARD AND GARDEN.

BY T. G. RAYNOR, ROSEHALL.

This is a very important subject to both the orchardist and gardener, for it has to do with the home end of his business. The wise application of fertilizers may often lower the cost of production to an extent as will greatly increase the profits, or at least make a margin on some products which have not paid the producer very well in the past. We all want to make a profit on what we grow, and the larger it is the more gratifying.

From a practical standpoint many of you know much more about this subject than I do. It is not then with a view of telling you something new that I have prepared this paper, but my object is more to excite discussion which may be of profit to all.

In discussing fertilizers every one should form an acquaintance with three simple elements, called in agricultural science, nitrogen, phosphoric acid, and potash, which are found in all fertile soils.

Of these three elements nitrogen is most expensive and most likely to escape from our grasp, both in its management and application. It occurs in all vegetable and animal composition, and in many of the salts occurring in nature, as nitrate of soda, etc. Phosphoric acid is found to a considerable extent in the bones of animals and as a mineral in the form of apatite. Potash, the least expensive of the three, is found largely in the composition of wood ashes.

The productiveness of our soils depends upon the quantity of these three elements present in them. If any one of the three be absent or not present in sufficient quantities for the development of any particular crop, by so much is that soil said to be unproductive.

There are two things to guide us in the use of fertilizers, (1) the nature and conditions of the soil and (2) the kind of crop grown. Soils vary much in composition, from light leachy ones to very heavy ones. Thus it is evident that we should understand their powers for retaining these three elements, to some extent at least, in applying

fertilizers. A knowledge also of the composition of the crop grown is indispensable with regard to its behaviour towards them in order that there may be no great waste in the application of the fertilizer. For example, the potato takes from the soil a considerable quantity, then by applying a potash fertilizer we may greatly increase the yield of potatoes. Now if we had applied large quantities of phosphoric acid we might not realize any increase in the quantity of potatoes produced and we would naturally conclude that we had made a mistake as well as sustained a loss.

There are three classes of fertilizers at our disposal. I refer to (1) green manures, (2) general manures, and (3) special fertilizers. For light and heavy soils green manures are very valuable, as they increase the power of a light soil to hold manurial ingredients, which might otherwise leach away, and they greatly improve the texture of a heavy soil, making it open and friable. Green manures are useful in orchards, to keep down weeds, to keep the soil, if heavy, open, and at the same time add to its fertility. They may be pastured and thus become a double source of profit. Any large leafed plant which will grow quickly and draws most of its nutriment from the atmosphere or sub-soil, as red clover, buckwheat, etc., are suitable for green manuring.

By general manures, I mean those which contain the three elements referred to above. They contain other elements of plant food as well. Farmyard manure and compost come under this head. If we could produce, or even buy enough of this class of manure, we would have no difficulty in making and keeping our soils very productive.

Most of us realize the value of a compost heap, but how few, comparatively speaking, make them. By throwing in a heap all the vegetable and animal waste products, occurring around our homes, together with some farmyard manure, which, when well mixed makes for us a cheap and rich manure, especially for the garden. In gathering up the refuse vegetable matter, etc., we remove a suitable hiding place for many injurious insects as well as destroy many which have already taken refuge there.

The third class of manures, of which we spoke, are called special or artificial fertilizers, that is, they contain some one or two of the three elements to which I referred. There are very many of this class of fertilizers manufactured and used at the present time.

Where we require more fertilizing material than we have at hand, there the special fertilizer comes readily in play. They are invaluable to the market gardener. In some cases, however, they should be used with caution, if we are to realize a profit from their use. By experimenting with our soil we may learn of which of the three elements it has the most need, and this will guide us in the kind of fertilizer to apply. A knowledge of what the crop to be grown requires will also be a help. Just here a word of caution may be necessary for some. Certain classes of fertilizers should be purchased subject to a chemical analysis by a competent and disinterested person. So many have been defrauded in the past that this step is almost necessary. On the other hand it may also prevent a fertilizer from being unjustly condemned.

In a paper of this kind it would be folly to give the composition and value of the many special fertilizers now offered for sale. I can only suggest general principles and leave the particulars to be brought out in the discussion.

Generally speaking I would apply nitrogenous manures or fertilizers containing nitrogen, as sulphate of ammonia, nitrate of soda, or guano, to crops or trees where vigorous growth is the object; phosphoric acid in the form of superphosphates, bone ash, bone meal, or apatite, etc., where fruit or fully developed seed is required; and potash fertilizers, as wood ashes, or kainit, are very useful in growing crops which store up considerable starch in their growth. It is needless to remind the fruit grower these days of the value of wood ashes as a fertilizer and insecticide for the orchard and garden. It pays to use all the wood ashes made at our own homes and frequently to buy from our neighbors, who offer them for sale. If we expect to grow paying crops of fruit and vegetables we must supply the elements of growth and development to those soils which are being repeatedly cropped.

Belie
others, I
say that w
to what w
or again
than usual
July and
of fungus
ing us se
apples in
upon Flem
Northern
able Octob

Straw
most abund
beautiful i
sorts of th
Captain J
and Eurek
beautiful.

Of ras
quently m
which, ho
Hilborn, S
Never

were our l
the most a
abundance
time. The
Snyder, w
Currant
quantity of
nothing can
our currant
Cherry and
Black Engl
mention.

Mulbe
yet amongs
dewberries

With
varied. TH
Houghton,
we could gr
at once be

Aprico
planted her
sample of th
we care abo
present at a
can strive a
The old

REPORT OF THE FRUIT CROP FOR 1892—THE COUNTY OF LAMBTON.

BY B. GOTT, ARKONA.

Believing that a report of our fruit crop may be both profitable and interesting to others, I attempt, as briefly as possible, to offer ours for 1892. In the first place I may say that we have had a very peculiar season in three or four particulars. (1) Contrary to what we expect usually to take place, we had this year little or no frosts late in May or again early in September, and the consequence is we have had a far longer season than usual. (2) The great extremes in the rainfalls, it being very heavy in June and July and scarcely any for many weeks after. (3) The early and very severe attack of fungus upon the leaves and fruits of our trees and other damaging influences causing us severe injury and great loss. In consequence of this attack our pears and apples in many cases were almost a total ruin, the damage falling on pears the heaviest upon Flemish Beauty; and upon apples, the heaviest upon Early Harvest, Snow and Northern Spy. (4) It has been noted for one of the most beautiful, charming and enjoyable Octobers in our remembrance. We are thankful for all favors.

Strawberries and raspberries of almost all sorts were this year the finest and most abundant ever seen in this county. They were the most admirable in quality and beautiful in form and color, and to the grower or buyer all that could be desired. The sorts of the first fruit mostly used here this season were Crescent Seedling, Wilson, Captain Jack, Daniel Boone, Manchester, Bubach No. 5, Jessie, Sharpless, James Vick and Eureka. All were good, but the three or four last named were extra fine and beautiful.

Of raspberries, Cuthbert is the one sort having the most good qualities and consequently most to be depended upon for a good satisfactory and splendid crop. Besides which, however, we use Turner, Highland Hardy, Shaffer, Marlboro, Golden Queen, Hilborn, Souhegan and Gregg and some others not so noted.

Never was any sable queen decked out in her most beautiful gems so gorgeous as were our blackberry bushes this season, for whole acres of plantation the sight was the most astonishing of the kind, of anything ever seen here. The fruit in the greatest abundance was without a fault, and grandly filled an empty niche just at the proper time. The one sort standing high above all others here for market planting is the Snyder, which has more good qualities than any other so far tried.

Currants of all colors were good and very plentiful, but it is surprising what a quantity of these fruits the markets can be induced to take and use. For some purposes nothing can be substituted, and therefore we must seek by the best means to perfect our currants for these purposes. The sorts used are for Red: Raby Castle, Red Dutch, Cherry and Fay's. For White: White Grape and White Dutch; and for Black: Black English and Black Naples. Nothing new appears in these lines to merit special mention.

Mulberries and Dewberries, although much lauded and much written about, are as yet amongst the doubtful investments. Neither Russian mulberries or the most approved dewberries have ever returned in this county the interest of the outlay.

With gooseberries it is quite different, and the crop this year was very large and varied. The quality was fine, and the market good. The sorts mostly used are Houghton, American Seedling and Downing, with some Smith's Improved. But if we could grow the Pearl, as I saw it growing this summer in the eastern counties, it would at once be generally adopted.

Apricots are another doubtful investment. The Russian sorts have been extensively planted here and for some time, but I have yet to hear of the production of a single sample of their much and eagerly desired fruit. If we could only get them what would we care about the loss of the peach or plum either. But it appears it is not at the present at any rate so to be. Climatic conditions utterly and totally forbid it and who can strive against fate? Not one.

The old Kentish Red cherry, so old and familiarly used for so many years, is now

almost extinct in the county. How? By the fearful spread and ravages of "black-knot" in every part of this whole country.

English, Russian and other sorts have been tried, but to no satisfaction or practical results. This is to be much regretted.

The plum crop in the county wherever the trees were properly cared for and healthy was good, and the fruit was very fine indeed, but this condition was very scarce and hard to be found. But we have not yet given up all hope in plum raising, and many of our people are seen now planting out largely wherever good and favorable places are found and can be procured, and some are planting the Western sorts. The ever popular Lombard is now mostly relied upon with the Green Gages, but besides these not many others.

Not many quinces are grown, but the sample this season was extra fine indeed. As, however, people in general do not know their proper place in our economies not many are called for. The Orange quince is about the only sort.

No improved nuts are attempted. Our reliance being solely upon the products of our forests, and this year not many of these.

Pears were a most disappointing and abundant crop as not many were expected early in the season. But on account of the early blight many of them, especially Flemish Beauty and Seckel, were malformed and disfigured by an unnaturally russetty skin that they were scarcely recognizable and almost worthless. Some sorts on the contrary were very fair and even good, as mostly Clapp's Favorite and Bartlett. Other sorts used are Onondaga, Louise, Howell and Angouleme and some others.

The apple crop was small and sample ill-formed. It was one of the most despicable apple crops ever had in the county, and of the least value. The cause of this was the fungus blight falling early. The sorts used include almost everything on the lists, but for real valuable continued satisfaction and results nothing has yet superseded the old standard sorts, viz, Baldwin, Rhode Island Greening, Northern Spy, Ben Davis, and King of Tompkins.

The grape is a fruit in which we are deeply interested. The crop this year was one of the finest and most beautiful ever seen in the county. The sample was fine, the berry and bunch large and good and the ripening perfect, while the quality was all that could be desired. This fruit is receiving increasing attention and is really very popular, and it returns well for all labor, time and skill bestowed upon it. Concord is popular everywhere and everybody knows it. The other sorts used are Hartford, Moore's Early, Worden, Pocklington, Niagara, Prentiss, Brighton, Delaware, Salem, Wilder, Agawam, Lady, Jessica, Champion, Herbert, Iona and others.

I would like to add a word in conclusion that will bear upon this whole question of successful fruit production in this county. I am becoming more and more thoroughly convinced that amid our climatic conditions and our soil adaptedness we must resort to practical artificial means for protection, and that protection must come to us as fruit growers in the form of fine spray containing a solution of some arsenic compound held and finely applied entirely over the mass of our fruit trees and bushes and even our vineyards as well. This is felt to be a very unfortunate conclusion that we deeply regret, but it is a result that is becoming more and more apparent, and to ensure safety and satisfaction is a necessity, as our climate is changing rapidly, more and more to the severe. Whatever troubles after generations may have in this matter we do not at present know, but we are sufficiently alive to our own troubles and we can think of nothing by which we can defend ourselves but something in this line.

LETTUCE GROWING UNDER GLASS.

It may be news to many that the conditions are so unlike in the east and west that the business of forcing vegetables in greenhouses, although quite profitable in the first named section, has not been found to pay in the latter.

The large cities of the east afford a better market than western states, and southern competition is more keenly felt in the latter. Near large eastern cities head lettuce is

grown ex-
some co-
varieties t
former th
and the p
sufficient

In sp
carried on

The i
ment of r
cheaply th
The differ
may be ne
experimen
by this me

This
forcing in
abandoned

This i
has nothin
growing in
old device
importance

There
equal impo
added to c

Sub-in
preventing
better by t
soil. Ope
this manne
These may
well. Dra
ing is acco
venience.

Some
beginning
bottoms.
bottoms, ar
the soil fal
shallow ma
or a board,
to the surf
quantity of
quite well
germinates
as when su
planted int
manner. I
true. Tha
but even if

Both r
not benefit
but they sh

Experi
one hundre
eral, but fo

grown exclusively, tomatoes and cucumbers are forced in midwinter, but to follow the same course here would be to court failure. Head lettuce cannot be grown so cheaply as varieties that do not form heads, but there is no better demand in western cities for the former than for the latter. Tomatoes and cucumbers are difficult to force in midwinter, and the prices that may be obtained for them here at that season of the year, are not sufficient to pay the cost of production.

In spite of these drawbacks recent developments show that the business may be carried on profitably in the Western States.

The introduction of the Grand Rapids lettuce may be said to mark the commencement of new era in lettuce growing. It is less subject to disease and can be grown more cheaply than any of the heading sorts, which are looked upon as standards in the East. The difference between it and the varieties is so marked that by its cultivation the profits may be nearly or quite doubled. This alone is a great advance, but after three years experimenting with sub-irrigation the Ohio station has found that the lettuce crop may by this means be nearly doubled.

This places the lettuce grower in a much better position than before; in fact, lettuce forcing in greenhouses is now a profitable business, whereas it was in danger of being abandoned in many parts of the country.

This is a matter about which tariff reformers will not have much to say, as tariff has nothing to do with the matter. Over production in one section nearly destroyed a growing industry in another, but the discovery of a variety and the application of an old device in a new manner, has saved a business which is likely to become one of great importance.

There is no reason why vegetable culture under glass should not now become of equal importance with floriculture, and this means many thousands of dollars annually added to our productive resources.

Sub-irrigation was first used with lettuce in order to avoid watering the foliage, thus preventing the much dreaded lettuce rot. It was found that the lettuce grew much better by this method of watering than when water was applied to the surface of the soil. Operations were then enlarged, until entire houses are now supplied with water in this manner. In order to operate the plan successfully water tight benches are erected. These may be made in various ways, but matched flooring laid in white lead answers very well. Drain tile are laid on these benches $2\frac{1}{2}$ feet apart and covered with soil. Watering is accomplished by pouring into the ends of the tile, where a T joint is laid, for convenience.

Some later experiments show that the same principle may be extended successfully, beginning as soon as the seed is sown. The seed is sown in shallow boxes with slatted bottoms. A convenient size is 16x24 inches and two inches deep. Lath is used for the bottoms, and is laid close together, which allows the water to pass through, but prevents the soil falling out. These boxes, or flats are filled with soil and the seed sown in very shallow marks made on the surface of the soil. Covering may be done with the fingers or a board, and the whole surface pressed down firmly with a block. No water is applied to the surface of the soil, but the boxes are placed in a shallow vat in which is a small quantity of water. These seed boxes are allowed to remain in the vat until the soil is quite well soaked, then taken out and placed in a warm part of the house. The seed germinates very quickly and certainly by this method, hence should not be sown so thickly as when surface watering is practiced. When large enough the young plants are transplanted into flats of the same size as above named, and watering is done in the same manner. Labor is saved by following this method, although the contrary may seem to be true. That is because watering need be done less frequently than by the old method, but even if such were not the case the results justify the adoption of the new method.

Both radishes and cucumbers flourish under the same treatment, although they are not benefited to such an extent as lettuce. Tomatoes respond less than any other crop, but they show sufficient gain to pay for fitting up the house for sub-irrigation.

Experience has shown that a sub-irrigation plant pays for itself in one season, or one hundred per cent. on the investment. The estimate is for green-house crop in general, but for lettuce alone the profit is greater.

In a previous bulletin tomato-culture after lettuce was given in detail, but there are other crops which may be grown with profit, such as radishes, cucumbers and parsley. Under the benches the space may be used for mushrooms, dandelion, pie plant and asparagus. The mushroom crop is about as profitable as any that can be grown, and yet it requires no light. It has the advantage, also, of not being produced so largely in the South as other crops, hence competition is not to be feared.

In view of the facts that have been stated it is evident that an important industry may now be built up. If such a thing is not done it will be because gardeners do not take advantage of the situation. The business ought to be encouraged, for whatever is done in this line means just that much added to our productive capacity.—*Ohio Experiment Station.*

TOMATOES AS A GREENHOUSE CROP.

In the eastern states tomatoes are often forced in midwinter, at which time they bring fancy prices in the large cities. A higher temperature is required to force tomatoes than most other crops, artificial pollenization must be practiced, and great care taken to keep the plants free from disease. These items reduce the profits very materially, and renders this business quite uncertain except near large cities.

The Ohio Experiment Station has found that there is more profit in keeping the houses filled with lettuce during the greater part of the winter and holding back tomatoes for a spring and early summer greenhouse crop.

Lettuce is not a profitable greenhouse crop later than April, but tomatoes flourish in the houses during the spring and early summer months much better than in winter. The crop is mostly gathered during May and June, at which time 16 to 20 cents per pound is realized.

This is less than half the price paid in winter, but owing to decreased cost of production and greater demand, there is more profit in a spring than a winter crop.

In order to have plants ready to fill the houses as soon as the last crop of lettuce is out, tomato seed is sown about the last week in December. Seed is sown in shallow boxes, not having more than two inches depth of soil. As tomatoes require considerable heat, these seed boxes should be kept in a warm part of the greenhouse.

Soon after the plants have formed the second leaves they should be transplanted. For this purpose the same kind of shallow boxes are used as before, and in these the young plants are set about two inches apart each way. If kept growing nicely the plants will begin to crowd each other in three or four weeks, when they should be again transplanted. This time they are to be set about four inches apart each way. The same kind of boxes may be used as before, but greater care must be taken to keep the plants watered than when younger, as more water is required because of the greater amount of foliage. During all stages of growth in which the plants are kept in boxes or flats, a good method of watering is to place the boxes of plants in a shallow vat, holding a small quantity of water. If these plant boxes have slatted bottoms as they should have, the water soaks up evenly through the soil, and in a more thorough and satisfactory manner than when surface watering is practiced. The only precautions that need be observed in following this method is not to water until the plants require it, and not to keep them soaking after the soil is fairly wet. If desired, the plants may be set in four inch pots or in large beds at the second transplanting, instead of into boxes, but the latter plan has some advantages over the others.

Early in March the plants ought to be a foot or more in height, and just coming into bloom. They are then ready to set in permanent beds for fruiting.

These beds should contain about six inches of soil. The plants are set about 20 inches apart each way, and in order to occupy the ground fully lettuce plant are set between. As soon as the lettuce is cut the tomato plants are given the whole space. The soil should be stirred frequently, and it is advisable to mulch the surface with half-rotted manure. An important part of the care of the crop consists in pruning and training. The plants must be tied to some support and the tying must be repeated as often as required, as the plants increase in height. Stakes may be used for support, or strings may be tied to the rafters, and the lower and fastened to short stakes driven near the plants and the plants tied to these strings. The side shoots near the base of the

plants r
if prefe
surplus
makes
sary to
on, as it
As
early, b
thrifty
Thi
sidered
reason f
Con
suitable
purpose,
Favorite
fruitful
A meth
will be

Have
intended
rods of p
purpose
miserable
useful as
grown on

I wo
because I
order, the
most farm
are places

Between
glass of b
better, at

Back
tenth year
sight—be
instead of

I can
tion some
soil and l
which will
fairly well
out the fre

Some
fence taken
sun and ai

It is c
in the cour
but it is to

A que
No one wh
best under

plants must be removed as they appear and the plants kept trained to single stalks, or if preferred two shoots may be allowed to start from each plant, but in any case the surplus suckers must be removed as they appear. This pruning hastens maturity and makes it possible to grow the plants within the narrow limits named. It is not necessary to remove any foliage, unless it becomes diseased, in which case it is better off than on, as it does no good, besides it is unsightly and serves to spread the disease.

As before stated tomato plants are less subject to disease late in the season than early, but the best preventive of disease is good care so as to keep the plants growing thriftily. A fair crop when grown in this manner is about five pounds per plant.

This cannot be rated as a highly profitable greenhouse crop, but when it is considered that it is grown at a time when the houses would otherwise remain idle the reason for growing it is apparent.

Concerning varieties but little need be said. Almost any smooth-fruited sort is suitable for the purpose. The extra early varieties are too rough and irregular for the purpose, as their close pruning seems to make the defect still more prominent. Acme, Favorite and Beauty are very satisfactory. Dwarf Champion does very well, but is less fruitful than the above, and is more difficult to prune, its earliness is its chief merit. A method of growing early tomatoes out of doors to succeed the greenhouse crop will be given at another time.—*Ohio Experiment Station.*

HEDGES.

By D. NICOL, CATARAQUI, ONT.

Having lately seen many scrub brush skeletons of what had at some time been intended for hedges, I feel inclined to speak on this subject. I have seen hundreds of rods of privet, buckthorn, honey locust, and other hedges, so-called, which served no purpose except to mar the natural beauty of the grounds on which they were eking out a miserable existence. A thrifty, well-kept hedge is an object of beauty, which may be useful as well as ornamental. There are, however, few of such to be seen. They can be grown only under favorable conditions.

I would not be understood as recommending the general adoption of hedge fences, because I am sure they would not give general satisfaction. To keep them in good order, the annual amount of labor necessary at a busy time of the year is greater than most farmers could afford; consequently they are very likely to be neglected, but there are places in which hedges are more desirable than any other kind of fence.

Between villa lots, I have seen stone walls erected and crowned with sharp cutting glass of broken ale bottles, while a formidable hedge would have served the purpose better, at less expense, without giving the gaol-yard appearance.

Back yards are enclosed with high board fences which need to be removed every tenth year, while a good hedge would screen the view of everything objectionable to sight—be more healthful, and would last more than a man's lifetime, besides adding to, instead of detracting from, the beauty of a homestead.

I cannot here enter into details, but with a view of assisting enquirers, would mention some essentials. In the first place, the hedge plant must be adapted to the climate, soil and locality in which it is to be grown. I do not know of any kind of tree or shrub which will ever form a good hedge under the shade of large trees. Some kinds may do fairly well where only partially shaded, but there can be no dense foliage hedges without the free access of sunlight and air from morning till night.

Sometimes hedges are planted close to a board fence, with a view of having the fence taken away, but in every instance this scheme has proved a failure, because the sun and air were partially excluded from one side of the hedge.

It is quite possible to have a fairly good hedge grow along side of a wire fence, and, in the country south of us, the Osage orange is now commonly used for that purpose; but it is too tender for the greater part of Canada.

A question very often asked is: What kind of tree or shrub makes the best hedge? No one who has had much experience with hedges would say that any one kind is the best under all circumstances.

For an ornamental hedge, I would unhesitatingly recommend the American Arbor vitae. It endures close trimming well, and can be kept in neat and tidy dimensions for a greater length of time than any tree that I know of. I know of some hedges of it which are in good condition twenty eight years after planting, and they are less than three feet high. It is never infested with injurious insects; intense frost does not hurt it; and dry, hot weather seems to be congenial to it. In this respect, it is perhaps the hardiest tree which grows in Canada or elsewhere. That may be the reason why it was given the name "Tree of life." In its native state it is found growing on dry, rocky hills, and also in water-soaked muck swamps. It thrives on almost any kind of soil, and lives to a great age, yet it is not suitable for any formidable hedge fence. It will not endure bruising or crushing by animals rubbing against it, especially when it is in a frozen state, and cattle seem to have a singular fondness for doing that very thing.

The common barberry being very prickly, is given a wide berth by animals of all kinds. The most enduring hedge-fence I have seen was of this shrub. It thrives well on any soil which is not of a poor, cold, or wet nature. It grows closely, and by annual trimming it is easily kept in any desirable size or shape, soon forming a hog-proof fence that will last for generations. The common barberry is easily propagated, sold cheaply by nurserymen, and has few insect enemies. The purple-leaved barberry, although less robust, is quite as hardy and more ornamental. It is said that barberry hedges breed rust on wheat. I have never seen any satisfactory evidence to that effect, and think the evil is wholly imaginary.

The hawthorn, which is commonly used for hedge fences on the British Isles, does not thrive well here; several kinds of aphides attack and generally destroy it. Our native thorn is of too slow growth. The Buckthorn, which is no relation of any of the other thorns, is quite as hardy, makes a compact hedge when skilfully trimmed. No insects infest its leaves, and mice will not girdle its bark.

Where rapid growth of a shelter hedge is desired the Norway spruce is particularly well adapted. It is quite as hardy as our native white spruce, and is of much more robust growth, and can be successfully transplanted when of large size. The hemlock spruce makes a beautiful hedge while young, but its lower branches soon die, leaving the hedge bare at the bottom, and much trimming shortens its life, hence it is not well adapted for the purpose.

The honey locust is sometimes planted for shelter hedges, but on account of its excessive tendency to send out suckers a great distance from its trunk, I would discourage its use; yet, it is not as objectionable in this respect as the Chinese abele, which should never be planted where any other tree will grow.

There is no lack of variety of plants suitable for ornamental hedges. The Japan quince (three varieties), makes an excellent hedge where the climate is not too severe.

The Tartarian honeysuckle (of four varieties), is quite hardy. It makes a superb hedge, and so does the Persian lilac, and several varieties of shrubby spiræ; also, mock orange and viburnum. The privet is not quite hardy enough for all parts of Ontario, but where the climate is favorable it makes a compact, neat hedge. The mulberry is also now planted for hedges in favorable climates.

If I were to speak of tree shelters on prairie and other rich flat lands, where quick growth is especially desirable, I would recommend the poplars and several varieties of the willow, but for making formidable hedge fences they have not proved satisfactory. About twenty years ago many thousands of dollars was extracted from the Ontario farmers through the white willow swindle. A company of scamps from Michigan recommended it as being the grandest thing for hedges ever discovered. It was purchased and planted extensively throughout the country, and now all that remains to be seen of it is some rows of widespreading clusters of very ugly trees. Yet, I dare say some credulous farmers will again be humbugged in the same way by the yellow or black willow, both of which are nearly as worthless for hedge purposes as the so-called white willow. I will not, however, occupy your time discussing hedge frauds on the farming community, but would merely remark that intending hedge planters should in some measure be guided by the experience of others.

We have been effecting individual society by inquiry is more into line of associatio efforts.

At Grimsby, fruit for Associatio hibition.

For taking an neighbor this year, exhibi

The meeti

Secretary,

a clay or heavy clay

Shallow s

a rank bu

not natur

the former

by late sp

while the

and grapes

A sup

for small f

siders allu

clined to b

Mr. V

manure we

ter on man

acid and p

unleached

in thorough

that nature

APPENDIX II.

REPORTS FROM AFFILIATED ASSOCIATIONS, 1892.

BURLINGTON HORTICULTURAL ASSOCIATION.

We have to report a fairly satisfactory year for the Society. Several new members have been added, the interest is sustained, and our work is having a decidedly beneficial effect upon the members. Instead of working at random as is largely the case when an individual relies entirely upon his own resources, the collective information of the entire society becomes his property with useful and practical results. We find that personal inquiry is stimulated, new zest given to our efforts in growing fruit, we are enabled to work more intelligently and methodically, and are better able to explain the reason of a given line of action. It is difficult to place a money value on the benefits derived from such an association, but there is a financial gain which more than amply repays our time and efforts.

At the instance of the Superintendent of Fruit for Ontario, Mr. A. H. Pettit of Grimsby, several members of the Association shipped to him baskets and kegs of choice fruit for the Columbian Exposition at Chicago. It might also be mentioned that this Association was awarded first prize on the best display of fruits at the Toronto Exhibition.

For the past three years the members of the Association have made a practice of taking an annual outing, early in the month of September. The fruit plantations in the neighborhood of Burlington were the first visited, then those of the Grimsby district, and this year, the orchards of Oakville and Lockport, N. Y. We find these outings interesting, exhilarating, instructive and certainly useful.

The following is a brief synopsis of some of the papers and addresses delivered at the meetings of the Association: "Soils and situations for the larger fruits," by the Secretary, Mr. A. W. PEART. He is of the opinion that deep loams of clay or sand, with a clay or shale sub-soil are the best adapted for fruits. Light, sandy soils, as well as heavy clay are not suitable, the former are too porous, while the latter are too adhesive. Shallow soils resting on rock are also unsuitable, as well as alluvial deposits, which give a rank but tender growth of wood. Soils for fruit purposes should be well drained, if not naturally, by artificial means. Trees, vines and plants on wet soils do not thrive, the former are stunted, immature, and soon die, while the latter are continually cut down by late spring frosts. This district is highly favoured, the lake modifies our climate, while the mountain on the west and north-west sides is a valuable protection. In pears and grapes, especially, we should produce an article superfine in quality.

A supplement to this paper was given by Mr. Jos. LINDLEY, "Soils and situations for small fruits." For gooseberries and red currants he prefers a sandy loam, but considers alluvial deposits or clay loams also good. For strawberries heavy sandy loam, inclined to be damp, but not wet; blackberries, also, require a similar soil.

Mr. W. V. HOPKINS gave a paper on "Soil Fertilizers." He thinks that stable manure well decomposed is the best, it being a perfect manure. He has tried land plaster on manure heaps and found that it prevented the escape of ammonia. Phosphoric acid and potash are very necessary for fruits and may be applied, either in the form of unleached hard wood ashes or phosphates. One of the very best fertilizers, however, lies in thoroughly cultivating plants, vines and trees, and thus make use of the food elements that nature has placed in the soil.

The following are a few of the questions asked :

What is the cheapest and best way of protecting trees from mice ? A. The practice of banking trees is not only expensive but ineffectual, as the mice will run up the bank and girdle the trees. Clean cultivation is the best preventive, but is not always practicable. Where a man has a great many acres of young fruit trees, it is impossible to grow hoed crops on all the ground, summer fallowing would be a waste of land, and grain or grass must necessarily be grown in some measure. Tar paper sometimes blisters the trees, thereby stunting their growth, but we believe this is due to its fitting the trunk too tightly. It should be tied on loosely and removed early in the spring, and, in spite of its blistering tendencies, is the cheapest and best preventitive. A new tar paper, that is tar sandwiched between papers, is being tried here this winter for the first time. It is thought that it cannot blister the tree, the only question being whether there is sufficient tar in it to deter the mice.

A question as to when native plum trees, planted in a standard plum orchard with the object of top grafting them, should be so treated, was answered by the Vice-President, Mr. J. S. FREEMAN, who thought they should be grafted as early as possible after the first season.

OFFICERS.

The following are the officers of the Association for the year 1893 :

President : GEO. E. FISHER, Freeman P.O.

Vice-President : J. S. FREEMAN, Freeman P.O.

Secretary-Treasurer : A. W. PEART, Freeman P.O.

Assistant-Secretary : GEO. N. PEER, Freeman P.O.

Directors : Apples, E. PEART ; Grapes, C. N. DYNES ; Small Fruits, W. V. HOPKINS ; Pears and Peaches, Dr. ZIMMERMAN ; Plums, W. F. W. FISHER ; Vegetables, H. WILLIAMS ; Shipping, Jos. LINDLEY.

Entertainment Committee : President, Vice-President, Secretary-Treasurer.

Auditors : C. N. DYNES and Geo. N. PEER.

REPORT OF FRUITS.

While in our locality, this has been a good season for the growth of wood, which is going into winter well matured, it has been generally unfavorable for fruit, the wet weather of May and June causing undue development of fungoid growth, thereby seriously impairing the quality of pears and apples, of which the yields were large. There were scarcely any plums, due probably to the heavy crop of last year. The peach crop was nil, the buds being frozen during winter. Cherries were few, owing, it is thought, to imperfect fertilization, the weather being wet and cold during the blossoming season. Grapes were a light crop. A few of the more tender varieties were frozen in the winter, while many were so late in ripening as to be practically useless. Some vineyards on thoroughly drained soil gave a heavy crop of fine quality. Raspberries and blackberries were a light crop. Some of the varieties, notably the Cuthbert, suffered seriously from frost during winter. The strawberry crop was fair, but of inferior quality, small and sour, due, we think, to imperfect fertilization and protracted wet weather. Red currants were a light crop ; black currants a heavy crop, the quality of both being good. Gooseberries were a fine crop and were unusually free from mildew. Quinces, a full crop, although relatively few are grown in this locality. The acreage of fruit plantations has been largely increased during the past year, especially in the direction of pears and plums. Generally speaking, the crop of vegetables was fair, tomatoes heavy, radishes, table carrots and beets unusually good, onions and cauliflower good, cabbage and celery light. Melons were a good crop but poor in quality, potatoes a light crop and badly effected by the rot.—GEO. E. FISHER, President.

This
of uniti
terest to
send one
send our
and the
Dur
during t
helpful t
Thos. A.

The
Presid
Vice-P
Secreta
Directo
BRYAN, M
BROOKE, C

The
ance on h
ing for 18
papers giv
to the O
annual re

The
passed in
very succ
raspberrie
the surplus
some one
out of the

The a

Presiden
Secretary
Committe
addition to t

The T
at the close
Mr. C
and address
his experie

BRANT COUNTY FRUIT GROWERS' ASSOCIATION.

This Society was formed in 1890. The fruit growers of Brant county were desirous of uniting for two principal reasons, first, that we might discuss subjects of general interest to the fruit grower, and thereby benefit by each others experience, and, second, to send one of our members to the northern markets to open up places that we might safely send our surplus fruit and thereby save money. In former years each man went himself and the expense was much heavier than the expense of one man.

During the two years of our existence we have held three and four open meetings, during the winter season, and as many more society meetings, which have been very helpful to successful fruit growing. We have averaged a membership of over fifty. Mr. Thos. A. Ivey was President for two years, and was a very able president.

OFFICERS.

The present year, at the annual meeting, we elected the following officers :

President : J. R. HOWELL.

Vice-President : A. DAWSON.

Secretary-Treasurer : D. M. LEE.

Directors : DAVID GREIG, Cainsville, JOHN CARNIE, Paris, SIMON CHAPIN, Brantford, H. J. BRYAN, Mohawk, A. B. LEE, Northfield Centre, JAS. MILLER, Paris, THOS. A. IVEY, Brantford, D. WEST-BROOKE, Cainsville, CHARLES GRANTHAM, Cainsville.

The Treasurer's report showed the Society to be in good position, with a small balance on hand. As the Ontario Fruit Growers' Association have held their winter meeting for 1892 in our county, we have received a new impetus for the year. Should the papers given during the next year be as good as the last year, we will preserve and send to the Ontario Association, to the *Horticulturist* for publication, or hold over for the annual report, as may be thought advisable by our superiors.

The county of Brant is noted for its large apple orchards, and the quality not surpassed in the Province. Pears and plums are not so largely grown, but can be grown very successfully, especially in the northern portion of the county. Strawberries and raspberries are very largely grown in all parts of the county, and also tomatoes. But the surplus of tomatoes, as well as strawberries and raspberries, is so heavy that, unless some one should start a canning factory, in a few years many will be compelled to drop out of these kinds of fruit.

D. M. LEE,
Secretary.

PETERBOROUGH FRUIT GROWERS' ASSOCIATION.

The annual meeting was held on the 3rd of February, 1892.

OFFICERS ELECTED FOR 1892.

President : GEORGE HILLIARD.*

Secretary : E. B. EDWARDS.

Committee : JAMES MIDDLETON, J. GILES, FRED. STENSON, JAMES MCKIBBON and G. M. ROGER, in addition to the President and Secretary.

The Treasurer's statement showed receipts for the year \$53, and a balance on hand at the close of the year of \$160.

Mr. Craig, Horticulturist of the Central Experimental Farm, Ottawa, was present and addressed the meeting on the work of the Experimental Farm, giving the results of his experience in testing new varieties of fruit trees, etc. A long discussion followed, in

* Since deceased.

which several members took part, and Mr. Craig answered many questions put to him with regard to the varied difficulties and doubts that the members had experienced. At the afternoon session Mr. A. M. Smith, of St. Catharines, addressed the meeting on the subject of "The Culture of Small Fruits," and this as well was followed by an interesting and useful discussion.

Mr. Gilbert, of the Central Experimental Farm, gave an address on the question of raising poultry in connection with fruit growing, pointing out the advantage to be derived from the manure and the removal of the insect enemies.

Mr. Craig delivered a further address on the subject of "Producing Fruit of the Finest Quality," pointing out amongst other things the necessity of thinning apples and of careful grading.

EXPLA
the best v
varieties b
imperfect s
more point
illshapen s
other thing
The co
pose for wh

Alexander.
American G
American S
Arnold's B
American E
Adam's Pea
Autumn St
Bailey Swee
Baldwin . . .
Beauty of K
Ben Davis .
Benoni . . .
Belmont . . .
Blenheim P
Blue Pearm
Bottle Green
Bourassa . .
Cabashea . .
Canada Balc
Canada Reir
Cayuga Red
Chenango St
Colvert . . .
Cornish Gilli
Cox's Orange
Cranberry P
Cellini
Domine
Drap d'Or . .
Detroit Blac
Duchess of O
Dyer
Early Harves
Early Joe . . .
Early Straw
Edgar's Red
Ella
Esopus Spitz
Fallawater . .
Fall Jenettin
Fall Orange.
Fall Pippin .
Flushing Spit
Fameuse

APPENDIX III.

CATALOGUE OF FRUITS—APPLES.

FOR USE OF JUDGES AT EXHIBITIONS.

EXPLANATORY NOTE.—In the plan of rating, all varieties are supposed to be perfect specimens; then the best varieties under each of three or four heads are rated at ten, and all the more or less inferior varieties by some figure less than ten. It frequently happens, however, even with the best varieties, that imperfect samples are exhibited. In such cases all values given in the Catalogue must be reduced one or more points each, for (1) lack of color, (2) undersize, (3) unevenness of size on plate, (4) wormy, scabby or illshapen specimens, (5) lack of stem or calyx, (6) polished fruits, *i.e.*, having bloom wiped off, or for any other thing which tends to change the natural appearance of the fruit.

The column "Total Value" is for use when prizes are offered for fruits without designating the purpose for which such fruits may be required.

| Name. | Season. | Quality. | | Commercial value. | | Total Value. |
|-------------------------------|---------|----------|----------|-------------------|-----------------|--------------|
| | | Dessert. | Cooking. | Home market. | Foreign market. | |
| Alexander..... | A | | 9 | | | |
| American Golden Russet..... | W | 9 | 8 | 9 | 10 | 28 |
| American Summer Pearmain..... | S | 3 | 1 | 8 | 9 | 34 |
| Arnold's Beauty..... | W | 5 | 2 | 2 | 3 | 6 |
| American Pippin..... | W | 5 | 8 | 3 | 5 | 12 |
| Adam's Pearmain..... | W | 8 | 8 | 7 | 7 | 21 |
| Autumn Strawberry..... | A | 5 | 1 | 2 | 5 | 30 |
| Bailey Sweet..... | W | 2 | 8 | 1 | 3 | 13 |
| Baldwin..... | W | 2 | 5 | 7 | 8 | 14 |
| Beauty of Kent..... | A | | 8 | 8 | 7 | 22 |
| Ben Davis..... | W | | 1 | 8 | 9 | 23 |
| Benoni..... | S | 10 | | 1 | | 19 |
| Belmont..... | W | 3 | 6 | 4 | 6 | 11 |
| Blenheim Pippin..... | W | 6 | 7 | 9 | 10 | 19 |
| Blue Pearmain..... | W | 6 | 6 | 8 | 8 | 32 |
| Bottle Greening..... | W | 6 | 7 | 2 | 4 | 28 |
| Bourassa..... | W | 5 | 4 | 3 | 6 | 19 |
| Cabashea..... | W | 2 | 7 | 8 | 9 | 18 |
| Canada Baldwin..... | W | 6 | 8 | 8 | 9 | 26 |
| Canada Reinette..... | W | 4 | 8 | 5 | 7 | 31 |
| Cayuga Red Streak..... | A | 2 | 8 | 7 | 8 | 24 |
| Chenango Strawberry..... | A | 8 | 3 | 7 | | 25 |
| Colvert..... | A | 1 | 9 | 7 | 8 | 18 |
| Cornish Gilliflower..... | W | 1 | | 1 | 2 | 25 |
| Cox's Orange Pippin..... | A | 9 | 3 | 7 | 10 | 4 |
| Cranberry Pippin..... | W | 7 | 8 | 8 | 8 | 29 |
| Cellini..... | W | 2 | 8 | 7 | 6 | 31 |
| Domine..... | W | 5 | 7 | 6 | 7 | 23 |
| Drap d'Or..... | A | 2 | 6 | 3 | 5 | 25 |
| Detroit Black..... | A | | 4 | 2 | 4 | 16 |
| Duchess of Oldenburgh..... | S | 2 | 10 | 10 | 10 | 10 |
| Dyer..... | A | 7 | 5 | 3 | | 32 |
| Early Harvest..... | S | 9 | 3 | 9 | | |
| Early Joe..... | S | 8 | 3 | 3 | | 21 |
| Early Strawberry..... | S | 8 | 2 | 7 | | 14 |
| Edgar's Red Streak..... | W | 5 | 7 | 7 | 8 | 17 |
| Ella..... | W | 2 | 4 | 3 | 5 | 27 |
| Esopus Spitzenburg..... | W | 9 | 7 | 9 | 10 | 14 |
| Fallwater..... | W | 7 | 8 | 8 | 9 | 35 |
| Fall Jenetting..... | A | 3 | 7 | 7 | 7 | 32 |
| Fall Orange..... | A | 4 | 7 | 6 | 3 | 24 |
| Fall Pippin..... | A | 6 | 8 | 7 | 7 | 20 |
| Flushing Spitzenburg..... | W | 6 | 6 | 6 | 7 | 28 |
| Fameuse..... | A | 9 | 5 | 9 | 8 | 25 |
| | | | | | | 31 |

NOTE.—In the first column the letter S denotes summer, A autumn and W winter.

CATALOGUE OF FRUITS.—APPLS.—Continued.

| Name. | Season. | Quality. | | Commercial value. | | Total Value. |
|-------------------------|---------|----------|----------|-------------------|-----------------|--------------|
| | | Dessert. | Cooking. | Home market. | Foreign market. | |
| Fall Queen (See Haas) | W | | | | | |
| Gloria Mundi | W | | 8 | 6 | 8 | 22 |
| Golden Russet (English) | W | 8 | 7 | 8 | 9 | 32 |
| Golden Sweet | A | 2 | 4 | 1 | | 7 |
| Grand Sultan | A | 2 | 7 | 7 | | |
| Gravenstein | A | 9 | 9 | 10 | 10 | 38 |
| Green Newton Pippin | W | 9 | 4 | 6 | 8 | 27 |
| Grimes' Golden | W | 9 | 2 | 6 | 7 | 24 |
| Haas (See Fall Queen) | A | 5 | 7 | 7 | 6 | 25 |
| Hawley | S | 6 | 5 | 5 | | 16 |
| Hawthornden | A | 2 | 8 | 7 | 7 | 24 |
| Holland Pippin | A | 6 | 8 | 7 | 7 | 28 |
| Hubbardston Nonsuch | W | 7 | 8 | 8 | 8 | 31 |
| Hurlbut | W | 5 | 5 | 4 | 6 | 20 |
| Irish Peach | S | | | | | |
| Jeffries | A | 7 | 6 | 6 | 7 | 26 |
| Jersey Sweeting | A | 1 | 3 | 1 | | 5 |
| Jonathan | W | 9 | 7 | 7 | 8 | 31 |
| Kentish Fillbasket | A | | 8 | 8 | 8 | 24 |
| Keswick Codlin | A | 1 | 9 | 6 | 7 | 23 |
| King of Tompkins County | W | 8 | 10 | 10 | 10 | 38 |
| Lady | W | 9 | | 1 | 9 | 19 |
| Late Strawberry | A | 7 | 5 | 5 | 7 | 24 |
| Lawver | W | 5 | 7 | 4 | 5 | 21 |
| Lord Suffield | A | 3 | 8 | 6 | 7 | 24 |
| Lord Duncan | A | 2 | 9 | 7 | 6 | 24 |
| London Pippin | W | | 8 | | | |
| Lowell | A | 5 | 7 | 4 | | |
| Lord Burleigh | A | 2 | 9 | 5 | | 16 |
| La Rue | W | 1 | 9 | 10 | 5 | 25 |
| Maiden's Blush | A | 3 | 7 | 7 | 8 | 25 |
| Mann | W | 4 | 7 | 6 | 8 | 25 |
| Magog Red Streak | W | 3 | 7 | 5 | 7 | 22 |
| McIntosh Red | W | 6 | 7 | 7 | 8 | 28 |
| Melon | W | 8 | 8 | 7 | 8 | 31 |
| Minister | A | 4 | 6 | 6 | 5 | 21 |
| Monmouth Pippin | W | 6 | 8 | 6 | 7 | 27 |
| Mother | A | 8 | 7 | 6 | 6 | 27 |
| Munson Sweet | A | 1 | 3 | 2 | | 6 |
| Newtown Spitzenburg | A | 7 | 8 | 6 | 7 | 28 |
| Northern Spy | W | 8 | 10 | 10 | 10 | 38 |
| Newton Pippin | W | 9 | 9 | 7 | 10 | 35 |
| Ontario | W | 9 | 10 | 10 | 10 | 39 |
| Peck's Pleasant | W | 7 | 7 | 6 | 8 | 28 |
| Pennock | W | 5 | 7 | 7 | 8 | 27 |
| Pewaukee | W | 4 | 8 | 8 | 8 | 28 |
| Peach | A | | | | | |
| Phoenix | W | 4 | 7 | 7 | 8 | 26 |
| Pomme Grise | W | 9 | | 5 | 7 | 21 |
| Pomme Grise d'Or | W | 10 | | 6 | 8 | 24 |
| Porter | A | 5 | 4 | 5 | 3 | 17 |
| Priestly | W | 4 | 5 | 6 | 7 | 22 |
| Primate | S | 7 | 6 | 6 | | 19 |
| Prenzea | A | 9 | 9 | 5 | 5 | 28 |
| Princess Louise | W | 10 | 7 | 8 | 8 | 33 |
| Pumpkin Sweet | A | | 4 | 1 | | 5 |
| Pumpkin Russet | A | 1 | 6 | 4 | 5 | 16 |
| Pomme Royale (See Dyer) | | | | | | |
| Rambo | A | 5 | 1 | 2 | 5 | 13 |
| Rawles Janet | W | 4 | 5 | 3 | 5 | 17 |
| Red Astrachan | S | 5 | 7 | 8 | | 20 |
| Red Belle-fleur | A | 2 | 4 | 2 | | 8 |
| Red Canada | W | 6 | 6 | 7 | 8 | 27 |
| Red Cathed | A | 6 | 8 | 7 | 7 | 28 |
| Red Russet | W | 5 | 6 | 7 | 7 | 25 |
| Red Bietigheimer | A | | | | | |
| Rhode Island Greening | W | 8 | 10 | 8 | 8 | 34 |

Ribston Pippin
Roxbury Red
Scarlet Pear
Shiawassee
Smith's Cider
Smokehouse
Sops of Wine
St. Lawrence
Stump
Summer Red
Swaar
Swazie Pond
d'Or
Stark
Snow (See Fall Queen)
Talmage Sweet
Tetofsky
Trenton
Twenty Ounce
Vadevere
Wagener
Wallbridge
Wealthy
Westfield Seedling
White Astrachan
William's Favorite
Wine Sap
Wine
Yellow Belle
Yellow Trans

Agawam (Rogers)
Allen's Hybrid
Amber Queen
Amber
Aminia (Rogers)
Ann Arbor
August Giant
Augusta
Barry (Rogers)
Brighton
Black Eagle
Black Pearl
Burnett
Canada
Catawba
Champion

LIST OF

CATALOGUE OF FRUITS.—APPLES.—Continued.

| Total Value. | Name. | Season. | Quality. | | Commercial value. | | Total Value. |
|--------------|---|---------|----------|----------|-------------------|-----------------|--------------|
| | | | Dessert. | Cooking. | Home market. | Foreign market. | |
| 22 | Ribston Pippin | W | 10 | 8 | 8 | 10 | 36 |
| 32 | Roxbury Russet | W | 6 | 8 | 8 | 9 | 31 |
| 7 | Scarlet Pearmain | A | 5 | 6 | 5 | 6 | 22 |
| 38 | Shiawassee Beauty | A | 7 | 6 | 6 | | 19 |
| 27 | Smith's Cider | W | 1 | 4 | | 1 | 6 |
| 24 | Smokehouse | A | 3 | 6 | 4 | 6 | 19 |
| 24 | Sops of Wine | S | 2 | 5 | 2 | | 9 |
| 25 | St. Lawrence | A | 7 | 8 | 8 | 8 | 31 |
| 16 | Stump | A | 5 | 6 | 5 | | 16 |
| 24 | Summer Rose | S | 6 | 6 | 4 | | 16 |
| 28 | Swaar | W | 7 | 2 | 1 | 4 | 14 |
| 31 | Swazie Pomme Grise (See Pomme Grise d'Or) | | | | | | |
| 20 | Stark | W | 2 | 2 | 7 | 8 | 19 |
| 26 | Snow (See Fameuse) | | | | | | |
| 5 | Talman Sweet | | 2 | 7 | 5 | 6 | 20 |
| 31 | Tetofsky | W | 1 | 5 | 1 | | 7 |
| 24 | Trenton | S | 10 | 5 | 9 | 9 | 33 |
| 23 | Twenty Ounce (See Cayuga Red Streak) | A | | | | | |
| 38 | Vadevere | A | 6 | 5 | 4 | 6 | 21 |
| 19 | Wagener | W | 8 | 7 | 6 | 7 | 28 |
| 24 | Wallbridge (See Edgar's Red Streak) | | | | | | |
| 21 | Wealthy | W | 8 | 6 | 9 | 9 | 32 |
| 24 | Westfield Seek-no-Further | W | 7 | 7 | 7 | 8 | 29 |
| 24 | White Astracan | S | 1 | 2 | 1 | | 4 |
| | William's Favorite | W | 5 | 7 | 5 | 6 | 23 |
| 16 | Wine Sap | W | 7 | | 1 | 3 | 11 |
| 25 | Wine | W | 7 | 7 | 8 | 8 | 30 |
| 25 | Yellow Belle-fleur | W | 8 | 7 | 5 | 5 | 25 |
| 25 | Yellow Transparent | S | 6 | 7 | 6 | | 19 |

GRAPES.

(This list is subject to revision each year.)

| Varieties. | Color. | Season. | Quality for table. | Ship'g value. | Market value. | Total. |
|------------------------|--------|---------|--------------------|---------------|---------------|--------|
| Agawam (Rog. 15) | R | L | 8 | 10 | 9 | 27 |
| Allen's Hybrid | W | M | 5 | 2 | 4 | 11 |
| Amber Queen | R | M | 5 | 4 | 4 | 13 |
| Amber | R | L | 1 | 3 | 2 | 6 |
| Aminia (Rog. 39) | B | M | 8 | 10 | 6 | 24 |
| Ann Arbor | W | E | 3 | 2 | 3 | 8 |
| August Giant | B | M | 1 | 1 | 3 | 5 |
| Augusta | B | M | 6 | | | |
| Barry (Rog. 43) | B | M | 5 | 9 | 6 | 20 |
| Brighton | R | E | 9 | 6 | 8 | 23 |
| Black Eagle | B | L | 1 | 3 | 2 | 6 |
| Black Pearl | B | L | 1 | 3 | 2 | 6 |
| Burnett | B | M | 5 | 5 | 4 | 14 |
| Canada | B | M | 2 | 3 | 1 | 6 |
| Catawba | R | L | 9 | 8 | 8 | 25 |
| Champion | B | E | 2 | 5 | 5 | 12 |

LIST OF ABBREVIATIONS :—R red, W white, B black, L late, E early, and M Medium.

CATALOGUE OF FRUITS.—GRAPES.—Continued.

| Varieties. | Color. | Season. | Quality for table. | Ship'g value. | Market value. | Total. |
|--------------------------|--------|---------|--------------------|---------------|---------------|--------|
| Clinton | B | L | 5 | 5 | 2 | 7 |
| Concord | B | M | 7 | 6 | 8 | 21 |
| Cottage | B | E | 5 | 5 | 4 | 14 |
| Creveling | B | E | 6 | 6 | 3 | 15 |
| Croton | W | E | 4 | 3 | 3 | 10 |
| Cynthiana | B | L | 1 | 2 | 1 | 4 |
| Courtland | B | E | 2 | 5 | 5 | 12 |
| Delaware | R | E | 10 | 7 | 9 | 26 |
| Diana | R | L | 6 | 8 | 7 | 21 |
| Duchess | W | L | 1 | 6 | 7 | 14 |
| Dracut Amber | R | E | 1 | 6 | 7 | 14 |
| Eaton | B | M | 7 | 5 | 3 | 15 |
| Early Dawn | B | M | 6 | 4 | 4 | 14 |
| Elvira | W | L | 1 | 2 | 1 | 4 |
| Empire State | W | L | 3 | 4 | 4 | 11 |
| Early Ohio | B | E | 3 | 6 | 5 | 14 |
| Eumelan | B | E | 6 | 5 | 4 | 15 |
| Eldorado | W | M | 7 | 5 | 2 | 14 |
| Etta | W | L | 2 | 4 | 3 | 9 |
| Early Victor | B | E | 5 | 4 | 3 | 12 |
| Essex (Rog. 41) | B | L | 3 | 7 | 6 | 16 |
| Faith | W | E | 2 | 2 | 3 | 7 |
| Florence | B | E | 2 | 2 | 3 | 7 |
| Goethe (Rog. 1) | R | L | 8 | 5 | 5 | 18 |
| Gaertner (Rog. 14) | R | M | 8 | 6 | 6 | 20 |
| Hartford | B | E | 3 | 5 | 6 | 14 |
| Herbert (Rog. 14) | B | M | 6 | 8 | 7 | 21 |
| Highland | B | L | 3 | 4 | 2 | 9 |
| Hayes | W | M | 5 | 2 | 3 | 10 |
| Herbemont | B | L | 1 | 2 | 3 | 6 |
| Iona | R | L | 8 | 7 | 6 | 21 |
| Isabella | B | L | 3 | 7 | 6 | 16 |
| Ives | B | E | 2 | 5 | 5 | 12 |
| Israella | B | L | 3 | 6 | 4 | 13 |
| Janesville | B | E | 2 | 3 | 3 | 8 |
| Jessica | W | E | 5 | 5 | 5 | 15 |
| Jefferson | R | L | 6 | 4 | 5 | 15 |
| Jewell | B | M | 4 | 4 | 2 | 10 |
| Lady | W | E | 7 | 3 | 5 | 15 |
| Lady Washington | W | L | 3 | 5 | 3 | 11 |
| Lindley (Rog. 9) | R | E | 10 | 9 | 9 | 28 |
| Massasoit (Rog. 3) | R | E | 6 | 4 | 5 | 15 |
| Martha | W | M | 6 | 5 | 3 | 14 |
| Merrimac (Rog. 49) | B | L | 7 | 9 | 6 | 22 |
| Moore's Early | B | E | 7 | 6 | 9 | 22 |
| Moyer | R | E | 7 | 7 | 9 | 23 |
| Mills | B | M | 6 | 7 | 3 | 16 |
| Moore's Diamond | W | E | 7 | 7 | 7 | 21 |
| Marion | B | L | 1 | 4 | 2 | 7 |
| Niagara | W | M | 8 | 5 | 9 | 22 |
| Noah | W | L | 1 | 5 | 3 | 9 |
| Norton | B | L | 1 | 5 | 2 | 8 |
| Northern Muscadine | R | M | 2 | 6 | 6 | 14 |
| Oneida | R | M | 3 | 2 | 4 | 9 |
| Ontario | B | M | 2 | 4 | 4 | 10 |
| Othello (Arnold's No. 1) | B | L | 2 | 3 | 2 | 7 |
| Perkins | R | E | 2 | 6 | 6 | 14 |
| Pocklington | W | M | 6 | 6 | 6 | 18 |
| Prentiss | W | L | 5 | 7 | 4 | 16 |
| Poughkeepsie Red | W | E | 6 | 6 | 7 | 19 |
| Pearl | R | L | 1 | 2 | 1 | 4 |
| Rebecca | W | M | 8 | 4 | 4 | 16 |
| Requa (Rog. 28) | R | M | 7 | 8 | 7 | 22 |
| Rentz | B | M | 1 | 2 | 2 | 5 |
| Rockingham | B | M | 7 | 6 | 8 | 21 |
| Roger No. 17 | B | M | 6 | 6 | 6 | 18 |
| Roger No. 32 | R | L | 3 | 7 | 6 | 16 |

Roger No. 3
Roger No. 1
Salem (Rog.
Sanasqua...
Secretary...
Telegraph...
Transparent...
Triumph...
Taylor...
Ulster Prolif...
Union Villag...
Vergennes...
Victor (See E...
Walter...
Worden...
White Ann...
Wilder (Rog...
Wyoming Re...
Woodruff Re...

Ananas d'Eté
Bartlett...
Beurre Giffar...
Brandywine...
Clapp's Favor...
Dearborn...
Doyenne d'Eté...
Kirkland...
Manning's Eli...
Osband's Sum...
Petite Margue...
Souvenir des C...
Tyson...

Belle Lucrati...
Beurre Bosc...
Beurre Hardy...
Beurre Superfi...
Buffam...
Doyenne Bons...
Doyenne Grey...
Doyenne Whit...
Duchess d'Ang...
Flemish Beaut...
Frederick Clap...
Howell...
Kieffer...
Louise Bonne...
Seckel...
Sheldon...
Swan's Orange...
Triumph de V...
Doyenne de Co...

CATALOGUE OF FRUITS.—GRAPES.—Continued.

| Varieties. | Color. | Season. | Quality for table. | Ship'g value. | Market value. | Total. |
|-----------------------------|--------|---------|--------------------|---------------|---------------|--------|
| Roger No. 33 | B | M | 5 | 7 | 6 | 18 |
| Roger No. 11 | B | M | 7 | 8 | 7 | 22 |
| Salem (Rog. 22) | R | M | 8 | 8 | 8 | 24 |
| Sanasqua | B | L | 5 | 5 | 5 | 15 |
| Secretary | B | M | 3 | 4 | 3 | 10 |
| Telegraph | B | M | 3 | 5 | 3 | 11 |
| Transparent | W | L | 1 | 4 | 1 | 6 |
| Triumph | W | L | 1 | 5 | 1 | 7 |
| Taylor | W | L | 1 | 4 | 2 | 7 |
| Ulster Prolific | R | M | 4 | 5 | 5 | 14 |
| Union Village (See Ontario) | | | | | | |
| Vergennes | R | L | 6 | 10 | 8 | 24 |
| Victor (See Early Victor) | | | | | | |
| Walter | R | M | 6 | 7 | 7 | 20 |
| Worden | B | E | 9 | 4 | 8 | 21 |
| White Ann Arbor | W | E | 4 | 4 | 4 | 12 |
| Wilder (Rog. 4) | B | M | 8 | 9 | 8 | 25 |
| Wyoming Red | R | E | 5 | 6 | 7 | 18 |
| Woodruff Red | R | M | 4 | 6 | 5 | 15 |

PEARS.

| Varieties. | Dessert. | Home market. | Total. |
|----------------------|----------|--------------|--------|
| <i>Summer.</i> | | | |
| Ananas d'Eté | | | |
| Bartlett | 5 | 7 | 12 |
| Beurre Giffard | 8 | 10 | 18 |
| Brandywine | 7 | 8 | 15 |
| Clapp's Favorite | 8 | 9 | 17 |
| Dearborn | 7 | 8 | 15 |
| Doyenne d'Eté | 6 | 4 | 10 |
| Kirkland | 6 | 6 | 12 |
| Manning's Elizabeth | 6 | 6 | 12 |
| Osband's Summer | 7 | 6 | 13 |
| Petite Marguerite | 8 | 6 | 14 |
| Souvenir des Congres | 8 | 6 | 14 |
| Tyson | 4 | 7 | 11 |
| | 9 | 6 | 15 |
| <i>Autumn.</i> | | | |
| Belle Lucrative | | | |
| Beurre Bosc | 10 | 4 | 14 |
| Beurre Hardy | 9 | 8 | 17 |
| Beurre Superfine | 8 | 8 | 16 |
| Buffam | 7 | 6 | 13 |
| Doyenne Bonssock | 4 | 4 | 8 |
| Doyenne Grey | 6 | 8 | 14 |
| Doyenne White | 8 | 6 | 14 |
| Duchess d'Angouleme | 8 | 7 | 15 |
| Flemish Beauty | 6 | 8 | 14 |
| Frederick Clapp | 8 | 9 | 17 |
| Howell | | | |
| Kieffer | 7 | 9 | 16 |
| Louise Bonne | 3 | 5 | 8 |
| Seckel | 5 | 6 | 11 |
| Sheldon | 10 | 6 | 16 |
| Swan's Orange | 9 | 9 | 18 |
| Triumphe de Vienne | 4 | 6 | 10 |
| Doyenne de Comice | 8 | 8 | 16 |
| | 8 | 6 | 14 |

CATALOGUE OF FRUITS.—PEARS.—Continued.

| Varieties. | Desert. | Home market. | Total. |
|----------------------------|---------|--------------|--------|
| <i>Winter.</i> | | | |
| Anjou | 10 | 9 | 19 |
| Beurre Gris d'Hiver | 4 | 5 | 9 |
| Clairgeau | 4 | 8 | 12 |
| Dempsey | | | |
| Dana's Hovey | | | |
| Diel | 5 | 6 | 11 |
| Glout Morceau | 8 | 8 | 16 |
| Goodale | 8 | 8 | 16 |
| Jones | | | |
| Josephine de Malines | 8 | 8 | 16 |
| Lawrence | 7 | 8 | 15 |
| Mount Vernon | 6 | 5 | 11 |
| Reeder | | | |
| Vicar | 2 | 3 | 5 |
| Winter Nelis | 8 | 8 | 16 |
| Loyenne | | | |
| Prest Druard | | | |

DISTRICT FRUIT LIST.—APPLES.

Showing the varieties considered most desirable for planting in the various Agricultural Districts in Ontario.

DISTRICT No. 1.—Stormont, Dundas, Glengarry, Prescott and Cornwall.

Summer.—Yellow Transparent, Duchess of Oldenburgh.
Autumn.—Alexander, Fameuse, Gideon, St. Lawrence.
Winter.—LaRue, Pewaukee, Golden Russet, Ben Davis, Talman Sweet.

DISTRICT No. 2.—Lanark, Renfrew, City of Ottawa, Carleton and Russell,

Summer.—Yellow Transparent, Duchess of Oldenburgh.
Autumn.—Alexander, Montreal Peach, Wealthy and Haas.
Winter.—Pewaukee, Golden Russet, Scott's Winter, Talman Sweet and Edgar's Red Streak.

DISTRICT No. 3.—Frontenac, City of Kingston, Leeds, Grenville and Brockville.

Summer.—Yellow Transparent, Duchess of Oldenburgh and Red Astrachan.
Autumn.—Alexander, Wealthy and St. Lawrence.
Winter.—Golden Russett, Pewaukee, LaRue, Ben Davis and Red Canada.

DISTRICT No. 4.—Hastings, Prince Edward, Lennox and Addington.

Summer.—Yellow Transparent and Duchess of Oldenburgh.
Autumn.—Alexander, Trenton, Gravenstein and Wealthy.
Winter.—Ontario, Hubbardson's Nonsuch, Pewaukee, Ben Davis and Cranberry Pippin.

DISTRICT No. 5.—Durham, Northumberland, Peterboro', Victoria and Haliburton.

Summer.—Yellow Transparent and Duchess of Oldenburgh.
Autumn.—Alexander, Colvert, St. Lawrence and Gravenstein.
Winter.—Ontario, Hubbardson's Nonsuch, Pewaukee, Ben Davis and Blenheim Pippin.

DISTRICT No. 6.—York, Ontario, Peel, Cardwell and City of Toronto

Summer.—Yellow Transparent and Duchess of Oldenburgh.
Autumn.—Alexander, Gravenstein, Red Beitigheimer and Wealthy.
Winter.—Golden Russet, Pewaukee, Ontario, Ben Davis and Hubbardson's Nonsuch.

DISTRICT

Summ
Autu
Wint

DISTRICT

Summ
Autu
Wint

DISTRICT

Summ
Autu
Wint

DISTRICT

Summ
Autu
Wint

DISTRICT

Summ
Autu
Wint

DISTRICT

Summ
Autu
Wint

DISTRICT

Summ
Autu
Wint

DISTRICT NO.

Black.—C
Red.—De
White.—

DISTRICT NO.

Black.—E
Red.—De
White.—

DISTRICT NO.

Black.—C
Red.—Lin
White.—M

DISTRICT NO.

Black.—W
Red.—W
White.—J

DISTRICT No. 7.—Wellington, Waterloo, Wentworth, Halton, Dufferin and City of Hamilton.

Summer.—Yellow Transparent, Red Astrachan and Duchess of Oldenburgh.

Autumn.—Gravenstein, Colvert and Wealthy.

Winter.—Golden Russet, Ontario, Blenheim Pippin, Baldwin and Cranberry Pippin.

DISTRICT No. 8.—Lincoln, Welland, Haldimand and Monck.

Summer.—Duchess of Oldenburgh and Red Astrachan.

Autumn.—Gravenstein, Ribston Pippin and Wealthy.

Winter.—Blenheim Pippin, Ontario, Princess Louise, Golden Russet and Cranberry Pippin.

DISTRICT No. 9.—Elgin, Essex, Oxford and Norfolk.

Summer.—Duchess of Oldenburgh and Red Astrachan.

Autumn.—Gravenstein, Twenty Ounce and Fall Pippin.

Winter.—Blenheim, Pippin, Ontario, Baldwin, R. I. Greening and Golden Russet.

DISTRICT No. 10.—Huron, Bruce and Grey.

Summer.—Yellow Transparent and Duchess of Oldenburgh.

Autumn.—Gravenstein, Wealthy and Colvert.

Winter.—Pewaukee, Ontario, Baldwin, Hubbardston's Nonsuch and Cranberry Pippin.

DISTRICT No. 11.—Middlesex, Perth and City of London.

Summer.—Duchess of Oldenburgh and Yellow Transparent.

Autumn.—Gravenstein, Colvert, Alexander and Fall Pippin.

Winter.—Golden Russet, Ribston Pippin, Ontario, Hubbardston's Nonsuch and Cranberry Pippin.

DISTRICT No. 12.—Essex, Kent and Lambton.

Summer.—Yellow Transparent and Duchess of Oldenburgh.

Autumn.—Gravenstein, Chenango, Strawberry, Wealthy and Lowell.

Winter.—Ontario, Blenheim Pippin, Baldwin, R. I. Greening and Golden Russet.

DISTRICT No. 13.—Algoma, Simcoe, Muskoka and Parry Sound.

Summer.—Duchess of Oldenburgh and Yellow Transparent.

Autumn.—Alexander, Colvert, Red Beitigheimer and St. Lawrence.

Winter.—Pewaukee, Golden Russet, Scott's Winter, LaRue and Wealthy.

DISTRICT FRUIT LIST.—GRAPES.

DISTRICT No. 1 :

Black.—Champion, Worden, Early Victor, Moore's Early.

Red.—Delaware, Lindley Moyer, Wyoming Red.

White.—Eldorado, Niagara, Jessica, Vergennes.

DISTRICT No. 2 :

Black.—Barry, Rog. 17, Herbert, Moore's Early, Worden.

Red.—Delaware, Gartner, Norwood, Vergennes, Lindley.

White.—Duchess, Kensington, Moore's Diamond, Lady.

DISTRICT No. 3 :

Black.—Champion, Moore's Early, Worden, Hartford.

Red.—Lindley, Brighton, Delaware.

White.—Moore's Diamond, Jessica, Eldorado.

DISTRICT No. 4 :

Black.—Worden, Moore's Early, Early Victor.

Red.—Wyoming Red, Delaware, Moyer.

White.—Jessica, Moore's Diamond, Niagara.

DISTRICT No. 5 :

Black.—Champion, Worden, Wilder.*Red.*—Brighton, Delaware, Salem, Lindley, Agawam.*White.*—Niagara.

DISTRICT No. 6 :

Black.—Worden, Moore's Early, Champion.*Red.*—Brighton, Lindley, Delaware, Wyoming Red.*White.*—Jessica, Niagara.

DISTRICT No. 7 :

Black.—Concord, Worden, Rog. 4—44, Moore's Early.*Red.*—Rog. 9—15, Vergennes, Delaware, Brighton.*White.*—Niagara, Moore's Diamond.

NORTH LAKE DISTRICT :

Black.—Champion, Worden, Rog. 4, Moore's Early.*Red.*—Wyoming Red, Salem, Rog. 9, Delaware, Brighton.*White.*—Jessica, Lady, Niagara.

DISTRICT No. 8 :

Black.—Concord, Worden, Rog. 44, Moore's Early.*Red.*—Rog. 9—15, Vergennes, Delaware, Brighton.*White.*—Niagara, Moore's Diamond, Pocklington.

DISTRICT No. 9 :

Black.—Worden, Concord, Rog. 4—44, Moore's Early.*Red.*—Delaware, Lindley, Agawam, Brighton.*White.*—Niagara, Pocklington.

DISTRICT No. 10 :

Black.—Concord, Moore's Early, Worden.*Red.*—Brighton, Delaware, Lindley.*White.*—Niagara, Lady.

LAKE SHORE DIVISION :

Black.—Concord, Worden, Moore's Early, Barry.*Red.*—Agawam, Brighton, Lindley.*White.*—Niagara, Lady.

DISTRICT No. 11 :

Black.—Concord, Worden, Rog. 19, Rog. 4.*Red.*—Rog. 9—15, Brighton, Delaware.*White.*—Niagara, Moore's Diamond, Jessica.

DISTRICT No. 12 :

Black.—Concord, Worden, Moore's Early, Hartford.*Red.*—Delaware, Walter, Rog. 15—22, Brighton.*White.*—Niagara, Prentiss, Lady.

DISTRICT No. 13 :

Black.—Worden, Moore's Early, Champion.*Red.*—Delaware, Lindley, Wyoming Red.*White.*—Jessica, Moore's Diamond, Lady.

In compiling the foregoing Grape Lists we have consulted the Directors, as well as the leading fruit growers throughout the several Districts. We have also tried to frame the lists so as to advise the planting of such varieties as bear the highest general points for each District for hardiness, productiveness, etc., shipping quality of fruit, and commercial values.

G. W. CLINE, *Chairman of Committee.*