

**CIHM
Microfiche
Series
(Monographs)**

**ICMH
Collection de
microfiches
(monographies)**



Canadian Instituta for Historical Microreproductions / Institut canadien de microreproductions historiques

© 1998

Technical and Bibliographic Notes / Notes techniques et bibliographiques

The Institute has attempted to obtain the best original copy available for filming. Features of this copy which may be bibliographically unique, which may alter any of the images in the reproduction, or which may significantly change the usual method of filming are checked below.

- Coloured covers / Couverture de couleur
- Covers damaged / Couverture endommagée
- Covers restored and/or laminated / Couverture restaurée et/ou pelliculée
- Cover title missing / Le titre de couverture manque
- Coloured maps / Cartes géographiques en couleur
- Coloured ink (i.e. other than blue or black) / Encre de couleur (i.e. autre que bleue ou noire)
- Coloured plates and/or illustrations / Planches et/ou illustrations en couleur
- Bound with other material / Relié avec d'autres documents
- Only edition available / Seule édition disponible
- Tight binding may cause shadows or distortion along interior margin / La reliure serrée peut causer de l'ombre ou de la distorsion le long de la marge intérieure.
- Blank leaves added during restorations may appear within the text. Whenever possible, these have been omitted from filming / Il se peut que certaines pages blanches ajoutées lors d'une restauration apparaissent dans le texte, mais, lorsque cela était possible, ces pages n'ont pas été filmées.
- Additional comments / Commentaires supplémentaires:

L'Institut a microfilmé le meilleur exemplaire qu'il lui a été possible de se procurer. Les détails de cet exemplaire qui sont peut-être uniques du point de vue bibliographique, qui peuvent modifier une image reproduite, ou qui peuvent exiger une modification dans la méthode normale de filmage sont indiqués ci-dessous.

- Coloured pages / Pages de couleur
- Pages damaged / Pages endommagées
- Pages restored and/or laminated / Pages restaurées et/ou pelliculées
- Pages discoloured, stained or foxed / Pages décolorées, tachetées ou piquées
- Pages detached / Pages détachées
- Showthrough / Transparence
- Quality of print varies / Qualité inégale de l'impression
- Includes supplementary material / Comprend du matériel supplémentaire
- Pages wholly or partially obscured by errata slips, tissues, etc., have been refilmed to ensure the best possible image / Les pages totalement ou partiellement obscurcies par un feuillet d'errata, une pelure, etc., ont été filmées à nouveau de façon à obtenir la meilleure image possible.
- Opposing pages with varying colouration or discolourations are filmed twice to ensure the best possible image / Les pages s'opposant ayant des colorations variables ou des décolorations sont filmées deux fois afin d'obtenir la meilleure image possible.

This item is filmed at the reduction ratio checked below / Ce document est filmé au taux de réduction indiqué ci-dessous.

10x	12x	14x	16x	18x	20x	22x	24x	26x	28x	30x	32x
								<input checked="" type="checkbox"/>			

The copy filmed here has been reproduced thanks to the generosity of:




National Library of Canada

The images appearing here are the best quality possible considering the condition and legibility of the original copy and in keeping with the filming contract specifications.

Original copies in printed paper covers are filmed beginning with the front cover and ending on the last page with a printed or illustrated impression, or the back cover when appropriate. All other original copies are filmed beginning on the first page with a printed or illustrated impression, and ending on the last page with a printed or illustrated impression.

The last recorded frame on each microfiche shall contain the symbol → (meaning "CONTINUED"), or the symbol ▽ (meaning "END"), whichever applies.

Maps, plates, charts, etc., may be filmed at different reduction ratios. Those too large to be entirely included in one exposure are filmed beginning in the upper left hand corner, left to right and top to bottom, as many frames as required. The following diagrams illustrate the method:



L'exemplaire filmé fut reproduit grâce à la générosité de:

Bibliothèque nationale du Canada

Les images suivantes ont été reproduites avec le plus grand soin, compte tenu de la condition et de la netteté de l'exemplaire filmé, et en conformité avec les conditions du contrat de filming.

Les exemplaires originaux dont la couverture en papier est imprimée sont filmés en commençant par le premier plat et en terminant soit par la dernière page qui comporte une empreinte d'impression ou d'illustration, soit par le second plat, selon le cas. Tous les autres exemplaires originaux sont filmés en commençant par la première page qui comporte une empreinte d'impression ou d'illustration et en terminant par la dernière page qui comporte une telle empreinte.

Un des symboles suivants apparaîtra sur la dernière image de chaque microfiche, selon le cas: le symbole → signifie "A SUIVRE", le symbole ▽ signifie "FIN".

Les cartes, planches, tableaux, etc., peuvent être filmés à des taux de réduction différents. Lorsque le document est trop grand pour être reproduit en un seul cliché, il est filmé à partir de l'angle supérieur gauche, de gauche à droite, et de haut en bas, en prenant le nombre d'images nécessaire. Les diagrammes suivants illustrent la méthode.

LABORATORY


OF THE

INLAND REVENUE DEPARTMENT

OTTAWA, CANADA

BULLETIN No. 363

MALT EXTRACT FOR BAKERS' USE



NOTES AND COMMENTS.

Under this heading, as occasion arises, the Bulletins issued by this Department will contain, as an appendix, such comment as may seem necessary or advisable upon matters relating to the work of the Department in connection with the administration of the Adulteration Act, the Fertilizers Act, the Feeding Stuffs Act or the Proprietary Medicines Act.

It frequently happens that correspondents ask information regarding the above Acts, of such a nature that the matter in question possesses general interest, and comment upon it would prove acceptable and useful to others than the immediate questioner. In such cases the reply may find a place in these columns. For convenience of reference these notes will appear in series.

A. MCGILL,
Chief Analyst.

LABORATORY
OF THE
INLAND REVENUE DEPARTMENT
OTTAWA, CANADA

BULLETIN No. 363

MALT EXTRACT FOR BAKERS' USE

OTTAWA, 9th February, 1917.

J. U. Vincent, Esq., K.C.,
Deputy Minister of Inland Revenue,

SIR.—I had the honour, in February of last year, to report to you upon a collection of so-called Malt Extracts (152 samples) since published as Bulletin No. 326.

This term was found to include many different types of food material, varying from the pharmacopoeial article, to extracts which differed little, if at all, from ordinary beer.

Since publication of the report named, many inquiries have been made regarding the Malt Extracts which are now largely employed by bakers, and which were not specially represented in my last report.

The article in question is generally understood to be a concentrated preparation of the soluble matters of barley malt, so treated as not to destroy the activity of the diastase, whose presence and amount constitutes, probably, the most valuable feature of the extract from the baker's standpoint.

The diastatic value of Malt, and Malt Extract is usually expressed in degrees Lintner; and I have used this form of stating it, as being most intelligible to ordinary readers. A malt preparation is said to have a value of 100 degrees Lintner, when one-tenth cubic centimeter of a 5 per cent solution converts enough starch to completely reduce 5cc of a standard Fehling's Solution, certain definite conditions of time and temperature being observed.

The Malt Extract of the British pharmacopoeia, as reported in Bulletin No. 326, was found to possess Lintner values somewhat above 100 degrees in the best samples, average samples giving values from 50 to 60 degrees.

Malt.—According to Ebertz and Schule (Lunge, Technical Methods, Vol. 111, 698) the diastatic power of English brewing malt is usually between 20° to 40° Lintner, while that of green malt may be as high as 100° to 125°.

Five of the samples purchased by our inspectors, are found to be, not malt extracts, as called for by their instructions, but ground malt, or malt flour. These five samples possess diastatic values ranging from 54.4 degrees Lintner to 64.5 degrees. (See samples 74813, 74814, 74815, 74818 and 75028.)

Malt Extract.

Baker (Allen's Commercial Organic Analysis, 4th Edn., Vol. 1, 145) quotes six samples of commercial extracts as giving Lintner values from 25.6 degrees, to 46.5 degrees; the mean value being 33.6 degrees.

Parry (Food and Drugs, 1911, page 166) quotes six samples of Malt Extracts, as varying from 14° Lintner to 38°; and mentions the last as being "one of the best known brands, and of the best quality." The mean value for these six samples is 26.7 degrees Lintner.

Eighteen samples herein reported vary from 12.2 degrees Lintner to 50.0 degrees, the average value being 30.0 degrees.

The content in reducing sugars, which represent complete hydrolysis of starchy matter, is also a condition of value. These substances not only give sweetness to the bread, but also assist in retaining the natural moisture of the loaf. According to *Parry* (loc. cit.) the reducing sugars, stated as maltose, in nine samples, varied from 48 per cent to 62 per cent, the average amount being 56.7 per cent.

Eighteen samples reported herein give reducing sugars (as maltose) from 60 to 75 per cent, averaging 67.9 per cent.

The ash of malt and malt extracta, represents the mineral constituents of the article; and this mineral matter possesses a value as yeast food.

There is no evidence in the accompanying analytical results, to show that additions have been made to the extracts for the purpose of increasing such yeast food. The ash normal to malt extracts, varies from about 1.4 to about 1.7 as a percentage on the extract. The ash found only exceeds these limits by being less in amount than the minimum quoted.

This is the first occasion upon which we have examined the special extract which forms the subject of this report; and I am not aware of any standards for the article having authoritative endorsement. If it should be considered desirable to fix such standards, a much fuller, and more extended investigation should be undertaken.

Meantime, I would respectfully recommend publication of this report as Bulletin No. 363.

I have the honour to be, Sir,
Your obedient servant,

A. MCGILL,
Chief Analyst.

BULLETIN No. 363—

Date of Collection.	Nature of Sample.	No. of Sample.	Name and Address of Vendor.	Cost.		Name and Address of Manufacturer or Furnisher as given by the Vendor.	
				Quantity.	Cents.	Manufacturer.	Furnisher.

DISTRICT OF MONTREAL—

1916.							
Aug. 29	Malt Extract.	74811	James Strachan, Ltd., 240 City Hall ave., Montreal.	3 jars.			Bowes Co., Ltd., Toronto.
" 29	"	74812	" "	3 "		P. Ballantine & Sons, Newark, N.J.	
" 29	Ground Malt	74813	A. & L. Strachan, 167 Cadieux st., Montreal.	3 "		D. & J. Finlayson, Montreal.	
" 29	"	74814	D. J. Finlayson & Son, 308 Victoria ave., Westmount.	3 "		Vendor	
" 29	"	74815	" "	3 "		"	
" 29	Malt Extract.	74816	Dent Harrison, 323 Prince Albert ave., Westmount.	3 "		British Malt Products Co., England	
" 31	"	74817	Canada Bread Co., 609 Rivard st., Montreal.	3 "		American Diamalt Co., Riverside, Cincinnati.	
" 31	Ground Malt.	74818	Henri Lacombe, 622 Rivard st., Montreal.	3 "	10	D. J. Finlayson	

DISTRICT OF TORONTO—

July 17	Malt Extract.	75451	Hilton Bread Co., 611 Gerard st., E. Toronto.	1½ lb.	20	American Diamalt Co., Cincinnati.	
" 17	"	75452	Malt Products of Canada Ltd., 1 Howard Park, Toronto.	1½ "	20	Vendors	
" 26	"	75467	The Bowes Co., Ltd., Front st., E. Toronto.	1½ "	25	Malt Diastase Co., New York.	

DISTRICT OF HAMILTON—

June 26	Malt Extract.	75441	McLaughlin Sons & Co., Ltd., Owen Sound.	1½ lb.	20	American Diamalt Co., Cincinnati.	
" 29	"	75442	Geo. Williams, 135 Wyndotte ave., Guelph.	2 "	25	Malt Products Co., Hamilton.	
" 29	"	75443	Imperial Biscuit Co., Wilson Co., Guelph.	1½ "	15	Malt Diastase Co., New York.	
July 11	"	75444	H. & C. Linkert Bros., 115 Park st., Hamilton.	1½ "	20	Ballantine & Sons, Newark, N.J.	

DISTRICT OF WINNIPEG—

July 14	Malt Flour.	75029	A. W. Stone & Sons, Brandon.	3 lb.	45	Malt Products Co., Toronto.	
" 28	Malt Extract.	75030	Canada Bread Co., Portage ave., Winnipeg.	3 bats.	Nil	American Diamalt Co., Cincinnati.	
Aug. 19	"	75031	Speers Parnell Co., 606 Elgin ave., Winnipeg.	3 "	"	"	
" 19	"	75040	Milton's Bakery, 672 Balfantyne ave.	3 "	"	Bowes Ltd., Toronto	

MALT EXTRACT.

Inspector's Report. (Is not an expression of opinion.)	Results of Analysis.								Remarks and Opinion of the Chief Analyst
	Specific gravity at 20° C.	Solids by weight	Ash.	Reducing Sugars as Dextrose.	Reducing Sugars as Maltose.	Diastatic Value, Lintner's.	Ash as p.c. on Solids.	No. of Sample	

D. J. KEARNEY, INSPECTOR.

Liquid.....	1·356	72·60	0·80	38·40	60·00	50·0	1·10	74811	
".....	1·372	75·00	1·34	40·83	63·80	37·2	1·79	74812	
Powder.....				12·50	18·75	60·6		74813	In ground malt.
".....			2·16	11·76	17·64	64·5	2·16	74814	"
".....			2·16	16·66	25·0	60·2	2·16	74815	"
Liquid.....	1·391	77·40	1·80	40·17	62·70	37·0	2·33	74816	
".....	1·399	74·80	0·86	45·16	70·59	35·9	1·15	74817	
Powder.....			1·80	14·28	21·42	64·3	1·80	74818	In ground malt.

H. J. DAGER, INSPECTOR.

.....	1·371	74·60	1·00	45·16	70·50	27·3	1·34	75451	
.....	1·391	76·50	1·20	42·64	66·20	31·0	1·55	75452	
.....	1·381	77·64	1·34	42·64	66·60	22·0	1·73	75467	

H. J. DAGER, ACTING INSPECTOR.

.....	1·388	77·06	1·40	45·16	70·50	27·3	1·82	75441	
.....	1·381	78·40	1·64	38·40	60·00	12·2	2·09	75442	
.....	1·384	78·08	1·42	48·00	75·00	35·3	1·82	75443	
.....	1·377	75·00	1·00	40·83	63·80	37·2	1·33	75444	

J. B. COSGROVE, INSPECTOR.

Dry Extract.....	1·40	28·57	42·81	54·4	1·40	75029	In ground malt.
.....	1·369	74·60	1·62	48·00	75·00	30·5	2·17	75030	
.....	1·373	74·84	1·60	48·00	75·00	30·5	2·14	75031	
.....	1·372	72·80	1·60	42·64	66·80	31·6	2·19	75040	

BULLETIN No. 363—

Date of Collection.	Nature of Sample.	No. of Sample.	Name and Address of Vendor.	Cost.		Name and Address of Manufacturer or Furnisher as given by the Vendor.	
				Quantity.	Cents.	Manufacturer.	Furnisher.

DISTRICT OF VANCOUVER—

1916.							
July 5	Malt Extract.	55662	Shelley Bros. Bakery, cor 10th ave. & Ash st., Vancouver.	1 lb.	Nil.	American Co., Cincinnati.	Diamalt
" 5	"	55664	Hampton Bros., 1695 7th ave., Vancouver.	1 "	"	"	"
" 6	"	55665	Ramsay & Pinechin Co., 60 Lansdowne st., Vancouver.	1 "	"	"	"
" 7	"	55666	Stevenson Bros., cor. Willow st. & 17th ave., Vancouver.	1 "	15	"	"

MALT EXTRACT.

Inspector's Report. (Is not an expression of opinion.)	Results of Analysis.								Remarks and Opinion of the Chief Analyst.
	Specific gravity at 20° C.	Solids by weight.	Ash.	Reducing Sugars as Dextrose.	Reducing Sugars as Maltose.	Diastatic Value. Lintner's.	Ash as P.C. on Solids.	No. of Sample.	
C. S. EMES, INSPECTOR.									
.....	1.392	77.48	1.20	40.83	63.80	32.4	1.55	55662	
.....	1.381	75.00	1.08	48.00	75.00	19.3	1.44	55664	
.....	1.349	72.60	1.00	42.64	66.60	23.4	1.38	55665	
.....	1.362	72.86	1.00	45.15	70.59	20.0	1.37	55666	

