


## IMAGE EVALUATION TEST TARGET (MT-3)



Photographic Sciences Corporation

23 WEST MAIN STREE YEBSTER, N.Y. 14580 7716 \ 872-4503 STATE OF THE STATE



CIHM/ICMH Microfiche Series.

CIHM/ICMH Collection de microfiches.



Canadian Institute for Historical Microreproductions / Institut canadien de microreproductions historiques



# (C) 1981

#### Technical and Bibliographic Notes/Notes techniques at bibliographiques

Th to

Th po of file

Or bethe sic otl firs sic or

The shi TIN wh

Ma diff ent beg rigil req me

Coloure Encre de Coloure Planche Bound v Relié av Tight bin La reliur distortic	d plates and/or set/ou illustrativith other matered d'autres documular may causterior margin/e serrée peut can le long de la reves added duri	n couleur than blue or bla utre que bleue or illustrations/ ons en couleur rial/ uments e shadows or dis suser de l'ombre marge intérieure	u noire) stortion ou de la		Pages déci- Pages deta Pages déta Showthrou Transparer Quality of Qualité iné Includes si Comprend Only editio Seule éditi Pages who slips, tissu ensure the	ached/ achées ugh/ nce print vari- gale de l' upplemen du matér en availab on dispor	es/ impressio tary mate iel supplé le/ iible tially obso	n rial/ mentair cured by refilme	re y errata
appear of have be if se per fors d'ur mais, lo pas été  Addition Comment	within the text. en omitted from it que certaines le restauration a reque cela était filmées.  Inal comments:/ Intaires supplémentaires supplémentaires supplémentaires at the reduitment au the	Whenever possil ofilming/ pages blanches apparaissent dan possible, ces pa	ajoutées s le texte, ges n'ont	ssous. 22X	Les pages obscurcies etc., ont ét obtenir la r	totalemer par un fe é filmées	t ou part uillet d'er à nouvea	iellemer rata, un u de fac	ne pelure,
12)		16X	20X		24X		28X		32X

The copy filmed here has been reproduced thanks to the generosity of:

Library Division
Provincial Archives of British Columbia

The images appearing here are the best quality possible considering the condition and legibility of the original copy and in keeping with the filming contract specifications.

Original copies in printed peper covers are filmed beginning with the front cover end ending on the lest page with a printed or illustrated impression, or the back cover when appropriate. All other original copies are filmed beginning on the first page with a printed or illustrated impression, and ending on the last page with a printed or illustrated impression.

The last recorded frame on each microfiche shall contain the symbol → (meaning "CONTINUED"), or the symbol ▼ (meaning "END"), whichever applies.

Maps, plates, charts, etc., may be filmed at different reduction ratios. Those too large to be entirely included in one exposure are filmed beginning in the upper left hand corner, left to right and top to bottom, as many frames as required. The following diagrams illustrate the method:

L'exemplaire filmé fut reproduit grâce à la générosité de:

Library Division
Provincial Archives of British Columbia

Les images suivantes ont été reproduites avec le plus grand soin, compte tenu de la condition et de la netteté de l'exemplaire filmé, et en conformité avec les conditions du contrat de filmage.

Les exemplaires originaux dont la couverture en papier est imprimée sont filmés en commençant par le premier plat et en terminant soit par la dernière page qui comporte une empreinte d'impression ou d'illustration, soit par le second plat, selon le cas. Tous les autres exemplaires origineux sont filmés en commençant par la première page qui comporte une empreinte d'impression ou d'illustration et en terminant par la dernière page qui comporte une telle empreinte.

Un des symboles suivants apparaîtra sur la dernière image de chaque microfiche, selon le cas: le symbole → signifie "A SUIVRE", le symbole ▼ signifie "FIN".

Les cartes, planches, tableaux, etc., peuvent être filmés à des taux de réduction différents. Lorsque le document est trop grand pour être reproduit en un seul cliché, il est filmé à partir de l'angle supérieur gauche, de gauche à droits, et de haut en bas, en prenant le nombre d'images nécessaire. Les diagrammes suivants illustrent la méthode.

1	2 .	3

1	
2	
3	

1	2	3		
4	5	6		

rata

ails

du

difier

nage

elure, à

32X

Muy 973.

THE

Duri vey of it becar the Uni point of monum about 8 survey direct o boundar near th Kootena guide n there w to perm tioned line wh of Cana there ha mines in certain and oth to pres

The discussic countritreaties sions h marking

of our i

The Maine of peace surveye

Musp 973.3

### THE NORTHWESTERN BOUNDARY BETWEEN THE UNITED STATES AND CANADA.

ΒY

#### RICHARD U. GOODE.

During the progress of the survey by the U. S. Geological Survey of a portion of the boundary line between Idaho and Montana it became necessary to identify a point on the boundary between the United States and Canada, so as to locate properly the terminal point of the line under survey. The nearest international boundary monument that existed was the Mooyie Trail monument, which was about 8½ miles west of the point of intersection. Previously, in the survey of the boundary line between Idaho and Washington, no direct connection with any monument marking the international boundary was attempted, as the nearest points marked were one near the Columbia River, about 13 miles west, and one near the Kootenai River, about 20 miles east. Similarly, in extending a guide meridian north from the 13th Standard Parallel in Idaho, there was no international boundary monument sufficiently near to permit of a connection being made. Thus, in the above-mentioned localities and many others, it is impossible to locate the line which separates the domain of the United States from that In view of these conditions, and, further, that recently there has arisen a controversy in regard to the location of valuable mines in the Mount Baker mining district in western Washingtoncertain parties claiming that the mines are in the United States and others maintaining that they are in Canada—it seems appropriate to present a brief summary of the facts relating to the survey of our northwestern boundary.

The northern boundary, generally, has been the subject of much discussion and dissension between the representatives of the two countries interested. There have been recognized in the various treaties three distinct portions of this boundary, and many commissions have been organized from time to time for the survey and marking of the line.

The northeastern boundary, extending from the eastern coast of Maine to the Lake of the Woods, was agreed upon by the treaty of peace concluded at Ghent, December 24, 1814, and was eventually surveyed and marked in a satisfactory manner.

The portion of the boundary between the northwest point of the Lake of the Woods and the summit of the Rocky Mountains, along the 49th Parallel, was the subject of the second article of the convention between the United States and Great Britain held October 20, 1818. This was surveyed by the Northern Boundary Commission in 1872 to 1876 and marked in a substantial manner, 388 monuments having been established in a distance of about 861 miles (7½ miles from the northwest point of the Lake of the Woods south to the 49th Parallel and 853½ miles west along the 49th Parallel to the summit of the Rocky Mountains).

The portion of the boundary west of the summit of the Rocky Mountains is usually referred to as the Northwestern Boundary. It includes a land portion extending along the 49th Parallel to the sea coast at Point Roberts and a water portion extending through the waters of Georgia, Haro and Juan de Fuca Straits to the Pacific Ccean. The definition of the water part of the boundary line was agreed upon in a treaty proclaimed August 5, 1846, but it was not until ten years afterwards that Congress made provision for a commission on the part of the United States to unite with a similar commission on the part of Great Britain to survey the northwestern boundary and establish the necessary monuments. The joint commissioners having disagreed as to the water boundary, it was finally settled in 1871 by arbitration. Emperor William I, of Germany was chosen as arbiter, and he decided in favor of the American contention. In the meantime, operations were commenced on the land portion of the line; but it is evident that thorough work was not contemplated, from an agreement entered into between the commissioners in regard to the conduct of the field operations. This agreement was as follows:

After discussing plans for determining and marking the line as fat eastward as the Cascade Mountains, it was concluded to be inexpedient at the present time, in consequence of the great expense, consumption of time, and the impracticable nature of the country, to mark the whole boundary by cutting a track through the dense forest.

It was therefore agreed to ascertain points on the line by the determination of astronomical points at convenient intervals on or near the boundary and to mark such astronomical stations, or points fixed on the parallel forming the boundary, by cutting a track of not less than 20 feet in width on each side for the distance of half a mile or more, according to circumstances. Further, that the boundary be determined and similarly marked where it crosses streams of any size, permanent trails, or any striking natural feature of the country.

In the vicinity of settlements on or near the line it is deemed advisable to cut the track for a greater distance and to mark it in a manner to be determined hereafter. Und the who 1858, 18 410 mil were no veyed a

From so
Cre
Flathea
Wigwan
Point 4
Yaak R
Mooyie
Kootena
Clark F
Similkar
Naisnule
Paseyter
Chuchuv
Stream

From 96 miles, even in than 2 m

De

River, a 1½, 3, 5 From

46 miles, obelisk a line were

The (
work of t
account
although

No tracever, although ments at

Vario

nt of the ns, along the con-October Commisner, 388 bout 861 ne Woods the 49th

e Rocky oundary. el to the ough the e Pacific line was t was not or a coma similar hwestern oint comvas finally Germany American ed on the work was

eastward as sent time, in cable nature h the dense

ween the

erations.

mination of o mark such y, by cutting half a mile ermined and or any strik-

able to cut

Under the above agreement, which was subsequently applied to the whole line, work was prosecuted through the field seasons of 1858, 1859, and 1860, the results being that, of the entire boundary, 410 miles long, 190 miles were cleared and marked and 220 miles were not surveyed or marked in any way. The principal unsurveyed and unmarked portions are indicated below:

From summit of Rocky Mountains westward to Kishenehn

Creek	13	miles.
Flathead River to Wigwam River	13	4.6
Wigwam River to point 6 miles east of Kootenai River	14	"
Point 4 miles west of Kootenai River to Yaak River	17	
Yaak River to Mooyie River	24	66
Mooyie Trail to Kootenai River	14	"
Kootenai River to Kootenai Mountains	25	
Kootenai Mountains to Clark Fork	9	6 6
Clark Fork to Columbia River	11	"
Similkameen River to Naisnuloh Station	1	
Naisnuloh Station to Paseyten River	24	
Paseyten River to Chuchuwanten Creek	6	
Chuchuwanten Creek to Skagit River	17	
Stream 6 miles west of Senehsay or Selacee River to	•	
De Lacy Trail from Whatcom to Fort Hope	16	
•		

From Columbia River to Similkameen River, a distance of about 96 miles, the line was marked by sixty-seven monuments, although even in this distance there are thirteen unmarked intervals greater than 2 miles, including three greater than 3 miles.

From Skagit River to stream 6 miles west of Senehsay or Selacee River, a distance of about 30 miles, there are intervals of about 1½, 3, 5, 4 and 6 miles in which there are no monuments.

From the De Lacy Trail to Point Roberts, a distance of about 46 miles, the line was well marked by forty-two iron pillars and one obelisk at Point Roberts. All other monuments established on the line were piles of stone or earth.

The Civil War followed soon after the completion of the field work of the Northwestern Boundary Survey, and probably on this account no report of the operations of the survey was published, although there is evidence that such a report was prepared.

No trace can be found of the manuscript of this report, however, although careful search has been made through the Departments at Washington and the files of Congress.

Various manuscript maps relating to the Northwestern Boundary

are on file at the State Department. The most important are ten detailed sheets, seven relating to the land portion of the boundary and three to the water portion. On the former are shown trails, timber, camps, monuments and vistas cut through the forest. These sheets are carefully drawn on the scale of 1:120,000, cc about 1.89 miles to one inch, the relief being represented by hachures. A conventional sign indicating the timbered areas is also introduced.

In addition to the detailed map, there are other maps and tracings, one set having some geographic value, being a compilation from original sketches, notes, and surveys. These maps include the areas covered by the detailed maps and considerable territory besides, evidently having been compiled from observations secured by various members of the Northwest Boundary Survey while making journeys and reconnaissances in connection with the immediate work in hand. The relief is shown by sketch contours, and the accuracy obtained, as indicated by comparison with recent topographic surveys, is remarkable, considering the circumstances under which the maps were made. The scale is identical with that of the detailed maps, and it is probable that the contours were originally drawn for the purpose of serving as a guide for the development of the hachure work on the detailed maps. None of these maps have been published, except that a few lithographic copies of the detailed maps, enlarged to twice the scale of the originals, were prepared and had a limited distribution in a few of the Departments at Washington. The existence of these maps is not generally known. and it is probable that if copies had been available for the use of those interested in the mining properties in the Mount Baker district an inspection would have given sufficient evidence to settle satisfactorily the question whether the mines are in the United States or in Canada,

There is presented herewith an index map showing limits of the detailed and reconnaissance sheets.

There was also deposited by the British Minister in 1871 in the State Department an atlas comprising maps, views, and tables of geographic positions relating to the Northwestern Boundary. The information contained in this atlas is practically the same as that shown on the original maps prepared by the United States officials, except that the British atlas contains ten photographic views of monuments and vistas. With the atlas are tables of geographic co-ordinates, with descriptions of stations. According to these tables there are 161 monuments, marking parts of a boundary line 410 miles in length.

INDEX MAP, SHOWING LIMITS OF UNPUBLISHED DETAILED SHEETS (CONTINUOUS LINES) AND RECONNAISSANCE SHEETS (BROKEN LINES) PREFARED BY THE U. S. NORTHWESTERN BOUNDARY SURVEY, ON FILE IN THE STATE DEPARTMENT, WASHINGTON.

the United imits of the

nt are ten boundary own trails,

est. These about 1.89 chures. A ntroduced. s and traccompilation include the

e territory ons secured while makimmediate rs, and the ecent topoinces under that of the originally elopment of maps have the detailed e prepared rtments at ally known, r the use of Baker disce to settle

1871 in the d tables of dary. The ame as that tes officials, ic views of geographic g to these undary line

There can be no doubt that the line should be carefully traced and substantially marked throughout its entire length by a joint commission. Estimates for doing this work have been submitted to the State Department, and these estimates include the astronomical determination of the latitude and longitude of a number of additional points, the extension of a system of triangulation along the axis of the line, the running of spirit-levels over the line, the preparation of a topographic map of the territory adjacent to the line, as well as the cutting out and marking of the line by stone and iron monuments, the monuments to be placed at intervals averaging not more than a mile.

A large portion of the country to be traversed is without roads or trails. In fact, the conditions and difficulties at present are not much different from those which existed when the original commission decided that it was not practicable, on account of the difficulties, to establish the line completely.

The summit of the Cascades adjacent to the international boundary is above the timber-line, and immense glaciers lie athwart the A short summer comes between the storms of a late spring and those of an early autumn, while the snows of one winter are scarcely melted before they are replaced by those of the next. Turgid and impassable streams, born of the glaciers, flow between precipitous ridges and lofty granite peaks, making long detours necessary to an advance in any direction. On either side of the summit, below the timber-line, is a thick mantle of vegetation, with great firs and cedars growing up from a mass of tangled underbrush. The above are, briefly, the characteristics of the country along and adjacent to the line in the Cascades, and the same difficult conditions exist in a somewhat less degree along the remaining unsurveyed portion of the line. On account of the shortness of the practicable field sesson, it is believed that at least three or four years would be required to execute the surveys necessary to the proper marking of the line.

fully traced by a joint submitted the astrof a number riangulation ver the line, adjacent to ine by stone at intervals

ithout roads sent are not riginal comount of the

ional boundathwart the a late spring e winter are of the next. dow between ong detours r side of the vegetation, agled underthe country he same diffihe remaining rtness of the

hree or four essary to the

