

615.11

9146

615.11

5146

RARE
BOOK
COLL



Library
of the
Academy of Medicine
Toronto
34938

Presented by

Dr. J. H. McPherson

1951

PHARMACOPŒIA
OF
St. Michael's Hospital
TORONTO

COMPILED BY A COMMITTEE
APPOINTED BY
THE MEDICAL BOARD

1916

NOTE:—The ingredients used in the compounds of this publication are mostly drugs or preparations of the British Pharmacopœia. Many other official and non-official drugs and preparations are also kept in stock.

TABLE OF CONTENTS.

	PAGE.
Balnea	5
Collunaria	6
Emulsiones	7
Enemata	8
Gargarismata	10
Guttæ	11
Haustus	15
Injectiones	16
Linctus	18
Linimenta	19
Lotiones	21
Misturæ	23
Nebulæ	34
Pastæ	36

	PAGE.
Pigmenta	37
Pilulæ vel Tabellæ	39
Potus	42
Pulveres	43
Sera	45
Suppositoria	47
Trochisci	47
Unguenta	48
Vaccines	55
Vapores	56

BALNEA.

- 1.—BALNEUM CALIDUM.
Water at 98 deg. F. to 110 deg. F.
 - 2.—BALNEUM FRIGIDUM.
Water at 60 deg. F.
 - 3.—BALNEUM TEPIDUM.
Water at 85 deg. F. to 92 deg. F.
-

To make the following medicated baths, add the quantity of the ingredient mentioned to 30 gallons of water at 98 degrees F.

- 4.—BALNEUM ALKALINUM.
Sodium Carbonate, 4, 6, or 8 ounces.
- 5.—BALNEUM ALKALINUM COMPOSITUM.
Borax.1½ ounces
Sodium Carbonate6 ounces
Starch Paste4 ounces
- 6.—BALNEUM BITUMINIS.
Solution of Coal Tar..8 fluid ounces
- 7.—BALNEUM CREOSOTI.
Creosote2 fluid drachms
Glycerin2 fluid ounces

8.—BALNEUM FURFURIS.

Wheaten Bran 4 pounds

Tie the bran in a muslin bag and macerate with frequent agitation for 15 minutes in one-third of the water at 180 deg. F.; then add more water to produce the requisite quantity at 98 deg. F.

9.—BALNEUM SINAPIS.

Mustard 2 pounds

Rub the mustard to a smooth paste with cold water before adding it to the hot water.

10.—BALNEUM SODII CHLORIDI.

Salt 8 pounds.

11.—BALNEUM SULPHURATUM.

Sulphurated Potash .. 4 ounces

COLLUNARIA.

The following nasal douches are to be diluted with two parts of warm water before use.

12.—COLLUNARIUM ALKALINUM.

SYN: DOBELL'S SOLUTION.

R—Sodii Bicarbonatis gr. iv.
 Sodii Biboratis gr. iv.
 Acidi Carbolici Puri .. gr. ii. ...
Glycerini ~~Sacchari Purificati~~ ~~gr. xviii~~
 Aquam ad oz. i.

13.—COLLUNARIUM AMMONII CHLORIDI.

R—Ammonii Chloridi gr. x.
Sodii Chloridi gr. vi.
Sacchari Purificati gr. x.
Aquam ad oz.i.

14.—COLLUNARIUM BORACIS.

R—Sodii Biboratis gr. iv.
Sodii Bicarbonatis gr. iv.
Sodii Chloridi gr. iv.
Sacchari Purificati gr. x.
Aquam ad oz.i.

15.—COLLUNARIUM POTASSII PERMANGAN-
ATIS.

R—Potassii Permanganatis.. gr. $\frac{1}{4}$
Sodii Chloridi gr. x.
Aquam ad oz.i.

EMULSIONES.

16.—EMULSIO IODOFORMI.

Glycerini dr. iss.
R—Iodoformi gr. xlv.
Spiritus Rectificati .. dr. i.
Aquam ad oz.i.

17.—EMULSIO OLEI MORRHUÆ.

R—Olei Morrhuæ dr. i.
Olei Gaultheriæ m. $\frac{1}{4}$.
Liquorem Calcis ad dr. ii.

18.—EMULSIO OLEI MORRHUÆ CUM FERRO

R—Ferri Tartarati gr. v.
 Spiritus Aetheris m. v.
 Tincturæ Quillaia m. v.
 Olei Morrhuae drm. i.
 Aquam ad drm. ii.

19.—EMULSIO TONICA.

R—Emuls. Olei Morrhuae drm. i.
 Syrupus Ferri Iodidi m. xxx.
 Syrupus Hypophosphatis
 Compositum ad drm. ii.

ENEMATA.

20.—ENEMA 1. 2. 3.

R—Glycerini oz. ii.
 Magnesii Suphatis oz. iv.
 Aquae oz. vi.

21.—ENEMA AMYLI.

R—Pulveris Amyli drm. ii.
 Aquam ad oz. v.

Rub the starch to a smooth paste with the water, heat the mixture to boiling, then cool to proper temperature.

22.—ENEMA ASAFETIDÆ.

R—Tincturæ Asafetidæ oz. ss.
 Enema Amyli oz. vi.

23.—ENEMA ASAFETIDÆ ET TEREBINTHINÆ.

R—Tincturæ Asafetidæ .. drm. i.
Olei Terebinthinæ oz. i.
Glycerini oz. ss.
Aquam ad oz. vi.

This enema may be followed by one or two pints of the Enema Simplex.

24.—ENEMA CHLORAL.

R—Chloral Hydratis .. gr. x.-xl.
Enema Amyli ad oz. iv.

25.—ENEMA FERRI PERCHLORIDI.

R—Tincturæ Ferri Perchlor. drm. i.
Aquam ad Oss.

26.—ENEMA GLYCERINI.

R—Glycerini drm. i.-iv.

This may be used with or without an equal quantity of warm water.

27.—ENEMA OLEI RICINI.

R—Olei Ricini oz. iv.
Saponis Mollis oz. ss.
Aquam Calidam .. ad Oi.

28.—ENEMA OLEOSUM.

R—Olei Olivæ oz. iv.
Saponis Mollis oz. i.
Aquam Calidam ad Oi.

29.—ENEMA OPII.

R—Tincturæ Opii m.x.-lx.
 Enema Amyli .. ad oz. vi.

30.—ENEMA SIMPLEX.

R—Saponis Mollis oz. i.
 Aquam Calidam ad Oi.

31.—ENEMA SODII CHLORIDI.

R—Sodii Bicarbonatis .. drm. ss.
 Sodii Chloridi drm. ii.
 Aquam ad Oi.

32.—ENEMA TEREBINTHINÆ.

R—Olei Terebinthinæ .. drm. ss.-ii.
 Enema Amyli ..ad. Oi

GARGARISMATA.

To be used in the proportion of one drachm to half a tumbler of warm water.

33.—GARGARISMA ACIDI CARBOLICI.

R—Glycerini Acidi Carbol. m. xx.
 Aquam ad oz. i.

34.—GARGARISMA ALKALINUM.

SYN: DOBELL'S SOLUTION.

R—Sodii Biboratis gr. vi.
 Sodii Bicarbonatis .. gr. vi.
 Acidi Carbolici Puri .. m. ii.
~~Glycerini~~ ~~Sacchari Purificati~~ .. ~~gr. xviii~~
 Aquam ad oz. i.

35.—GARGARISMA ALUMINIS.

R—Aluminis	gr. x.
Aquam ad	oz. i.

36.—GARGARISMA BORACIS.

R—Glycerini Boracis	..	drm. i.
Aquam ad	oz. i.

37.—GARGARISMA MYRRHÆ COMPOSITUM.

R—Glycerini Boracis	..	drm. i.
Tincturæ Myrrhæ	..	m.x
Aquam ad	oz. i.

38.—GARGARISMA POTASSII CHLORATIS.

R—Potassii Chloratis	..	gr. xv.
Aquam ad	oz. i.

39.—GARGARISMA POTASSII CHLORATIS
CUM FERRO.

R—Liq. Ferri Perchlor.	..	m. xv.
Potassii Chloratis	..	gr. xv.
Glycerini	drm. i.
Aquam ad	oz. i.

 GUTTÆ.

40.—GUTTÆ ACIDI BORICI.

(Aural.)

R—Acidi Borici	gr. x.
Spiritus Rectificatus ad		oz. i.

41.—GUTTÆ ACIDI CARBOLICI.

SYN: KEITH'S DRESSING.

(Aural, etc.)

R—Glycerini Ac. Carbol... dr. iv.
Glycerinumad oz. i.

42.—GUTTÆ ACIDI CARBOLICI ET ZINCI
SULPHATIS.

(Aural)

R—Acidi Carbolici gr. v.
Zinci Sulphatis gr. v.
Aquamad oz. i.

43.—GUTTÆ ARGYROL.

(Ophthalmic)

R—Argyrol gr. i.-dr. iss.
Aquamad oz. i.

44.—GUTTÆ ATROPINÆ SULPHATIS.

(Ophthalmic)

R—Atropinæ Sulphatis .. gr. i.-iv.
Aquam Destillatam ad oz. i.

45.—GUTTÆ COCAINÆ HYDROCHLORIDI.

(Ophthalmic)

R—Cocainæ Hydrochloridi gr. x.
Aquam Destillatam ad oz. i.

46.—GUTTÆ CUPRI SULPHATIS.

(Ophthalmic)

R—Cupri Sulphatis gr. ii.
Aquam Destillatam ad oz. i.

47.—GUTTÆ DUBOISINÆ SULPHATIS.
(Ophthalmic)

R—Duboisinæ Sulphatis .. gr. i.
Aquam Destillatam ad oz. i.

48.—GUTTÆ ESERINÆ ET COCAINÆ.
(Ophthalmic)

R—Eserinæ Sulphatis .. gr. i.
Cocainæ Hydrochloridi gr. iv.
Aquam Destillatam ad oz. i.

49.—GUTTÆ ESERINÆ SULPHATIS.
(Ophthalmic)

R—Eserinæ Sulphatis .. gr. ss.-iv.
Aquam Destillatam ad oz. i.

50.—GUTTÆ HOMATROPINÆ ET COCAINÆ.
(Ophthalmic)

R—Homatropinæ Hydrobrom. gr. vi.
Cocainæ Hydrochloridi gr. x.
Aquam Destillatam ad oz. i.

51.—GUTTÆ HOMATROPINÆ ET COCAINÆ
OLEOSAE.
(Ophthalmic)

R—Homatropinæ Hydrobrom. gr. x.
Cocainæ Hydrochloridi gr. x.
Oleum Riciniad oz. i.

52.—GUTTÆ HOMATROPINÆ HYDROBROM-
IDI.
(Ophthalmic)

R—Homatropinæ Hydrobrom. gr. iv.
Aquam Destillatam ad oz. i.

- 53.—GUTTÆ HYDRARGYRI NITRATIS.
 (Aural)
 R—Ung. Hydrarg. Nit. Dil. drm. i.
 Olei Olivæ drm. ss.
 Paraffinum Liq. ad oz. i.
- 54.—GUTTÆ HYDROGENII PEROXIDI.
 (Aural)
 R—Hydrogenii Peroxidi
 (10 vols.) drm. iv.
 Aquam Destillatam ad oz. i.
- 55.—GUTTÆ HYOSCINÆ HYDROBROMIDI.
 (Ophthalmic)
 R—Hyoscinæ Hydrobrom. gr. i.-ii.
 Aquam Destillatam ad oz. i.
- 56.—GUTTÆ PILOCARPINÆ NITRATIS.
 (Ophthalmic)
 R—Pilocarpinæ Nitratis.. gr. ii.-iv.
 Aquam Destillatam ad oz. i.
- 57.—GUTTÆ SODII SALICYLATIS.
 (Ophthalmic)
 R—Sodii Salicylatis .. gr. viii.
 Aquam ad oz. i.
- 58.—GUTTÆ ZINCI CHLORIDI.
 (Ophthalmic)
 R—Zinci Chloridi gr. i.
 Aquam Destillatam ad oz. i.

59.—GUTTÆ ZINCI CHLORIDI ET ACIDI
BORICI.

(Ophthalmic)

R—Zinci Chloridi gr. ss.ii.
Acidi Borici gr. x.
Aquam Destillatam ad oz. i.

60.—GUTTÆ ZINCI CHLORIDI ET COCAINÆ.

(Ophthalmic)

R—Zinci Chloridi gr. ii.
Cocainæ gr. x.
Aquam Destillatam ad oz. i.

HAUSTUS.

61.—HAUSTUS ALBUS.

R—Magnesii Sulphatis drm. ii.
Magnesii Carbonatis gr. xss.
Tincturæ Zingiberis m. vss.
Aquamad oz. i.

62.—HAUSTUS FILICIS.

R—Extracti Filicis Liquidi drm. i.
Syrupi Zingiberis drm. i.
Tincturæ Quillaiaæ drm. ss.
Aquam Menthæ Pip. ad oz. i.

63.—HAUSTUS NIGER.

R—Magnesii Sulphatis .. gr. xlv.
 Tincturæ Sennæ .. m. viiss.
 Extracti Sennæ Liquidi m. xv.
 Ext. Glycyrrhizæ Liq. m. viiss.
 Tinct. Cardamomi Co. m. xv.
 Aquamad oz. i.

INJECTIONES.

64.—INJECTIO ACIDI BORICI.

(Vaginal)

R—Acidi Borici dram. i.
 Aquamad Oi.

65.—INJECTIO ACIDI TANNICI.

(Vaginal)

R—Acidi Tannici dram. i.
 Aquamad Oi.

66.—INJECTIO ALUMINIS.

(Vaginal)

R—Aluminis dram. i.
 Aquamad Oi.

67.—INJECTIO ALUMINIS COMPOSITA.

(Urethral)

R—Aluminis gr. iv.
 Acidi Carbolici Puri gr. 1/4
 Aquamad oz. i.

68.—INJECTIO PLUMBI.

(Vaginal)

R—Liquor Plumbi Subacetatis Fortis	drm. i.
Aquamad	Oi.

69.—INJECTIO POTASSII PERMANGANATIS.

(Vaginal)

R—Potassii Permanganatis	gr. v.
Aquamad	Oi.

70.—INJECTIO PROTARGOL.

(Urethral)

R—Protargol	gr. v.
Aquamad	oz. i.

71.—INJECTIO ZINCI CHLORIDI.

(Urethral)

R—Zinci Chloridi	gr. i.
Aquamad	oz. i.

72.—INJECTIO ZINCI CHLORIDI.

(Vaginal)

R—Zinci Chloridi	gr. v.
Aquamad	Oi.

73.—INJECTIO ZINCI PERMANGANATIS.

(Urethral)

R—Zinci Permanganatis	gr. ss.
Aquamad	oz. i.

74.—INJECTIO ZINCI SULPHATIS.

(Urethral)

R—Zinci Sulphatis	gr. ii.
Aquamad	oz. i.

75.—INJECTIO ZINCI SULPHATIS.
(Vaginal)

R—Zinci Sulphatis dr. i.
Aquam ad Oj.

76.—INJECTIO ZINCI SULPHOCARBOLATIS.
(Urethral)

R—Zinci Sulphocarbolutis gr. v.
Aquam ad oz. i.

LINCTUS.

77.—LINCTUS ACIDUS.

R—Oxymellis m. xxv.
Acidi Sulphurici Diluti m. v.
Linctum Simplicem ad dr. i.

78.—LINCTUS CAMPHORÆ COMPOSITUS.

R—Tinct. Camphoræ Co... m. xx.
Syrupi Scillæ m. xx.
Syrupi Tolutani m. xx.

79.—LINCTUS MENTHOLIS.

R—Mentholis gr. 1/16
Glycerini m. viii.
Aquæ Laurocerasi m. x.
Spiritus Vini Rect. m. xii.
Syrupi Rhœados m. xv.
Aquam ad dr. i.

80.—LINCTUS OPIATUS.

R—Tincturæ Opii	m. ii.
Acidi Sulphurici Diluti		m. ii.
Syrupi Simplicis	..	dr̄m. ss.
Aquam ad	dr̄m. i.

81.—LINCTUS SIMPLEX.

R—Theriacæ	m. xx.
Spiritus Chloroformi		m. ii.
Aquamad	dr̄m. i.

82.—LINCTUS TERPHEROIN.

R—Heroin Hydrochloridi		gr. 1/32
Terpin Hydratis	..	gr. 1/4
Acidi Hydrocyan. Dil.		m. i.
Syrupi Tolutani	dr̄m. ss.
Aquamad	dr̄m. i.

— — —

LINIMENTA.

83.—LINIMENTUM A. B. C.

R—Linimenti Aconiti,		
Linimenti Belladonnæ,		
Linimenti Chloroformi		
..	partes æquales

84.—LINIMENTUM ACONITI CUM SAPONE.

R—Linimenti Aconiti	..	dr̄m. ii.
Linimenti Saponis	..	dr̄m. vi.

85.—LINIMENTUM ANODYNUM.

R—Linimenti Aconiti ..
 Linimenti Opii ..
 Linimenti Belladonnæ
 partes æquales

86.—LINIMENTUM BELLADONNÆ CUM
 SAPONE.

R—Linimenti Belladonnæ drm. ii.
 Linimenti Saponis .. drm. vi.

87.—LINIMENTUM CROTONIS DILUTUM.

R—Linimenti Crotonis ..
 Linimenti Saponis ..
 partes æquales

88.—LINIMENTUM OPII.

R—Spiritus Methylati .. oz. iii.
 Linimenti Saponis .. oz. i.
 Tincturæ Opii oz. i.

89.—LINIMENTUM OPII COMPOSITUM.

R—Tincturæ Opii drm. i.
 Chloroformi drm. i.
 Lin. Camphoræ Amm. drm. ii.
 Linimenti Saponis .. drm. iv.

90.—LINIMENTUM TEREBINTHINÆ ACET-
 ICÆ.

R—Olei Terebinthinæ .. drm. iv.
 Acidi Acetici Glacialis drm. i.
 Linimenti Camphoræ drm. iv.

LOTIONES.

91.—LOTIO ACIDI BORICI.

(Ophthalmic)

R—Acidi Borici	gr. xv.
Aquam Destillatam ad	oz. i.

92.—LOTIO ACIDI BORICI.

R—Acidi Borici	gr. xv.
Aquamad	oz. i.

93.—LOTIO ACIDI HYDROCYANICI CUM SODIO.

(Ophthalmic)

R—Acidi Hydrocyanici Dil	m. iv.
Sodii Biboratis	gr. iv.
Sodii Bicarbonatis	gr. iv.
Aquam Destillatam ad	oz. i.

94.—LOTIO ACIDI SULPHUROSI.

R—Acidi Sulphurosi	drm. ii.
Aquamad	oz. i.

95.—LOTIO ALUMINIS.

(Ophthalmic)

R—Aluminis	gr. iv.
Aquam Destillatam ad	oz. i.

96.—LOTIO ALUMINIS ACETATIS.

R—Aluminis Sulphatis	drm. ii.
Lotionis Plumbi Sub-	
acetatis Diluti	Oj.

Agitate and let stand, then filter.

97.—LOTIO ALUMINIS COMPOSITA.
(Ophthalmic)

R—Aluminis	gr. ii.
Zinci Sulphatis	gr. i.
Aquam Destillatam ad	oz. i.

98.—LOTIO AQUÆ ROSÆ.

SYN:HAND LOTION.

R—Glycerini	drm. iv.
Spiritus Camphoræ ..	drm. ss.
Acidi Carbolici	m. ii.
Sodii Biboratis	m. v.
Aquam Rosæad	oz. i.

99.—LOTIO BORACIS.

(Ophthalmic)

R—Sodii Biboratis	gr. x.
Sodii Bicarbonatis ..	gr. x.
Aquam Destillatam ad	oz. i.

100.—LOTIO CALAMINÆ.

R—Calaminæ	gr. xl.
Zinci Oxidi	gr. xx.
Glycerini	m. xx.
Liquor Calcisad	oz. i.

101.—LOTIO CALAMINÆ OLEOSA.

R—Calaminæ	gr. lx.
Zinci Oxidi	gr. xx.
Liquoris Calcis	drm. iii.
Olei Olivæ	oz. i.

102.—LOTIO EUSOL.

R—Pulveris Eupad .. grms. xxv.
Aquae litre i.

Shake together, allow to stand for some hours, and then filter.

For intravenous injection add 8.5 grams of sterile sodium chloride.

103.—LOTIO EVAPORANS.

R—Ammonii Chloridi .. gr. x.
Spiritus Methylati .. drm. ii.
Liq. Amm. Acetatis .. drm. i.
Aquamad oz. i.

MISTURAE

104.—MISTURA ACIDA.

R—Acidi Nitro-hyd. Dil... m. xv.
Tincturæ Nucis Vom. m. viiss.
Tinct. Gentianæ Co... m. xv.
Aquamad drm. ii.

105.—MISTURA ACIDI HYDROCHLORIDI CUM
STRYCHNINA.

SYN: MISTURA TYPHOID.

R—Ac. Hydrochlor. Dil. .. m. viiss.
Liquoris Strychninæ m. iv.
Aquamad drm. ii.

106.—MISTURA ACIDI SULPHURICI CUM
OPIO.

R—Ac. Sulphurici Arom. m. v.
Tincturæ Opii m. v.
Tinct. Cardamomi Co. m. xx.
Aquam Chloroformi ad drm. ii.

107.—MISTURA AMMONIÆ CUM AETHERE.

R—Sp. Ammoniæ Aromat. drm. ss.
Spiritus Aetheris .. drm. ss.
Aquam Chloroformi ad drm. i'.

108.—MISTURA AMMONIÆ ET IPECACU-
ANHÆ.

R—Ammonii Carbonatis.. gr. v.
Vini Ipecacuanhæ .. m. x.
Aquam Camphoræ ad drm. ii.

109.—MISTURA ARSENICALIS ALKALINA
CUM FERRO.

R—Liquoris Arsenicalis .. m. iv.
Sp. Ammoniæ Aromat. drm. ss.
Ferri et Ammonii Cit. gr. v.
Aquamad drm. ii.

110.—MISTURA ARSENICI ET FERRI.

R—Liq. Asenici Hyd. .. m. iii.
Tinct. Ferri Perchlor. m. x.
Spiritus Chloroformi m. x.
Infusum Quassiæ ad drm. ii.

111.—MISTURA ASAFETIDÆ ET VALERIANÆ.

R—Tincturæ Asafetidæ. drm. ss.
Tinct. Valerianæ Amm. drm. ss.
Aquam Camphoræ ad drm. ii.

112.—MISTURA BISMUTHI ET CATECHU.

SYN: ANTI-DIARRHŒA MIXTURE.

R—Bismuthi Subnitratis	gr. xss.
Acidi Nitrici Diluti..	m. viii.
Tincturæ Chloroformi et Morphinæ Co. ..	m. ix.
Tincturæ Catechu ..	m. xv.
Aquamad	drm. ii.

113.—MIXTURA BISMUTHI COMPOSITA.

R—Bismuthi Carbonatis	gr. x.
Magnesii Carb. Levis ..	gr. x.
Sodii Bicarbonatis ..	gr. x.
Mucilag. Tragacanthæ	q. s.
Glycerini	m. x.
Aquam Chloroformi ad	drm. ii.

114.—MISTURA BROMIDI ET CHLORAL.

R—Potassii Bromidi ..	gr. xv.
Chloral Hydratis ..	gr. xv.
Syrupi Limonis ..	drm. ss.
Aquamad	drm. ii.

115.—MISTURA BROMIDI COMPOSITA.

R—Ammonii Bromidi ..	gr. v.
Potassii Bromidi ..	gr. v.
Sodii Bromidi	gr. v.
<i>Syr Aurantii</i> Tinct. Card. Co.	drm. ss.
Aq. Menth. Pip. ..	ad drm. ii.

116.—MISTURA BROMIDI ET NUCIS VOMICÆ.

R—Potassii Bromidi ..	gr. x.
Tincturæ Nucis Vom.	m. v.
Sp. Ammon. Aromat...	drm. ss.
Infus. Gent. Co. ..	ad drm. ii.

117.—MISTURA BUCHU COMPOSITA.

R—Potassii ^{Bicarbonatis} Citratis .. gr. xx.
 Sodii Benzoatis gr. x.
 Tincturæ Hyoscyami .. m. xx.
 Infusum Buchu ad drm. ii.

118.—MISTURA CALCII CHLORIDI.

R—Calcii Chloridi gr. xv.
 Tincturæ Zingiberis .. m. i.
 Aquam Chloroformi ad drm. ii.

119.—MISTURA CALUMBÆ COMPOSITA.

R—Sodii Bicarbonatis .. gr. vi.
 Spiritus Menthæ Pip... m. iss.
 Tincturæ Calumbæ .. drm. ss.
 Tincturæ Nucis Vom... m. vi.
 Tincturæ Rhei drm. ss.
 Aquam ad drm. ii.

120.—MISTURA CAJUPUTI COMPOSITA.

R—Spiritus Cajuputi .. m. xx.
 Sp. Ammon. Arom. .. m. xx.
 Spiritus Chloroformi m. xx.
 Aquam ad drm. ii.

121.—MISTURA CAPSICI SEDATIVA.

SYN: ANTI-ALCOHOLIC MIXTURE.

R—Potassii Bromidi .. gr. x.
 Sodii Bicarbonatis .. gr. x.
 Tincturæ Capsici .. m. v.
 Tincturæ Zingiberis m. xx.
 Aquam Chloroformi ad drm. ii.

122.—MISTURA CARYOPHYLLI.

R—Sodii Bicarbonatis .. gr. v.
 Sp. Ammon. Arom. .. m. xx.
 Spiritus Chloroformi .. m. x.
 Infusum Caryoph. ad drm. ii.

123.—MISTURA CASCARÆ.

R—Extracti Cascaræ Sag-
 radæ Liquidum drm. i.
 Ext. Glycyrrhizæ Liq. drm. ss.
 Sodii Bicarbonatis .. gr. x.
 Aquam Chloroformi ad drm. ii.

124.—MISTURA CHLORALAMIDI.

R—Chloralamidi gr. xx.
 Tincturæ Aurantii .. drm. i.
 Spiritus Rectificat. ad drm. ii.

125.—MISTURA CHLOROFORMI COMPOSITA.

R—Liq. Morph. Hyd. .. m. xii.
 Potassii Iodidi m. iii.
 Glycerini drm. ss.
 Aquam Chloroformi ad drm. ii.

126.—MISTURA COLCHICI.

R—Vini Colchici m. xv.
 Potassii Citratis .. gr. xx.
 Aquam Ment. Pip. ad drm. ii.

127.—MISTURA COPAIBÆ.

R—Balsami Copaibæ	..	m. iv.
Liquoris Potassæ	..	m. viiss.
Tincturæ Cubebæ	..	m. xv.
Tinct. Camph. Comp...		m. x.
Syrupi Simplicis	..	m. xv.
Mucilag Tragacanth.	..	drm. ss.
Aquamad drm. ii.

128.—MISTURA CREOSOTI.

R—Acidi Acetici Glacialis		m. iii.
Creosoti	m. iii.
Spiritus Juniperi	..	m. vii.
Syrupi Simplicis	..	m. xv.
Aquamad drm. ii.

129.—MISTURA DIAPHORETICA.

R—Liq. Ammon. Acet.	..	drm. i.
Spiritus Aetheris Nit.		drm. ss.
Aquam Camphoræ	ad	drm. ii.

130.—MISTURA ERGOTÆ.

R—Extracti Ergotæ Liq...		m. xxii.
Ac. Sulphurici Arom.		drm. ss.
Quininæ Sulphatis	..	gr. ss.
Liq. Strych. Hyd.	..	m. ii.
Glycerinumad drm. ii.

131.—MISTURA FERRI APERIENS.

R—Acidi Sulphurici Dil...		m. xss.
Ferri Sulphatis	gr. ii.
Magnesii Sulphatis	..	drm. ss.
Tincturæ Capsici	..	m. i.
Aquamad drm. ii.

132.—MISTURA FERRI CUM POTASSII IODIDO.

R—Ferri et Amm Cit. .. gr. x.
Potassii Iodidi gr. vii.
Spiritus Chloroformi .. m. v.
Infusum Quassiae ad drm. ii.

133.—MISTURA FERRI ET AMMONII ACETATIS.

SYN: BASHAM'S MIXTURE.

R—Liq. Ferri Perchlor. .. m. v.
Liq. Ammonii Acet. .. drm. i.
Acidi Acetici Diluti .. m. v.
Glycerini m. xv.
Aquam ad drm. ii.

134.—MISTURA FERRI ET AMMONII CITRATIS.

R—Ferri et Ammonii Cit. gr. v.
Tincturæ Nucis Vom. m. v.
Aquam ad drm. ii.

135.—MISTURA FERRI ET POTASSII CHLORATIS.

SYN: MISTURA GARGARISMA.

R—Potassii Chloratis .. gr. vi.
Tinct. Ferri Perchlor. m. vii^{ss}.
Glycerini m. xx.
Aquam ad drm. ii.

136.—MISTURA FERRI ET STRYCHNINÆ.

SYN: MISTURA TONICA.

R—Liq. Strych. Hyd. .. m. v.
Tinct. Ferri Perchlor. m. vi.
Syrupi Simplicis .. drm. ss.
Aquam ad drm. ii.

137.—MISTURA GENTIANÆ ALKALINA.

R—Sodii Bicarbonatis .. gr. x.
Spiritus Chloroformi m. x.
Infusum Gent. Co. ad drm. ii.

138.—MISTURA GENTIANÆ COMPOSITA.

SYN: MISTURA STOMACHICA.

R—Sodii Bicarbonatis .. gr. x.
Sp. Ammon. Aromat... m. xviii.
Tincturæ Nucis Vom. m. vi.
Tinct. Gentianæ Co... m. xviii.
Aquam ad drm. ii.

139.—MISTURA HYDRARGYRI IODIDI.

SYN: MIXED TREATMENT.

R—Liq. Hydrarg. Perchlor. drm. i.
Potassi Iodidi gr. viiss.
Aquam Chloroformi ad drm. ii.

140.—MISTURA HYOSCYAMI COMPOSITA.

SYN: MISTURA ANTI-ASTHMATICA.

R—Potassii Iodidi gr. viiss.
Liquoris Arsenicalis m. iv.
Vini Ipecacuanhæ .. m. xv.
Tincturæ Hyoscyami m. xv.
Aquam Chloroformi ad drm. ii.

141.—MISTURA IODIDI.

R—Potassii Iodidi gr. viiss.
 Ammonii Carbonatis .. gr. iv.
 Sodii Carbonatis .. gr. v.
 Aquam Camphoræ ad drm. ii.

142.—MISTURA IPECACUANHÆ ET SCILLÆ.

SYN: ~~MISTURA EXPECTORANS.~~

R—Liq. Ammon. Acet. .. drm. ss.
 Syrupi Scillæ drm. ss.
 Syrupi Codeinæ .. m. xv.
 Vini Ipecacuanhæ .. m. xii.
 Aquamad drm. ii.

143.—MISTURA LOBELLÆ ET POTASSII IODIDI.

R—Potassii Bicarbonatis .. gr. x.
 Tinct. Lobeliæ Aether. .. m. xv.
 Potassii Iodidi gr. iv.
 Tincturæ Belladonnæ .. m. v.
 Aquam Camphoræ ad. drm. ii.

144.—MISTURA MENTHÆ PIPERITÆ.

R—Olei Menthæ Pip. .. m. iss.
 Magnesii Carbonatis .. gr. iii.
 Aquamad drm. ii.

145.—MISTURA OLEI SANTALI.

R—Olei Santali m. xv.
 Mucilaginis Acaciæ .. drm. ss.
 Aquam Menthæ Pip. ad. drm. ii.

146.—MISTURA OXYMELLIS COMPOSITA.

R—Vini Ipecacuanhæ .. m. x.
 Tinct. Camphoræ Co... m. xx.
 Potassii Nitratis .. gr. v.
 Oxymellis dr. m. ss.
 Aquam ad dr. m. ii.

147.—MISTURA PHOSPHATIS COMPOSITA.

R—Calcii Phosphatis .. gr. iii.
 Sodii Phosphatis .. gr. ii.
 Ferri Phosphatis .. gr. ss.
 Acidi Phosphorici Dil. m. x.
 Aquam ad dr. m. ii.

148.—MISTURA POTASSII CARBONATIS.

R—Potassii Carbonatis .. gr. xv.
 Tincturæ Hyoscyami m. xv.
 Infusum Buchu .. ad dr. m. ii.

149.—MISTURA SALINA.

R—Potassii Nitratis .. gr. x.
 Spiritus Aetheris Nit. dr. m. ss.
 Liquor Ammonii Acetatis ad dr. m. ii.

150.—MISTURA SALINA ANTIMONIALIS.

R—Vini Antimonialis .. m. xx.
 Misturam Salinam ad dr. m. ii.

151.—MISTURA SANTONINI.

R—Santonini gr. ss.
 Olei Ricini m. xx.
 Syrupi Aurantii .. m. xv.
 Mucilaginis Acaciæ .. m. xxx.
 Aquam Carui ad dr. m. ii.

152.—MISTURA SCOPARII COMPOSITA.

R—Potassii Acetatis .. gr. xx.
 Potassii Nitratis .. gr. x.
 Spiritus Aetheris Nit. drm. ss.
 Spiritus Juniperi .. m. xii.
 Infusum Scoparii ad drm. ii.

153.—MISTURA SENEGÆ COMPOSITA.

R—^{Mist. Expectorans} Ammonii Carbonatis gr. v.
 Tincturæ Scillæ m. x.
 Syrupi Tolutani .. drm. ss.
 Infusum Senegæ ad drm. ii.

154.—MISTURA SODII PHOSPHATIS ACIDI.

R—Sodii Phosphatis Acidi drm. ss.
 Tincturæ Hyoseyami m. xv.
 Infusum Buchu ad drm. ii.

155.—MISTURA SODII SALICYLATIS.

SYN: (MISTURA RHEUMATICA.)

R—Sodii Salicylatis .. gr. xv.
 Potassii Citratis .. gr. xx.
 Ext. Glycyrrhizæ Liq. drm. ss.
 Aquam Chloroformi ad drm. ii.

156.—MISTURA STRYCHNINÆ.

R—Liq. Strychninæ Hyd. m. v.
 Tincturæ Capsici .. m. iii.
 Tinet. Cinchonæ Co... m. xl̄.
 Aquam ad drm. ii.

Mistura Rheumatica.

℞ Crocoti

Magnesi Carbonatis ^{m. ss.} ꝑviii

Aq Menth. Piperitæ ad ʒii

157.—MISTURA TEREBINTHINÆ.

R—Olei Terebinthinæ	..	m. x.
Tincturæ Quillaiæ	..	m. x.
Syrupi Aromatici	..	drm. ss.
Aquam Cinnamomi	ad	drm. ii.

158.—MISTURA VALERIANÆ COMPOSITA.

R—Ammonii Bromidi	..	gr. v.
Tinct. Valerianæ Amm.	drm. ss.	
Olei Cajuputi	m. ii.
Aquam Camphoræ	ad	drm. ii.

NEBULAE.

159.—NEBULA ACIDI CARBOLICI.

(Throat)

R—Acidi Carbolici Liquidi		m. iij.
Sodii Biboratis	gr. xv.
Sodii Bicarbonatis	..	gr. xv.
Glycerini	m. xl.
Aquamad	oz. i.

160.—NEBULA ACIDI CARBOLICI ET COCAINÆ.

(Throat)

R—Acidi Carbolici Liquidi		m. v.
Cocainæ Hydrocloridi		gr. ss.
Glycerini Boracis	..	m. xx.
Aquam Rosæad	oz. i.

161.—NEBULA ACIDI SALICYLICI.

(Throat)

R—Acidi Salicylici	gr. iii.
Sodii Chloridi	gr. v.
Sodii Bicarbonatis	gr. v.
Aquamad	oz. i.

162.—NEBULA ACIDI TANNICI.

(Throat)

R—Acidi Tannici	gr. v.
Glycerini.	drm. i.
Aquamad	oz. i.

163.—NEBULA COCAINÆ CUM MENTHOLE.

R—Cocainæ Hydrochloridi	gr. x.
Mentholis	gr. x.
Paraffinum Liq. .. ad	oz. i.

164.—NEBULA ADRENALIN CHLORIDI.

R—Adrenalin Chl. (1:1000)	drm. iii.
Hydrogenii Peroxidi	drm. ii.
Glycerini	drm. ii.
Aquamad	oz. vi.

165.—NEBULA EUCALYPTI.

R—Olei Eucalypti	m. x.
Paraffinum Liq. .. ad	oz. i.

166.—NEBULA HYDRARGYRI PERCHLORIDI.

(Throat)

R—Cocainæ Hydrochloridi	gr. ii.
Hydrargyri Perchlor...	gr. 1/3
Glycerini	drm. i.
Aquamad	oz. i.

167.—NEBULA MENTHOLIS.

R—Mentholis gr. x.
 Paraffinum Liq. . . ad . . . oz. i.

168.—NEBULA MENTHOLIS COMPOSITA.

R—Mentholis gr. ii.
 Thymolis gr. i.
 Camphoræ gr. iiss.
 Terebeni ℥. viii.
 Eucalyptolis m. viii.
 Olei Cassiæ m. 3/4
 Paraffinum Liq. . . ad . . . oz. i.

169.—NEBULA POTASSI CHLORATIS CUM FERRO.

(Throat)

R—Potassii Chloratis . . . gr. xv.
 Liq. Ferri Perchlor. . . m. xx.
 Glycerini drm. i.
 Aquam ad . . . oz. i.

PASTAE.

170.—PASTA RESORCINI COMPOSITA.

SYN: HILLE'S PASTE.

R—Resorcini gr. xx.
 Zinci Oxidi gr. xx.
 Pulveris Amyli gr. xx.
 Adipis Lanæ Hydrosi drm. iv.
 Paraffini Mollis drm. iv.

171.—PASTA ZINCI COMPOSITA.

SYN: LASSAR'S PASTE.

R—Zinci Oxidi	drm. ii.
Acidi Salicylatis	gr. x.
Pulveris Amyli	drm. ii.
Paraffinum Molle ..ad	oz. i.

172.—PASTA ZINCI ET GELATINI.

SYN: UNNA'S PASTE.

R—Zinci Oxidi	oz. i.
Gelatini	oz. i.
Glycerini	oz. iiss.
Aquæ	oz. iiss.

PIGMENTA.

173.—PIGMENTUM ACIDI CARBOLICI ET COCAINÆ.

(Throat)

R—Acidi Carbolici Liquidi	m. xv.
Cocainæ Hydrochloridi	gr. ss.
Glycerini Boracis ..	m. xx.
Aquam Rosæad	oz. i.

174.—PIGMENTUM ACIDI SULPHUROSI.

(Throat)

R—Acidi Sulphurosi ..	drm. ii.
Glycerini Acidi Tannici	drm. ii.
Glycerini	drm. iv.

175.—PIGMENTUM ARGENTI NITRATIS
AETHEREUM.

(Throat)

R—Argenti Nitratis .. gr. xx.
Aquæ Destillatæ dr. iv.
Sp. Aetheris Nit. ad oz. i.

176.—PIGMENTUM FERRI PERCHLORIDI.

(Throat)

R—Liq. Ferri Perchlor. .. dr. iv.
Glycerini dr. iv.

177.—PIGMENTUM IODI.

R—Iodi gr. xxx.
Spiritus Methyлатum ad oz. i.

178.—PIGMENTUM IODI CARBOLIZATUM.

(Obstetric)

R—Iodi dr. i.
Acidi Carbolicæ Liq. .. dr. iv.

179.—PIGMENTUM IODI COMPOSITUM.

R—Iodi gr. v.
Potassii Iodidi gr. v.
Olei Menthæ Piperitæ m. v.
Glycerinum ad oz. i.

180.—PIGMENTUM OLEI CROTONIS.

SYN: CARSON'S PAINT.

R—Olei Crotonis dr. ii.
Aetheris dr. iv.
Tincturæ Iodi oz. ii.

PILULAE VEL TABELLAE.

181.—PILULA A.B.S. ET C.

R—Aloini gr. 1/5
 Extracti Belladonnæ.. gr. 1/8
 Strychninæ Sulphatis gr. 1/120
 Ext. Cascaræ Sagradæ gr. ss.

182.—PILULA ALOINI ET PODOPHYLLI.

R—Aloini gr. 1/8
 Extracti Nucis Vom... gr. 1/8
 Extracti Belladonnæ .. gr. 1/8
 Podophylli Resinæ .. gr. 1/8

183.—PILULA ARSENI ET FERRI.

R—Acidi Arseniosi gr. 1/36
 Pilulam Ferri ..ad gr. v.

184.—PILULA ARSENI ET FERRI CUM
QUININA.

R—Acidi Arseniosi gr. 1/36
 Quininæ Sulphatis .. gr. i.
 Pilulam Ferri ..ad gr. v.

185.—PILULA ARSENI ET FERRI CUM
STRYCHNINA.

R—Acidi Arseniosi gr. 1/36
 Strychninæ gr. 1/50
 Pilulam Ferri ..ad gr. v.

186.—PILULA BELLADONNÆ ET ZINCI
OXIDI.

R—Extracti Belladonnæ
 Alcoholici gr. 1/4
 Zinci Oxidi gr. iiss.
 Extracti Gentianæ .. gr. ii.

187.—PILULA CAFFEINÆ ET PHENACETINI.

R—Caffeinæ Citratis .. gr. iii.
 Phenacetini gr. v.

188.—PILULA CALOMELANOS ET COLOCYN-
THIDIS.

R—Ext. Colocynthis Co. gr. iv.
 Hydrarg. Subchloridi.. gr. i.

189.—PILULA CASCARÆ COMPOSITA.

R—Aloini gr. ss.
 Ext. Cascaræ Sagradæ gr. i.
 Extracti Hyoscyami .. gr. i.
 Extracti Nucis Vom... gr. 1/4

190.—PILULA COLOCYNTHIDIS COMPOSITA.

SYN: PILULA CATHARTICA COMPOSITA.

R—Ext. Colocynthis Co. gr. i.
 Extracti Gentianæ .. gr. ss.
 Extracti Jalapæ .. gr. ss.
 Extracti Hyoscyami .. gr. 1/20
 Leptandrini gr. 1/4
 Oleoresinæ Capsici .. gr. 1/20
 Podophylli Resinæ .. gr. 1/4

191.—PILULA CREOSOTI.

R—Creosoti	m. i.
Micæ Panis	q. s.

192.—PILULA DIGITALIS COMPOSITA.

SYN: GUY'S PILL.

R—Pulveris Foliorum Digitalis	gr. i.
Pilulæ Hydrargyri	gr. i.
Pulveris Scillæ	gr. i.

193.—PILULA EXPECTORANS.

R—Pulveris Guaiaci	gr. ss.
Pulveris Ipecacuanhæ	gr. ss.
Pulveris Opii	gr. ss.
Pilulæ Scillæ Comp.	gr. ii.

194.—PILULA ERGOTÆ.

R—Extracti Ergotæ	gr. ii.
Basis	q. s.

195.—PILULA FERRI ET QUININÆ CUM STRYCHNINA.

R—Quininæ Sulphatis	gr. i.
Strychninæ	gr. 1/50
Pululam Ferri	..ad	gr. v.

196.—PILULA FERRI ET STRYCHNINÆ.

R—Strychninæ	gr. 1/50
Pululam Ferri	..ad	gr. v.

197.—PILULA HYDRARGYRI ET IPECACU-
ANHÆ COMPOSITA.

SYN: HUTCHINSON'S PILL.

R—Hydrargyri cum Creta gr. i.
Pulv. Ipecacuanhæ Co. gr. i.

198.—PILULA SANTONINI COMPOSITA.

R—Santonin gr. i.
Hydrargyri Subchlor.. gr. i.

199.—PILULA TRIUM PHOSPHATUM.

SYN: EASTON'S PILL.

R—Ferri Phosphatis .. gr. i.
Quininæ Sulphatis .. gr. i.
Strychninæ gr. 1/32
Sacchari Lactis gr. 1¼

POTUS.

200.—POTUS IMPERIALIS.

R—Potassii Tartratis Acidi dr. i.
Syrupi Limonis oz. iss.
Aquamad Oi.

PULVERES.

201.—PULVIS ACIDI SALICYLICI COMPOSITUS.

(Dusting Powder)

R—Acidi Salicylici partes iii.
Talei Purificati partes xc.
Lycopodii partes x.

202.—PULVIS BISMUTHI COMPOSITUS.

SYN: ANTI-DYSPEPTIC POWDER.

R—Bismuthi Oxycarb. .. gr. xx.
Magnesii Carb. Pond... gr. xx.
Sodii Bicarbonatis .. gr. xx.

203.—PULVIS BISMUTHI CUM MORPHINA.

SYN: FERRIER'S SNUFF.

R—Bismuthi Oxynitratis dr̄m. vi.
Morphinæ Hydrochlor. gr. ii.
Acaciæ Gummi dr̄m. ii.

Dose for insufflation, 120 grains during
24 hours.

204.—PULVIS EMETICUS.

R—Pulveris Ipecacuanhæ gr. xix.
Antimonii Tartrati .. gr. i.

205.—PULVIS EUPAD.

R—Calcis Chlorinatæ
Acidi Borici .. partes æquales.

206.—PULVIS GUAIACI COMPOSITUS.

R—Pulveris Guaiaci Res. gr. viii.
Magnesii Carb. Pond. gr. xvi.
Sulphuris Sublimati .. gr. viii.

207.—PULVIS IODOFORMI ET MORPHINÆ.

R—Iodoformi gr. xxx.
Morphinæ Hydrochlor. gr. iii.
Acidi Borici gr. xc.

Dose for laryngeal insufflation, 1 to 2 grains.

208.—PULVIS LOBELLE COMPOSITUS.

R—Potassii Nitratis .. gr. xv.
Pulveris Lobeliæ .. gr. xv.
Pulv. Fol. Stramonii .. gr. xv.
Pulv. Anisi Fructus .. gr. xv.

Burn 1 drachm and inhale fumes.

209.—PULVIS MENTHOLIS COMPOSITUS.

R—Mentholis drm. i.
Ammonii Chloridi .. drm. i.
Acidi Borici drm. ii.

Dose for insufflation, 60 grains during 24 hours.

210.—PULVIS SODII SULPHATIS COMPOSITUS.

SYN: CARLSBAD SALT.

R—Sodii Sulphatis .. partes xxii.
Potassii Sulphatis .. pars i.
Sodii Chloridi partes ix.
Sodii Bicarb. .. partes xviii.

Dose, 1 drachm in a tumbler of warm water.

211.—PULVIS ZINCI CUM AMYLO.

(Dusting Powder)

R—Zinci Oxidi pars i.
Pulverem Amyli .. partes iii.

212.—PULVIS ZINCI OXIDI ET ACIDI BORICI.

(Dusting Powder)

R—Zinci Oxidi pars i.
Acidi Borici pars i.

213.—PULVIS ZINCI OXIDI ET CALOMEL-
ANOS.

(Dusting Powder)

R—Zinci Oxidi partes iii.
Hydrargyri Subchlor. .. pars i.

SERA.

The methods of administration are hypodermic, intramuscular, intravenous, intraspinal, oral, and rectal.

The intravenous injections may be diluted with normal saline solution.

214.—ANTI-COLON BACILLUS SERUM.

25 to 100 c.c. subcutaneously.

215.—ANTI-GONOCOCCUS SERUM.

25 to 100 c.c., subcutaneously.

216.—ANTI-MENINGOCOCCUS SERUM.

25 c.c. intraspinally, repeated.

217.—ANTI-STAPHYLOCOCCUS SERUM,
POLYVALENT.

25 c.c. to 100 c.c., subcutaneously.

218.—ANTI-STREPTOCOCCUS SERUM.

The following varieties are prepared—
Erysipelas, Polyvalent, Puerperal Fever,
Scarlet Fever, Rheumatic Fever, Ulcera-
tive Endocarditis.

The usual dose is 25 to 100 c.c., subcu-
taneously.

219.—ANTI-TYPHOID SERUM.

25 to 100 c.c., subcutaneously.

220.—DIPHThERIA ANTITOXIC SERUM.

The following doses are recommended
by leading authorities:

Prophylactic dose, 1,000 units, subcutan-
eously.

Mild cases, 20,000 units, subcutaneously.

Moderate cases..40,000-80,000 units sub-
cutaneously at once or in 20,000
unit doses every six hours until
the membrane shows signs of sep-
arating and the toxæmia of abat-
ing.

Severe cases of 3 to 5 days duration,
5,000-10,000 units intravenously and
at the same time 50,000-100,000
units subcutaneously. Repeat every
6 hours with 20,000-30,000 units
subcutaneously until membrane be-
gins to separate, etc. These cases
usually require from 200,000 to
300,000 units.

221.—NORMAL HORSE SERUM.

25 to 100 c.c., subcutaneously or orally.

222.—TETANUS ANTITOXIC SERUM.

Prophylactic dose, 1,500 units subcutaneously.

For curative doses the intraspinal and intravenous methods are used. Doses such as 3,000 units intraspinally and 6,000 units intravenously are commonly given at the onset of symptoms. These are repeated daily or more often until the symptoms abate. 50,000 to 200,000 units in all are commonly used.

SUPPOSITORIA.

223.—SUPPOSITORIUM ICHTHYOLIS.

R—Ichthyolis

Balsami Peruviani	aa	m. i.
Extracti Conii	gr. 1/6
Olei Theobromatis	..	gr. xxx.

TROCHISCI.

224.—TROCHISCUS ACACIÆ.

R—Acaciæ Gummi	gr. xii.
Sacchari Albi	gr. vi.
Tragacanthæ	gr. iss.
Aquæ Rosæ	q. s.

225.—TROCHISCUS COCAINÆ.

R—Cocainæ Hydrochlor .. gr. 1/6
 Acaciæ Gummi gr. xviii.
 Sacchari Albi gr. iv.
 Mucilaginis Acaciæ .. m. ii.

226.—TROCHISCUS GLYCYRRHIZÆ.

R—Extracti Glycyrrhizæ.. gr. ii.
 Olei Anisi m. ss.
 Massæ Troch. Acaciæ.. gr. x.

UNGUENTA.

227.—UNGUENTUM ACIDI BORICI.

(Ophthalmic)

R—Acidi Borici dr. m. i.
 Paraffinum Molle ad oz. i.

228.—UNGUENTUM ACIDI BORICI CUM
 MENTHOLE.

(Nasal)

R—Mentholis gr. i.
 Acidi Borici gr. vi.
 Olei Gaultheriæ m. i.
 Adipis Lanæ Hydrosi dr. m. ii.
 Paraffinum Molle ad oz. i.

229.—UNGUENTUM ACIDI CARBOLICI
 COMPOSITUM.

R—Acidi Carbolici pars i.
 Ung. Hydrarg. Nit. .. partes ii.
 Unguenti Sulphuris .. partes ii.

- 230.—UNGUENTUM ATROPINÆ.
(Ophthalmic)
R—Atropinæ Sulphatis .. gr. iv.
Paraffinum Molle ad oz. i.
- 231.—UNGUENTUM ATROPINÆ FORTE.
(Ophthalmic)
R—Atropinæ Sulphatis .. gr. viii.
Paraffinum Molle ad oz. i.
- 232.—UNGUENTUM CALAMINÆ.
R—Calaminæ drm. iss.
Olei Gaultheiæ m. ii.
Adipis Benzoati drm. vii.
- 233.—UNGUENTUM CHRYSAROBINI COM-
POSITUM.
R—Chrysarobini gr. v.
Hydrargyri Ammoniaci .. gr. x.
Liq. Picis Carbonis .. . m. x.
Paraffinum Molle ad oz. i.
- 234.—UNGUENTUM COCAINÆ.
(Ophthalmic)
R—Cocainæ Hydrochlor... gr. viii.
Paraffinum Molle ad oz. i.
- 235.—UNGUENTUM CUPRI OLEATIS.
R—Cupri Oleatis drm. i.
Paraffinum Molle ad oz. i.
- 236.—UNGUENTUM DIACHYLI.
R—Emplastri Plumbi .. . pars i.
Paraffini Mollis pars i.

- 237.—UNGUENTUM ESERINÆ.
(Ophthalmic)
R—Eserinæ Sulphatis .. gr. i.
Paraffinum Molle ad oz. i.
- 238.—UNGUENTUM HYDRARGYRI AMMON-
IATI DILUTUM.
R—Ung. Hydrarg. Ammon. pars i.
Paraffini Mollis partes iii.
- 239.—UNGUENTUM HYDRARGYRI AMMON-
IATI DILUTUM.
(Ophthalmic)
R—Hydrargyri Ammon... gr. viii.
Paraffinum Molle ad oz. i.
- 240.—UNGUENTUM HYDRARGYRI OXIDI
FLAVI.
(Ophthalmic)
R—Hydrarg. Oxidi Flavi.. gr. iv.
Paraffinum Molle ad oz. i.
- 241.—UNGUENTUM HYDRARGYRI OXIDI
FLAVI FORTE.
(Ophthalmic)
R—Hydrarg. Oxidi Flavi.. gr. viii.
Paraffinum Molle ad oz. i.
- 242.—UNGUENTUM HYDRARGYRI OXIDI
FLAVI CUM ATROPINA.
(Ophthalmic)
R—Hydrarg. Oxidi Flavi.. gr. iv.
Atropinæ Sulphatis .. gr. ii.
Paraffinum Molle ad oz. i.

243.—UNGUENTUM HYDRARGYRI OXIDI
FLAVI CUM ATROPINA FORTE.

(Ophthalmic)

R—Hydrarg. Oxidi Flavi.. gr. viii.
Atropinæ Sulphatis .. gr. iv.
Paraffinum Molle ad oz. i.

244.—UNGUENTUM HYDRARGYRI OXIDI
FLAVI CUM ESERINA.

(Ophthalmic)

R—Hydrarg. Oxidi Flavi.. gr. iv.
Eserinæ Sulphatis .. gr. i.
Paraffinum Molle ad oz. i.

245.—UNGUENTUM HYDRARGYRI OXIDI
RUBRI DILUTUM.

R—Unguenti Hydrargyri
Oxidi Rubri dr. i.
Paraffinum Molle ad oz. i.

246.—UNGUENTUM HYDRARGYRI PERCHLOR-
IDI COMPOSITUM.

R—Hydrargyri Perchlor. gr. ii.
Acidi Carbolici gr. xx.
Glycerini m. x.
Olei Olivæ m. xl.
Unguentum Zinci ad oz. i.

247.—UNGUENTUM ICHTHYOLIS.

R—Ichthyolis gr. xl.
Acidi Salicylici gr. viii.
Paraffinum Molle ad oz. i.

248.—UNGUENTUM IODOFORMI CUM
EUCALYPTO.

(Nasal)

R—Iodoformi	gr. iii.
Olei Eucalypti	drm. ss.
Paraffini Duri	drm. iv.
Paraffini Mollis	oz. i.

249.—UNGUENTUM METALLORUM.

R—Hydrarg. Subchloridi	gr. x.
Plumbi Acetatis	gr. x.
Zinci Oxidi	gr. xx.
Unguentum Hydrarg.	
Nitratis Dil. .. ad	oz. i.

250.—UNGUENTUM NAPHTHOLIS COMPOSITUM.

R—Naphtholis	partes iss.
Cretæ Preparatæ	pars i.
Saponis Mollis	partes v.
Adipis	partes x.

251.—UNGUENTUM OLEI CADINI.

R—Olei Cadini	drm. i.
Paraffinum Molle	ad	oz. i.

252.—UNGUENTUM PICIS CARBONIS CUM
HYDRARGYRO AMMONIATO.

R—Liq. Picis Carbonis	drm. ss.
Hydrarg. Ammoniati..	gr. x.	
Paraffinum Molle	ad	oz. i.

253.—UNGUENTUM PLUMBI CUM CALAM-
INA.

SYN: ERYSIPELAS DRESSING.

R—Emplastri Plumbi	..	drm.	v.
Calaminæ	drm.	i.
Adipis	drm.	iv.
Olei Olivæ	drm.	ii.

254.—UNGUENTUM PYROGALLOLIS COMPOS-
ITUM.

R—Pyrogallolis	gr.	xx.
Ichthyolis	gr.	xx.
Acidi Salicylici	gr.	viii.
Paraffinum Molle	ad	oz.	i.

255.—UNGUENTUM RESORCINI.

R—Resorcini	drm.	i.
Glycerini	drm.	i.
Adipis Lanæ Hydrosi	drm.	ii.	
Paraffinum Molle	ad	oz.	i.

256.—UNGUENTUM SULPHURIS ET ZINCI
OXIDI.

R—Unguenti Sulphuris	..	drm.	i.
Unguentum Zinci	ad	oz.	i.

237.—UNGUENTUM THYMOLIS.

R—Thymolis	gr.	xx.
Paraffinum Molle	ad	oz.	i.

258.—UNGUENTUM ZINCI CARBONATIS
COMPOSITUM.

R—Zinci Carbonatis .. dr̄m. i.
Pulv. Acidi Salicylici.. gr. viii.
Adipis Lanæ Hydrosi dr̄m. ii.
Paraffinum Molle ad oz. i.

259.—UNGUENTUM ZINCI OXIDI COMPOSITUM.

R—Zinci Oxidi dr̄m. i.
Pulv. Acidi Salicylici.. gr. x.
Adipis Lanæ Hydrosi dr̄m. ii.
Paraffinum Molle ad oz. i.

260.—UNGUENTUM ZINCI OXIDI CUM
RESORCINO.

R—Resorcini gr. xv.
Unguentum Zinci ad oz. i

261.—UNGUENTUM ZINCI PEROXIDI.

R—Zinci Peroxidi gr. xx.
Paraffinum Molle ad oz. i.

262.—UNGUENTUM ZINCI PEROXIDI FORTE.

R—Zinci Peroxidi gr. xl.
Paraffinum Molle ad oz. i.

VACCINES.

The following are the average doses of bacterial vaccines. All are administered hypodermically twice each week, excepting *Streptococcus Erysipelatis* (about every second day), *Gonococcus* (about every third day), Tuberculin (once each week), and the *Bacillus* of Typhoid (once each week for two or three doses).

263.—*BACILLUS COLI*.

10 to 50 millions.

264.—*BACILLUS DIPHTHERIÆ*.

20 to 100 millions.

265.—*BACILLUS OF FRIEDLANDER*.

50 to 100 millions.

266.—*BACILLUS OF GLANDERS*.

50 to 100 millions.

267.—*BACILLUS OF INFLUENZA*.

50 to 100 millions.

268.—*BACILLUS OF PERTUSSIS*.

25 to 100 millions.

269.—*BACILLUS PYOCYANEUS*.

10 to 50 millions.

270.—*BACILLUS OF TYPHOID*.

100 to 500 mil. (Therapeutic).

500 to 1,000 mil. (Prophylactic).

- 271.—GONOCOCCUS. 279
 2½ to 100 millions.
- 272.—MICROCOCCUS CATARRHALIS. T
 5 to 50 millions.
- 273.—PNEUMOCOCCUS. 280
 10 to 50 millions.
- 274.—STAPHYLOCOCCUS PYOGENES ALBUS. 1
 20 to 40 millions.
 (Source—acne vulgaris.) wa
- 275.—STAPHYLOCOCCUS PYOGENES AUREUS. 28
 125 to 500 millions.
 (Source—boils, etc.)
- 276.—STREPTOCOCCUS ERYSIPELATIS.
 2½ to 10 millions.
- 277.—TUBERCULIN (B.E.). wa
 1/100,000 to 1/800 mgm. 28

VAPORES.

- 278.—VAPOR ACIDI CARBOLICI. w
 R—Acidi Carbolici Puri.. gr. xx.
 Aquæ Bullientis Oi.
 To be inhaled from a suitable vessel.

279.—VAPOR BENZOINI.

R—Tincturæ Benzoini Co. dr̄m. i.
Aquæ Bullientis Ol.

To be inhaled from a suitable vessel.

280.—VAPOR CREOSOTI.

R—Creosoti m. xl.
Magnesii Carbon. Levis gr. xx.
Aquam ad oz. i.

Use one drachm to a pint of boiling water for each inhalation.

281.—VAPOR EUCALYPTI.

R—Olei Eucalypti m. xl.
Magnesii Carbon. Levis gr. xx.
Aquam ad oz. i.

Use one drachm to a pint of boiling water for each inhalation.

282.—VAPOR TERE BENI.

R—Terebeni m. xl.
Magnesii Carbon. Levis gr. xx.
Aquam ad oz. i.

Use one drachm to a pint of boiling water for each inhalation.