L'Institut a microfilmé le meilleur exemplaire qu'il

copy available for filming. Features of this may be bibliographically unique, which may of the images in the reproduction, or which significantly change the usual method of fichecked below.	y alter any n may		e b re d	ui a ét xempl ibliog eprode	é poss laire q raphiq uite, o méth	ible de ui sont que, qui ou qui p	se prod peut-ê peuve peuven	tre uniq nt modi t exiger	es détail jues du p ifier une une mod ge sont i	ls de point imaç difica	cet de vi ge ation	
Coloured covers/ Couverture de couleur						ed page le coule						
Covers damaged/ Couverture endommagée				·/	_	lamaged Indomm						
Covers restored and/or laminated/ Couverture restaurée et/ou pelliculée				1	_			r lamina u pellicu				
Cover title missing/ Le titre de couverture manque				/ l	_			ained or hetées o	foxed/ ou piqué	es		
Coloured maps/ Cartes géographiques en couleur				/	_	letached létachéd						
Coloured ink (i.e. other than blue or Encre de couleur (i.e. autre que bleu				3.ZT		hrough/ arence	'					
Coloured plates and/or illustrations/ Planches et/ou illustrations en couler	ır		ţ	/	-	of prin		es/ mpressic	on			
Bound with other material/ Relié avec d'autres documents				1		uous pa tion cor	_	on/				
Tight binding may cause shadows or along interior margin/ La reliure serrée peut causer de l'om	bre ou de la			c	Compr	es index end un	(des) i		,			
distorsion le long de la marge intérie								n from:/ provient:				
Blank leaves added during restoration within the text. Whenever possible, been omitted from filming/	these have			i	-	age of is e titre d		raison				
Il se peut que certaines pages blanch lors d'une restauration apparaissent o mais, lorsque cela était possible, ces pas été filmées.	dans le texte,			- 1	•	n of issi e dépar		livraisor	n			
pas ete minees.				- 1	Masthe Généri		riodiqu	ues) de l	a livraisc	วท		
Additional comments:/ Commentaires supplémentaires:												
This item is filmed at the reduction ratio of Ce document est filme au taux de réduction												
10X 14X	18X		 22 X			2	26×		3	ю×		
12Y 16Y		20.X			74 X			28 ¥				37.X

THIS PAPER REACHES EVERY WEEK THE TOWN AND CITY CLERKS, TOWN AND CITY ENGINEERS, COUNTY CLERKS AND COUNTY ENGINEERS THROUGHOUT CANADA.

Vol. 5.

FEBRUARY 15, 1894

No. 2

THE CANADIAN CONTRACT RECORD,

PUBLISHED EVERY THURSDAY
As an Intermediate Edition of the "Canadian Architect
and Builder."

Subscription price of "Canadian Architect and Builder" (including "Canadian Contract Record"), \$2 per annum, payable in advance.

C. H. MORTIMER, Publisher,

CONFEDERATION LIFE BUILDING, TORONTO.
Telephone 2362.
64 Temple Building Montreal.
Bell Telephone 2299.

Information solicited from any part of the Dominion regarding contracts open to tender

Advertising Rates on application.

At its Convention held in Toronto, Nov. 20 and 21, 1889, the Ontario Association of Architects signified its approval of the OANADIAN CONTRACT IECORD, and pledged its members 1a use this journal us their medium of communication with contractors with respect to advertisements for Tenders.

tractors with respect to advertisements for Tractors with respect to advertisements for Traders.

The following resolution was unanimously adopted at the First Annual Meeting of the Province of Juebec Association of Architects, held in Montreal, Oct. 10th and 11th, 1890: "Moved by M. Perrault, seconded by A. F. Dunlop, that we the Architects of the Province of Juebec now assembled in Convention being satisfied that the OANADIAN CONTRACT RECURD affords us a direct communication with the Contractors,—Resolved, that we pledge our support to it by using its columns when calling for Tenders."

Subscribers who may change their address should give prompt notice of same. In doing so, give both old and new address. Notify the publisher of any irregularity in delivery of paper.

Notice to Contractors

CANADIAN CONTRACTOR'S HAND-BOOK

A new and thoroughly revised edition of the Canadian Contractor's Hand-Book, consisting of 150 pages of the most carefully selected material, is now ready, and will be sent post-paid to any address in Canada on receipt of price. This book should be in the hands of every architect, builder and contractor who desires to have readily accessible and properly authenticated information on a wide variety of subjects adapted to his daily requirements.

Price, \$1.50; to subscribers of the Canadian

Price, \$1.50; to subscribers of the Canadian Architect and Builder, \$1.00. Address

C. H. MORTIMER, Publisher, Confederation Life Building, TORONTO.

Montreal Office:
64 Temple Building.

TENDERS

The Stratford Water Supply Company invite tenders up to MONDAY, THE 5TH MARCH, 1894, for a Compound Duplex Steam Pump, with an independent Condenser, of a capacity of 2,500,000 gallons per 24 hours, and offer for sale two Compound Duplex Worthington pumps, each of a capacity of 1,250,000 gallons per 24 hours. Further particulars on application.

D. B. BURRITT, JOHN CORRIE,
See'y-Treasurer, Presider

Stratford, Feb. 6th, 1894.

Plans and specifications can be seen at my office, 204 St. James Street, Montreal. H. AUSTIN JONES, Architect.

TENDERS Will be received by the undersigned up till SATURDAY, FEBRUARY 24TH, for the build-

TENDERS

Will be received at the office of the undersigned up to SATURDAY FEBRUARY 24, for all trades in the erection of a first-class Stable, Sherbrooke Street.

METHODIST CHURCH

at Amprior. Plans and specifications can be seen at the office of J. J. Neilson. The lowest or any tender not necessarily accepted.

J. S. MOIR,

Sec. of the Building Committee.

WANTED,

Some enterprising party in Canada to manufac-ture and handle Johnston's Patent Combined Dish Drainer, Bread Board and Cutting Board. This is a rare chance for worker in wood to secure the monopoly of a most useful article. Address

S. O. JOHNSTON, NEWPORT, R.L., U.S.A.

TENDERS.

Sealed tenders will be received by the under signed until noon on MONDAY, 26TH INST., for building an

IRON OR STEEL BRIDGE
over Fairchild's Creek at Howell's Mill, in the
Township of Onondaga.

At the same time will also be received tenders
for the construction of a sub-structure for the
said bridge, consisting of two Stone Abutments
(Oneida quarry stone preferred.

Plans and specifications can be seen at the office
of John Fair, Tp. Engineer, Brantford. Tenders
will be received for the whole structure or each
part separate. The lowest or any tender not
necessarily accepted.

S. J. McKELVIE,

S. J. McKELVIE, Clerk Tp. Onondaga, Tuscarom, Ont.



Notice to Contractors

Notice is hereby given that the tenders for the construction of a

CONCRETE ROADWAY

under the track allowance on Bloor Street, extending from Spadina avenue to Dufferin Street which were to be received by the City Engineer on SATURDAY NEXT, THE 17TH INST., is extended until

Saturday, the 3rd Day of March.

DANIEL LAMB, Chairman Committee on Works.

Committee Room, Toronto, Feb. 15, 1894.

CONTRACTS OPEN.

KNOWLION, QUE. A new academy building is spoken of.

BRUNNER, ONT.—The Germans will-build a new church here.

ATHERLEY, ONT .-- The Methodists will probably erect a new church.

MIAMI, MAN.-Mr. S. Cowan rebuild his hotel recently destroyed by

LISTOWEL, ONT. A site is about to be purchased on which to erect new market buildings.

STADACONA, QUE. The question of the construction of waterworks is under consideration.

CAPE VINCENT, ON I. The authorities of Riverside remetery contemplate the construction of a vault.

RICHMOND HILL, ON t. Messis, Post & Holmes, architects, are preparing plans for a R. C. church to be built here.

GANANOQUE, ON1. -Mr. J. Dempster has purchased the West End store property, with the intention of reoudding in the spring.

QUEBEC, QUE.-Extensive alterations are to be made to the St. Louis hotel, including new furniture throughout, at a cost of \$30,∞∞.

OSHAWA, ONT. A new R. C. church is to be built here. Plans are being prepared by Messrs. Post & Holmes, architects, of Toronto.

BURLINGTON, ONT. - Mr. W. G. Nelles, Village Clerk, invites tenders until the 22nd inst. for the erection of an engine house and hose tower.

STRATFORD, ONT .- A movement is on foot looking to the erection of a House of Refuge for the city. Already the sum of \$3,000 has been subscribed.

TORONTO JUNCTION, ONT.—Mr. J. Barnes has had plans prepared for a large hotel to be crected on the corner of Campbell avenue and Davenport road.

DESERONTO, ONT .- Dr. Oronhyatekha, of Toronto, has purchased Capt. John's Island, half a mile fram this town, and will erect a number of cottages thereon.

VICTORIA, B. C.—A by-law has been passed by the Council authorizing that a sum of money not exceeding \$100,000 be raised by way of loan for sewerage pur-

GATINEAU POINT, ONT .- The Village Council is preparing to issue debentures to the amount of \$5,000 for the construction of the new bridge across the Gatineau river.

PICTON, ONT. -Vacancies are open for an electrician, lineman, engineer and fire man for the waterworks and electric light system. Particulates may be obtained from the Town Clerk,

HILLS GREEN, ONT. Mr. William McAllister invites tenders until the 23rd inst. for the erection of a Presbyterian church in this village. Plans may be seen at the residence of Mr. McAllister, Lot 23, concession 6, Hay.

PORT CREDIT, ONT.-Tenders are in ited until the 20th inst. for building a new Methodist church in this town. Plans may be seen at Mr. John Miller's. C. A. Simpson, Superintendent.

FORT WILLIAM, ONT.—At the last meeting of the School Board, it was decided to ask the Town Council to submit a by law to the ratepayers to raise the sum of \$80,000 to complete the school building

building.

St. Hyacinthe, Que.—At a recent public meeting of citizens it was decided to form a joint stock company to erect a large hotel on the site of the present Yamaska hotel. The stock of the company is to be \$35,000.

GLENCOE, ON1. Mr. A. Code, Civil Engineer, of this place, will have charge of the drainage work to be constructed during the coming summer in the townships of Brooke, Dawn and Enniskillen, and in Lambion County. The cost will be about \$50,000.

KINGSTON, ONL. Mr. C. J. Graham has purchased the Robinson property on the corner of Union and Wellington sts. and will erect two brick residences thereon during the coming summer.—Arthur Ellis, architect, wants tenders for altera-tions to two houses at Williamsville for

Mr. J. Haffner.
HALIFAN, N. S. The erection of a HALIFAN, N. S. The erection of a new building for an Infants Home is under consideration.—The Halifax Shovel Company will rebuild their works in the spring.—Tenders are invited by the Board of Works until Monday, March 26th, for the supply of a quantity of cement not exceeding 2,500 barrels. Particulars may be obtained from Mr. Wm. F. Reilly, Assistant Clerk of City Works. Works.

OILAWA, ONL.-The Public School Board is considering the erection of a new school on Theodore street near King street. A meeting of the promoters of the Maternity Hospital was held a few days ago at which a Committee was appointed to take steps to secure the erection of a suitable building.—The Dominion Government has been asked to grant a charter to a company to construct a railway from Pembroke to Renfrew.

WINNIPEG, MAN .--- The surveyors have completed the work of locating the line of railway between Lethbridge and Macleod.—Mr. J. C. Sproule, Chairman Committee on Works, will receive tenders until Thursday, the 1st of March, for the supply of 500 cords of tamarac or cedar paving wood. A meeting of the executive board of the Wesley College was held on the 9th inst., at which the final plans for the new building were approved of, and a resolution adopted that tenders be asked at once for its erection.

NIAGARA FALLS, ONT .- A scheme has been mooted by the Niagara Falls Park and River Railway Company to construct a bridge from the Canadian side of Niagara River to Navy Island, thence to the Canadian shore. The company are also considering the extension of their road about two miles further up the tiver. -The Grand Trunk Railway Company has decided to build a single arch steel bridge across the river, 600 feet in length, at an estimated cost of \$200,000. Work will be commenced in the spring.

LONDON, ONT .-- The City Engineer has been instructed to prepare specifications for lighting the city with electric light for terms of one, three, five or eight years, and to submit the same at the next meeting of Council, after which tenders will probably be invited.—Building permits have been issued as follows: John McCaughlin, two brick cottages on William street, Central and Princess avenues, and the probable of the p cost \$1,200 each; John Mills, Charlotte street, brick cottage Mr. John Purdom, York street, two brick vencer cottages

BROCKVILLL, ONT. It is reported that several New York capitalists are negotiating for the purchase at Charleston Lake, of a site for the erection of a terrace of houses. -Mr. G. A. Allan, architect, is preparing plans for the following work: alterations to business block, corner King st. and Court House avenue, for Mr W Comstock; block of stores and offices on King street for the Dunham Estate and Mr. S. Flint; alterations to store on King street for Mr. Robert Neil Messrs. Liston & Liston, architects, have prepared plans for alterations to St. Lawrence Hall, for the proprietor, Mr. Amos Robinson.

HAMILTON, ONT. - Mr. J. J. Morehouse manager of the proposed smelting works, will shortly ask for tenders for the supply of 500,000 bricks for use in the buildings be erected in connection with the works. At the last regular meeting of the Beard of Education, it was moved that the Finance Committee make ar rangements to build new schools in wards Nos. 1 and 4. The matter was referred to a special committee.—Tenders are invited by Ald. Hannaford. Chairman Waterworks Committee, until Wednesday, the 21st inst., for the supply of service brasswork, lead pipe, pig lead, stop valves, hydrants, 2½ inch rubber hose, stop cock boxes, cast iron pipe, special castings and ordinary castings.—A building permit has been issued to Charles Mills, for a pair of two story brick dwellings on Wellington street, between King and Main streets, cost \$2,500.

TORONTO, ONT At the last meeting of the Parks and Gardens Committee of the City Council, it was decided to enlarge the conservatory in the Horticultural Gardens, at a cost of \$5,000.—The annual report of the Boys' Home on George street contains a recommendation that the question of heating the infirmary be considered at once.—The scheme for the erection of a Women's University residence is making satisfactory progress, and will in all probability be carried out. - The Howland Memorial Committee have issued an ap peal for \$25,000 to place the Mission Union on a permanent footing and to erect a gymnasium and drill hall at the ictoria Industrial School at Minico. The City Engineer will be asked to report on the feasibility of widening Lake Shore road and erecting a high level bridge across the road, thus securing a southern entrance into High Parl.

FIRES.

Ti.2 stores of V. Brosseau, William Kin Bau and J. F. Rollands, at Bedford, Que., were damaged by fire recently to the extent of \$30,000. —The premises of the James Morrison Brass Manufacturing Company, 67 Adelaide street west, Toronto, was damaged by fire to the extent of \$30,000 on Wednesday last, the store room being totally destroyed .-Chas. Bokscal's planing mill at Windson, Ont., was totally consumed by fire on Thursday of last week. Loss, \$15,000. insurance, \$5,000 - John A. Humphiey's steam saw mill at Moncton, N. B., was destroyed by fire last week. Loss, \$15,000: no insurance. The mill will be rebuilt at once.—The large implement warehouse of the Sylvester Manufacturing Company at Brandon, Man., was burned on the 9th

inst. Loss, \$50,000; insurance, \$5,000.— The Simcoe hotel at Barrie, Ont., was damaged by fire recently to the extent of \$15,000. Loss covered by insurance.

CONTRACTS AWARDED.

TORONTO, ONT.-Mr. A. G. McIntyre has been awarded the contract for putting in the shavings and exhaust pipes for taking the shavings from the wood working machines in the Central Prison.

KINGSTON, ON1.-Mr. G. Newlands has been awarded the contract for the erection of the new R. C. Chapel in connection with the Hotel Dieu. All the trades except the stonework will be sub-let. The estimated cost of the building is

CORNWALL, ONT. — The Building Committee of the St. Columban's congregation have awarded the contract for new Catholic church to replace the present one to Messrs. P. Boileau & Freres, contractors and builders of Isle Bizard, Que. The pians and specifications were prepared by Messrs. Tanguay & Vallee, architects, of Quebec, Mr. John A Chisholm, of Cornwall, is acting as solicitor for the congregation. Contract price, \$47,500.

COMPANIES APPLYING FOR INCOR-PORATION.

St. HENRI, QUE. The St. Henri Chemical Company; Dwight Brainerd,

OTTERVILLE, ONT.—The Otterville Brick and Tile Manufacturin, Co., capital stock, \$5,000; Directors A. B. Moore, stock, \$5,000; Directors, A. B. Moore, C. B. Purvis, John Wyitt, and John Pen-

Mimico, ON 1. The Toronto Sewer Pipe and Paving Brick Co., capital stock, \$100,000; Directors: Henry Barber; Vm. Pears; F. D. Horner, and Jas.

BUCKINGHAM, QUE. - The Gibbs-Franchot-Maclaren Co., Limited, capital stock, \$50,000, to manufacture lumber, barrels, boxes, box shooks, wood pulp, lime, brick, drain-pipe, etc.

TORONTO, ONT.—The Ketchum Gas Generator Co., of Toronto, Limited, capital \$90,000.—The White-Allan Company Toronto, capital, \$20,000.—The I Young Manufacturing Co., to manufacture a reversible safety nut lock, capital, \$500,000; incorporators, Senator Ogilvie, of Montreal; Hugh Scott and Thomas Walmsley, of Toronto, and others.

BUSINESS NOTES.

A. R. Precourst & Co. will carry on business in Montreal as contractors.

Louis Monette and Ald. Valin have formed a partnership as contractors in Montreal.

The partnership existing between Messrs. E. Bowler and W. B. Malcolm, under the name of the Dominion Sanitary Pottery Co., of St. Johns, Que., has been renewed, and the business will be carried on as heretofore.

The Legal and Commercial Exchange report the following: Godfrey & Co., hardware merchants, Vancouver, B. C., have assigned to R. W. Harris.—Chas. Desmarteau has been appointed curator of the estate of J. E. Lewis & Bro., plumbers, Montreal. - James Hutton & Co. have formed a partnership in Montreal as iron, steel and hardware merchants.--John McGuire, lumber dealer, Renfrew, Ont., has assigned to T. W. McGarry.

DRAINAGE AND VENTILATION OF STABLES.

The sanitary condition of stables is a matter which has not received anything approaching the attention which it de-The effects of an intelligent consideration of this question, followed by the necessary action for bringing about improvement, have been strikingly instanced by Edward Tidman, of London, in a paper on "Sanitary Ventilation" recently read by him before the Surveyors' Institute of that city. Institute of that city. The case quoted is

one the cavalry barracks, where the death rate of horses was 180 to 197 per 1,000 per The stables were rebuilt on deigns in which provisions was made for efficient drainage and ventilation, and during the following ten years the death rate fell to 28,50 per 1,000. Mr. Tidman says that seventy-five per cent of town stables in England, are in such an unsanitary state as to be dangerous to man and animals, and to this cause is attributed the prevalence of glanders and other diseases among horses.

PAINTING IRONWORK. - In many cases the object of painting iron is to prevent its rusting, fully as much as to improve the appearance; but in a great many cases the main object is not attained, as the iron will continue to rust under paint. Especially is this the case with coal tar when applied to cold iron and nearly al-ways the case when oil paints are used, unless a compound made for this particu-lar purpose is employed. The application of hot coal tar does not help the matter any, but if the iron be hot when the paint is applied or heated afterwards, the coal tar will make firmly adherent contact with the iron and prevent rusting. If oil paints are used it is necessary to make the first coat of composition that will closely adhere and, in fact, penetrate the pores of the iron Ironwork exposed to the weather requires special treatment if the paint is to adhere firmly and act as a preventive of rust. A correspondent gives the plan he uses for such work. He says: "My first step is to clean thoroughly, and then if badly rusted to apply a thin mixture of lampblack with plenty of turps and driers and a little oil, and after this dries, apply red lead with half oil and half 'turps.' This will give a lasting job, as the lampblack arrests and prevents the rusting." He might have added that the thinned coating penetiated deeper and made it adhere, while the gummy coating left from the evaporation of the "turps" made an efficient non- corrosive protective coating.

MUNICIPAL DEPARTMENT.

METHODS AND COST OF ROAD IM-PROVEMENTS. *

In St. Thomas all the improvements are made In St. Thomas all the improvements are made under the frontage tax system. Previous to the adoption of this system, and for some time after, a large amount of money was expended annually in bauling gravel for filling holes, patching and plastering streets and making gutters in an endeavor to relieve them of water, and to make the streets passable during the wet season. From this large expenditure, year after year, no beneficial results were noticeable. The citizens because described and desired to add with the season. final results were noticeable. The citizens be-came disgusted and decided to deal with the question from a business standpoint, and the residents of a number of principal streets peritioned the council to devise a plan for the sys-tematic and permanent improvement of the

tematic and permanent improvement of the streets.

The first point decided upon was the width of road-way between the lines of the curbing. These range from twenty-two to twenty-eight feet according to the amount of traffic; this being decided, the question of the class of material to be used was taken up, the cost being the principal consideration. In the outset of a meyement of this description it is difficult to convince the people that first-class material and work is the cheapest in the end. However, with us, as no doubt with other municipalities, the streets first petitioning were anxious that the road should be good, but that the cost should be kept as low as possible. Gravel, put on in sufficient quantities, was considered suitable. The levels were then taken and the grades established for an excavation the whole length of the street to such a depth that when the material was placed on the centre of the finished grade it would be beneath the surface of the adjoining lots, maintaining uniformity as far as consible. The excavation was curbed on each grade it would be beneath the surface of the ad-joining lots, maintaining uniformity as far as possible. The excavation was curbed on each side with three inch cedar curbing. Gravel to the depth of nine inches in the centre and six inches at the curbing was placed thereon. After the ex-cavation for the road-bed was made, tiles ranging from three inches to four inches in diameter were laid in the gutters and diagonally at intervals of from four to six rods from the centre of the road-way to the side drain beneath the sub-arrade with way to the side drain beneath the sub-grade, with a fall, as near as could be, of three inches to the one hundred feet. These drains empty into the sewer catch-basins. This road-bed, labor, draining and material, exclusive of the curbing, costs twenty-four cents per square yard, or seventy-two

* Abstract of a naper read by A. W. Camebell, P. L. S., C. E. A., M. C. S., City Engineer of St. Thomas, Ont., before the Ontario Good Roads Association.

cents per running foot, the road-way being twentycents per running foot, the road-way being twentyseven feet wide, or \$3,810.60 per mile. A width
of eight feet would be sufficient for roadways in
rural districts away from the immediate neighborhood of large towns. This would cost \$1,126,40
per mile, provided the gravel is as convenient to
the work, viz., not more than three miles distant.
This improvement on completion was-very satisfactory to the residents of the street and cultzens
in general, and not being subjected to heavy

This improvement on completion was very satisfactory to the residents of the street and cilizens in general, and not being subjected to heavy traffic made a good serviceable road-bed. The result that in the following year—1892—petitions were presented to the council for the improvement of six other streets; one about one and a half miles in length. On these streets heavier traffic had to be provided for, and I recommended that a more substantial foundation be made, and the following principle was adopted:

The road-bed was formed as above described, the whole of the sub-g.a. was covered with flake stone, of from three to he inches in thickness, and varying from eight mehes square to two feet in the greatest face measurement, from the quarries at Hagersville on the Michigan Central Railway. This stone was laid by hand, carefully fitted together, the interstices being filled with chippings, forming a complete floor, it was then settled in its place by passing a five ton roller over the whole bed. Upon this bed was placed, four inches in depth, coarse creek gravel, which was thoroughly sprinkled and rolled by passing said roller over it about six times; upon this was placed sufficient gravel to complete the grade, making a depth of road material eleven inches in the centge and seven inches at the curb line. I his was again sprinkled by the use of a watering cart, and repeatedly rolled, and material added where depressions were formed by the roller, until the whole was regularly crowned and brought to the finished grade line. The cost of this stone per cord, at the quarry, was \$1.25 on the cars; freighting eighty miles, \$2.05, unloading, 60 cents, making a total cost at the work, \$3.90 per cord.

The gravel was good creek gravel, hailed a distance of about three miles. The total cost of this stone was regularly complete and seven was stone and seven in the material complete was distance of about three miles. The total cost of this stone was regularly complete was stone was such as a source of about three miles. The

The gravel was good creek gravel, hauled a stance of about three miles. The total cost of distance of about three miles. The total cost of this road excavation and material complete was \$1.10 per lineal foot (28 feet between the curb lines), or \$5,808 per mile; this would be 31 cents per lineal foot for road-way eight feet vide, or \$1.638.80 per mile. Owing to the scarcity of first-class gravel we found that it was necessary at the close of the work in 1892 to look for some other material. We waited upon the owner of the Hagersville quarry and convinced him of the growing need of crushed stone, and guaranteed, if he put in a plant, to take from him during the season of 1893 one thousand cords of material, and as a result we have been using crushed stone for the past year. With this class of road the foundation is prepared in the manner described, but instead of using tites for draining we make the excavations the same as for tiles, and fill them in with clean crarse crushed stone. After fill them in with clean coarse crushed stone. After the road-bed is prepared the sub-grade is thoroughly rolled with a five ton roller until compacted, then stone crushed to pass through a two and one-half inch ring is placed thereon, to the depth of four inches, sprinkled and rolled, after which it is covered with stone crushed to pass through a one and one-half inch ring, three inches in the centre, and two inches at the sides, and again sprinkled and rolled, then a light coating of fine screenings, sufficient to thoroughly fill all the interstices is spread over the whole surface of the road-bed, which is sprinkled and rolled until thoroughly compacted, and when finished prefill them in with clean crarse crushed stone. After thoroughly compacted, and when finished pre-sents a smooth and even surface.

sents a smooth and even surface.

The stone cost us \$5.50 per cord f. o. b. cars,
St. Thomas, making the road-bed excavation,
material etc., exclusive of curbing cost \$1.08 per
lineal foot (28 feet wide) or \$5.702.40 per mile,
this for eight feet wide road-way would be \$1.754.
58 per mile. These roads, when finished, have
an elevation in the middle varying with the width
of the road as follows:

Twenty-two feet four inches, twenty-four feet five inches, twenty-eight feet, seven inches twenty-six feet, seven inches.

I have found that a roadway constructed of

good, clean gravel, with just sufficient earthy material among it to secure perfect consolidation to the proper depth, makes a good serviceable road, and with proper attention is cheap and suitable for localities where the gravel is-easily obtained. But the objection to them is the amount of attention and material required for maintenance.

maintenance.

Gravel that is worn by water is to clean for this purpose, and that dug from the earth con-tains as a general thing, too much earth, which should be sifted out before using. In doing this we sift the gravel through two sieves; one is made we sit the gravel through two sieves; one is made of wire two inches apart, so that all stones above that size are rejected; the other has spaces of three-quarters of an inch, and the material which passed through it is not used. The expense of this sifting is not very great, and the work will be repaid by the superior condition of the material and the dimunition of labor in keeping it in order.

Country roads as a rule do not require a wide Country roads as a rule do not require a wide roadway. If practical economy is studied the central part of the roadway need only be macadamized for a width of eight feet, this is sufficient width for vehicles to drive on. For roads approaching cities or large towns, it is necessary to provide for constant traffic in both directions, then the macadamized portion of the roadway should be sixteen feet wide, as the axles of wagons and buggies are usually five feet eight inches in width, thus allowing a space of two feet from th

MUNICIPAL ENGINEERS, CONTRACTORS, AND MATERIALS.

farther wheel to the outside of the paved part of the roadway, sixteen feet four inches, or in round numbers sixteen feet would be the proper width to allow vehicles always to keep their own side of the road without going off the paved portion, and it will always give a play of almost two feet on each side, and nearly four feet altogether, thus leaving space enough for vehicles to avoid always going in the same track and wearing the roadway into rits. If any further addition is to be made to the width of the macadamized portion it should be enough to allow three vehicles to pass over it abreast, sixteen feet and eight feet; twenty-four feet in all.

On the general question of the present method of sewer ventilation by the open gratings into public thoroughfares, the Medical Officer of Health for Chelsea has just presented a report. Dr. Louis C. Parkes very properly describes the whole system as a menace to public health, and hints that theserious increase of diphthesia hints that theserious increase of diphtheria in London during recent years may be due to this amazing disregard of decent sanitary conditions.

J. M. SHANLY,
M. AM. SOC. C. R.
M. CAN. SOC. C. R.

SHANLY & MCCARTHY,
CIVIL ENGINEERS.

STANDARD BUILDING MONTREAL.
Bridges Waterworks Sourcing Philipses &c.

Bridges, Waterworks, Sewerage, Railways, &c

We manufacture the

Thorold Cement

Since first manufactured, in 1841, over ONE MILLION BARRELS of the Thorold Cement have been used in the important public works constructed by the Dominion Government. In 1891, '92, '93, among other sales were the following:

10,000 Barrels St. Clair Tunnel Co. Kingston Graving Dock 2,000 Edison General Electric Co. 2,000 Town of Petrolea 2,000 Sault Ste. Marie Canal 13,500

ESTATE OF JOHN BATTLE. Thorold, Ontario.

G. A. STIMSON, 9 Toronto Street, Toronto. N.B.—Money to loan at lowest rates on first mortgage.

WILLIS CHIPMAN, B. A. Sc., M Can Soc. C.E; M Am Soc C.E; M. Am. W. W. Ass'n.

CIVIL AND SANITARY ENGINEER

Seleage Disposel

103 BAY STREET - TORONTO.

J. McDOUGALL, C. E., Engineer County of York

Consulting Engineer for Municipal Work.

Electric Railways and Bridges.

COURT HOUSE, - TORONTO.

JOHN GALT

C. E. AND M. E., M. CAN. Soc. C. E., Consulting Engineer.

Years Practical Experience in England, United States and Canada in Civil, Sanitary, Hydraulic, and Mechanical Engineering. SPECIALTIES:

WATERWORKS, SEWERAGE, ELECTRIC RAILWAYS.

Office: Rooms 99 and 100, CANADA LIFE BUILDING, - TORONTO.

DRAIN AND WATER PIPES SANITARY EARTHENWARE LONDON PORTLAND CEMENT

Paving and Scoria Bricks for Stables, Sidewalks, Yards, etc. Large quantities on hand and to arrive. We handle only the best quality. Prices lower than ever.

F. HYDE & CO.

31 Wellington Street, MONTHEAL, Sole Agents for THE "GRAHTRYX" SMOKE TEST AND MONTREAL,

DISINFECTING MACRINE.

Drummond McCall Pipe Foundry Company, MONTREAL

Works: Lachine, Que.

PRICES ON APPLICATION.

Water Meter Co., Ltd. Ontario



MANUFACTURERS OF WATER METERS

Meter Supports, Dial Extensions, Fixture Locks, Water Cart Registers, Strainers, Coupling Seals and Reservoir Indicators.

Send for Price Lists and Testimonials. Highly endorsed by leading Engineers.

All information furnished on application to

OFFICE:
23 TORONTO STREET, TORONTO.

A. C. WINTON, Secretary-Treas.

OFFICIALS

should see to it that in the erection of town and city PUBLIC BUILD-INGS, the installation of water works plant, etc., the advantages of . . . MINERAL WOOL

MINERALWOOL

are made use of for deadening sound in floors and partitions, insulation of heat and cold, fireproofing, etc., also SECTIONAL MINERAL WOOL COVERING for steam pipes, boilers exposed water

CANADIAN MINERAL WOOL GO., Limited, 122 Bay Street, Toronto.

Mo. Heal Agent:
GEO, A. COWAN, Room 23, 204 St. James St.

GEO. R. THOMPSON & CO., Agents, Winnipeg, Man.

BEST AND CHEAPEST IN TORONTO.

JOSSON, PETERS and BURHAM Brands for highest class work. WHITE HORSE, R. W., IMPERIAL, &C., FROM \$2.00 PER BARREL

Nichols, Smythe & Co., 25 George St., Toronto. CEMENT CONTRACTORS TO THE CITY OF TORONTO.
Telephone 1948 or call and see us.

ANADA PIPE AND FOUNDRY CO. . . .

MANUFACTURERS OF

Cast Iron Pipes and Special Castings

Works: MONTREAL AND ST. HENRI, QUE. CORRESPONDENCE SOLICITED.

OF ST. JOHNS, P, Q., (LIM.)



Salt-Glazed, Vitrified

SEWER

Double Strength Railway Culvert Pipes, Inverts, Vents,

ALL KINDS OF FIRE CLAY GOODS.

STEVENS & BURNS London, Ont.

To Municipal Corporations and Contractors:

... WE MANUFACTURE .


Hydrants, Valves, Valve Boxes

and Water Works Supplies generally,

INCLUDING

Tools for tapping mains under pressure

and Service Brass Work of all descriptions.



THE

A SUBSTITUTE FOR PRIVY VAULTS AND CESS POOLS.

A PERFECT SANITARY TRIUMPH,

Applicable to the uses of schools, colleges, hospitals, fac-tories, asylums and dwellings.

This closer is invaluable where sewer and water privileges are not obtainable, possessing all the convenience of the modern water closet.

Manufactured and erected in sizes s'number of persons, by ·ble to any

TORONTO FURNACE & CREMATORY CO., LTD.

8 & 10 Queen St. East, TORONTO.

Write for Catalogue Containing Fullest Information and Explanation.

& J. BROWN MFG.

Railway and Contractors' Plant.

BELLEVILLE, ONT.

CENTRAL BRIDGE AND - --- ENGINEE() ING COMPANY,

(LIMITED) Peterborough, Ont.

WM. H. LAW, Manager and Engineer.

RAILWAY AND HIGHWAY BRIDGES

Viaduots, Piers, Roofs, Turntables and Girders in Steel and Iron.

Tension members forged without welds. Riveting done by hydraulic or compressed air machines. Specialties: Good workmanship and strict adherence to specifications and drawings.

CAPACITY: 2,000 TONS PER ANNUM.

Municipal Officers, Contractors and others are requested to mention the CONTRACT RECORD when corresponding with advertisers.

ISAAC USHER & SON, THOROLD, ONT. Manufacturers of

QUEENSTON CEMENT

Proved by Government tests to be the best Cana-natural cement. Write for prices, &c.

OUR SALES OF

Cement...

for the past & nonths have been

25.499 GASKS.

"Burham" Braze outranks all others. Try it and be convinced.

Sole Consignees for Canada:

MCRAE & CO., OTTAWA

Prices of Building Materials.

CONDITION OF THE MARKET.

CONDITION OF THE MARKET.

The market for some lines of builders supplies is said to be improving, as a result, no doubt, of orders being received for the spring trade. There has been considerable activity in lumber circles, and a number of large contracts have been closed for next season's cut by representatives of English houses. The demand and prices for cement and firebricks remain about the same, and it is generally conceded that the stock on hand of the former is larger than at the same time last year. Glass and paints and oils also remain unchanged. At the recent inecting of the Canadian Cut Nail Association no change was made in the prices. The wire nail manufacturers decided to make a five per cent, reduction in the discount allowed the trade.

LUMBER.

CAR OR CARGO LOTS.

Toro	Toronto.		real.	
\$	\$	\$	S	
11/2 to 2 clear picks. Am ins33 000	216 00	40 000		
1 to 2 three uppers, Am ins.	37 ∞	40 ∞		
1 to 2, pickings, Amins	25 00	27 00	30 00	
z inch cleat			6000	
a x 10 and 12 dressing and		J- J-	•••	
1 better 20 00	22 00	18 00	20 00	
1 x 10 and 12 mill run 16 00	17 00		1000	
1 x 10 and 12 dressing 20 00	23 00		18 00	
1 x 10 and 12 common 13 00	14 00			
1 x 10 and 12 spruce culls10 00	11 00			
1 x 10 and 12 culls 900	10 00		900	
mchclear and picks 28 oc		33 ∞		
z inch dressing and better22 00	22 00	18 ∞	3300	
1 inch siding, mill run 14 00	1500			
1 inch siding, common12 00	13 00		14 00	
z inch siding, ship culls	12 00		11 00	
z inch siding, mill culls 9 00	10 00			
			900	
Call scantling 8 co	9 👓	0 00	900	
12 and thicker cutting up	-6			
plank 24 00	20 00	33 00	32.00	
z inch strips, 4 in. to E in. mill				
1011	15 ∞	** 00	15 00	
1 inch strips, common 100	13 00		1200	
134 inch flooring 16 00	17 ∞			
inch flooring 16 00	17 ∞	14 00	16 ∞	
XXX shingles, sawn per M		_		
16 in 2 57			2 70	
XX shingles, sawn 1 50	2 60	1 60	1 70	
Lath				
STATOUP CRAY	NS.			
Mill cull boards and scantling	10 00	1	1000	
Shipping cull boards, pro-				
miscuous widths	13 00		13 00	
Shipping cull boards, stocks	16 00		1600	
Hemlock scantling and joist				

Toronto. Montreal.	Toronto. Montreal.	Toronto. Montreal.
Cutting up planks, 11/2 and	Black lamp	3d to 5d cold cut, not polished
thicker, dry	Blue, ultramarine 15 20 12 18	or blued, per 100 lbs 90 90
Cutting up planks, 134 and	Oil, linseed, raw, & Imp. gal. 65 68 63 65 "boiled 68 71 66 68	Vink blued Hails.
thicker, board18 00 24 02 18 00 22 00 Cedar for block paying, per	" bolled " 68 71 66 68 " refined, " 78 85 75 75	ad, per 100 lbs 1 50 1 50
	Putty 2½ 2½ 2½ 2½	2d, 11 11 200 200
Cedar for Kerbing, 4 x 14,	Whiting, dry, per 100 lbs 75 1 00 00 75	CASING AND BOX, FLOORING, SHOOK AND TOBACCO BOX
per M 14 00 14 00	Paris white, Eng., dry 90 1 25 90 1 10	nages.
в. ж.	Litharge, Am	12d to 30d, per 100 lbs 50 50
1 1/2 in flooring, dressed, F.M. 26 00 3000 28 00 31 00	Sienna, burnt 15 20 12 15	rod, " " 60 60
11% inch flooring, rough, BM.18 oo 22 oo 18 oo 22 oo	Umber, " 83 12 12 15	QU ALIU QU, 75 /3
14 14 14 14 14 14 14 14 14 14 14 14 14 1	CEMENT, LIME, etc.	ou mu 70, 90 90
13/ " undressed, BM.18 00 19 00 18 00 19 00 13/ " dressed18 00 20 00 18 00 22 00	Cement, Portland, per bbl 250	4d to 5d, " " 110 110 3d, " " 150 130
1% " undressed 12 00 15 00 12 00 15 00	# English # 275 210 225	•
Beaded sheeting, dressed20 00 35 00 22 00 35 00	3 2 3 2 3 2 3	PINISHING NAILS.
Claphoarding, dressed 12 00 12 00		inch, per too lbs 85
XXX sawn shingles, per M	n Napanee, n 225	2½ t0 2½ " " " 100 100 2 t0 2½ " " " 1 11
18 in 2 60 2 70 3 co	11 Hull, 11 150	1½ to 1½ " " " 35 135
Sawn lath 250 260 250 260	" German " . 265 285	1% 175 175
Cedar	11 London 1 245 290	1 " " 225 225
Red oak	" Newcastle " 2 35 2 50	SLATING NAILS.
White	17 Medicality 2 30 2 40	5d, per 100 lbs
Cherry, No. 1 and 2 70 00 92 00 70 00 80 00	11 Calladian 233 230	4d, " " 85 85
White ash, No. 1 and 2 24 00 35 00 30 00 35 00	11 Kullan 275	30,
Black ash, No. 1 and 220 00 30 00 18 00 30 00	Parian 4 50 4 75 11 Superfine 1 . 6 50 7 00	20,
Dressing stocks 16 00 22 00 16 00 22 00	Keene's Coarse "Whites" 4 50 4 75	COMMON BARREL MAILS.
Picks, American inspection 30 00 40 00	Calcined plaster, per barrel 1 55 1 70	r inch, per 103 lbs 1 50 1 50
These uppers, Am. inspection 50 00 50 00	Fire Bricks, Newcastle, per M 16 50 21 00	71 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
BRICK—30 M	" Scotch " 24 00 30 00	
Common Walling 7 50 6 ∞	Lime, Per Barrel, Grey 40	CLINCH NAILS. inch. per 100 lbs. 85 85
Good Facing 9 00 8 50	White 55	inch, per 100 lbs. 85 85 85 85 85 800,
Sewer 8 50 9 00 8 50 9 00	Plaster, Calcined, N. B 200	2 and 2½ " " " 115 115
Pressed Brick, Per M:	Hair, Plasterers, per bag So 100	**Land*** ** 120 Inc
Plain brick, f. o. b. at Milton 16 co		11/2 " . 200 200
" " 2nd quality 14 00	HARDWARE. Cut nails, 5cd & 6od, per keg 240 225	1 1 250 750
" " 3rd " 8 00	Cut nails, 50d & 60d, per keg 240 225 Steel 11 11 11 250 235	SHARP AND PLAT PRESSED NAILS.
nard building 4 50	CUT NAILS, FENCE AND CUT SPIKES.	3 inch, per 100 lbs. 1 35 1 35
Moulded and Ornamenta; per	40d, hot cut, per 100 lbs 5	2½ and 2½ "" 150 150
Poof Tiles	30d, 11 11 11 10 10	2 210 22
Roof Tiles 74 00 Diamond locking tile 16 00	20d, 16d and 12d, hot cut, per	175 2010 174
	100 lbs 15 15	178 250 250
First quality, f.o.5, at Camp-	10d, ho; cut, per 100 lbs 20 20 8d, od. 11 11 11 25 25	
bellville 18 00 25 00	24 24 11 11 11	Stee, eams, per 100 lbs 275 290
and quality, f.o.b	4d to \$d. " " " 60 60	Stee. earns, per 100 lbs 2 75 2 90 11 channels, 11 2 85 2 60
	30, """ " 100 100	11 angles 11 250 230
Tiles 24 00 26 00	ad, """ 150 150	" tees. " 280 265
	4d to 5d cold cut, not polished	" plates, " 2 55 2.35
Plain brick, "A" fo b, Don Valley 18 00 25 00 16 00 18	or blued, per 100 lbs 50 50	Sheared steel bridge plate 2 25 2 35
" " "B" 16 00 22 00	والمرافقة والمتحارجين المتحادث والمتحادث والمتحادث والمتحادث والمتحادث والمتحادث والمتحادث والمتحادث والمتحادث	_
Troing or Buff	*****	
Trojan or Buff	INDEX TO ADV	TERTISEMENTS .
· · · · · · · · · · · · · · · · · · ·		•
Plain brick, f.o.b. Port Credit 18 00	in the "Canadian Ar	chitect and Builder."
" " 2nd quality 13 00		

Diamond locking the	10 00		100 lbs	
First quality, f.o.b. at Camp-			10d, ho; cut, per 100 lbs	•
	18 00	25 ∞	04,94, 11 11	•
and quality, f.o.b.	14 00	20 00	6d, 7d, " " " 4d to 5d, " " "	•
Omerantal person	11 00	17 00	3d, " " "	•
Ornamental, per 100 3 00	10 00 3 00	10 00	ad, " " "	
**************************************	24 00	26 co	4d to 5d cold cut, not polishe	d
Plain brick, "A" fo b, Don Valley	18 00	25 OO	or blued, per 100 lbs	•
Plain brick, "A" fo b, Don Valley " "B" " "C" Trojan or Buff	16 00	22 00		
	1500	18 00		
Trojan or Buff	24 00	30 00	INDE	YЛ
Ornamental, per 100 3 00	60 00 300	60 00	11/1/11	\\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
Plain brick, f.o.b. Port Credit	18 00		1n	the '
and quality	1300			
Hard Building.	10 00			
Components man and	800		Architects.	
Ornamental, per 100 300	10 0			
SAND.			Ontario Directory . III	Adamai
Per Load o 11/2 Cubic Yards	1 25	1 24	Queoec Directory isi	Bremne Currie&
STONE.			4 3 14 4 4 4 4 6 4 4	Estate
Common Rubble, per toise,			Architectural Sculp-	McNall
delivered	14 00	14 00	tors and Carvers.	Maguir
delivered	18 00		Carnovsky, B. H IV Hicks, W. Stivens 11	Morris,
Foundation Blocks, per C. ft.	15 00	18 00	Hicks, W. Stivens II	
Foundation Blocks, per c. ft. Kent Freestone Quarries	50	50	Holptook & Molling.	Class
Moncton, N. B., per cu			Wagner, Zeidler &	Frink,
ft., f.o.b	t 00		Wagner, Zeidler &	Pillik,
River John, N. S., brown			Co iv	_
Freestone, per cu.ft., f.o.b.	95		4 2 24 4 2 Years	Cont
Ballochmyle	90 69		Architectural Iron-	1
Granite (Stanstead) Ashlar, 6		1 05	Work.	I umer
in. to 12 in., rise 910., per ft.			B. Greening Wire Co. viii	
Moat Freistone	••	25 80	Dominion Bridge Co. 1	Contr
Thomson's Garelawhridge on fr	70 73	80	Meadows, Geo.B viii	and
Credit Valley Rubble, per		•••	Whitfield, John I	Rice Le
toise, delivered	14 00			Rowe,
Credit Valley Brown Cours-			Architects' Supplies	Seneca
ing, per superficial yard 2 50 Credit Valley Brown Dimen-	3 ∞	2 90	Heam & Harrison IV	
sion, per cubic foot	90			Cut
sion, per cubic foot Credit Valley Grey Coursing,	40	90	Art Woodwork.	V
per superficial yard 1 52	200	2 15	Carnovsky, B. H IV	Isaac E
Credit Valley Grey Dimen-			Knechtel, S xi	Oakley
sion, per cubic foot	75	85	Otterville Mfg, Co xii	Our.c,
MadocRubble, delive ed, per			Wagner, Zeidler & Co. iv	
Madoc dimension floating, f.	1450 1400	14 50	m + 20 - 22 21	Chim
o. b. Toronto, per cubic ft. Ohio Freestene, No. 1 Blue Promiscuous, f.o.b.	32		Bricks (Pressed).	Bremne
Ohio Freestone, No. 1 Blue	3-		Beamsville Pressed	Curries
Promiscuous, f.o.b	60		Brick Co ix	
No. 1 Blue Dimension No. 1 Buff Promiscuous No. 1 Buff Dimension	6s		Morris, E. D viii	מ
No. 1 Buff Promiscuous	8o		Port Credit Pressed	Bremne
No. 1 Buit Dimension	84		Brick & Terra Cotta	Currie
The above prices means freight and duty paid.			Taylor Bros ×	Hamilt
2 in sawed flagging persq.ft	23		,	Sewe
33 11 11 11 11			Builders' Supplies.	McNal
`3g u u u u	13¾ 16¾		Adamant Mfg Coviii	Maguir
43 11 11 11 11	22		Bremner, Alex IV	The Conton C
S\$ 11 21 11 11	271/2		Bremner, Alex IV Currie & Co., W & F P. xii	
63 11 11 11 11	33			
Duty to be added to these			Miller Bros. & Tons xi Moris, E. Dviii])r
prices. Quebec and Vermont rough			Morris, E Dviii	Higgin
grapite for building pur-			Mentally of Co	
poses, per c.ft. f.o.b. quarry 3	1 50		Rice Lewis & Son IV Rowe, GeoIII	Du
	20		Rone, Gean	
Granite paving blocks, 8 in. to			Building Stone	King &
12 in. x 6 in. x 4 12 in., per M Granite curbing stone, 6 in. x	50 ∞		Dealers.	
Granite curbing stone, 6 in.x			Carroll, Vick & Co ix	Islec.
20 ig., per lineal foot	70		The Toronto & Orillia	
SLATE.			Stone Quarry Co IV	Barwel
Rocling (% square).			210110 Q2	
red	16 CO	20 00 10 00	Builders' Hard-	٠,
untading green	8 50	600	ıcare.	
· black	8 6	750	Rice Lewis & Son IV	Fenson
Terra Cotta Tile, per sq Ornamental Black Slate Zoof-	22 00	, 50	NICE DEWING COM IV	Miller
			Creosoto Stains	Leitch
ing	800			
PAINTS. (In oil	1, 12 16.		Cabot, Samuel iv	Ž
White lead, Can., per 100 lbs. 6 22 inc, Can., ii ii 6 5 Red lead, Eng	650 6∞	6 25	Cedar Shingles .	Can. I
Padiend from	7 50, 750	800		reau.
Red lead, Eng		- 6	McRae & Co II	
" venetian, per 100 lbs 1 60		1 75	Church and School	Fire.
" Indian, Eng 10		12	Furniture.	Bremn
Yellow ochre		•6	Bostwick, Geo. F II	Colma
			Can. Office & School	Currie
Green, chrome	1 22 7	12	Furniture Co xii	McNa
·· Varie		20	Office Specialty Co	Morres
** Paris 2	, 40 20	20	Other Observed access	

olished	1 5
)E	X T(
. III . isi	Adamant I Bremner, Currie&Co Estate of McNally & Maguire I Morris, E.
dp- vs. . IV . II i	McNally & Maguire I Morris, E. Claurel Frink, I.
011-	Contra Bu Tumer &
viii Viii Viii Iles	Contrac and II Rice Lewi Rowe, Geo Seneca Fa
. IV . xi . xii . xii	Cut Si tro Isaac Bros Oakley &
t). d . ix .viii	Chimne Bremner, Currie&Co
a . x . x	Bremner, Currie &C Hamilton: Sewer P McNally & Maguire I The Colm ton Co.
.viii IV . xii . ii .viii iii . IV	Draw Higgins 3
o	King & So
ix ia · IV	Fi Barwell, J
. 1V	Fensom. J Miller Bro Leitch & T
iv s	Can. Pho reau
1000 11 do xii	Fire Br Bremner, Colman-H Currie& O McNally Morris, E

50 50	Sheared steel bridge plate	. 225 235
TO 4 DI	TO TO COT O TO A C	CNICC
IO ADV	ERTISEM	ENIS .
	chitect and Builder	
Comanda	Calmandard Toom	Plumbing Supplies
Cements, mant Mfg. Coviji	Galvanized Iron Forkers.	Barwell, James viii
mner, Alex IV	Tucker & Dillon II	Dominion Sanitary
mner, Alex IV		Pottery Co Malcolm, W. B
ate of John Battle v Nally & Co., Wm. iii	Grates and Tiles.	Sanitas Míg. Co
gune Bres i	Bostwick, G. F II Holbrook & Mollington i	Toronto Steel Clad Bath
mis, E. Dviii	Rice Lewis & SouIV	& Metal CoIII
7	Hydraulic Engine	Roofing Materials . Merchant & Co iii
Aurch Reflectors	Guest & Co viii	Metallic Roofing Co ix
nk, I. P 1		Roofers
Contractors and	Realing.	Douglas Rese
Builders,	Gurney Foundry Co xii King & Son, Warden xi Miller Bros. & Toms ix Robb Engineering Co Toronto Rudiator Mfg	Hutson, W. D II
mer & Co., G. W iii	Miller Bros. & Toms. ix	Metallic Roofing Co ix
-	Robb Engineering Co ix	Rennie & Son, R II
ntractors' Plant	Co vii	Duthie & Sons, G. 11 Hutson, W. D. 11 Metallic Roofing Co. ix Rennie & Son. R. 11 Stewart, W. T. 11 Williams & Co. H. 11
and Machinery		Sanitary Appli-
e Lewis & Son IV we, GeoIII	Iron Pipe	ances
eca Falls Mfg. Co. iv	King & Son, Wardenxiii	Dominion Sanitary
	Lime.	Pottery Coii Malcolm, W. Bii Sanitas Mfg. Coix
Cut Stone Con-	Currie & Co, W & F P. xii Morris, E. Dviii	Sanitas Mfg. Co ix
tractors.	•	Toronto Steel Clad Bath & Metal CoIII
kley & Holmes II	McRae & Co II	
nic) (c 210111163, 11		Shingle Stains Cabot, Samuel iv
limney Topping.	Legal.	Sliding Blinds
	Denton & Dods IV Morgan, Godfrey St V II	Lea & Seaman II
mner, Alex IV		Stained and Decora-
	Mantele	tivo Glass
Drain Pipe	Bostwick, Geo. F II	Castle & Son v
mner, Alex IV rrie & Co., W&F.P. xii milton and Toronto ewer Pipe Co	Metallic Latin	Dominion Glass Co v
milton and Toronto	Restwick Metal Lath	Drake, W v Elliott & Son. I Gilson Bros. Stained
ewer Pipe Co xi	B. Greening Wire Co. viii	Gilson Bros. Stained
ruire Bros	Metallic Roofing Co ix	Grimson, G. & J. Ev
Colman · Hamil-		Glass Works v Grimson, G. & J. E v Hobbs Mig. Co v Horwood & Sons, H v
on Co 11	Mortar Colors and	niculatistand & bon V
	Shingle Stains.	Quesnel, Sharpe & Co.
Drawing Inks	Cabot Samuel, iv	Quesnel, Sharpe & Co. w Kamsay & Son, A v Spence & Son, I. C v
ggins & Co., C. M, ix	Muirhead, Andrew i	
The 1 TT-11	Ornamental Plas.	Temperature Regu- lator
Dumb Walters	terers.	Teresto Radiator Co. vii
ng & Son, Warden	Baker, J. D vi	Terra Colta
Sectric and Gas	Hynes, W J	The Raritan Hollow &
Fixtures	Paints & Varnishes	Porous Brick Coviii
rwell, James viii	Harris Co., The E. viii	Terra Cotta Elre-
, j	Muirhead, Andrew i	proofing The Raistan Hollow &
' Elevators	Painters.	Porous Brick Coviii
nsom. John 11 Her Bros. & Toms xi	Delage, Theo iii Gilmor & Casey II	Wall Paper and
ller Bros. & Toms xi itch & Turnbull I		Calling Decorations
ion & remodilion 1	Paving.	Elliott & Son 11
Engravers.	The Guelich Silica Barytic Stone Co IV	Staunton & Co., M ix
n. Photo-Eng Bu-	Plasterers	WireManufacturers
eauiv	Hypes, W. J i	B. Greening Wire Co. viii
	. Plate Class	Meadows, Gos. B viii
re Brick and Clay	Plate Glass Harris Co., The Eviii	Wall Plaster Adamant Mig. Co. of
emner, Alex IV	Hobbs Mig. Co v McCausland & Son iv	America viii
iman Hamilton CoII	alcCausland & Soa iv	Americaviii Nowell & Co. B. L xii
rrie& Co, W & F P xii cNally & Co., W iii orris, E. Dviii	Parquetry Floors	Weather Strips
orris, E. Dviii	Elliott & Son	St. Amour, E