CIHM Microfiche Series (Monographs) ICMH Collection de microfiches (monographies)



Canadian Institute for Historical Microreproductions / Institut canadian de microreproductions historiques



Technical and Bibliographic Notes / Notes techniques et bibliographiques

The institute has attempted to obtain the best original copy available for filming. Features of this copy which may be bibliographically unique, which may after any of the images in the reproduction, or which may significantly change the usual method of filming are checked below.

L'institut a microflimé le meilieur exemplaire qu'il iul a été possible de se procurer. Les détails de cet exemplaire qui s nt peut-être uniques du point de vue bibliographique, qui peuvent modifier une image reproduite, ou qui peuvent exiger une modification dans la méthode normale de filmage sont indiqués ci-dessous.

	Coioured covers /	Coioured page	s / Pages de couieur
_		Pages damage	d / Pages endommagées
	Covers damaged /		are ages chaomingees
	Couverture endommagée	Pages restored	and/or laminated /
	Covers restored and/or laminated /	rages restaure	es et/ou pelliculées
	Converture restourée et/eu sellieulée		
	oouverture restauree evou penicuree	Pages discolou	red, stained or foxed /
		Pages décoioré	es, tachetées ou piquées
	Cover title missing / Le titre de couverture manque		
$\overline{\Box}$	Coloured maps / Cartes déographiques en coulour	Pages detache	d / Pages détachées
	enter geographiques en couleur		
	Coloured ink /i.e. ether then him on him of the last	Showthrough /	Transparence
	Coloured link (i.e. other than blue or black) /		
	Encre de couleur (i.e. autre que bleue ou noire)	Quality of print	varies /
		Qualité inégaie	de l'impression
	Coloured plates and/or illustrations /		
	Planches et/ou illustrations en couleur		montany motorial /
		Comprend du m	nteriary material /
	Bound with other material /	Completid du fi	latenel supplementaire
	Relié avec d'autres documents		
	tione avec a adres documents	Pages wholly o	r partially obscured by errata slips,
		tissues, etc., ha	ve been refilmed to ensure the best
	Only edition available /	possible imag	e / Les pages totalement ou
	Seule edition disponible	partiellement ob	scurcies par un feuillet d'errata une
		peiure, etc., ont	été filmées à nouveau de facon à
	Tight binding may cause shadows or distortion along	obtenir la meille	ure image possible
	interior margin / La reliure serrée peut causer de		bie inlage possible.
	l'ombre ou de la distorsion le long de la marge		an with the second
	intérieure.	Opposing pag	es with varying colouration or
		discolourations a	are filmed twice to ensure the best
	Blank loaves added during restantions	possible image	/ Les pages s'opposant ayant des
	twithin the text Miles and a residentions may appear	colorations vari	ables ou des décolorations sont
	within the text. whenever possible, these have been	filmées deux foi	s afin d'obtenir la meilleure image
	omitted from filming / II se peut que certaines pages	possible.	
	blanches ajoutées lors d'une restauration		
	apparaissent dans le texte, mais, lorsque cela était		
	possible, ces pages n'ont pas été filmées.		
	Additional comments /		

This item is filmed at the reduction ratio checked below / Ca document est filmé au taux de réduction indiqué ci-dessous.

Commentaires supplémentaires:



The copy filmed here has been reproduced thenks to the generosity of:

National Library of Canada

The images appearing hara are the best quality possible considering the condition and legibility of the original copy and in kaeping with the filming contract specifications.

Original copies in printed paper covars are filmed beginning with the front covar end anding on the last page with a printed or illustrated impression, or the back cover whan appropriate. All other original copies are filmed beginning on the first page with a printed or illustrated imprassion, and anding on the last page with a printed or illustrated impression.

The last recorded frame on each microfiche shall contain the symbol \longrightarrow (meaning "CON-TINUED"), or the symbol ∇ (meaning "END"), whichever applies.

Maps, plates, charts, etc., may be filmed at different raduction ratios. Those too large to be entiraly included in one exposure are filmed beginning in the upper left hand corner. left to right and top to bottom, as many frames as required. The following diagrams illustrate the mathod: L'axemplaire filmé fut raproduit grâce à la générosité da:

Bibliothèque nationale du Canada

Las images suivantes ont été reproduitas avac la plus grand soin, compta tenu de la condition et de la netteté da l'axemplaira filmé, at an conformité avac les conditions du contrat de filmege.

Les exempleires origineux dont la couverture en pepier est imprimée sont filmés en commençant par la premier plat et en terminent soit par la dernière page qui comporte une empreinte d'impression ou d'illustration, soit par le second plat, selon le ces. Tous les autres exempleires origineux sont filmés en commençant par la premiére page qui comporte une empreinte d'impression ou d'illustration et en terminent par la dernière page qui comporte une telle empreinte.

Un des symboles suivants apparaîtra sur la dernière image de chaque microfiche, selon la ces: le symbole —> signifie "A SUIVRE", la symbole V signifie "FIN".

Les cartes, planches, tablaaux, atc., pauvent êtra filmés à das taux da réduction différants. Lorsque la documant est trop grand pour êtra reproduit en un seul cliché, il ast filmé à partir de l'angla supérieur gaucha, da gaucha à droita, at de haut an bas, an pranant la nombra d'imagas nècassaire. Les diagrammas suivants Illustrant la méthoda.





1	2	3
4	5	6

:

MICROCOPY RESOLUTION TEST CHART

(ANSI and ISO TEST CHART Na. 2)





1653 East Main Street Rochester, New York 14609 USA (716) 482 - 0300 - Phone (716) 288 - 5989 - Fax

Inc



SIMPLE METHODS FOR THE STORAGE OF ICE

BY J. A. RUDDICK AND JOS. BURGESS

BULLETIN No. 57 Dairy and Cold Storage Commissioner's Series

ERRATA (Printer's Error

The Illustrations on Pages 3 and 5 have been transposed. Plan No. 1 should appear on Page 3 and Plan No. 2 on Page 5.

Published by Direction of The Hon. S. F. TOLMIE, Minister of Agriculture, Ottawa, Ont.

OTTAWA GOVERNMENT PRINTING BUREAU 1920

6327-1

3



THE ORDINARY STORAGE OF ICE.

PLAN NO. 1.

The storage of a few blocks of ice for summer use is a very simple matter where the ice is readily available. Any unoccupied corner of a shed will serve for the purpose. A rough board enclosure ten feet square and eight feet high will hold enough ice 'o provide 50 pounds per day for 130 days, after allowing for a reasonable amount of wastage. The smaller the quantity stored, the larger is the proportion of waste.



The bottom of the enclosure should be covered with about one foot of sawdust. If the soil underneath is impervious clay, it will be all the better if there is a few inches of gravel under the sawdust. In putting in the ieu the boards can be taker, away from one side and replaced after the iee is in position. A space of one from should be left between the iee and the boards to be filled with sawdust, and the iee should be covered with about the same thickness. It is the sawdust which keeps the ice from melting. The drier the sawdust is the better the ice will keep, and it is a

good plan, as the ice is removed during the summer, to throw out from time to time the driest of the sawdust where it will be under cover and continue to dry out and thus be in better condition to be used again the following year. The ice should be cut in blocks of uniform size and packed as closely together as possible.

If it is necessary to erect a special ice-house, the roughest kind of a shed that will keep out the weather is all that is necessary. Poles may be driven into the ground and lined up on the inside with rough lumber or slabs, leaving a space of about three-eighths of an inch between each board, and the whole covered with a roof to keep out the rain.

Plan No. 1 shows the construction of a building with 2 by 4-inch studding lined with rough lumber inside, and a space of three-eighths of an inch left between each board. If for any reason a building with a better finish and appearance is desired, the outside of the studes may be covered wh chapbourds, shiplap or other siding, with ample ventilation above the ice. Ventilation can be provided by leaving the spaces between the rafters open, or by placing louvre openings in the gable ends. It is also advisable to leave a two-inch space at the bottom and top of the clapboards, which will provide a circulation of air between the stude, and help to keep the sawdust dry.

If sawdust cannot be obtained, planer-mill shavings may be used for packing the ice, or in cases where neither is available, hay may be used as a packing or covering material.

Marsh or "slough" hay or any fine wild hay which grows in low places gives the best results. If hay is used, the space around the ice or between the ice and the walls instead of being only one foot, should be at least two feet, into which the huy must be well packed. The ice should also be covered with about two feet of the hay.

SPECIFICATIONS FOR AN INSULATED ICEHOUSE.

PLAN NO. 2.

Drainage.—If the ground is dry and porous, or of a gravel or sand formation, no special drainage need be provided, but if it is impervious elay or heavy soil, the area of the floor should be excavated and filled to a depth of six to twelve inches with 'mall stone, coarse gravel or cl. 'vrs, first laying drain tile to ensure proper drainage.

Framing.—Bed 4 by 12-... sills in cinders or other filling and set on proper foundations. Half the sills at the corners and spike or bolt together.

Erect two rows of 2 by 4-inch studding, staggered, as shown in plan, spaced at 24-inch centres.

Lay a 2 by 6-inch plate with joints broken over outside row of studs.

Roof.—The roof rafters should be 2 by 6-inch set at 24-inch centres and heeled over plate and spiked. Cover the rafters with one-inch lumber dressed on one side, and shingles laid four and one-half inches to the weather, or other roofing material.

Walls.—Cover the study on the inside with one ply of heavy waterproof paper, with joints well lapped, and one course of rough lumber. Cover the outside with one course hemlock lumber dressed on one side, two-ply building paper, and finish with either clapboards, shingles, metal or frame si ing.

Filling for Spaces and Floor.—Fill spaces in the wall and cover the floor area with 12 inches _laner-mill shavings or dry sawdust. The sawdust or shavings to be well packed so that there will be no possibility of settling.

Ceiling or Covering for the Ice.—An insulated eeiling may be constructed with 6 or 8-inch joists lined underneath with two ply of damp-proof paper and one course

time and ld be

that o the ce of ith a

lined each sired. with paces also vhich dry. g the

s the the hay hay.

ering

tion. , the with lage. 'oper

d at

eled. side. al.

iper. one with

area o be

with urse of matched lumber. The space between and over the joists should then be filled with not less than one foot of sawdust or planer shavings.

The ceiling may be dispensed with and the ice simply covered with about two feet of marsh or "slough" hay, or any fine wild hay grown in low places.

In filling the icehouse, pack the ice close to the walls.

Ventilation.-The gable ends of the building should have louvre openings about two feet square, to ventilate the space above the ice, or above the ceiling.



Doors.-Doors to be made it is of 3 by 4 feet with double lumber and two-play paper between the lumber, extend from the floor to the roof. The door frames to be fitted with two sets or removable boards inside the doors, allowing a -pace of about eight inches to be fil ad with sawdust or shavings after the ice is stowed.

NOTE.-Where planer-mill shavings sawdust are not available for filling the spaces in the walls, wild hay may be sub- sted if the sparse in the walls is increased to at least two feet, and the hay well packet Two eet of hay should also be placed underneath the ice.

Size of Icehouse.-In estimating the feet of space for each ton of ice to be stored as per cent for wastage.

" - e required, allow 40 cubie

SPECIFICATION FOR AN "ICE WELL",

PLAN NO. 3.

"Jee wells" are used in some parts of the western provinces, including Manitoba. Saskatchewan and Alberta, for making ice during the cold weather, and then utilizing the space over the ice for cooling purposes during the summer months.

In selecting a site it is advisable to keep away from any vell which supplies drinking water, as the seepage from the "ice well" may contaminate the water and make it unfit for use. If possible, pick out a shady spot where there is some protection from the sun and winds.



The "iee well" should be about 12 feet deep and of a diameter to suit requirements. The larger it is the longer the ice will last. A well, six feet in diameter, filled six feet in depth with ice, will hold about four tons.

The well should be cribbed as shown in the drawing to prevent the walls from falling in. It is very essential that the earth in the bottom of the well should be dry and porous, or that drainage be provided, otherwise, the water that results from the ice melting will collect in the well and cause the ice to melt in a very short time.

A shed with a removable roof should be constructed over the well. In filling the well during the winter months, take off the roof of the shed to get the full benefit of the cutside temperature, then sprinkle the cribbing with water until it is covered with a coating of ice. This will make it hold the water. In filling the well put in about four to six $\frac{1}{2}$ are of water at a time, and allow it to freeze solid before adding more, until the ice scaches within three or four feet from the top. If it is available, the well may be filled loosely with blocks of ice, and water added gradually to fill

the spaces, and thus make a solid mass. A loose floor should be placed on clears fastened to the cribbage just over the ice, and the top of the well covered with a trap-goor and straw.

The space between the loose floar and the top of the well can be used to advantage for cooling milk or even, and other products. Cars must be taken to keep this chamber as clean as cossible. If wilk or cream is spilled it should be cleaned up at once to prevent odours and ing that would be injurious and would offset any benefit to be derived from pooling.

As a means of preserving ice for household use, the "ice well" has no advantage over the storage of ice in a rough shed, but it does provide facilities for holding cream and milk, and for the cool storage of other articles of food, where a supply of ice cut from a stream or pond is not available.

ce well" can be used successfully only in places where no water collects in the a cavation.

LIST OF PUBLICATIONS

OF THE DAIRY AND COLD STORAGE COMMISSIONEE'S SERIES.

REPORTS.

Report of the Dairy Commissioner, January, 1905, to March, 1906. + Reports of the Dairy and Cold Storage Commissioner for 1907, 1908, 1909, 1910, 1911, 1912, 1913, 1914 and 1915.

BULLETINS.

I-snec	I. No.	Title.
1909	# 22	The Cooling of Milk for Cheesenaking
1910	25	Coulommier Cheese. Some Notes on its Manufacture
1911	27	Trial Shipments of Peaches, 1910.
1911	28	The Dairying Industry, an Historical and Descriptive Account
1911	30	Cream Cheese. (Second Edition.)
1912	33	Cow Testing.
1913	36	Cold Storage for Creamerics.
1913	37	The Island of Orlcans Cheese.
1914	41	Cheese Factory and Creamery Plans with Specifications.
1914	43	The Cold Storage Act, 1907, as Amended in 1909, and Regulations
1915	44	The Cold Storage of Fod Products with Some Notes on Insulation and Warehouse Management.
1915	45	The Testing of Milk, Cream and Dairy By-I ducts by Means of the Babcock Test.
1915	46	Tests for the Specific Gravity, the Percentage of Acid and Cascin, the Adulteration of Milk, the Percentage of Water and Salt in Butter and of Fat and Water in Checse.
19 16	47	The Grimsby Precooling and Experimental Fruit Storage Wure- house.
19 16	48	Frecooling, Shipment and Cold Storage of Tender Fruit with Notes on Packing and Packages.
1917	49	Small Cold Storages and Dairy Buildings.
1917	50	The Use of Brine Tank Refrige: * r Cars for Fruit Shipment
1917	51	The Rate of Precooling Fruit in Different Styles of Packages and at Different Temperatures.

- 7

itoba. izing

rinkmake ction

uireieter,

from e dry n the e. g the nefit ered Date

Issued.No.Title.191752Methods of Handling Basket Fruits.191753Butter Making on the Farm.191855List of Cheese Factorics, Creameries, Skimming Stations also Condensed Milk Manufacturers, City Milk Vendors and Letter	
 1917 52 Methods of Handling Basket Fruits. 1917 53 Butter Making on the Farm. 1918 55 List of Cheese Factorics, Creameries, Skimming Stations also Condensed Milk Manufacturers, City Milk Vendors and Letter 	
191753 Butter Making on the Farm.191855 List of Cheese Factorics, Creameries, Skimming Stations also Condensed Milk Manufacturers, City Milk Vendors and Low	
1918 55 List of Cheese Factorics, Creameries, Skimming Stations also Condensed Milk Manufacturers, City Milk Vendors and Low	
Cream Manufacturers, ctc., in Canada.	
1920 55 The Finch Dairy Station. Report of Progress.	
1920 56 Report of the Dominion Educational Butter Scoring Contest, 1919.	
CIRCULARS.	
1911 2 The Milk Test Act.	
1912 6 Creamery Cold Storage Bonuses.	
1914 10 Notes on Cow Testing.	
1914 12 The Branding of Dairy Butter.	
1915 13 Commercial Precooling and Storage of Fruit for the Season of 1915.	
1915 *14 Causes of Variation in the Percentage of Fat in Hand Separator Cream.	
1915 15 Cherry Precooling Possibilities.	
1916 17 The Probable Scarcity of Renuet for the Manufacture of Cheese with some Directions for securing a Supply	
1916 18 The Usc of Pepsin as a Substitute or Partial Substitute for Rennet in the Manufacture of Cheese.	
1916 19 Directions for Using Soluble Powdered Pepsin as a Substitute for Rennet	
1917 21 Further Notes on the Use of Pepsin and Other Substitutes for Rennet in the Manufacture of Cheese.	
1917 22 The Manufacture of Cottage and Buttermilk Cheese.	
1917 23 The Manufacture of Buttermilk from Skimmed Milk.	
1918 *25 Keeping Dairy Herd Records. (Supersedes Circulars Nos. 16, 20 and 24.)	
1919 *26 The Carc of Cream for Buttermaking. (Revised and Condensed from Bulletin No. 32.)	
1919 27 Yield and Relative Value of Some Dairy Products.	
1920 28 The Dairy Industry Act, 1914, and Regulations.	
SPECIAL PUBLICATIONS.	
1907 Map showing the Location of Cheese Factories and Creameries in Canada.	
1911 Report of the Third Dominion Conference of Dairy Experts. December 6 and 7, 1911.	
1918 Report of the Proceedings of a Dominion Dairy Conference, November 25, 26, 27 and 28, 1918.	
1919 C. S. 1 List of Cold Storage Warehouses in Canada	
1919 C. S. 2 List of Subsidized Cold Storage Warehouses in Canada.	
1920 Plan and Specification for a Frost-proof Apple warchouse.	
Any of these Publications will be sont free of charge on application to the Detry	
and Cold Storage Commissioner, or to the Publications Branch, Department of Agri- culture. Ottawa, Ont.	

*A sufficient number of bulletins 22 and 57 and circulars 14, 25 and 26 will be sent to the manager of any cheese factory or creamery to supply one to each patron.

[†]Annual Reports of the Dairy and Cold Storage Commissioner discontinued since 1915.

