C!HM Microfiche Series (Monographs) ICMH
Collection de
microfiches
(monographies)



Canadian Institute for Historical Microreproductions / Institut canadien de microreproductions historiques

(C) 1996

## Technical and Bibliographic Notes / Notes techniques et bibliographiques

The Institute has attempted to obtain the best original copy available for filming. Features of this copy which may be bibliographically unique, which may alter any of the images in the reproduction, or which may significantly change the usual method of filming are checked below.			L'Institut a microfilmé le meilleur exemplaire qu'il lui été possible de se procurer. Les détails de cet exem plaire qui sont peut-être uniques du point de vue bibli ographique, qui peuvent modifier une image reproduite ou qui peuvent exiger une modification dans la métho de normale de filmage sont indiqués ci-dessous.			
	Coloured covers / Couverture de couleur			Coloured pages / Pages de	couleur	
				Pages damaged / Pages en	ndommagées	
	Covers damaged /					
_	Couverture endommagée			Pages restored and/or lami Pages restaurées et/ou pel		
	Covers restored and/or laminate			_		
	Couverture restaurée et/ou pellicu		V	Pages discoloured, stained Pages décolorées, tachetée		
	Cover title missing / Le titre de cou	uverture manque				
	Coloured mans / Costas of seventh	imuna an anulaun		Pages detached / Pages de	étachées	
Ш	Coloured maps / Cartes géograph	iques en couleur		Chauthrough / Transport		
	Coloured ink (i.e. other than blue of	or black) /		Showthrough / Transparence	ce	
	Encre de couleur (i.e. autre que bl			Quality of print varies /		
		000 00 110110)		Qualité inégale de l'impress	sion	
	Coloured plates and/or illustrations	s/		adding inegalo de l'impir se	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
	Planches et/ou illustrations en cou			Includes supplementary ma	iterial /	
				Comprend du matériel supp	olémentaire	
	Bound with other material /		_			
ш	Relié avec d'autres documents			Pages wholly or partially of		
			ш	tissues, etc., have been refi		
	Only edition available / Seule édition disponible			possible image / Les p		
	Sedie edition disponible			partiellement obscurcies pa pelure, etc., ont été filmées		
	Tight binding may cause shadows of	or distortion along		obtenir la meilleure image p		
	interior margin / La reliure serrée			obtom ta momodro image p	ossibic.	
	l'ombre ou de la distorsion le lo			Opposing pages with va	arying colouration or	
	intérieure.		لــــا	discolourations are filmed to		
				possible image / Les page		
	Blank leaves added during restorate			colorations variables ou d		
	within the text. Whenever possible,			filmées deux fois afin d'obt	enir la meilleure image	
	omitted from filming / Il se peut que blanches ajoutées lors d'un			possible.		
	apparaissent dans le texte, mais, l					
	possible, ces pages n'ont pas été					
	parameter page to the page to					
	Additional comments /					
	Commentaires supplémentaires:					
This it	tem is filmed at the reduction ratio check	ed below /				
	cument est filmé au taux de réduction inc	7				
10x	14x	18x	22x	26x	30x	

20x

24x

28x

32x

16x

The copy filmed here has been reproduced thanks to the generosity of:

National Library of Canada

The images appearing here are the best quality possible considering the condition and legibility of the original copy and in keeping with the filming contract specifications.

Original copies in printed paper covers are filmed beginning with the front cover and ending on the last page with a printed or illustrated impression, or the back cover when appropriate. All other original copies are filmed beginning on the first page with a printed or illustrated impression, and ending on the last page with a printed or illustrated impression.

The last recorded freme on each microfiche shell contain the symbol → (meening "CONTINUED"), or the symbol ▼ (meening "END"), whichever applies.

Meps, plates, cherts, etc., may be filmed at different reduction retios. Those too lerge to be entirely included in one exposure ere filmed beginning in the upper left hand corner, left to right and top to bottom, es many fremes as required. The following diagrams illustrate the method:

L'exemplaire filmé fut reproduit grâce à la générosité de:

Bibliothèque nationale du Canada

Les imeges suivantes ont été reproduites avec le plus grend soin, compte tenu de le condition et de la netteté de l'exemplaire filmé, et en conformité evec les conditions du contret de filmege.

Les exempleires origineux dont le couverture en pepier est imprimée sont filmés en commençant per le premier plat et en terminant soit par la dernière page qui comporte une empreinte d'impression ou d'illustration, soit par le second plat, selon le cas. Tous les eutres exemplaires origineux sont filmès en commençent par le première page qui comporte une empreinte d'impression ou d'illustration et en terminent per le dernière page qui comporte une telle empreinte.

Un des symboles suivents apparaître sur la dernière image de chaque microfiche, salon le ces: le symbole → signifie "A SUIVRE", le symbole ▼ signifie "FIN".

Les cartes, planches, tableaux, etc., peuvent être filmés à des taux de réduction différents. Lorsque le document est trop grend pour être reproduit en un seul cliché, il est filmé à pertir de l'angle supérieur gauche, de gauche à droite, et de haut en bas, en prenent le nombre d'images nécessaire. Les diagremmes suivants illustrent la méthode.

1	2	3		1
				2
				3
	1	2	2 3	

6

Reservence and Guide Book

THE TRENT CANAL

# The Department of Railways and Canals of Canada

#### OTTAWA

MINISTER	 . HON. G. P. GRAHAM
DEPUTY MINISTER	 . A. W. CAMPBELL, C.E
CHIEF ENGINEER	 W. A. BOWDEN. B. AP. SC.
SECRETARY .	I K IONES ISO

#### TRENT CANAL

SUPERINTENDENT . J. H. McCLELLAN, A. CAN. SOC. C.F.

1911



There is no duty to pay on O'Keefe's "Pilsener".

This is why it costs less than the imported.

And remember,
please, that there is
no imported lager that
can compare with
O'Keefe's "Pilsener" in
punty, quality or flavor.

"The Light Beer in the Light Bottle"

is sold by leading Hotels, Cafes and Dealers.

The O'KEEFE BREWERY CO., Limited, TORONTO.

The Light Beer in The Light Bottle

O'Keefe's

The Beer with a Reputation

PILSENER LAGER

This is the Ale you have always ordered

SPECIAL EXTRA

This is the gennine O'Keefe's Special Extra

Mild Ale—The Beer that is always
O.K. a special bre—that is both extra light and extr fine.

Be on you guard against substitutes. Buy by the labels. Extra Mild Ale bears the two labels shown. Look for them and accept no other. At Hotels, Cafes and Dealers generally.

THE O'KEEFE BREWERY CO., LIMITED, - TORONTO.



## **CANADIAN PACIFIC RAILWAY**

Short Line to the Beautiful

### Kawartha Lakes

via Bobcaygeon and the Peterboro & Lake Simcoe Navigation Co.

Passing through the Fisherman's Paradise, Buckhorn Lake and Deer Bay. Unexcelled Bass and Lunge Fishing.

Cottagers from Toronto and west will be delighted with new service via Bobcaygeon to Stony Lake. Steamer leaves Bobcaygeon immediately after arrival of noon C. P. R. train. Meals served on boat, which has a carrying capacity of two hundred people and provides a fast service between Bobcaygeon and Stony Lake points.

Via Peterboro and same Navigation Co. to Rice Lake, a Mecca for lunge fishermen, is a beautiful sail down the Otonabee River.

Canadian Pacific equipment is unexcelled. Only direct Canadian line to Winnipeg and the Northwest. Five splendid lake steamers weekly between Owen Sound and Fort William

ROUND THE WORLD TOURS
A SPECIALTY

Full Information. Rates, Literature, etc., from any agent of the Canadian Pacific Railway, or

R. L. THOMPSON, District Passenger Agent, TORONTO



## Kawartha Lakes Lake Cimcoc Lake Couchiching

and

All Tourist Resorts on the line of the Trent Canal are reached by

THE GRAND TRUNK SYSTEM

#### How to Reac. Kawartha Lakes and Lake Simcoe

From points in the South, passengers reach the Grand Trink Rulway System either by way of Buffalo and Ningara Falls, or by way of Detroit From each of these points the trains of the Grand Trink convey the passengers to Kawartha Lakes via Toronto

From points in the Fist South of Bullalo, including the States of New York, Pennsylvania, West Virginia, Maryland, etc., the route is by way of Niagara Falls, thence Grand Trunk Railway System

From Chicago and points in the Wistern States, pissengers are carried over the main line of this system by way of Port Hirron and Toronto, passing through some of the principal cities of the United States and Canada.

Passengers from eastern points, such as Quebec, Portland, and interordiate stations, proceed via main line Grand. Trunk. Railway. System through Montreel, and those from Boston and all New England points, by Boston & Maine. Central Vermont and other connecting lines through Montreal.

Tourists from the Maritime Provinces reach the Grand Trunk by the Intercolonial Railway, via Montreal

Tourists can reach the Trent Canal over the Grand Trink System at the following points

HASTINGS COBOCONK
KEENE BEAVERTON
PETERBOROUGH ORILL1A
LINDSAY BARRIF
FENELON FALLS BRADLORD

Ask nearest Grand Trunk Agent for Illustrated Literature, or a idness

A. E. DUFF.

District Passenger Agent TORONTO, ONT. J. QUINLAN.

District Passenger Agent MONTREAL, QUE

# The Royal Bank of Canada

Capital Authorized, \$10,000,000 Capital Paid Up \$6,200,000 Reserve Fund \$7,200,000 Total Assets \$98,000.000

#### Board of Directors :

H. S. Horr, President

E. L. PEASL, Vice-President

WHEY SMITH HIGH PATON D. K. ELLIOTT

F. W. THOMPSON HON. D MACKEEN

W. H. THORNE G. R. CROWE JAMES REDMOND

C. E. NEILL and

E. L. PEASE, General Manager W. B. TORRANCE Superintendent of Branches

T. J. DRUMMOND WILLIAM ROBERTS: X

> F. J. SHERMAN Assistant

General Managers

BRANCHES IN CANADA 165 FROM ATLANTIC TO PACIFIC

BRANCHES IN

NEWFOUNDLAND

**BRITISH WEST INDIES** 

St. JOHN S

BAHAMAS, NASSAU

**CUBA & PORTO RICO** 

BARBADOS. BRIOGETOWN

16 BRANCHES HAVANA SANTIAGO. SAN JUAN, ETC ETC JAMAICA, KINGSTON

LONDON

TRINIDAD. PORT OF SPAIN

PRINCES STREET, E.C. W M BOTSFORO MANAGER JAS MACKIE JOINT MANAGER AND SAN FERNANDO

NEW YORK 6B WILLIAM STREET S. H. VOORHEES, AGENT

HEAD OFFICE: MONTREAL

SAVINGS DEPARTMENT at All Branches and Interest Allowed at Highest Current Rates

Accounts of Corporations, Firms and Individuals invited on favorable terms

# PETERBOROUGH BRANCH

VINCENT EASTWOOD, Manager

### THE STONEY LAKE NAVIGATION CO.



Steamer "ISLINDA"



Stoney Lake Navigation Co.

The Pioneers of the Passenger and Freight Transportation in Kawartha Lakes.

The Stoney Lake Navigation Company's Fleet, "ISLINDA" "STONEY LAKE" and "EM-PRESS" will connect with trains for Canadian and American points.

Young's Point, Ont.

# THE CANADIAN SAND BLAST CO.

406 EASTERN TOWNSHIPS BANK BUILDING MONTREAL, QUEBEC

MAIN 5748

WEST 1742



THE TARGEST STEEL LIFT TOCK IN THE WORLD, DESIGNED BY DOMINION GOVERNMENT FAGINEERS. COMPLETED 1907, BY THE DOMINION BRIDGE CO., OF MONTREAL. PNOTNETRS, COMPTETED 1960), BY THE DOMENION BRIDGE CO., OF SHOVIRGAL, SAND-BLASTED AND PAINTED BY THE CANADIAN SAND BLAST CO., LTD., JUNE, 1911

### SOME OF THE STRUCTURES, ETC., CLEANED BY THE CANADIAN BLAST COMPANY, LIMITED.

Vij Bridges on the Lachine Canal Laumer Bridge, Ortawa, McKenza Bridge, Richmond, Que., the longest highway bridge in Canada McKenza Bridge, Richmond, Que., the longest highway bridge in Canada Cas Bridge at Sorier and Three Rivers, for Marine and Fisheries Dept. Freeman's Hotel, Montreal, Que Freeman's Hotel, Montreal, Que King's Hall, Montreal, Que



Fourteen Foot Sailing Dinghy with silk sail

# Do you want-

the best there is to paddle, to sail or to motor on the water?—then be sure you have a boat with the name plate of the Peterboro Canoe Co.and you will have the best

3

The graceful lines, durability of material and attractive finish all speak for the QUALITY OF PETERBOROUGH CRAFT

Call and see the largest assortment of small boots in Canada



30x5 Runabout. Seating capacity 14 persons. Speed 17 miles.



Lapetreak Mahogany Skiff, with Side Decks, Plated Rails, Etc.

OUR Catalogue fully illustrates our product and gives much valuable information to prospective buyers.

The Peterborough Canoe Co., Ltd.

PETERBOROUGH, CANADA

Why Not LOCATE in

# LINDSAY And Share its Advantages?

THE GRAND TRUNK RAILWAY SYSTEM THE CANADIAN PACIFIC RAILWAY THE GEORGIAN BAY AND SEABOARD R'Y

AND HAS ACCESS TO 400 MILES OF LAKES AND RIVERS

\$17.50

PER HORSE POWER FOR 24--110UR SERVICE

\$200,000

THE VALUE OF MANUFACT-URED PRODUCTS EXCEED. ED THE ABOVE IN 1910

HOSPITAL Best equipped hospital in the province. The gift of James Ross in memory of his parents.

**EDUCATIONAL** 

The Lindsay Collegiate stood first in the provvince at last year's Departmental Examinations.

Abundance of Raw Mater-tal in the North for morn-tacturing purposes. Substantial Homes, owned

business non and arri

\$100,000 was spent during the year in creeting Modern School Buildings.

There are Seven Churches, Angle and Beptist, two Meth-dists - Preshviernam, Roman Catholic and Salvation Army. Fight Hotels look after the

LINDSAY :: MAS::

travelling public, Rates \$1.00

travelling public. Kales vision to \$2,00.

I we let the foremost Chartered Banks, at well as a Loah Company, are located bare.

P is one of the towns to be benefited by The Trent Canal may nearing completion.

Waterworks System is own and to the Main quality. There are ten miles of mains, and tended, being randly ex-

A modern Fire Proof Thea tie, with seating accommodition for one thousand per sons On the chief Canadian Billing Circuit.

It is the natural gateway to the Kawartha Lakes Boats at Lindsay for Sturgeon Lake points (nine zens as well as our own townsmen have then Summer Rames.

Not a Boom Town but one Steady, Healthy Growth

F. W. SUTCLIFFE, PRESIDENT BOARD OF TRADE

ALLAN GILLIS, SECRETARY BOARD OF TRADE

# THE JOHN CAREW LUMBER CO. LIMITED



#### WHOLESALE AND RETAIL

Lumber, Shingles, Lath, Railway Ties and Posts, Hard, and Soft Wood, Cement.

Pine Birch rlemlock Maple Cedar Tamarac Ash Hardwood Basswood Flooring Elm Kıln Dried and End Matched Spruce

Crating Box Shooks Moldings Sash

Frames Doors,

Complete Cattage Bills furnished on shartest notice and delivered to any paint on Kawartha Lakes

RIPPING RESAWING, DRESSING AND MATCHING IN TRANSIT

MILLS AND FACTORY AT LINDSAY, ONT. PHONE 14

# THE TOURISTS STORE

For Things to Wear---and Camp or Cottage Comforts

To the Tourist, we extend a cordial invitation to come and see this big store and its many departments equipped in a most modern and up-to-date manner. This is one of the most convenient stores you will find, and with our misurpassed service shopping here is a decided pleasme and comfort. We maintain a free delivery system to all points in town including all boats and trains, which insures your parcels being properly handled and delivered on time. It might be well to add that at this store we have but one price and thus the stranger pays no more than our best known customer. We carry an immense range of Ladies Ready-te-wear Garments, Mens Clothing and Furnishings. Everything in Dry Goods, Carpets, Cintains and Drapenes.

LINDSAY'S MOST ACCESSIBLE STORE ENTRANC.
SIBLE STORE ENTRANC.
RETAILERS,
WILLIAM STREETS ... J. SUTCLIFFE & SONS LINDSAY, - ONT.

# F. H. KIDD KENT ST. LINDSAY

Insurance:

Real Estate:

Elecounting:

Fire Accident Motor Boat

Automobile

Marine

Cottages for Sale or to Rent Lots for Sale Loans Procured

Chartered Accountant Auditor

Investments

PHONES: BELL 88. MACHINE 143.



## **DUNDAS & FLAVELLES, LIMITED**

LINDSAY'S OLDEST ESTABLISHED DRY GOODS HOUSE
Founded in 1860

DIRECT IMPORTERS AND DEALERS IN

Clothing, Men's Furnishings, D. ass Goods, Silks, Mantles, Millinery, Carpets, Furs, Linens, Linoleums and General Dry Goods

"QUALITY"
is our Watchword

CUNDAS & FLAVELLES, LIMITED.

UNITED. "RELIABLE COODS" at Reasonable Prices our constant aim

#### A. L. CAMPBELL

GENERAL GROCER

Orders Carefully Proked and delivered at Boat or Train

KENT ST. - LINDSAY, ONT.

#### WONDERLAND

LINDSAY'S LEADING PLACE OF
AMUSEMENT
LATEST MOVING PICTURES
F. C. EDMONDS
PROPRIETOR, LINDSAY

#### MISS M. MORTON

Lindsay's Leading Photographer ARTISTIC POSING, LIGHTING, Etc. Amateur work promptly attended to.

#### M. E. TANGNEY

THE LEADING FURNITURE STORE CAMPING AND TOURISTS SUPPLIES, A SPECIALTY

KENT STREET, E.
LINDSAY, - ONT.

 $-\mathrm{PHONE}_{-1}s_2$ 

P.O. Box

#### LINDSAY BOAT WORKS

REPAIRING PROMPTLY ATTENDED TO LAUNCHES A SPECIALTY

Office and Works Ridout Street

J. T. PERRIN, Proprietar

LINDSAY

PRIVATE ADDRESS, 19 RIDOUT ST.

#### POOL and BILLIARDS

When in Lindsay drop into Reeves Parlors BEST TABLES AND CIGARS

C. F. REEVES

31 KENT ST.

TKENT CANAL Reference and Guide Book

For sale at all Book and Stationery Stores

LINDSAY

"THE Mill"

# **3** Perfect Flours

RAINBOW (FOR BREAD)

STAR FOR ISEAD AND PASTRY made from No.1 Manitoba and Ontario Fall Wheat

LILLY FOR PASTRY, made from Choice Ontario Fall Wheat

#### **MADE IN LINDSAY**

You do not run any risk whatever in using our flour, the fullest guarantee of the Company is behind every Bag that leaves the Mill

"You use our Hour at OUR RISK not at yours"

Canadian Cereal & Milling Control LINDSAY, ONT.

Tourists' Headquarters



#### **NEW DALY HOUSE**

FRED. T. LEWIS, Manager

Overlooks Beautiful Lake Couchiching

Rates on Application

ORILLIA, - ONT.

Sociean



THE good old house-cleaning time disgruntles husbands and kills more than a few women every season. Because cleaning in the old way merely shifts dust and dirt—it does not

move it. Twentieth century science has invented one remedy—the "Soclean" way. "SOCLEAN" (The Dustless Sweeping Compound) lays and absorbs dust at one and the same time. When the broom is applied it will not rise it merely absorbs all the dust and germs that threaten to arise. "Soclean" is a faultless disinfectant and makes old carpets look like new. Ask your Grocer about it. See that it's the brown powder sold in handy pails at 25c., 50c. and \$1.00.

SOCLEAN LIMITED - King Street and Spedima Ave., Turonto



# The New "Viamede"

WASHEDE

TERMS: \$2.00 Per Doy



\$10.00 to \$12.(.) Weekly

The most popular Summer Resort on Stoney Utke, has been re-bailt on a larger and better scale and re-farmshed throughout. Spacous and numerous balcomes, cool, shady groves, sandy beach for bathing, boiling, fishing, daily mail, telephone, dancing payillon, lighted by gas, perfect sanitation, waterworks a stem, immunity from bay tever, making in all on adeal Summer Home. Where you can procure health, rest, and recreation.

For Illustrated Descriptive Booklet write to

Mrs. W. M. Graham

MOUNT JULIAN P.O., ONTARIO, CANADA

# LAKEFIELD CANOE FACTORY

PADDLING AND SAILING CANOES

J. G. BROWN PROPRIETOR

HUNTING AND FISHING CANOES

"THE KAWARTHA SKIFFS"



CEDAR STRIP CANOE



TWENTY-FIFTH YEAR

HEAD OFFICE AND FACTORY.

LAKEFIELD. ONTARIO

LARGEST AND BEST EQUIPPED BOAT LIVERY ON KAWARTHA LAKES

#### WE PROVIDE SUPPLIES

TO CAMPERS, SPORTSMEN AND FAMILIAS THROUGHOUT THE ONTARIO SUMMER RESORTS

There are several excellent Canoe Trips in Ontario, of which we can furnish Charts, including the trip from the Kawar ha Lakes to Algonquin Park.

#### WE OUTFIT CAMPING PARTIES

With Tents, Utensils, Blankets, Provisions, and all requirements

> Our Booklet "Tourist Topics" Tells About Our Service

# MICHIE & CO., Ltd. GROCERS

And Dealers in Camping Supplies
7 KING ST. W. TORONTO

ESTABLISHED 1835

# THE PETERBORO MACHINE CO.

E. R. W.II SON, Proprietor

MANUFACTURERS OF


THE "PETERBORO"

# GASOLINE MOTORS

Automobile and Motor Vehicle Repairs

Everything Required for a Motor Boat or Automobile

PHONE 709. PETERBOROUGH, ONT.



Canada, 1908
Besides many District Championships in stegle, double, fours and war canoe races, and also Humbreds of Clubs races in Canada and United States.

#### "DEAN" DINGHYS

Our H ft, holds Championship of s x different districts, heating the leftooters in many cases.

Cedar Copper Nails, Oak, Walnut, Cherry or Mahogany Trimiongs.

Send for Catalogue
WALTER DEAN, TORONTO.



# MURRAY-KAY, LIMITED

Importers and Retailers



The Murray Store, 17 to 31 King St. East ONE OF OUR TWO STORES

# The Murray Store

(ESTABLISHED 1853)

17 to 31 KING ST. EAST

High-Class

# DRYGOOL

Fashionable Apparel for Women Clothing and Furnishings For Men and Boys :: :: Linens. Trunks. China

TORONTO,

# The Kay Store

(ESTABLISHED 1841)


36 and 38 KING ST. WEST


Digh-Class

Carpets. Rugs. Furniture Draperies. Wall Papers Decorations Electric Light Fixtures Etc.

ONTARIO









## REFERENCE AND GUIDE BOOK

OF

# THE TRENT CANAL

INCLUDING

RAWARTHA LAKES
LAKE SIMCOE
LAKE COUCHICHING

1911 EDITION

THE PETERBOROUGH ENAMINER, LIMITED PUBLISHERS

#### INTRODUCTION



IG the past few years there have been a great many requests for detailed information regarding the Trent Canal. This has especially been the case since the completion of what is known as the Lake Simcoe-Balsam Lake Division, throwing open, as it did, an uninterrupted stretch of navigation of 160 miles, extending from Orillia on Lake Simcoe, to Healey's Falls on the Trent River. The increasing popularity of the various lakes and rivers that constitute the Trent Canal, as tourist and summer-

residence resorts, has added greatly to the number of private yachts; steamboat business has increased to large proportions, and we now have practically a through steamboat service from the Trent River to points on Lake Simcoe. With this increase in the number of yachts and steamboats has come an increased demand for charts of the navigable channel, and for information regarding the Canal generally. It is, therefore, with a view of satisfying the desire for enlarged knowledge in these respects, that this book is compiled. I have endeavoured to present herein, in as complete and condensed a manner as circumstances will permit, charts of the various lakes, which will prove useful to navigators; facts concerning the early history of the Canal, and more or less comprehensive details generally, concerning the position the Canal occupies at the present time, and is destined to occupy in the position that transportation.

I regret that at the time of the publication of this work, no official charts were available in the Railways and Canals Department, defining the navigation—annels of the greater portion of the lakes and rivers that constitute the Trent Canal. The charts presented herein, while unofficial, are for the most part based upon the observation and experience of practical navigators, and will be found sufficiently reliable to permit of navigation with reasonable care and safety, the 160 miles of Canal and connecting waters, between Orillia and Healey's Falls. The chart of Lake Simcoe, however, which is herein published, is absolutely authentic, and should be found invaluable to vessel owners on Lake Simcoe.

E. S. CLARRY.



#### MADE THE FIRST TRIP



Lake Huron and Lake Ontario, by the fndian tribes of centuries ago, is a well known fact. The Huron fndians, who resided along the shores of Lake Huron and Lake Simcoe, were undoubtedly familiar with this comparatively short water route to the Bay of Quinte. After paddling across Lake Simcoe and up the Talbot River for some little distance, they portaged across to Balsam Lake, the summit waters between Georgian Bay and Lake Ontario. Hence, we to-day have running across from Lake Simcos to Balsam Lake, what is known as the "Portage Road."

's follows the same trail that was used by the findian tribes of several hundred years ago.

Champlain, the French explorer, was the first white man to come down from Lake Huron to Lake Onterio, by way of what was to be known nearly three hundred years later, as the Trent Canal. This was in the year 1615. The story of Champlain's trip over these waters as told by Francis Parkman in his history, "Pioneers of France in the New World," is most interesting. Champlain had gone up the Ottawa River and portaging over to Lake Nipissing, came down the French River into Lake Huron. His expedition down through the Lakes and Rivers that now constitute the Trent Canal, is best told in the historian's own words:

"At the outlet of Lake Simcoe they all stopped to fish, - their simple substitute for a commissariat. Hence, too, the intrepid Etienne Brule, at his own request, was sent with twelve Indians to hasten forward the five hundred allied warriors a dangerous venture, since his course must lie through the borders of the Iroquois.

"He set out on the eighth of September, and on the morning of the tenth, Champlain, shivering in his blanket, awoke to see the meadows sparkling with an early frost, soon to vanish under the hright autumnal sun. The Huron fleet pursued its course along Lake Simcoe, across the portage to Balsani or Sturgeon Lake, and down the chain of lakes which form the sources of the river Trent. As the long one of canoes moved on its way, no human life was seen, no sign of friend or foe; yet, at times, to the fancy of Champlain, the horders of the stream seemed decked with groves and shruhbery by the hands of man, and the walnut trees, laced with grape-vines, seemed decorations of a pleasure-ground.

"They stopped and encamped for a deer-hunt. Five hundred Indians, in line, like the skirmishers of an army advancing to battle, drove the game to the end of a woody point; and the canoe-men killed them with spears and arrows as they took to the river. Champlain and his men keenly relished the sport but paid a heavy price for their pleasure. A Frenchman, firing at a buck hrought down an Indian, and there was need of liberal gifts to console the sufferer and his friends.

"The canoes now issued from the mouth of the Treat. Like a flock of venturous wild-fowl, they put holdly out upon Lake Ontario, crossed it in safety, and landed within the borders of New York, on or near the point of land west of Hungry Bay."

# The First Survey



T is just 78 years ago since the first survey was made of the proposed route of the Trent Canal. Twenty-four years later the project was discussed at considerable length in "Canadian Pamphlets," and a review of the efforts of the people of the Trent District to have the scheme carried to a successful issue, is as interesting to-day as it no doubt was at that time. In reading the extracts herein taken from "Canadian Pamphlets," it will be

observed that the Georgian Bay-Ottawa River Canal scheme was a live time just as it is to-day-but it looks certain that in the matthat ter of construction, the Trent Canal, although a great many years on the way, will carry vessels from Georgian Bay to Montreal, hefore the larger scheme of the Ottawa River route is more than actually commenced. a publication of 1857, says: In the year 1833 the project of connecting the waters of Lake Simcoe with those of Ontario hy means of a Canal passing through Rice Lake and the Bay of Quinte, was generally discussed, and received the attention of the Government. Mr. N. H. Baird, Civil Engineer, was appointed by His Excellency Sir John Colborne, to make a survey of the waters connecting those two Lakes with a view of deciding upon the eligibility of the route for that purpose. He entered upon the work in 1833, and in that year completed the survey of the Trent and Otonabee Rivers. Having received further instructions, he resumed the survey in 1835, and continued it from Peterborough via the Otonabee, and back waters to Lake Simcoe. This report of his surveys was exceedingly favourable. The estimates for the works made the entire proposed cost of opening up an uninterrupted water communication between the Bay of Quinte and Lake Simcoe, a distance of about 165 miles, and 706-4 feet of

Mr. Baird, however, appears to have feared that the amount of the estimate might deter the Government from prosecuting the work, to which he attached very considerable importance. He therefore, made the suggestion that only the least expensive sections of the Canal should be at once proceeded with, an' the other portions Railwayed, "for which," says the report, "it is rather remarkable, the whole ground of these intermediate sections afford the most favourable opportunity for construction that can be imagined or wished for, any descent expense of forming a connection between Lake Simcoe and the Bay of Quinte, on the double principle of railway and canal, was £165,565.

The objection of transhipment, an almost insuperable one in the double scheme, Mr. Baird proposed to get rid of thus: "With the view of doing away with the only, at least the chief objection to the expedient system—the idea of frequent transhipment—f would propose that long and substantial steamers of particular construction, should regularly ply to and from the intermediate water communication, and so arranged as to admit of the train of cars being transported at once, with their loadings, direct either for Lake Huron, or Lake Simcoe, as the case may be, and which f am satisfied can be done in such a way as to be practically lockage system in execution, the prospective wants of the country."

This project, great as was the interest which attached to it at the time, was never carried out. Some £90,000 odd was expended upon the River Trent work; and the lock at Peterborough basin, proposed by Mr. Baird, was constructed; but the troubles of 1837-38, and the changes which immediately succeeded, prevented the full execution of the project of connecting the waters; of Lake Simcoe with the Bay of Quinte. The necessity for such a work, however, has never been lost sight of. Within the last two or three years the project of connecting the waters of Huron with those of Ontario, or the St. Lawrence, with a view of directural outlet—has engaged the attention of the people and press, not only of Canada, but of

Chicago and the Western States. Two projects to that end are before the public: the one to connect the Georgian Bay with the City of Toronto, preliminary surveys of which have already been made, attesting it to be a work of great, though by no means insuperable difficulties; and the other to connect Lake Huron with the Ottawa, a project to which Mr. Walter Shanley, one of our ablest Provincial Engineers, has given his adhesion. But it is quite evident that neither of these schemes, important as they unquestionably are, can for a single moment compare with that projected in 1833, to which reference has been made. The first, in addition to the immense expense of the work, \$25,000,000.00, owing to the heavy cuttings that require to be made, and the great engineering difficulties that must be surmounted, offers but problematical advantages as a national work. That it would stove of very great advantage to the City of Toronto, and divert much of the western trade through that city, is undoubted; but when that has been said, the main argument has been advanced that can be advanced in its favour. It opens up no new country; and the product once in Ontario through Toronto, stands equal chance of finding its way to the Atlantic through American as through Canadian channels. The second proposal, that of connecting the waters of Lake Huron with those of the Ottawa, stands deservedly high as a national enterprise. If constructed it would open up an immense section of country now absolutely useless, and it would have the effect of placing Canadian channels far before any other for the conveyance of the produce of the west to the markets of Europe; advantages which cannot be overlooked in the construction of this national work. But the heavy outlay required on such a work, is likely to retard its com pletion for many years. The route via Peterborough and the Trent, while offering advantages almost equal to those of the Ottawa Canal, as regards the opening up of the country, and the development of trade by the St. Lawrence, is so much less expensive as to offer much greater prospect of immediate construction. The advantages of the Trent route were thus epitomised in a letter recently addressed by W.S. Conger, Esquire, to the Chief Commissioner of Public Works:

"First.—It is shorter and more direct than any other—except the Toronto and Georgian Bay which, from its great cost, may be set down as impracticable, from Chicago and the Sault Ste. Marie to the seaboard, whether via Montreal and Quebec, or Portland or New York.

"Secondly.—It passes through a rich and fertile country, and presents fewer engineering difficulties, and could therefore be constructed for a much smaller amount, than either of the other proposed routes.

Thirdly.—Being at least two degrees further south than the Ottawa route, it would have the advantage of being open for two or three weeks longer every season.

"Fourthly.—Its terminal harbours would be large and commodious—particularly that at the mouth of the Trent—having on one side the Bay of Quinte, and on the other, by a short and comparatively inexpensive cut, the Presque Isle Bay—the safest and most commodious harbour on Lake Ontario, thus affording an easy and safe entrance to Trenton from Lake Ontario and the River St. Lawrence."

The advantage of the Trent River in point of distance may be estimated by the following leures:

figures:		
From Chicago to New York, via Buffalo and Erie Canal	15 1	miles
From Chicago to New York, via Buffalo and Erie Canal		
Tom Chedge to Walle wis Wolland Canal and Oswern	138	• • •
From Chicago to New York, via Welland Canal and Oswego	5.0	6.6
The New York with Hugon Nintscitto ( "awa & Caughhawaga Canality		
From Chicago to New York Park Valley of the Trent and Oswego 1.2	32	
From Chicago to New York, via Georgian Bay, Valley of the Trent and Oswego1.2	O.E	4.4
D OIL Managed via Lake Ninissing	00	
From Chicago to Montreal via Daniel Voltage of the Trent	0.3	14
From Chicago to Mont eal via Georgian Bay and Valley of the Trent		

"It will thus be seen that in point of distance to New York, the Trent route has the advantage over the Nipissing and the Ottawa route by 126 miles. While between Chicago and Montreal the distance is in favour of the Ottawa route 28 miles; an advantage, however, more than overbalanced by the intricate and difficult navigation of the latter."

But the pages of a work like this are hardly the place wherein to discuss this subject and the reader is therefore requested to regard the remarks relative to the merits of the different Canal schemes now before the public as parenthetical in their character.''

Such was the position of the various Lake Huron-Lake Ontario canal schemes, as view ed by "Canadian Pamphlets" in the year 1857.

# Started By Imperial Government



has already been stated, the locks just below the City of Peterborough and the locks at Hastings, on the Trent River, were built in the year 1837 or thereabouts. The construction of these two locks was the first step in a practical effort to connect Georgian Bay and Lake Ontario by means of this route, and they were built by the Imperial Government. As a matter of fact, a lock was also huilt at about the same time at Glen

Ross, better known, perhaps to many as Chisholm's Rapids, about 14 miles above the town of Trenton. Why Chisholm's Rapids was selected as one of the most important points to build one of the first locks on the system, few, we venture to say, can even imagine, as it did not afford any local benefit, nor did it throw open any substantial additional stretch of navigation. Its gates never opened to greet a friendly vessel, its grey limestone walls never re-echoed to the sound of the steamer's whistle, and for 70 years or more was demolished only a year or two ago, to make room for the substantial and modern concrete lock, which is already completed, and which is one of the 18 locks now being built of navigation from Healey's Falls to Peterhorough, a distance of 53 miles, remained in commodern and much larger one. The lock at Peterborough has been deepened since its original construction, but its walls are about the same as they were when first built.

Other locks had been built at several points, but their construction was more with a view to meeting the requirements of local interests, rather than with a view to a scheme of through navigation. In fact, as far back as the year 1835, a lock was built by the "Inland Water Commission" at Bobcaygeon, which afforded a means of navigation from Sturgeon Lake to Pigeon, Buckhorn, and Chemong Lakes. In the year 1837, the construction of a year 1843. It opened a stretch of navigation to Port Perry and other points on Lake Scugog. In 1869, a wooden lock was built at Rosedale, connecting Balsam and Cameron Lakes, and When completed a few years later, it afforded navigation for vessels between Lakefield and Burleigh Falls and other points on Stony Lake.

However, the idea of connecting Lake Huron and Lake Ontario by means of a canal through the Trent Valley was by no means dead. The interest taken in the project by Sir John Colborne, Lieutenant-Governor, and afterwards Governor-General, had inducted many settlers from the Old Country to establish themselves on these waters, and the subject came up for discussion and renewed interest at intervals. About 1858 Mr. W. S. Conger, M.P. for Peterborough, called attention anew to this great route for transportation, and subsequently advocated its construction by appeals to the Government, and by speaking in 1867, at the time of Confederation, the British North America Act reserved the works on the project.

Soon after 1870 Mr. Mossom Boyd, of Bobcaygeon, took up the matter, accumulated much information, and by his energetic advocacy stimulated renewed discussion in the press. don to secure the interest of capitalists; but circumstances at that time were not propitious, and he was not successful in his efforts.

In 1878 the question was again brought up in a new light. The Ontario Government obtained from the Mackenzie Administration a transfer to them of the works on the Trent, and this was strongly opposed in the local press, as giving up property expressly reserved

at Confederation and virtually ahandoning the idea of ever opening the Trent Waterway for transportation. The opposition leaders supported this view, and when that autumn they succeeded to power they rescinded the order-in-council making the transfer. In the years 1879 to 1881 considerable survey work was done with a view to proceeding with the construction of the Canal. Mr. David Starke, C.E., and Mr. Tom S. Ruhidge had been in that interval engaged in the work. Mr. Thos. D. Belcher became Superintending Engineer.

The agitation by the people of the Trent Valley district broke out pretty strongly about the year 1880, and by the year 1883 contracts were let by the Dominion Government for the construction of the locks at Fencion Falls, Buckhorn, Lovesick, and Burleigh Falls. About 1887 these sections were thrown open for navigation, completing an inland stretch of navigation from Balsam Lake in Lakefield. About the same time the demand for the completion of the Canal became stronger and more emphatic than ever. Trent Canal Associations were organized, deputations representing the entire district from Midland to Trenton visited Ottawa, red-hot newspaper editorials were handed out, and oratory with a vengeance and a Canal flavor was to be heard at public meetings.

Mr. Thomas Rubidge, one of the Government Engineers in charge of the work, was accused of being lukewarm on the project, and a glance at the report and estimate made by him on the proposed work would certainly go to show that he was not hubbling over with enthusiasm for the completion of the Canal. The Government of John A. Macdonald finally decided to appoint a commission to enquire into the merits of the proposition. This announcement was not very enthusiastically received by the friends of the project, who felt that the feasibility of the scheme, as well as its necessity, had been long ago established. However, the commission was appointed in 1887. It was composed of: Messrs. Judge Weller, Peterborough; John Kennedy, C.E., Monareal; and Frank Turner, C.E., Toronto. They were to "consider the question of further extending the line of water communication between Lake Huron and Lake Ontario, and to determine whether it is advisable that an extension of the main work should be undertaken, and if so, to what extent," and under date of December 17th, 1890, these Commissioners, after personally going over the route, taking evidence at various points, including Kingston, Montreal, Albany, and Buffalo, reported:

"In considering the bearing of the Canal upon the development of the trade and natural resources of the country through which it will pass, it should be noted that the conditions are peculiar, inasmuch as it would act as a connecting link in a chain of lakes and streams which for the most part lie transversely to the line of the Canal, and that it would therefore afford access to an extent of country and coast line much greater than usual in a Canal of its length.

"The Commissioners, upon the evidence and information which they have been able to obtain, and which accompany this report, are of opinion that an extension of the main work should be undertaken by the completion, as soon as convenient and practicable, of the work necessary to give continuous navigation from Balsam Lake to the Bay of Quinte. This would embrace the sections between Lakefield and Peterborough and between Healey's Falls and Trenton. In the opinion of the Commissioners a waterway would thereby be made which would not only increase the value of the works already constructed, but would assist and develop the industries along its route, and open up the resources of the country through which it would pass, to such an extent as to amply compensate for the expenditure necessary to be incurred, although the work itself would not be expected to produce direct revenue.

"This conclusion is arrived at by a careful consideration of the evidence adduced before the Commission, by which the Commissioners feel they must be guided, such evidence to their minds greatly preponderating in favor of the extension of this important work in the manner indicated."

Although the Commission reported favorably to the completion of the Trent Canal in December, 1890, and although strong pressure was brought to bear upon the Government of the day to have new sections undertaken, it was not until 1896 that any move was made in the

matter. Contracts were, in that year, let for the construction of the division extending from Lake Simcoe to Balsam Lake, and for the Peterborough-Lakefield section. One of the contracts on the Peterborough-Lakefield section included the construction of the Peterborough Lift Lock, while the Kirkfield hydraulic lift lock was included in one of the contracts of the Lake Simcoe-Balsam Lake Division. The Peterborough Hydraulic Lift Lock was opened in June, of navigation 160 miles in length, from Orillia to Healey's Falls.

The Peterborough-Lakefield Division and the Balsam Lake-Lake Simcoe Division, were built under the supervision of Mr. R. B. Rogers, M. Can Soc. C. E., who from 1886 to 1907 was Superintending Engineer of the Trent Canal. When it was first suggested that partment to proceed to Europe with a view of studying the matter of iift locks and their uses, gave the subject thorough investigation, acquired a large fund of information, having inspected three European locks in operation, and reported favorably to the feasibilit; of hydraulic struction of both hydraulic lift locks.

In the year 1907 the Government decided to finish the southarn outlet of the Canal. Accordingly in August of that year, the first contract on the Ontario-Rica Lake Division was let. The work on this Division is dealt with elsewhere.



VIEW OF TOCKS, YOUNG'S POINT



ENTRANCE TO TOOK NO. SIX. PETERBOROUGH ... THE CANAL HAVES LITTLE TAKE AT THIS POINT

E/reen

from concough of the June, tretch

were
to to
that
Deses,
rip,
ectulic
on-

al.



### A Toronto View in 1887



Thas been mentioned elsewhere that the Tent Canal scheme has at times received very little support from a certain section of the Canadian press. The friends of the Trent Canal declare this to be especially true regarding the press of the City of Toront). It must, however, be noted in all fairness to the press of the province generally, that a more friendly interest has been displayed in the project during the past few years. That at least one Toronto daily paper had little faith in the scheme as a means

of through navigation, as late as the year 1887, may be seen from the following editorial from the Toronto Mail of October 11th of that year:

The announcement that a commission has been appointed by the Dominion Government to enquire into the advisability of proceeding with the construction of the Trent Valley Canal suggests the fact that that great public undertaking has enjoyed, on paper, an extended and somewhat chequered career. The Canal was proposed in the year 1827. It is, therefore, after sixty one years of discussion regarding it for it has been talked about at every election—that the authorities have concluded that they are not quite sure the public requirements demand it. Delay, however, may not be fatal to the enterprise. Canal projects die hard, as witness the struggles of the Huron and Ontario Canal. Moreover, they have a habit of reviving just when it is supposed their last hour has come. The Murray Canal, for example, was proposed in the year 1797. Interest in it waxed and waned until 1880, or thereabouts, when, though everybody supposed the enterprise had collapsed, a contract was suddenly let for its construction. It was proceeded with much to the political advantage of the Government of the day, and is now an accomplished fact.


The original Trent Valley Canal proposition was not so extensive a scheme as that of to-day. The idea of its projector was merely to furnish a route hy water from Lake Ontario to Lake Simcoe. The region in the neighborhood of Lake Simcoe was the Northwest of that period, and people were anxious to open it up for settlement and for trade. It was not until 1833 that the Canal was reported on by an Engineer, and it was then declared that two million dollars would complete it. It was at once resolved to proceed; but the work did not eommence until 1837. For two years operations proceeded vigorously. In 1839, however, there was a stringency in the money market during which the cash horrowed for the Canal was devoted to other projects, and as a result the contractors abandoned the work. In 1841 an attempt was made to revive interest in the scheme and to enlarge it so that it might provide a through system of navigation from Lake Ontario to the Georgian Bay. But the Board of Works reported that as a through line the Canal would not be successful "owing to the great lockage required and the limited draft of water of vessels which could be used on the route, and that for purposes of local traffic it would not be a success, because the route, through its greater part, was extremely circuitous. The estimated cost of the Canal was placed at \$3,600,000.00, and it was suggested that instead of incurring so large an outlay, the works already undertaken should be completed and used as timber slides. This plan was adopted, and the cost of the work up to the year of Confederation was \$670,078.00. From Confederation on it has been impossible to convince successive Governments that a through Trent Canal is practicable. The first Conservative Government took little stock in the project, and the Mackenzie Government, after an effort to take over and complete the works had failed, passed the whole affair, locks, dains and slides, over to the Ontario Government. The transfer having been accomplished just two days before the Reform Government went out, it was claimed that the object was to destroy the dams, rescue several thousands of acres of land which had been submerged for years, and in fulfilment of a campaign promise, distribute them through the Ontario authorities among certain favourites in the various constituencies along the route. This accusation was stoutly denied, and it was stated very plausibly that the works were passed over to Ontario because they were merely timber slides, and because the Government had resolved not to complete them with a view to the establishment of a through system of

In 1879 the Dominion re-assumed the works, and it has them still. The authorities have from time to time expressed opinions and adopted measures which have led the residents of the Trent Valley district to believe that the Government seriously intends to build the Canal. In the 1882 election this belief helped the Conservatives in Central Ontario counties; but in the Reform candidates professed to be as anxious as any person could be that, despite the which the projected work will run will no doubt vie with each other in their pledges of devoparty leaders, although it is almost a certainty that none of them approve of it.



ment m of have s of nal. t in use the igh

he



JUBILLE POINT AT THE MOUTH OF THE OTONABEE RIVER



AT THE MOUTH OF FEL 8 CREEK, STONEY LAKE



### The Present State of Canal



The date of the publication of this work, the extent of the finished portion of the Trent Canal is 160 miles, the distance from Washago, ten miles above Orillia, to Healey's Falls, now available for navigation by vessels of 6½ feet draft. There is, however, in addition to this, a considerable extent of lateral navigation for the draft mentioned, by which side trips might be taken, such as to the picturesque town of Barrie on Kempenfeldt Bay, on the western side of Lake Simcoe; to Jackson's Point, on the south

shore of Lake Simcoe; or to Lindsay on the Scugog River, continuing farther down the stream to Port Perry on Scugog Lake.

After more than seventy years of a chequered career, it now looks as if the Trent Canal, as a means of through transportation from Georgian Bay to Lake Ontario, will be an accomplished fact within the next four or five years. At the present time, the entire division from Healey's Falls to Trenton is under contract, and the work is heing advanced with vigour hy the various contractors. The fact that the Dominion Government has this year set aside the sum of \$1,750,000 for construction work on this division, shows that the energetic policy decided upon, with respect to the early completion of the Canal, will be carried out with the least possible delay. As a matter of fact, it is regarded as extremely probable that several of the above mentioned contracts (there are seven in all) will be finished by the end of the present year. The contract for the section of Canal in the vicinity of Campbellford, which has been awarded to Messrs. Haney, Quinlan & Rohertson, is the heaviest undertaking on this division, and it may be two or even 'years yet, hefore it is completed, and before boats may be able to travel from the land-1 'ers of Lake Sincoe to the broad expanse of Lake Ontario.

It should be mentioned also that the locks, now under construction on the division extending from Trenton to Healey's Falls, and in fact extending up to Peterborough, are being built so as to provide for an 8 ft. 4 inch draft. This will accommodate barges of 1,000 tons. It is intended that ultimately the entire Canal will be deepened to accommodate vessels drawing 8 ft. 4 inches of water, with a minimum depth of nine feet between the locks.

However, even with the completion of the work at present under contract between Healey's Falls and Trenton, through navigation will not be afforded from Georgian Bay to Lake Ontario. There is yet to be placed under contract the section extending from Lake Simcoe to Georgian Bay, a distance via the Severn River of 30 miles. The work on this section of the Canal is not considered very heavy, consisting of the building of five or six locks and dams. The advocates of the early completion of the Trent Canal are hopeful that the Government may place this section under contract within the next twelve months, so that it may be finished concurrently with the Healey Falls-Trenton Division (officially known as the Ontario-Rice Lake Division), thereby completing within the next few years, a Canal that will afford a water route from Sault Stc. Marie to Montreal, shorter by 250 miles than that by the Welland Canal.

# The Ontario-Rice Lake Division



N the annual report of the Department of Railways and Canals for the year ending March 31st, 1910, being the latest annual report of the Department to hand, is found some very interesting information concerning the nature of the work that is now in progress in making the River Trent navioutlet of the Canal. Mr. A. J. Grant, Superintending Engineer, who is in charge of the work, says:

"This division emoraces the fifty-six and a half miles of all river route between Trenton on Lake Ontario and Rice Lake, which will comprise when completed, nine and a half miles of canal, thirteen miles of submarine channel, and thirty-four miles of deep river, whose average width will he about 500 feet. The rise between extreme low water level of Lake Ontario and normal navigation level of Rice Lake is 369 feet, which rise will be overcome by 18 locks ranging from 9 to 27 feet in height. Fourteen concrete dams, with stop-log sluices, will be required for the regulation of the river, and at them 75,000 h.p. gross may reasonably be developed at the low water stage of the river, but this quantity may be increased somewhat by a larger expenditure in tail race excavation. The normal navigation level of the natural reaches of the river and Rice Lake will be that of ordinary summer level, so that practically no damage will be done by flooding the land along the river and lake shores. In the rapids the dams will hold the river at as high a level as practical, which, in the majority of cases, will he lower than the top of the river banks. The canals and channels with sides showing above water, will have a minimum bottom width of 80 feet, except in two cases of short canals above locks where the bottom width will be only 50 feet, and the submerged channels will have a minimum bottom width of 100 feet, which will be marked at frequent intervals by small piers. The canals and submarine channels will have a depth of 9 feet.

"There will be sixteen bridges, ten of which will be for highways and six for railways. They will all be swing or basculc spans; except that for the main line of the Grand Trunk Railway at Trenton Junction, which will be a high level fixed bridge, under which there will be a clear head room of 27 feet at a stage of high water in Lake Ontario.

"The locks will be of concrete and will have 8 feet 4 inches of water on the sills, with chambers 33 feet wide by 175 feet long between hollow quoins. They will accommodate barges of 1,000 tons, whose size will be about 150 feet long by 30 feet beam, and drawing 8 below each lock. The locks will be filled through culverts 4 feet wide by 5 feet high in the gates will be of the solid timber type and the upper gates in all caces will be set on the top of cesses, which will be formed in the lock walls.

"The total cost of the improvement of this part of the 'Trent Navigation' will amount to about \$6,750,000, the first vote for which was made by Parliament during the session of 1907. The project involves the removal of about one and a half million cubic yards of earth, one and a quarter million cubic yards of loose and solid rock, and the huilding of about four hundred thousand cubic yards of concrete."

### As to The Future



rt-

he vi-

гn

is

ก

ì

n

HE advocates of the construction of the Trent Canal, as a means of through navigation from Lake Huron to Lake Ontario, are to-day more than ever convinced that when the waterway is completed it will be an important iactor in the grain carrying trade between the great west and the Atlantic seaboard. While it has, up until a few years ago, received very ittle support from the large industrial centres of Canada not situated upon its route, and which may not derive any immediate benefits from its completion, it

is to-day, with the great increase of wheat production and transport necessity, generally speaking, receiving the hearty support of every section of the Dominion of Canada. The present Minister of Railways and Canals, Hon. G. P. Graham, has displayed keen interest in the project, and the work of completing the waterway has proceeded, under his administration, with greater vigour than at any time in its history. A certain section of the press of Canada, too, has at times been more or less hostile towards the project, but those who have for years fought so determinedly in its behalf, are hopeful that in a few years hence they will see barges, laden with grain from the great West, passing down its course.

The old Erie Canal, with its draft of slightly more than five feet, can hardly, in the matter of carrying capacity, be compared with the Trent Canal, with its draft of 8 feet 4 inches, yet the advocates of the Trent waterway point with pride to the part the Erie Canal has played in the transportation interests of the United States. It is pointed out that the inestimable benefits which have been derived from the Erie Canal in the past are not disputed by any one. To it, more than to any other one cause, is due the Jenomenal growth and commercial supremacy of the City and State of New York. It opened up the great West to settlement, and in turn attracted the products of the West to the low-grade line through the Appalachian chain, which exists only in the State of New York. The tolls on this waterway have more than repaid the cost of construction, maintenance, and operation; in addition, it has paid over \$360,000,000.00 of freight money within the limits of the State, and the dishursement of this money along the line of the Canal has built up the great interior cities from Boston to Albany, forming a continuous line of commercial centres, which has no counterpart in any other State. The growth of these Cities in turn led to the construction of railways paralleling the Canal, and these, by consolidation and scientific management, have gradually reduced the cost of transportation, with all the advantages such a reduction necessarily brings. With the completion of the Trent Canal not only will transpertation rates, generally, be reduced to points along its route, but a good percentage of the grain that passes through the "Soo" Canal, on its way from the West, will be conveyed in barges, by way of the Trent, to Montreal and the seaboard.

One of the ablest speeches that has ever been delivered on the practicability and desirability of the Trent Canal and its possibilities as a factor in through transportation, was made by Mr. R. R. Hall, who some four years ago represented West Peterborough in the Dominion House of Commons. Mr. Hall, who had given the Trent Canal and its future a most careful study, in addressing the House on the matter, amongst other things, said:

"The consumption of coal in the City of Peterhorough last year was 43,430 tons. The rate on coal from Suspension Bridge to Peterhorough by rail is \$1.25 a ton. Coal is delivered in Oswego at 15 cents a ton cheaper than at Suspension Bridge. Freight between Oswego and Trenton or Port Hope is 25 cents a ton, and the rate between Port Hope and Peterborough, by rail, though only a distance of 30 miles, is 80 cents a ton. On coal alone, the freight from Trenton to Peterborough, were the Canal completed, would not be more

than 25 cents per ton. On that basis there would be a clear saving on coal to Peterborough of 75 cents a ton, or, on the amount consumed last year, a total saving of \$32,500."

After dealing very exhaustively with the project. Mr. Hall concluded by saying:

"When you take into consideration the fact that we have the means right in the very heart of the Province of Ontario of establishing a 750 ton barge Canal, which will have a capacity of carrying practically two and a half train loads of grain from Midland to Montreal, I think you will admit that it is a matter deserving of the most serious consideration, and that the Canal is a work which should be immediately gone on with, as part of our national system of grain transportation."

It will be observed that Mr. Hall referred to the Trent Canal as a 750 ton barge waterway. Since that time the Government decided on building the new sections of the Canal with a draft of 8 feet 4 inches on the locksills, thereby providing for the use of 1,000 ton barges. The Ontario-Rice Lake section of the Canal is being built with an 8 feet 4 inches draft, and any renewals that may be made from time to time on the older portions of the Canal will be on the same scale.



orough

very
ave a
treal,
that
sys-

iterwith ges. and be



A SMALL SECTION OF STONEY LARE



THE GOVERNMENT TUG, "BESSIE BUTTER" TAKING MR WILLIAM JENNINGS BRYAN OVER THE PETERBOROUGH HYDRAULIC LIFT FOCK, MR. BRYAN MAY BE SEEN STANDING OVER THE WORD "BUTTER."



### As To Power Development

The Trent Canal as a producer of electrical power is doing much towards the industrial devel pment of this section of the province of Ontario. Roughly speaking, the various dams, along the line of the Trent Canal from Lake Simcoe to Trenton, are capable of developing 100,000 electrical h.p. Of course all the dams are not at the present time developed, for the reason that the district is not as yet able to handle all the power that is in sight. However, the demand is rapidly increasing and new dams along the canal are each year being developed, and the towns and villages for many miles adjacent thereto are being supplied with light and power as at low rates at the Niagara district, which is supposed to have the cheapest light and power in the province.

Every available water power along the route of the Canal, with one or two exceptions, has been acquired either by municipalities, or by private companies. The ownership of these powers was acquired many years ago, and in constructing the canal riparian rights were a matter that gave the Government considerable difficulty. However, all matters of this bind are now adjusted, and while the Government does not receive a revenue from all the water powers on the Canal, certain dams, however, which were taken over by the Government and improved, are revenue producers in so far as the Government is concerned. The leases provide for the use by the power companies of the surplus water after the interests of navigation have been served. It is estimated that the rentals for surplus water at various dams will, when fully developed, yield a revenue to the Government of Sixty or Seventy Thousand Dollars per year.

The following tables give the location of the dams, with their respective lifts and hydraulic power, on the line of the Trent Canal:

#### FROM LAKE ONTARIO "O RICE LAKE H. P. DAM No. 1.-1.7 miles from Treoton Junction, 17.5 ft. head. At extreme low water of Lake Ontario a head of 20.0 ft .can be obtained. With a 17.5 ft. head, the amount of 3.977 h.p. developed is ...... 4.545 DAM No. 2.-2.4 miles from Trenton; 20 ft. head ..... DAM No. 3.—At Glen Miller, 4.6 miles from Trenton. A 27 ft. bead can be developed here only with the consent, and in conjunction with Messrs .Miller Bros., Limited, who are now using a head of 9 ft. Io the event of Messrs. Miller Bros., Ltd., not consenting a head of only 15 ft. can be obtained. A 27 ft. head would produce... 6.137 DAM No. 4.-5.2 miles from Trentoo, havin, a head of 18 ft. ... 4 090 4.090 DAM No. 5.-6.6 miles from Trenton, having a head of 18 ft. .... DAM No. 5.-At Frankford, 81 miles from Trenton, 16 ft. head. The surplus water at this point is owned by The Trent River Paper Company. There is developed here . . . . 3 636 DAM No. 7.—At Glen Ross, 14.2 miles from Treoton. By a large expenditure of money a head of 9 ft. at this dam could be obtained. During high water the present head 1,136 of 5 ft. at this dam may be somewhat reduced. A 5 ft. head would produce ...... DAM No. 8 .- At the foot of Myer's Island, 26.4 miles from Trenton. A 20 ft. head can be developed at this dam by the excavation of about 25,000 cubic yards of rock for a tailrace, and a 36 ft, head can be obtained at a still greater cost for tailrace excava There is a 25 ft. head available wihout any tailrace excavation. A 30 6.817 ft. head would give ..... DAM No. 9 .- At the head of Myer's Island. There is a 21 ft. head available without any expense in tailrace excavation. With considerable tailrace excavation a 24 ft. head 5.454 can be obtaned, which would develop..... DAM No. 10.-At Ranney's Falls, just below Campbellford, and 30.6 miles above the town of Trenton. A 48 ft, head is in course of development in the vicinity of Lock 10,908 DAM No. 11 .-- Known as Stephen's Rapids, just above the Town of Campbellford. The power at this point is developed by the Seymour Power Company. There is a head at this point of 23 ft. Amount of power developed ..... 5,227

·	
$DAM/N_0$ , $12 = 10.6$	
Town of Campbette This This	
DAM No. 12—At foot of Crow Bay. This power is developed by the Municipal DAM No. 13—At Healey's Falls, 14 miles below the Village of Hastings. Can he obtained at this dam by the expenditure of considerable money company. Limited, 1.	al
Can he obtained at this dam by the expenditure of Hastings A head system, and is under lease to the Seymour Power Company, Limited.) It is not yet developed, but with a fact that the dam by the expenditure of considerable money.  DAM No. 14—At Hastings, owned.	of the
Consider la under la most mil considerable a neg	10 of 78 c.
DAM So. 14 Limited.) It is not yet to the Seymour Power Comer on the ex-	in tailrace
head of 9 ft lastings, owned and	ic Power
Total amount of h p	liere is a
Total amount of h. p. available between Lake Ontario and Rice Lake  The flow of the Trent River from below Healey's Falls to Trenton is estim  90,000 cubic feet per minute. At Healey's Falls and Hastings the flow of the river	II head
cubic feet per minute. At Healey's Falls and Hastings the flow of the river  PAM AT LOCKS  The flow of the Trent River from below Healey's Falls to Trenton is estimated to the flow of the river  PAM AT LOCKS	1,534
cubic feet per minute Falls and Hasting Falls in Trentnn is estimated	74,482
the flow of the river	is action 20,000
DAM AT LOGUE TROM RICE LAVE -	mated at
1 TO STONE AND	
hence the now water, but during the This dim !	
nas a head of 8 ft. at low water, but during the high water season this almost maintained, and taking the flow of the river at 90,000 cubic feet per minut.  DAM AT LONDON STREET, Peterborough, owned and taking the flow of the river at 90,000 cubic feet per minut.	ed It
DAM AT LOSS. THE WORLD CONTROL OF SEC.	1 1 1 1 1 1
amount of power available would be.  DAM AT LONDON STREET, Peterborough owned and develop illydraulic Power Company (The Ch.), owned and develop at 90,000 cubic feet per minut	e, the
DAM AT LONDON STREET, Peterborough, owned and developed by the Peterho  DAM AT AUBURN, owned and developed by the Peterho  The Electric Power Company of the Peterborough by the Peterho  DAM AT AUBURN, owned and developed by The Peterhorough by the Peterho  DAM IT	1,690
develop- 1. " FRII OPFO -	3 D -
THOUSE THE PROPERTY OF PARTY	1.900
DAM No. 5 B	and
Power Company, This left of Section I among the Company	1,500
DAM No. 2. DAM No. 2. A short diseased by the Ores	1,600
DAM No. 2.—Not yet developed; owned by the lada Cement Company	ntly
DAM No. 3.—Leased to and developed by the Oton: DAM No. 2.—Not yet developed; owned by the Company DAM No. 1.—Owned and developed; owned by the cominion Government DAM AT YOUNG'S POINT—Owned and controlled by the Canada Cement Company Total h. p. on this section	4,200
DAM AT YOUNG'S POINT On The Dickson Covernment	1,400
h. p. on this sand controlled by the C.	1,200
t Canada Cement C	2,800
dam : Trydro-Electric C available nous	
In the estimate of the amount of available power on this section, the figures fur dam just below the City of Peterborough and the Young's Point Dam. The Hydrocenerally conceded that the low water flow of the stimate on the dams from Peterhorough to Lakeffeld is considered to eubic feet per minute.	19,933
eonservative she is a steer or the dame feet and the Young's Delivery of the estimate	nished by
generally conceded the river being recken to Lakefield in The Hydro	on the
Commission's estimate on the dams from Peterhorough and the Young's Point Dam. The Hydre conservative, the flow of the river being reekoned at 84,000 cubic feet per minute. It FROM STONY LAKE TO CAMED.	be very
Like to Pice 7	pretty
BURIFICH - SIONY LAWS -	20,000
FROM STONY LAKE TO CAMERON LAKE  Company.) There is a head here of 23 ft. Taking the flow of the river at 90,000  BUCKHORN DAM.—Owned by the Electric Company (The Central Ontario Power BuckHorn DAM.—Owned by the Electric Power that may be developed will he amount of power that may be developed will he amount of power that may be developed will he	
BUCKHODS rect per minute the and here of 23 ft. Taking any (The Central One)	
head of 10 ft. Taking the flow of the river at 90,000 amount of power available here would be at 90,000 cubic feet per minute, the BOBCAYGFON DAM.—Taking the flow of the river at 90,000 cubic feet per minute, the FENELON FALLO.	
BORCANCES - Power available by the river at 90 and any. Not was	3,920
The state of the s	
FENELON FALLS DAM amount of power available at 70,000 cubic feet	1,700
of the surplus water at this	,,,,,
FENFLON FALLS DAM.—Taking the flow of the river at 70,000 cubic feet per minute, the strength of the head, the amount of power available is  Light, Heat and Power Company of Lindsay. The head here is 24 ft. and the flow the total amount of h. p. on this section therefore is  Few people realize that the 100 cost	, 1,320
p. on this section thereto. P. to the extens and the flow	
Few people and	2,040
the Trent Canal from Belson, that the 100,000 electric	8,980
the Trent Canal from Balsam Lake to Trenton, is equal to 1,000,000 tons of eoal for which the 100,000 electrical h. p. capable of being developed a The 100,000 electrical h. p. above referred to does not be the severn River, which flows from the severn River, which flows from the severn River.	8980
The 100,000 electrical h. p. above referred to does not incl.	long
the Severn River, which flows from tell room to the severn River.	We

The 100,000 electrical h. p. above referred to does not include the power developed on the Severn River, which flows from Lake Simeoe to Georgian Bay.

5,641

11,250

74,482 20,000 ited at


1,690

1,900 ,500

1,534

3,400

600








PLTERBOROLOH TAKEN TROW STRIFT RATEMAN WHARE VIEW OF RIVERVIEW PARK



VIEW OF THE PETTREOROP GH SIDE OF THE CLONARGE TAKEN FROM RIVERALEW FARE SHOWING PETTREOROP GH WHARLAND STREET BATHWAY LINE



ANOTHER VIEW OF RIVIEW PARK TAKEN TROW THE ITAMEN'S OF THE STREET KYTEWAY



### As a Tourist Resort



HE route of the Trent Canal consists of a chain of lakes and rivers unsurpassed on the Continent in their varied attractiveness as tourist resorts. It is only within recent years that these picturesque waters have been commerclalized in the matter of heing advertised as tourist resorts, but to-day there is not one available point or island on the lakes and rivers throughout the entire system, that is not dotted with pretty summer homes and comfortable hotels, maintained almost exclusively for the tourist traffic.

The growth in the popularity of these waters, as an ideal spot to spend the summer months, has been really astonishing, and to day they are receiving a degree of advertising by railway companies, equal to that given the much older established, but no more attractive, resorts, such as the Thousand Islands and Muskoka.

A certain section of the Trent Canal is commonly known as the Kawartha Lakes. "Kawartha" is the Indian word for "Bright Waters and Happy Lands." They comprise fourteen heautiful lakes. Scugog, Sturgeon, Cameron, Balsam. Pigeon, Bald. Sandy, Buckhorn, Chemong, Deer, Lovesick, Stony, Clear, and Katchewanooka—to which may also be added Rice Lake, twenty-one miles down the Otonahee River helow Peterborough.

The altitude of these famous lakes lends them additional charm for the tourist and pleasure seeker, some of them heing 830 feet above sea level, over 600 feet higher than Lake Ontario, and 300 feet higher than Georgian Bay. On these charming waters the pleasure seeker will find delightfully cool, wooded shores and sandy heaches, where hathing may be indulged in with safety.

The accommodation for travellers at the various points on these waters is much superior to the average summer resort. For those who wish to take their family for an outing, the cottage or camp on the shores of these waters affords a vacation at a very moderate expense. The hundreds of miles of shore and the many islands of the Kawartha Lakes specially lend themselves to the enjoyment of a summer outing. The Kawartha Lakes being on the line of the Trent Canal, are linked together by narrows, locks and channels, which allow the boat of the pleasure seeker to pass from one to another until the whole chain is explored. The eye never has time to weary of one scene before the rounding of a point, the passage of a lock or the "threading of the narrows" puts hefore you a new prospect. The dip of an oar, the stroke of a paddle, the twist of a tiller, or the turn of a pilot wheel is enough to bring a fresh section of the Kawartha panorama into view.

These Highland Lakes of Ontario are like, and yet unlike, the Scotch locks. They do not possess the awful grandeur of those of Switzerland nor the cold ruggedness of some of the Scotch locks; yet there is about them an inspiration more subdued and peaceful, while every point and island, every bay and headland, glows with a swe dy picturesque beauty. Slowly threading a narrow passage between verdure-laden islets, the rounding of a point will suddenly bring into view a broad expanse of water whose continuous shores seem to have no outlet; but hidden behind some island or projecting headland will be found a passage leading through another labyrinth of beautiful scenery, and just as further progress seems impossible, another miniature sea hreaks on the view.

Lovely as were the Kawartha Lakes when Nature displayed them to advantage before the enthusiastic glance of Samuel de Champlain and his Indian allies, yet now, with all that Nature then did, improved by the artistic hand of man, they are simply enchanting. Travellers in Scotland, or readers of Sir Walter Scott's or other descriptive works of "The Bonnie Highlands," are not unfamiliar with the wild grandeur of the Scotch lochs, and all this magnificence is reproduced within the compass of the Kawartha Lakes. The more the scenery is studied, the more convinced one becomes that the charms which are spread out under a Canadian sky can vie with the most lovely which are scattered under distant climes. The student of geology, the botanist, and the amateur photographer find a field well worth while in the Kawartha country.

As for the canoeist, this midland district of Ontario is one broad, continuous network of lakes extending to James Bay, and the voyages to be taken by the enthusiastic lover of the canoe have but one limit—the time at the disposal of the voyager.

Twenty seven

### The Hydraulic Lift Locks



N attempting to describe the hydraulic lift locks on the Trent Canal, we can not do better than to reproduce a few extracts from a paper prepared by Mr. Walter J. Francis, C.E. (Tor. Univ.), M.Can.Soc.C.E. Mr. Francis, at the time of the construction of these locks, was in the service of the Department of Railways and Canals, and had immediate charge of the work. In January, 1907, Mr. Francis read a paper at the annual meeting of the Canadian Society of Civil Engineers, at Toronto, his subject being "Me-

chanical Locks in Canada." While space will not permit of our using the article in its entirety, it is hoped that the extracts taken therefrom and published below will give the reader some slight idea, at least, of the hydraulic lift locks on the Trent Canal. Mr. Francis said in part:

"Built for the Canadian Government, by Canadian contractors, under the direction of Canadian engin.ers. the hydraulic locks on the Trent Canal may properly bear the label, 'Made in Canada.' In view of the fact that the German Government has recently completed a high canal lift at Heinrichenburg, and that the United States Government has made a careful study of the problem of mechanical lifts in connection with the reconstruction of the Erie Canal, a detailed description of the Canadian hydraulic locks may be considered appropriate at the present time.

"The larger of the two Canadian locks is situated on the Trent Canal, within the limits of the corporation of the city of Peterboro, and has been in operation since June, 1904. The other lock, near the village of Kirkfield, is in a stretch of canal joining Balsam Lake and Lake Simcoe.

"The hydraulic lock is theoretically an automatic machine and is designed to take the place of ordinary locks where a great difference of level is found in a short distance. Besides the Peterborough and Kirkfield locks, there are three other locks of this type in operation, one being in England, another in Belgium, and the third in France. The English lock has been in continuous use for over thirty years, while those in France and Belgium have heen completed about twelve years. They all have a lift of nearly fifty feet. The depth of water in the French and Belgian locks is 7 feet 10 inches, and the lock chambers are 140 feet long and nineteen feet wide. Several others having similar dimensions are now being built by the Belgian Government. The chief dimensions of the Peterborough Lock are 65 feet lift, chambers 140 feet long, with 33 feet clear width, and 8 feet normal depth of water. The Kirkfield lock has the same general dimensions, with a lift of 50 leet. It will be noticed that in the Peterborough lock the water load is double that of the larger European ones, while the height of the lift is increased over thirty per cent.

"In principle the hydraulic lock may be likened to two immense hydraulic elevators of the simple plunger type, having their presses connected together so that the descent of the one causes the rise of the other. In place of the ordinary elevator platform we have a large watertight box or tank closed at either end by a gate. The lockage is performed by towing the vessel into this box of water, and then closing the gate on the end of the box, as well as that of the end of the canal, thus leaving the box independent of the reach and free to move vertically. The box with the water and the floating vessel is then raised or lowered to the other reach. The chamber or box about to descend is loaded with a few incites more water than the other chamber, thus giving it the necessary additional load or 'surcharge' to enable it to cause the ascent of the other when water communication is established between the two presses. The construction of the Canadian locks varies materially from those of Europe, and as far as outward appearance goes, there is little similarity. The departures are largely due to the climatic conditions and to the different practices adopted by American and European engineers in steel construction.

"For purposes of detailed description, the Peterborough lock will be taken first, and the difference in the Kirkfield structure will be noted later in the paper.



THE PUTTERBOROUGH HYDRAULIC LIFT LOCK, FRONT VIEW



THE PUBLISHOROUGH HYDRAUTIC LIFT LOCK, LOOKING FROM THE WEST

Twenty nine



"A gradual slope was selected for the site of the Peterborough lock, and the excavation was completed in 1899. The location was chosen so that the average depth of excavation was about 40 feet, and the material thus obtained was used in building embankments to carry the level of the upper reach to the back of the structure. The excavated material was found to be hard clay mixed with small stones and boulders, underlying a thin layer of fertile soil. At the upper end of the excavation a small amount of hardpan was encountered, and below this a shaly limestone rock. The rock was in layers of from ½ inch to 8 inches in thickness, between which were thinner layers of clay and shaly material. The layers of crystallized limestone stand the weather quite well, but the shaly parts disintegrate very rapidly under the action of rain and frost. The elevation at which rock was found was exceedingly fortunate, being practically at the bottom of the pits. When the rock was cleaned off less than two feet of concrete brought the floor to its proper grade. No footings were required under any of the walls, all being built upon the solid rock."

After dealing in detail with the excavation of the press wells in which the large presses stand, Mr. Francis' paper gives a description of the substructure of the lock. It is built entirely of concrete and contains a little over 26,000 cubic yards. The breast wall is forty feet thick and 80 feet high, the length being 126 feet at the base. The towers, three 'n number, are on the same transverse centre line as the wells. In round numbers, the total height of each tower from rock bottom to top is 100 feet.

"The earth embankment upon which the canal is carried up to the back of the breast wall was built in layers about 8 inches in thickness, thoroughly compacted and rolled. During the hot and dry season the earth filling was liberally watered. The material was clay containing small stones. This method produced an embankment having the remarkable record for settlement of only about 1-10 foot in a period of nearly a year where the depth of made earth was upwards of forty feet.

"The contract for the embankment and substructure was executed by Messrs. Corry & Laverdure of Ottawa, and completed in 1902."

Dealing with the superstructure, Mr. Francis says:-

"The superstructure of the Peterborough lock was built by the Dominion Bridge Company, of Montreal. The work was commenced in the summer of 1901, and the structure was completed early in July, 1904. The cost of the superstructure complete was \$244,000.00.

"Each of the lock chambers is 139 feet x 33 feet, with 9 feet 10 inches of plating on the sides. These dimensions, with the exception of the depth of water, were fixed by a Government Commission. It is also necessary that a clear headway of 25 feet be left above the water level. The depth of water for which the lock is constructed would, in ordinary navigation language, be called 8 feet on the sills. The load of water which each of the lock chambers contains is 1,300 tons, and this is the maximum load which it is necessary to provide for, since a floating vessel displaces only her own weight of water."

The structural steel work was minutely described by Mr. Francis, as well as the gates and their mechanism, and the main presses and rams. After manufacture and before erection, all the castings of the presses were subjected to a rigid hydraulic test, at a gauge of 1,200 lbs. per square inch, being twice the working pressure.

As to the materials and general appearances, Mr. Francis says-

"A summary of the amounts and various kinds of metal used in the superstructure is as follows:—Rolled steel, in plates and shapes for the lock chambers and gates, 1,640,000 lbs.; cast iron, in rams, accumulator, guides, and various machines, 495,000 lbs.; steel castings for the main presses and accumulator, 668,000 lbs.

"Care has been taken throughout to make the general appearance of the work as attractive as possible. All the walls and stairways are protected by suitably designed railings, and the windows and doorways are closed by ornamental grille-work. The lockmaster's cabin on

Thirty-one

the top of the centre tower is constructed of concrete as high as the window sills. Above this the steel frame work is furred with wood, and the whole of the exterior covered with copper. The interior is finished in British Columbia cedar in the natural color."

Many people who visit the hydraulic lift locks and see them in operation are at first puzzled to know how the space between the lock chamber and the frame of the reach gate is made water-tight. Mr. Francis explains this, thus:

"There is a space of nearly 2 inches between either end of the lock chamber and the frame of the reach gate. When it is desired to connect the lock chamber with a reach, this clearance space has to be cosed. This is done hy having a collapsible rubber tube fastened to the frame of the reach gate and arranged so as to lie flat. When the lock chamber is in position for communication, the rubber tube is inflated with air at about 10 pounds per square inch pressure, which causes it to expand and press against the end of the chamber."

The operation c\* the lock is described by Mr. Francis as follows:-

"The operation of the hydraulic lock requires three men—a lockmaster and two assistants or gatemen. The lockmaster is in charge and is responsible for the structure. Two gatemen are required, one at the lower end and the other at the upper, to open and close the gates, to inflate or deflate the seal tubes, and to operate the capstans. The gatemen also take charge of vessels at about 200 feet in either side of the lock. The lockmaster, during operations, stays in his cabin on the top of the centre tower and has full view of all that transpires. He is also in communication with his two assistants by a simple signal system. The lockmaster has before him the principal levers, and through an interlocking system regulates the working of the lock. The levers for controlling the gate engines and the capstans are situated on the wall immediately above the respective machines, convenient of access to the gatemen. The interlocking system is so arranged that the lockmaster must set his levers in proper order, and these having been set neither he nor the gatemen can err by using their levers at the wrong time.

"In order to get clear idea of the complete mode of operation, let us assume that both lock chambers are down at the lower level, empty, as they are at the end of winter, or when it is desired to prepare them for navigation purposes. The annular space in each of the presses if empty will be filled with water. The main valve on the connecting pipe will he closed and water will be pumped into one of the presses until the ram, with its superimposed chamber rises to the level of the upper reach. An examination of the case will show that it is necessary that the uppermost chamber, in order that it shall be able in descending to cause the other to take the full upward stroke, must contain a volume of water greater than the rising chamber contains. This extra amount is equal to the volume of one of the rams, since the change that takes place during the relative motion of the two chambers is that the ram of the descending chamber becomes constantly immersed, while the other protrudes. In other words, the descending chamber is losing weight while the ascending is constantly becoming heavier. It is also necessary that some extra weight be provided to to overcome the friction of the guides, and of the stuffing boxes of the main presses. The area of cach lock chamber is so great that it requires only an additional depth of 814 inches to give an extra load of water of 100 tons, which is sufficient for ordinary operation. The addition to this weight will, of course, have the effect of accelerating the time of the relative change in position of the chambers. The ordinary time required in raising the chamber through the whole elevation is about two minutes. But this will depend upon the adjustment of the main glands, the nicety of the working of the guides, and the manipulation of the main valve in the hands of the lockmaster.

"An ordinary lockage is conducted in this manner: Suppose 100 tons of 'surcharge' has been found to give sufficient additional weight to the descending chamber. The uppermost chamber will then be required to stop with its floor 8 \(^4\) inches lower than the bottom of the upper reach. On comunication being established with the reach, it receives from the reach 100 tons more than the lower chamber contains, assuming the depth in both reaches to be the same. Then the total operations to make th. \(\text{-ckagc}\), if the gates adjoining the reaches are

Thirty-two

opened and the seal tubes are inflated, consists in hauling the vessel into the chamber and mooring her there securely, closing the gates, deflating the seal tubes, and opening the main valve between the presses. The heavier chamber then commences to descend, the motion being allowed to increase gradually by the gradual opening of the valve until it reaches the maximum speed. At about three-quarters of the stroke the main valve is slowly closed, communication between the presses being entirely cut off when the end of the journey is reached. The change in elevation being made, the seal tubes are inflated, the gates are opened, and the vessel or vessels are free to go on their journey, after being towed out by the capstans. The surcharge contained in the descending chamber simply flows out into the lower reach, while a similar quantity to perform the next lockage is admitted into the chamber which has just reached the higher elevation.

"The record lockage, so far, at the Peterborough lock is 6½ minutes, being the whole time from the stopping of the vessel in the lower reach to her proceeding on her journey under her own steam in the upper one."



# The Reservoir Waters



HE Trent Canal district may be said to have furnished to Ontario the first real practical demonstration of the value of water conservation. While the Trent Canal has been heard of for many years, and has, in its day, constituted a sort of political football with which perhaps both of the great political parties have played, it is, at the same time, as a canal, a waterway for the transportation of the products of the country, that it has been

advocated and to which it has invariably been referred. This waterway, which when completed will run through the midland counties of Ontario, connecting Georgian Bay with Lake Ontario, at Trenton, constituting a route for barges of 8 feet 4 inches draught fully 250 miles shorter to Montreal than by the Welland Canal, is in reality nearing completion. It will, therefore, be a matter of a short time only until the advocates of this route will have an opportunity of demonstrating to the world, if they can, that the Trent Canal, projected nearly 75 years welland route.

However, it is not along this line that I am now going to discuss the Trent Canal, but rather as a means by which electrical power has been developed along its route, and the factor it is playing in the industrial development of its district. Next to the Niagara there is no district, in older Ontario at least, in which the water falls are being developed to a greater ber dams on this waterway for many years back, at which power has been a number or crude timedeveloped. It has been during recent years only, however, that the great possibilities of houses are now looming up at the various dams, and the district thereabout is becoming a network of power transmission lines.

This is due to two main reasons. Firstly, it might be stated that the final adoption that the route the Canal should take at certain points, and the erection of substantial new concrete dams by the Dominion Government for Canal purposes, made many valuable sites available for the development of power. These dams are, at the present time, practically all acquired. Most of them are already being used in the development of electrical energy, and the remainder of them are about to be utilized. They are owned by various private persons, joint stock companies, and municipalities. The nature of the titles to, and power privileges in connection with, these dams vary considerably. Some of them are owned outright by private individuals and they are entitled to all the surplus water without any yearly rental. The dams thus held were secured many years ago, either before a canal was seriously thought of, or before the value of water powers was understood. Other dams are merely leased from the Government (the terms of the leases varying) upon payment of a certain annual rental being based, of course, upon the amount of power developed. Such dams as these are now placed under the control of the Railway Commission, in so far as the matter of rates to consumers of power is concerned. This was a very wise move on the part of the present Minister of Railways and Canals, as it ensures to the public the delivery of power at a reasonable

But the remarkable development of electrical power on the Trent Canal is not due to this alone. The flow of the Otonabee and Trent Rivers, on which the great portion of the power is developed, has, hy a judicious and aggressive policy of conservation, been increased to such an extent that it has contributed perhaps to a greater degree than the construction buted to the development of the towns and villages along the route of the Canal. When it is during the past five years, one can realize that water conservation on the Trent Canal has been a reality.

Until five years ago, the waters of the Trent canal and the waters of what is known as the Trent Canal watershed were under separate management. That is, the main lakes and rivers that constitute the Trent Canal proper were under the control and m agement of the Dominion Government, while the "feeders" thereto were under the control of the Government of the Province of Ontario.

It must be borne in mind that the County of Haliburton and those portions of the counties of Peterborough and Victoria north of the main line of the Canal, contain almost countless lakes of various depths and sizes. A glance at a map drawn on a reasonably large scale, on which these lakes are shown, would undoubtedly surprise one who is not personally familiar with the locality. Some of these lakes are quite large, Redstone, for instance, in the township of Guilford, having an area of 3,081 acres; Keneese, in the township of Havelock, having an area of 3,833 acres; and Gull Lake, in the township of Lutterworth, having an area of 2,748 acres. These lakes empty into various streams that finally discharge into the Trent Canal. The two of the largest of these are known as the Gull River, which flows into Balsam Lake at Coboconk, and the Burnt River, which flows into Cameron Lake, just above Fenelon Falls.

However, there are other streams that are valuable as "feeders" to the Trent Canal, a full list of which, together with the areas, in acres, of their hasins, is as follows:

ACRES	ACRES
Gull River basin40,864	Deer Bay Creek basin 2,547
Burnt River basin22,950	Buckhorn Creek basin 955
Nogies Creek basin 1,671	Squaw River basin 341
Mississaugua basin 7,002	Jack's Creek basin 4,198
Eel's Creek basin 2,683	
	Total83,211

This does not include the Crow Bay waters, which empty into the Trent River below Healey's Falls. Crow Bay waters are still under the control of the Ontario Government.

During the year 1904 an agitation was started by the power users along the Trent Canal, as well as by the navigation interests, to have the control of above-mentioned watershed, or what is now commonly known as the reservoir waters, transferred from the Province of Ontario to the Dominion Government, in order that there might no longer be a dual system of management in connection with the water that finally passes through the Otonabee and Trent rivers on the main line of the Canal. Until that time the normal flow of the Otonabee River at Peterborough was 44,000 cubic feet per minute. There was no uniform flow of water, for the reason that it was practically impossible under the conditions then existing, to control it

At certain periods of the year—during the spring and early summer—an unnecessary amount of water came surging down the Otonabee and Trent Rivers, while by the month of August there was not enough water to drive the wheels of the various power houses on the Canal, or supply the requirements of the navigation interests. This state of affairs was due to the fact that those in charge of the tributary waters had no interest whatever in these streams other than to assist the lumbermen in getting out their logs. The Ontario Government had built timber dams at the outlets of many of these lakes, which were controlled by the Provincial Department of Public Works. The dams were built and operated in the interests and for the sole benefit of the lumbermen. When the lumbermen would drive out of the various lakes, there would be an abnormal and unnecessary flow of water come down into the main Canal. The stop logs would remain out until the following spring, when the same process would be gone through.

It was argued, and quite properly so, that if the entire water of the Trent Canal watershed, together with the water in the main line of the Canal, were placed under one management, a system of conservation could be inaugurated whereby, willout any interference with the rights of the lumbermen, a steady and increased flow could be made to pass down the Otonabee and Trent Rivers at all seasons of the year. It was, of course, contended that the control should be vested in the Dominion Government, in view of the requirements for navigation purposes. After some months of negotiation, in which prominent men of the district, regardless of political creed, took part, the transfer to the Dominion Government was made in July, 1905, the Provincial Government handing over all lakes, rivers, and streams tributary to the Trent Canal, north of Peterborough. The Dominion Government agreed to protect the rights of the lumbermen in respect of the use of dams on these streams, and guaranteed to them all privileges they had hitherto enjoyed.


The Department of Railways and Canals, under whose centrol this splendid watersbed now came, at once got husy. Money was voted for the repair, rehuilding and improving of the dains at the outlets of these various lakes. The old timber dams were in many instances replaced by substantial concrete structures. Of the ware repaired and tightened, and in mostly every other case the dams were raised by many feet over their former level. On the various streams good, competent, and experienced men were placed to operate the stop-logs at the different dams, and an almost perfect system was built up. The result of the work is thus far most surprising. The water is now conserved in the springtime; the lumbermen's drives are taken out with care, and by using only what water may be absolutely required. The stop-logs are immediately replaced after each drive passes out, and the water is bottled up until such time as it may be required in the late summer or fall months, on the main Canal.

The beneficial results are clearly indicated. The flow of the River Otonabee was increased to 90,000 cubic feet per minute, being just twice the flow it was five short years ago. Power development of each dam has correspondingly increased, and more power is accordingly available for distribution throughout the district.

It must he borne in mind that the system is not yet extended to the full limit of its possibilities. Each year more new reservoir dams are being bulit, and for some years to come there will be scope for still further improvement. An extreme dry spell may, to some slight extent, tax the present greatly increased capacity of the various power plants, yet there is not a power company operating on the Trent Canal, especially from Peterborough down, that will not say that the flow of water in the Trent Canal has been steadier, more uniform, and 100 per cent. greater throughout the entire year than it was five and six years ago.

There is no doubt, therefore, that water conservation in this district has been successful to a most surprising degree. There is no doubt also, that the successful working out of this policy has resulted in great industrial growth which is as yet in its infancy, for the reason that many of the hest dams of the Trent Canal are only now being harnessed with a view to supplying the very attractive market which awaits it.

It is only fair to say that the success of this scheme is in a very large measure due to the superintendent of the Canal, Mr. J. H. McClellan, who has given the matter a thorough study, and has maintained throughout that degree of enthusiasm with which he some years ago entered upon the work.



THE KETCHFOLM LAKE HUVI OLUB - KFICHFOLM TAKE IS ON THE TREATOWN RESERVORS SYSTEM



### 188,465 Acres of Water



T may surprise many to know that the area of the various lakes that form that portion of the Trent Canal from Balsam Lake to Trenton is 89,070 acres. To this may be added the area of what is commonly termed the Reservoir Waters, and which is 99,359 acres. This, therefore, would mean that, exclusive of the many fairly large rivers and streams, there are 188,438 acres of water flowing continuously down through the Trent This area is made up as follows:

#### RESERVOIR WATERS

RESERVO	IR WATERS
Gull River basin         ACRES           Burnt River basin         22,950           Nogles Creek basin         1,671           Mississaugua basin         7,002           Eel's Creek basin         2,683	Jack's Creek basin         4,198           Crow River basin         16,149           Deer Bay Creek basin         2,547           Buckhorn Creek basin         955
Squaw River basin 341	99,360
Balsani         ACRES           Cameron         3,100           Scugog         16,000           Sturgeon         9,200           Pigeon         8,064           Chemong         5,400           Buckborn         200	River Buckhorn to Burleigh and  Deer Bay
Buckhorn 5,000	Total188,438

The Crow River basin of 16,148 acres, flows into the Trent Canal just below Healey's Falls. The Superintending Engineer of the Canal, in his annual report to the Department, estimates the low water flow of the Trent River below the point at which the Crow River basin enters at 2,000 cubic feet per second, while at Healey's Falls his low water estimate is 1,500 cubic feet per second.

### The Charts Explained

In making a trip over the Trent Canal, yachtsmen and others who may desire to refer to the charts herein, will observe that these charts have been arranged in the following order:

- Chart of Lakes Couchiching and Simcoe.
   (From the entrance to the Canal near Beaverton to Balsam Lake, no chart is required, the channel following the Talbot River for some distance, and the remainder of the distance being through an artificial reach.)
  - 2. Chart of Balsam Lake and Cameron Lake.
  - 3. Chart of Sturgeon Lake.
  - 4. Chart of Pigeon Lake.
  - 5. Chart of Buckhorn Lake and Chemong Lake.
  - 6. Chart of Deer Bay and Lovesick Lake from Buckhorn to Burleigh.
  - 7. Chart of Stony Lake and Clear Lake.

    (The chan::el from Young's Point to Peterborough turough Lake Katchewanooka and the River Otonabee is easily located without the aid of a chart.)
  - 8. Chart of Otonabee River and Rice Lake.

Thirty-nine

### Height of Locks

The following table gives the location of the locks, with their respective lifts, on the Ontario-Rice Lake Section, now under construction

NO. OF	MILES FROM	t i ng	Ltft op
			1000
1 2	2.4	Titlef - > clion	· · · · · · · 20 ft.
3	The state of the s		20.4
. 4	5.3	the Vi et .	20 ft.
5	S. S		
6	6 4		18 ft.
7	7.3	· Iti for	. 16 ft.
8 .	13.9	C 1.	9 ft.
	25.2		
9	26.4		· · · · 20 ft.
10 ,	27.9		· · · · 16 ft.
	29.6	Dear as but	· · · · · · · 24 ft.
	29.6	D .no F-11	· · · · · · 24 ft.
		C	The second secon
14	33.6	M. Adv. P. o.	· · · · · · · · 23 ft.
15	36.1	liudie Falls	· · · · · · · · · 25 ft.
17	36.5	Healey Falls	· · · · · · · · · · · · 27 ft.
18	36.5	He aley Falls	· · · · · · · · · · · · · 27 ft.
In mile to	51.0	Hastings	9 ft.

It will be seen by the above table that the total lift from Lake Ontario to the reach above the Hastings lock is 369 feet. The new lock at Hastings, replacing the old lock built about the year 1837, was thrown open for traffic this spring, and there is once again through navigation to Healey's Falls.

The following table gives the location of the locks, with their respective lifts, on the navigable portion of the Canal, from the Otonabee River below Peterborough, to Balsam Lake, the summit waters of the Trent Canal.

	142 ft. 140 ft 142 ft. 142 ft. 142 ft. 142 ft. 142 ft. 143 ft. 134 ft. 150 ft. 134 ft. 134 ft. 134 ft.	WIDTH 33 ft.	DEPTH ON SILL 6 ft. 6 ft	LtF7 9 ft. 12 ft. 65 ft 14 ft. 12 ft. 12 ft. 10 ft. 16 ft. 6 ft. 23 ft. 4 ft. 9 ft. 7 ft.
(Lower) (Upper)	134 ft. 150 ft.	33 ft.	6 ft.	
1 Lock at Rosedale	175 ft.	33 ft. 33 ft.	6 ft. 8 ft. 4 in.	24 ft. 4 ft.

It will be observed that the lift from below the City of Peterborough on the Otonabee River to Balsam Lake is 227 feet.

The following table gives the location of the locks with their respective lifts, alter leaving Balsam Lake and ascending to Lake Simcoe.

L'OIII B'TW (  HOL. OLOINS  1 at Kirkfield hydraulic lift lock No. 2 140 ft  1 at No. 1 Simcoe-Balsam Lake Division 142 ft  1 at No. 2 Simcoe-Balsam Lake Division 142 ft  1 at No. 3 Simcoe-Balsam Lake Division 142 ft  1 at No. 4 Simcoe-Balsam Lake Division 142 ft  1 at No. 5 Simcoe-Balsam Lake Division 142 ft	WIDTH	DEPTH	1.1PT
	33 ft	ON SILI,	50 ft.
	33 ft.	6 ft.	21 ft.
	33 ft.	6 ft.	14 ft.
	33 ft.	6 ft.	14 ft.
	33 ft.	6 ft.	14 ft.
1 at No. 5 Simcoe-Balsam Lake Division 142 ft.  It will be observed that Lake Simcoe is 124 feet lower	33 ft	6 ft.	11 ft.

# The Cost of Construction

The following table shows the amount spent each year, and the total amount spent to the 31st March, 1910, on the Trent Canal, chargeable to Capital Account:


Government expenditure	1895 53,907.70
prior to Confederation.\$ 309,371	31 1856 392,976.08
1880	
1881	100,070,70
1882	001,210,01
1883 40.767.1	4 1000
1884 120,393.9	1001
1885 121,382.8	4
1886 75,103.3	0 10.0
1887 179,541.6	2 1001
1888 114,879.3	100,000,44
10,0,0,0	3
100211	010,100.40
00,011.0	0 1907 153,045,42
1891 9,826.4	9 1908 343.176.05
1892 4,457.2	8 1909 1,099,836.38
1893 5,962.4	
1894 3.412.3	
	Total \$7.873.501.09



## Some Distances

The following table of distances on the Trent Canal may be found both useful and interesting:

ON MAIN LINE OF CANAL:	
Port Severn to Washago, via Severn Bridge	MILES
Washago to Narrows	31.0
to Cameringe	
Gamebridge to Balsam Lake Balsam Lake to Rosedalo Binos	15.0
Balsam Lake to Rosedale River	19.0
Rosedale Bridge to Fenelon	5.6
- energy to Doncaygeon	
Bobcaygeon to Buckhorn  Buckhorn to Burleigh	14.5
Buckhorn to Burleigh	
Burleigh to Young's Point	7.0
	9.0
and to teleteologial	5.0
to tradiffica	12.0
Tringe to fleatey s Falls	8.0
camposition	6.2
Sumportion to Chish M S	6.15
Sinonom 3 to 1180kiord	
Frankford to Trenton	6.4
ON CHEMONG LAKE:	7.5
Chemong Park to Buckhorn	
Chemong to Bobcaygeon	3.8
ON CLEAR AND STONY LAKES:	6.75
Young's Point to	
End of Clear Lake	4.0
Juniper Island Store	6.0
DOSCHIRK	9.0
Crow's Landing	2.0
Tread of Lake	5.0
Jumper Island to Durielay	3.35
Glow's Landing to Burleigh	3.5
ON GIONABEE RIVER:	
C.P.R. Bridge to G.T.R. Bridge (Peterhoro)	20
work St. whart to lower end of Peterhoro Lock	.20
worke St. whart to kye's Boat House.	.40
Lower End reference Lock to Crawford's Grove	.75
wolle St. Whart to Crawford's Grove	.77
wolle St. Whart to Hale's Bridge	.80
receibble bock to hale's Bridge	40
rate's Bridge to Benstort Bridge	00
wife St. whart to Wedlock's	-
wone St. what to Jubilee Point	20
worke St. whall to New Cut	00
Dension Druge to Wedlock's	.00
WEGIOCK S to Inhiles	50
<u> </u>	30



HERSESHOE LAKE DAM ON GULF RIVER
THIS IS ONE OF THE RESERVOIR DAMS ON THE TRENT CANAL WATERSHED



THE FOURTH BRIDGE.
THIS IS A CONCRETE ARCH BRIDGE OVER THE TRENT CANAL ON THE BALSAM TAKE-FAKE SEMCOE SECTION.

Farty-three



### ORILLIA



Noview of the commercial importance of the construction of the Trent Valley Canal, it is natural that the attention of those interested in this great project should be riveted on the Trwn of Orillia, which is rapidly becoming the great Industrial Centre of Northern Ontario. Orillia, which is situated on the western shore of Lake Couchiching, and which also overlooks Lake Simcoe, has quickly developed into a town of importance. Its location, and the push, enterprise and energy of the townspeople have

been the chief elements to make it what it is. Orillia is a progressive, picturesque and healthful town of six thousand five hundred people. Nnt the least of her great advantages is her easy accessibility and her excellent railway and transportation facilities. Three great Railways now run through the Town: The Grand Trunk, The Canadian Pacific and The Canadian Northern, which will mean rapid development for her industries, as transportation rates will be the closest and the hest. As an example of the enterprise of her citizens, Orillia was the first Municipality in Ontario to develop a Water Power and instal an Electric Power Transmission Plant, which was done in 1900 at the Severn River, and all her industries are now run by electricity. A low and special rate is offered to all industries, and many of these have been brought here through this attractive power rate. From this Plant twenty-two hundred horsepower is being used at the present time for Municipal and Manufacturing purposes, and one thousand horse power is now being added. There are one thnusand men employed in the various factories; The Tudhnpe Motor Company employ three hundred men, The Tudhope Carriage Company, twn hundred, The Canada Refining and Smelting Company installed their new plant in the town in the fall of 1910, and are now enlarging their plant to at least double its capacity. The Canada Wood Speciality, The Lnng Manufacturing Company, The Eaton Planing Factory, together with various other Manufacturing Concerns, are all running to their full capacity, and contemplate extending their plants. These, and other industries have meant growth for the town, and during the last year the population increased by more than seven hundred. Building of various kinds is going on in every direction, and it has been carefully estimated that over one-quarter of a million dollars worth of building and improvements will be done within the town limits during this season. The optimist expects Orillia to outgrow her town status during the next five years and to have become the Industrial City of Northern Ontario.

From a Summer Resort standpoint the town is well known and her principal charms arise from her situation on the two heautiful lakes, Couchiching and Simcoe. Lake Couchiching is about thirteen miles in length and five miles in width, and contains many beautiful islands. The whole region is full of scenic beauty and is a delight to all lovers of nature. One of the principal attractions of the town from a Summer Resort standpoint is its splendid fifteen acre lakeside park, known as Couchiching Beach Park, which also forms the recreation ground for the townspeople and tourists. Boating is one of the favorite pastimes in Orillia, and fair canoeists, sturdy oarsmen, sailing craft, and motor boats are everywhere in evidence. Tennis has many devotees and tennis courts are found on many of the citizens' lawns. For those fond of golf there are excellent golf links, and these are patronized daily by a large following. Orillia is a town of well-shaded streets, of exceptionally fine homes, of beautifully kept lawns, and of fine churches, schools and civic buildings. On the shores of the lake are situated the summer homes of people from Canadian and American cities. Some come from as far south as New Orleans.

Orillia with the two-fold advantage of being an industrial and railway centre, as well as summer resort, must become one of the most important towns along the route of the Trent Canal. Lakes Simcoe and Couchiching form a link in this great waterway system, and both empty into the Severn River, which will be the outlet of the Canal to the Georgian Bay. Surely such a grand location on the junction of the Trent Canal and the three Transcontinental Railways must give promise of a greater future for the already progressive, attractive and flourishing Town of Orillia.

### The Town of Barrie



Situated at the head of Kempenfeldt Bay, Lake Simcoe, in shape resembling a horseshoe. It is the County Town of Simcoe, Province of Ontario, and has the County Municipal Buildings, and Law Courts. BARRIE is on the main line of the Norther: Division of the Grand Trunk Railway, 62 miles north of Toronto, and is the divisional point of five branches of the G. T. R. BARRIE has a service of 16 trains arriving and leaving daily and a continuous heavy freight traffic. BARRIE owns

and operates its own Electric Light Plant. The price of light per 1000 Watts is 9 cents. An all day service for power purposes at low rates will be quoted to applicants.

BARRIE'S population is 6,850.

BARRIE owns and operates its own Waterworks System, which is managed by a Commission. The supply from Artesian wells is inexhaustible and is absolutely pure, in fact the purest on the Continent, being 8 per cent, above par by analysis. The capacity per day of six hours is 2,000,000 gallons; fire pressure 180 lbs., done-stic pressure 80 lbs. The price for single tap flat rate is \$3.60 per annum. The price for 1000 gals, by meter is 22 cents domestic.

BARRIE has 25 miles of cement sidewalks and splendid roads.

BARRIE has 5 Banks, 10 Hotels, Local and Long Distance Telephones, 4 Printing and Newspaper Offices, 12 Churches, Armouries, Theatre, Public Library, Y. M. C. A., Gas Plant, and a 52-roomed Hospital.

BARRIE has an excellent sewerage system, and is a very healthy town to live in. Hay fever is entirely unknown.

BARRIE is beautifully situated and has natural scenery in abundance, is the mecca for tourists, and often termed "The Venice of America." Kempenfeldt Bay affords good boating, fishing and bathing.

BARRIE is the home of the Barrie Tannery, Barrie Carriage Works, Canada Producer and Gas Engine Co., Barrie Planing Mill, The Bail Planing Mill Co., and other industries.

BARRIE has many advantages for manufacturers of Woodenware Knitting Mills, Tanneries. Shoe Factories, Wool Factories, etc., and has a number of excellent factory sites at a very low figure.

BARRIE has plenty of labour, both skilled and unskilled.

BARRIE is surrounded by a magnificent farming country and has a good market for live stock, produce, grain, etc.

BARRIE'S hoat service connecting with Orillia and other towns and resorts on Lake Simcoe, is good and improving yearly, and is greatly appreciated by summer tourists. It has within a few miles unlimited lake shore front suitable for summer cottages and summer residences.

BARRIE Citizens' Band is a first-class organization and gives free concerts weekly throughout the summer months.

ORGANIZATIONS AND SOCIETIES.—Barrie Bowling and Tennis Club: Barrie Horticultural and Town Improvement Society; Barrie Aquatic Club.

BARRIE SPORTS.—Swimming, Boating, Fishing, Bowling, Tennis, Golf, Ball, Lacrosse, Driving, Motoring, etc.

### Fenelon Falls, Ontario



O the thousands of campers, tourists, owners of power yachts, from both Canada and the United States who annually spend their summer vacation on the beautiful chain of lakes between Balsam and Cameron Lakes, constituting the Trent Canal, no summer resort is more favorably known than Fenelon Falls. Ont. This charmingly situated little town is practically a key to one of the most heautiful sections of the Kawartha Lakes. To the tourist who depends upon his canoe or paddle to convey himself and his

summer outfit from point to point, no more admirably situated and picturesque location could be selected. The everlasting roar of falling water soothes the senses of the man who, in town or city, has his nerves upset by the strenuous competition of modern life. The Fenelon River placidly flowing past the hotel at which he may stop, with its tree-crowned banks, where vegetation seems to defy nature by springing from cracks and crevices in the massive granite, teems with game fish. In the shadow of the granite banks lurk maskinonge and black bass, only waiting for the spoon of the troller or the bait of the "still fisherman." Within a few hundred feet of the admirably conducted and well provided hotels of Fenelon Falls, is one of the best "fishing grounds," if "water" may be so described, to be found in our grand Dominion. Fenelon Falls can boast of having some of the finest and best managed hotels in Ontario.

The drinking water of Fenelon Falls is exceptionally pure and good. From Fenelon Falls the owners of gasoline and steam launches can readily ply to all parts of the Trent Canal system. The summer visitor thus has magnificent hoating, fishing and bathing within a few feet of his hotel. The public steamboat service is unsurpassed. Fenelon Falls is within easy reach of Lindsay, Peterboro and Toronto by rail.

Manufacturers seeking locations where cheap power and transportation are a material factor, should keep Fenelon Falls in mind. Electric power is here to be had for \$10.00 per horse-power. The Town Council and Board of Trade of Fenelon Falls, both active and progressive municipal bodies, offer possible locating manufacturers, free building sites and exemption from taxation, should such locating factories employ a reasonable number of hands. Full information along such lines will be fully, freely and cheerfully supplied, on application, by the Secretary of the Board of Trade, Fenelon Falls, Ont. Fenelon Falls is THE place to spend your summer vacation, if you want Health, Happiness, Good Bathing, Good Boating and Good Bass Fishing.



### The Electric City—Peterborough



MOST interesting point on the Trent Waterway is the City of Peterhorough, with a population of 18,000. It is the only City on the Waterway, and is one of the most prosperous, progressive and attractive places in the Dominion. The growth of the City, especially in the last few years, has been rapid, owing to the industrial development that has taken place, and in attractiveness and beauty it has kept pace with its expansion and increase of population. The basis of the growth of Peterborough is the fact that it

has all the essentials and accessories for manufacturing and distributing, and in this respect it has advantages that are not excelled anywhere. The essentials for a manufacturing centre are:

Cheap electric power, and plenty of it; Shipping facilities for reaching all markets; Suitable sites for industries; And good labour conditions.

Of Electric power, developed from the water powers on the Otonabee River and other waters. Peterborough has an ahundant supply. Several of these power sites have been developed, and others are being developed, and as fast as it may be called for, 30,000 horse power of hydro-electric power can be supplied. This abundant supply of power is furnished, delivered to the user for power purposes at very low rates—so low as to be most attractive to manufacturers.

The shipping facilities are unexcelled. The City is situated between the two commercial centres, Montreal and Toronto, and is on the line from the Georgian Bay (which means the Northwest) to the seahoard, and is in a central location for reaching all the best markets. It has both the Canadian Pacific and Grand Trunk Railways. The Grand Trunk branches out in four different directions from the city, and besides being on the main line of the Canadian Pacific Railway between Montreal and Toronto, it is also on the Canadian Pacific line to the Georgian Bay. It has thus direct connection with all parts of the Dominion. The Trent Waterway also gives water communication as is described in this publication.

The number and diversity of the industries in Peterborough, makes lahour of all kinds easily obtainable, and labour troubles are unknown. The workmen are largely home-ovners and interested in the welfare of the city. Owing to expenses being lower than in the larger centres, the cost of labour is lower, which is a great advantage to the manufacturer.

Possessing these essentials for manufacturing and distributing. Peterborough also has excellent systems of sewers and waterworks, electric street railway, several large and fine parks, handsome churches and public buildings, a number of well-equipped public schools, Collegiate Institute, and Provincial Normal School, first-class mercantile establishments, three hospitals, theatres, a low rate of taxes, most efficient fire protection—all the conditions for business, health, comfort and pleasure.

The summer resorts adjacent to Peterborough are celebrated ones, including Stony Lake, with its picturesque islands, Chemong Lake, with its beautiful park, and the Otonabee River and Rice Lake, with their numerous attractive resorts.

These advantages of situation given by nature, and the acquired advantages that have been secured and built up, combined with the public spirit of the citizens, have resulted in Peterborough passing all the other towns in the district in the race for advancement. Its manufacturing industries are numerous, including The Canadian General Electric Company's works in which about 2000 employees are engaged; The Quaker Oats Mills, The Brinton Carpet Factory, whose parent industry is in England, and woollen mills, lock factory, tool factories, makers of mill, mining and hydraulic machinery, agricultural implements, locks and builders' hardware, harness and saddlery, stoves, boats of all kinds, sails and tents, rope and cordage, gasoline engines, lumber, brick, furniture, cereal products, steam engines and pumps, show cases, mattresses, pork products, and many other lines. Altogether there is \$12,180,000 of capital invested in manufacturing in Peterborough, and the annual production of the industries aggregates \$42,000,000. Frequent enlargements are emphatic evidences of the prosperity of the industries. Wholesale houses, of which there are several, testify to the city's advantages as a distributing centre.

The many superior advantages of Peterborough are open to new industries, and enquiries will he willingly answered and information cheerfully given, and every effort will he made to facilitate their establishment. For additional intelligence on any point, or for specific information hearing on any line of manufacture, write to the City Clerk, and prompt attention will be given

#### Trenton



esides being the southern outlet of the Trent Canal, Trenton is conspicuous for its many natural advantages. For many years the citizens of Trenton have looked forward to the development of the water power on the Trent River. In a small way the Trenton Electric and Water Company have for a number of years developed a limited quantity of power at the Town timber dam, while the Gilmour Door Company also developed sufficient power at the same dam for their own use.

During the last couple of years the Electric Power Company has secured the practical control of all the powers on the River from Healey's Falls to Trenton, and it is estimated that their total development will exceed 100,000 horse power. This Company, with its network of transmission wires, has covered the Central Ontario district thoroughly and has acquired many of the local lighting and power plants in the towns and villages between Oshawa and Kingston.

Last January an excellent Council was elected, and as a result of their efforts and with the assistance of an energetic Board of Trade, Trenton has advanced faster commercially than ever before. The Council and Board of Trade of 1911 will long be remembered as having assisted most materially in bringing Trenton's advantages before the people of Canada and the United States.

Cheap power has, of course, been the magnet which has attracted many of the new industries to Trenton. Power at \$15.00 per H. P. twenty-four hours' service, delivered at the customer's terminals, is certainly a drawing card. The Town of Trenton has at this rate 1000 H. P. to dispose of, having, in return for a lease of its power rights at Dams 1 and 2 to the Electric Power Company, accepted this amount of power as part of the settlement. The Trenton Electric and Water Company has now available for Trenton users, 10,000 horse power, and upon the completion of Dam No. 2 will have to dispose of 20,000 H.P.

Of all the towns along the Canal, Trenton promises the greatest development, because it has the added advantage of being on the deep waters of Lake Ontario, and being served by more railways than any other town in Ontario. Trenton can offer great facilities for shipping by rail. It is the junction of the Grand Trunk and the Central Ontario Railways. This latter road is part of the Canadian Northern Ontario System, lately acquired, and Canadian Northern trains will be running through Trenton in July of this year. The Cnaadian Pacific lake shore line, now being surveyed between Toronto and Montreal, will run through Trenton. The proposed electric road between Toronto and Montreal will also traverse Trenton.

With easy access via the Murray Canal to Lake Ontario, Trenton has superior advantages as a distributing centre by water. The Richelieu & Ontario Navigation Company's Steamer "Belleville," calls regularly twice each week, when on her run between Toronto and Montreal, while the large and handsome steamer of the Ontario & Quebec Navigation Company, "Alexandria," running between Rochester and Quebec, makes the same number of calls at Trenton. The "Geronia," the handsome new boat, just launched at Collingwood, will also ply on this route. The steamers "Varuna" and "Brockville" make daily trips between Trenton and Picton, calling at Belleville and Deseronto. In addition to the passenger and package freight business catered to by these boats, many large freighters call at Trenton, carrying chiefly coal cargoes.

In addition to being a manufacturing town of importance, Trenton is fast coming under the notice of the people of Canada as a tourist centre. Where can you find a more beautiful spot for the summer campers and cottagers than the shores which skirt the Trenton harbour? The land-locked water stretch is always comparatively calm. The turbulent waves from the lake do not ruffle its surface. How many would avoid the fatiguing crush of an Atlantic watering place if this ideal existence were brought to their notice with one-tenth the persistency which the United States displays in keeping their places before the public. If the other transportation companies, who are especially interested in this district, would do as much to make its advantages known as the Ontario & Quebec Navigation Company has done, many more would come here every year.

It is fully expected that in less than two vears it will be possible for small boats to ascend the Canal as far as Washago on Lake Couchiching above Orillia. To anyone acquainted with the beautiful scenery along the banks of the River Trent, the prospect of taking this trip in a comfortable motor boat will be most enticing. Probably the finest black bass and pickerel fishing in Ontario is to be had in the waters of the Bay of Quinte and the River Trent.

Sports of every kind, having in view the physical development of the young men of the town, are freely indulged in and encouraged liberally. The boys and girls who grow up in Trenton will always look back to the days of their childhood with intense pleasure. No inland town for them!

## Electric Motive Power for Eastern and Central Ontario



HE most pronounced feature co-incident with the opening up of the Trent Valley Canal, and closely allied with its engineering aspects, is apparent in the recent rapid development of the abundant water powers of the basin which the Canal traverses for three-fourths of its length. Rising in the remotest parts of the Highlands of Ontario, the Trent waters are collected by half a dozen important tributaries and poured turbulently into the long chain of Kawartha Lakes, covering approximately an area of 75,000 acres,

and whose mean elevation above Lake Ontario is 550 feet.

From this huge reservoir the water drops in a succession of falls varying from 10 to 75 ft. in height, and scattered uniformly along the river's course, to its outlet at Trenton.

From these water falls about 100,000 H.P. is being made available on water wheel shafts and 75,000 H.P. delivered in the industrial centres as electric energy.


The economical generation, control and distribution to points of demand of this very large quantity of power by the various original individual proprietary interests, was manifestly impossible. As a consequence, the exigencies of the situation evolved a single comprehensive system whose modern and standardized hydro-electric stations dot the map from Burleigh Falls to Trenton.

Connecting and radiating from the generating centres, a net work of carefully planned transmission lines covers the whole of Central Ontario from Peterborough at the north to Kingston on the east, and Whitby on the west, over which the power is distributed.

This organization of power interests is known as THE ELECTRIC POWER COMPANY. LIMITED, with head offices in Toronto. Its power distribution system is almost completed, and not only is every manufacturing centre in the Trent district benefiting by the cheap and abundant power thus brought to its doors, but there are few villages and rural centres which as yet remain to instal electric light and modern electrical conveniences. This organization is furthermore giving the application of electricity to agricultural pursuits its close study, with a view of still further enlarging the scope of its market and making Central Ontario the most modern and well developed community, both industrially and agriculturally, in Canada.

## The Lundy Shovel and Tool Company

SHOVELS, SPADES, SCOOPS DRAINING TOOLS, ETC.



THE PLANT BEHIND THE PRODUCT

All our Regular lines are GUARANTEED, bear the Registered Trade Mark of the Maker, are made of the highest Quality Cruable in the World cible Steel purchas-

WRITE FOR CATALOGUE, PRICES AND DISCOUNTS

- GENERAL OFFICE AND WORKS: -

PETERBOROUGH, ONTARIO, CANADA



# The Home for Furs BARRIE'S

PETERBOROUGH, ONT. REGINA, SASKATCHEWAN

FUR BLARING ANIMALS reach their greatest perfection in Cauada. All foreign Furs while in their raw state come into Cauada free of duty.

BARRIES get their lar Skins Tection the Trappers tan and dress, then mainfacture them into the thest and most approved styles in lar Garments to be had.

Fur Qualities are unsurpassed Fur Styles are exclusive Fur Prices are exceptional

Direct from Trapper to Wearer explains the situation

TOGETHER WITH

the very high standard of workmanship maintained in our workrooms the year around.

FURS REMODELLED, REDYED REPAIRED AND CLEANED

June, July and August is the hest time to order fine Fur Garments and to look after Repairs, etc.

## THE PETERBORO HARDWARE Co.

For

Builders' Supplies

AND

General Hardware

368 GEORGE ST., PETERBORO -

PHONE NO. 74



HUNTER STREET

#### PETERBORO, ONT.

GEO. GRAHAM, Prop.

The Leading Hotel of The Kawartha Lakes

SPECIAL ATTENTION PAID
TO TOURISTS

BUS MEETS ALL TRAINS

#### TOURISTS

Who wish to carry with them some Souvenirs of real merit, as reminders of the pleasant Summer in the Kawartha Lake District,



SHOULD INSPECT OUR FINE STOCK

We make a specialty of this line of goods in unique and beautiful pieces of

JEWELRY, SOUVENIR SPOONS, and handsome tokens of all kinds.
DIAMONDS OF OUALITY

and at prices that make them an investment.

#### W. A. SANDERSON & CO.

JEWELLERS
37 GEORGE ST., PETERBORO

# MITCHELL'S WINE VAULTS

THE OLD AND RELIABLE LIQUOR STORE
The place where you can always
get what you want in the
Liquor Line such as

BRANDIES, SCOTCH, IRISH AND CANADIAN WHISKIES, MITCHELL'S SPECIAL,

ALSO
CARLINGS, O'KEEFE AND WHITE
LABEL ALES

IN PINTS AND QUARTS

#### F. J. R. MITCHELL

PETERBORO. - ONT.

PHONE 300

The Peterborough Bookstore

#### SELECT FROM

THE MOST

#### COMPLETE STOCK

when providing for your supply of

#### SUMMER READING

All latest COPYRIGHT BOOKS, also MAGAZINES, PAPERS etc. You find them all here.

We feature, at this season a Special Line of Local and Fancy

PICTURE POST CARDS
AND SOUVENIRS

TREBILCOCK BROS.

417 GEORGE ST - PETERBORO

## MONTGOMERY HOUSE

#### **PETERBORO**

F. Montgomery, - Prop.

This popular hotel, situated on Sinicoe St., handy to both G. T. R. and C. P. R. depots has recently been entirely renovated, modernized and made first-class in every particular.

#### SPECIAL ATTENTION CIVEN TO TOURISTS

Automobile in connection. Campers swiftly and safely taken to any part of the Kawartha Lakes

Everything on the table or in the bar the best that money can procure.

Rates \$1.25 Per Day.

Phone Bell 143

## R. GIBBS

421 WATER STREET PETERBOROUGH.

#### THE LEADING LIVERY

Hacks, and Rigs at all hours. Compets and Fourists Conveyances a Specialty

BOTH PHONES NO 5

## THE PETERBOROUGH TYPEWRITER AND OFFICE SUPPLY COMPANY

Cor. GEORGE and CHARLOTTE Sts

Typewriters, Typewriting Supplies and Office Stationery

PUBLIC STENOGRAPHERS

Work Neatly and Promptly Done

UNDER THE TOWN CLOCK PETERBOROUGH, -

ONT.

#### INSURANCE

. . .

#### MOTOR BOATS AND LAUNCHES

Covering the whole year while in use or is storage RELIABLE COMPANIES

All Lines of Insurance represented at

#### W. H. HILL'S

GENERAL INSUR . NCE AGENCY Established 1883

359 GEORGE ST., PETERBORO

#### TURNER'S TENTS

AND CAMP SUPPLIES ARE

Manufactured in Peterborough, the largest factory of its kind in Canada, in the only City on the Trent Canal.

For 44 years our goods have pleased particular people

Camping Outfits to Rent. Motor Boat Supplies

#### J. J. TURNER & SONS

Sail. Tent. Awning and Flag Manufacturers
PETERBOROUGH.ONT..CAN.

## THE KINGAN HARDWARE CO.

Wholesale and Retail

HMHLD

Fishing Tackle
Sporting Goods

A SPECIAL FY

#### GENERAL HARDWARE

PETERBOROUGH,

ONTARIO

ESTABLISHED 1852

# Campers and Tourists On Kawartha Lakes

Need not bring or send for their supplies :: during the Summer months. ::

#### JUNIPER ISLAND STORE

JUNIPER ISLAND, STONY LAKE, ONT.

H. W. STOCK, Proprietor.

Above named Store carries as large and high grade a stock of Groceries as can be loand. Our prices are not those usually charged at Summer Resorts, but as low as charged for similar goods in Peterborough.

First-Class Boat Hiring and Gosoline always on hand for Campers.

Daily Telephone connection with Peterborough so that goods not on hand can be lurnished quicker and cheaper than if ordered by the individual camper through any other source.

USE STOCK'S BREAD.



#### The Roy Studio

140 HUNTER STREET

Portrait and View Photography OF THE BETTER KIND

Makers of Foy's famous Souveour Post Lands. For "ale at all dealers Mail us worr thin or finishing Cortas diffu-ate integralled and they will reserve every erre and prompt attention."

Fresh Supplies always in Stock

FOR ANYTHING IN PHOTOGRAPHY WRITE PHONE OR CALL

PETERBORO, - ONT.

If you want your Canoe Skiff perfect in every detail, see that WM. ENGLISH" PETERBORN



Write for illustrated Catalogue.

THE WM. ENGLISH CANOE CO., PETERBORO, CANADA

### C. IR. Banks

324 GEORGE STREET

Under the Market Clock PETERBORO, ONT.

SPORTING GOODS AND FISHING TACKLE

BICYCLES, REPAIRS, ETC PHONE BELL 582

## STUREY'S LIVERY

FIRST-CLASS **OUTFITS** Prompt Service

Bell Phone No. 73

411 CHAMBERS ST., rETERBOROUGH

## Peterborough Lubricator

Manufacturing Co. Limited

The Philadelphia

Grease Cup-

SOME OF ITS ADVANTACES

Use 10. Septimes a parameter to the 10. Septimes of the 10. Septim




\*\*Probately for corps append to time a who pays the bibly because they are in the form per interest a 10 har setting to form feet as so time to saving a per interest as to the per interest as the per interest as the per interest.

Sizes of Cups Manufactured 1207., 1-02. 3-07. 6-07. Plain, Steel and Polished

Write to Providens and Discount

# PETERBORO AND LAKE SIMCOE NAVIGATION COMPANY, LIMITED

KAWARTHA LAKES AND LAKE SIMCOE ROUTE



#### S S. OTONABEE

Largest and Dest Lomped Steamer on funor Inland Waters, open for Lacursions on waters from Barrie, Orillia and Jackson's Pouri Toke Sin (se., all Kawartha Take Ports, and Peterboron hato Hastings), and Rice Lave Waters.

LAKE SIMCOF :	OPERATING STEAMERS		TRENT CANAL
STURGEON LAKE	OTONABEE	GENEVA	AND FAMOUS
STONEY LAKE	MANITA	WATER LILLY	LIFT LOCK
RICE LAKE	LINTONIA	MONARCH	ROUTE

Connecting at Peterborousb. Bobeavgeon and Fridsay with Canadian Pacific Ranway Trans from Joronto, Guitalo, Detroit and adjessors First and West, and with Grand Tripik Ranway Trans at Peterborough, Fakeheld and Findsay.

Apoly a same a two company. Peterms is nor our roots as to routes and company locations.

E. F. MASON.

R. PINCHIN.

Private

See V. and General Wanager

#### Groceries, Provisions, Fruits and Meats

## JAMES R. BELL

Peterboro's Leading Grocer

WHOLESALE AND RETAIL

We cater to the best Tourist and Campers' Trade

161 Hunter St. W.
Bell Phone Nos. 208, 435
Machine Phone No. 418

TWO STORES

43 Hunter St. E.



staces of any desiral design will be built to suit interest a princhesis, at elivery clearest prices. Requirements in this line carefully estimated are

One of Canada's Natural Summer Resorts

Riverview Park

RIVERVIEW PARK is situated just south of the beautiful City of Peterboro, with the Otonabee River dividing the site from the city proper. It is dire by  $\epsilon$  , the main waterway connecting Rice Lake and the Kawartha Lakes. See views on page 25 FOR FULL PARTICULARS OF ABOVE PROPERTY, OR FOR ANY REAL ISTATE INVEST-MENT ALONG THE LINE OF THE TRENT CANAL OR CANADIAN NORTHWEST, APPLY TO

Independent Real Estate Co., Limited

340 GEORGE ST., PETERBORO, ONT.

Office Phone 133

Residence Phone 548

#### THE GATLIN INSTITUTE



The Gathi Institute, a Pro ate Sanitarium for the Successful Treatment of Alcoholism, 428 Janus Street, Toronto.

## DRINK HABIT

#### THE GATLIN

"The Treatment That Leaves No Bad After-Effects"

The Green control of the CAUSI of physical and nerve or vig. 19 for a specific or an interaction of the CAUSI of physical and nerve or vig. 19 for a specific or an interaction of the CAUSI of physical and nerve or vig. 19 for a specific or an interaction of the control of the

#### Satisfactory or It Costs Nothing

Each patient is treated under contract at the G(t) - 1 study. The treatment constant on a t - t-corresponds on the treatment of t-contributes t-c

The Carlin Home Treatment is rist as effective is the Jesteure treatment, a plane is pladertions are tillevel.

Call, write, telephone or telegraph for hooks at potentials of person court, its annother information. Telephone North 1538.

GATLIN INSTITUTE 428 JARVIS STREET, TORONTO, ONT.

#### C.W.CARLEY

PROPRIETOR

TELEPHONE 131

Row Boats, Sailing Craft, Canoes and Motor Boats for Flire by Hour Day, Week or Season — Lents and Camper's Supplies for Sale or Hire — Gasoline, Batteries, Cylin der Oil etc., always kept in stock.

BOAT HOUSE Foot of Mulcaster Street, BARRIE, ONT.

#### CAMPERS AND TOURISTS ATTENTION!

Summer Cottagers want meat fresh salted or smoked the best available.

S. A. OKE

PETERBOROUGH

Supplies Launch Owners, Campers and the public of Peterboro with the highest grades of Meat, Lruis, Vegetables and Provisions
Campers Telephone Orders slipped promptly
TELEPHONE (BELL 275

#### **ALEXANDER & MILLER**

#### Clectrical Contractors

DEALERS IN BATTERIES FOR MOTOR BOATS and ELECTRICAL SUPPLIES OF ALL KINDS

Residences, Stores and Buildings of all classes fitted electrically in latest style. Estimates given lineacidescent L. mps, Electroliers, and Fixtures

AGENT FOR C.G. MOTORS


438 CEORGE ST., PETERBOROUGH, ONT.

#### Akey's Livery and Boarding Stable

Bell Phone No 743

421 CHAMBERS ST.

PETERBORO, ONT.



WHO APPRECIATE HIGH-CLASS
PRINTING ARE SURE TO BE
PLEASED WITH THE
WORK FROM THE

## Examiner Presses

FINEST EFFECTS PRODUCED BY SEVEN IMPROVED PRESSES, AND A SPECIAL EQUIPMENT FOR PRINTING

Business Literature, Booklets Catalogues, Circulars, Etc.


in Large Editions


WE CAN PRIME ANYTHING FROM A MAMMOTH POSTER TO A TINY CALLING CARD


COLOR WORK ARTISTICALLY EXECUTED

■ THIS GUIDL BOOK IS FROM THE EXAMINER PRESSES


The Peterborough Exammer, Limited, Peterborough, Ont













O Red Bouy


White Bouy


Pier

ST. ROEON INA Pleasant pa Canadian LINDSAY












PISEON

ASTR. North











OREA BOUY









ORed Bouy
White Bouy
Pier















•Red Bouy •White Bouy 恭Light House







B A. RIWICK THE TRENT CANAL Rice Lake 613' above Sea Level Scale.

