
IMAGE EVALUATION TEST TARGET (MT-3)



Photographic Sciences Corporation

23 WEST MAIN STREET WEBSTER, N.Y. 14580 (716) 872-4503

STATE OF THE PARTY OF THE PARTY

CIHM/ICMH Microfiche Series.

CIHM/1CMH Collection de microfiches.



Canadian Institute for Historical Microreproductions / Institut canadien de microreproductions historiques



C 1986

# Technical and Bibliographic Notes/Notes techniques at bibliographiques

T

Ti po

O be the side of fire side or

Th sh Til wi

Ma diff ent beg rig req me

	12X	16X	20X		24X	28X		32X
				1				
This it Ce do	cument est fiin	t the reduction r. ne au taux de réd 14X	atio checked belov duction indiqué ci- 18X	w/ dessous. 22X	21	5X	30x	
	Additionel con Commentaires	nments:/ supplémentaires	5:					
	have been omilise peut que lors d'une rest	itted from filmin certeines pages auration apparel: cele était possibi	ver nossible these		ensure the b Les pages to obscurcies p etc., ont été	s, etc., heve best possible in talement ou par un feuillet filmées à nou eilleure imege	een refilme mage/ partiellemei d'erreta, ur	nt
	Lare ilure serre	margin/	e i'ombre ou de ie.			evailebie/ in disponible by or partially (	obscured b	v Arrata
		utres documents	ows or distortion		Comprend o	ppiementary n du metériei su	natariel/ ppiémentai	re
	Pianches et/o	es end/or illustra u illustretions en	itions/ couleur		Quelity of p Qualité inég	orint varies/ geie de l'impre	ssion	
$\square$	Encre de coui		a bleue ou noire)		Showthrou Trensparen	gh/ ce		
	Coloured mer Cartes géogre	os/ phiques en coul	•ur	$\checkmark$	Pages dete Peges déta	ched/ chées		
	Cover title mi Le titre de co	issing/ uverture menque		Z	Pages disci Pages déco	oloured, staine plorées, tachet	ed or foxed des ou piqu	/ u <b>ées</b>
	Covers restor Couverture re	ed and/or izminesteurée et/ou po	eted/ elliculée		Pages resta	ored and/or ia aurées et/ou p	minated/ eiliculées	
	Covers dame Couverture e	ged/ ndommagée		Z	Pages dam Peges end	neged/ ommegées		
	Coloured cov Couverture d				Coloured p	oeges/ couleur		
orig cop whi repr	ginal copy avail by which may b ich may alter a roduction, or w	ettempted to obt ebie for filming. e bibliogrephica ny of the images which may signifi of filming, are cl	Feetures of this liy unique, in the cantly change	de po un mo	cet exemplei int de vue bit interiment	rofilmé le mellossible de se p ire qui sont pe bliographique, oduite, ou qui ns la méthode dessous.	rocurer. Le lut-être uni qui peuve	s détails ques du nt modifi

ire détails ub sei modifier er une filmage

errata to

83

pelure. n à

The copy filmed here hes been reproduced thenks to the generosity of:

> Library of the Public Archives of Cenada

The images appearing here are the best quality possible considering the condition and legibility of the originel copy and in keeping with the filming contract specifications.

Original copies in printed paper covers are filmed beginning with the front cover end ending on the last page with a printed or illustrated impression, or the back cover when appropriate. All other original copies are filmed beginning on the first page with a printed or illustrated impression, end ending on the last page with a printed or illustreted impression.

The last recorded freme on each nacrofiche shell contain the symbol -- (meaning "CON-TINUED"), or the symbol ▼ (meaning "END"), whichever applies.

Maps, piates, charts, etc., mey be filmed at different reduction ratios. Those too large to be entirely included in one exposure ere filmed beginning in the upper left hand corner, left to right and top to bottom, as many fremes as required. The following diagrams illustrete the method:

1

L'exempleire filmé fut reproduit grâce à le générosité de:

> La bibliothèque des Archives publiques du Canede

Les images suivantes ont été reproduites avec le plus grand soin, compte tenu de la condition et de la netteté de l'exemplaire filmé, et en conformité avec les conditions du contrat de filmage.

Les exempleires origineux dont la couverture en pepier est imprimée sont filmés en commençant par le premier piet et en terminant soit par la dernière pege qui comporte une empreinte d'impression ou d'illustration, soit par le second piat, seion le cas. Tous les autres exemplaires originaux sont filmés en commençant par la première page qui comporte une empreinte d'impression cu d'iliustration et en terminant per ia dernière page qui comporte une teile empreinte.

Un des symboles sulvants apperaîtra sur la dernière image de chaque microfiche, seion le cas: le symbole -- signifie "A SUIVRE", le symbole ▼ signifie "FiN".

Les cartes, pianches, tabieaux, etc., peuvent être filmés à des teux de réduction différents. Lorsque ie document est trop grend pour être reproduit en un seul cliché, il est filmé à partir de l'angle supérieur gauche, de gauche à droite, et de haut en bas, en prenant le nombre d'images nécesseire. Les diagrammes suivants iliustrent la méthode.

1	
2	
3	

1	2	3		
4	5	6		






# BALL

Electric & Light

- SYSTEM -

- - FOR - -

All purposes of Illumination



- THE -

Ball Electric Light 60.

OF CANADA

57 Adelaide Street West


Joronto <</p>



We manufacture under the following

# : CANADIAN PATENTS :

Infringers or users of infringing apparatus will be prosecuted



# 

(LIMITED)

:: 57 Adelaide Street West :: Toronto, Ont.

E

PHE

R

STR

We LIC The

in

- 100 D

# THE BALL ELECTRIC LIGHT

2002 2002 2002 2002 2002 2002

COMPANY

(LIMITED)


OF CANADA

PHELPS JOHNSON PRESIDENT

:ma

E. O. JONES VICE-PRES.

W. A. JOHNSON SECRETARY AND GEN. MANAGER



MANUFACTURERS OF THE

# BALL ELECTRIC LIGHT SYSTEM

. . FOR . .

## ALL PURPOSES OF ILLUMINATION

- - FOR - -

STREET, MERCANTILE AND MANUFACTURING, DOMESTIC, MINE, MARINE AND COAST LICHTING BY ARC OR INCANDESCENT SYSTEMS, OR BOTH COMBINED

- - ALSO - -

#### **ELECTRIC MOTORS AND ELECTRIC LICHT SUPPLIES**

We offer to the public THE BEST SYSTEM OF ELECTRIC LIGHTING in the world—The most economical in operation, The most easily cared for, The most durable, The Cheapest in cost—and invite inquiries and correspondence from parties interested.

57 ADELAIDE STREET WEST TORONTO, ONT.

# POINTERS

FOR INTENDING PURCHASERS OF

## **ELECTRIC LIGHTING MACHINERY**

DON'T forget that your greatest protection is in dealing with a company possessing a GOOD NAME and an ESTABLISHED REPUTATION.

DON'T be deceived by elegant engravings, deceptive testimonials and ready tongued agents, all of which are often found with systems of electric lighting not possessing intrinsic merit and genuine worth.

DON'T allow the successful working of systems when New and under skillful attendance to satisfy you; ascertain whether they have been satisfactory in MIDDLE LIFE AND OLD AGE. Remember, "a new broom sweeps clean."

DON'T forget that the "test of time" has proved the armatures of most systems to be short lived, and that when they burn out the manufacturers generally explain that it must have been caused by lightning or over-speeding. They forget these causes never harm the BALL armatures.

DON'T be deceived regarding AUTOMATIC REGU-TORS; they are delicate and complicated devices absolutely essential to all one armature dynamos, to delay their destruction from over-heating and burning. The BALL dynamo requires no AUTOMATIC PROTECTION or REGULATION.

-2-

5,0

car or for

bef KN

EVI

pro

sys

EC

tha

no

etc

DON'T forget that any NEW AND IMPROVED DYNAMOS must have been in use, under full load and with ordinary care and attention, for at least 5,000 hours before either its designers, makers or vendors can speak with any KNOWLEDGE concerning its durability or freedom from injurious electrical heating. All claims for durability and and freedom from repairs and burning, before such a test has been run, are based on FAITH, not KNOWLEDGE, and prompted by self-interest.

DON'T forget that our opponents dare not meet us in thorough scientific tests; and that they have declined to accept our challenges on every occasion, Fearing the thorough and decisive tests proposed by us.

DON'T forget that rival manufacturers never publish or offer any challenges open t. our acceptance, for thorough competive scientific tests; they all make great claims, but DARE NOT place their systems along-side the BALL in tests involving Efficiency, ECONOMY, DURABILITY AND SIMPLICITY.

DON'T forget that we manufacture and sell in Canada more ARC ELECTRIC LIGHTING MACHINERY than all other companies combined, and that when we are asked to enter competive tests, we do not decline with trivial excuses such as being "too busy," etc., etc., etc., etc.

# THE BALL ELECTRIC LIGHT COMPANY

(LIMITED)

57 ADELAIDE ST. WEST TORONTO, ONT.

-3-

ion is in


ings, detongued stems of nd genu-

systems condance en satisnber, "a

is proved ins to be manufacaused by e causes


ric REGUnplicated dynamos, burning.

OTECTION



# THE ELECTRIC LIGHT

who have no practical knowledge of the subject; it is now well developed and understood, and is evidently the artificial light which will be chiefly used for municipal and business purposes in the future. The great advantage of the electric light is in the volume of light afforded, and that buildings are illuminated by its use to an extent impracticable through the use of gas or oil. The cost of electric lighting is usually no greater than gas—in many cases is far less; and when the volume, purity, safety and healthfulness of the light is taken into account, is in all cases the most desirable.



## THE SUBJECT OF ELECTRIC LICHTING

Is worthy of investigation by all users of artificial light, and especially by

MUNICIPAL OFFICERS who may be intrusted with the duty of providing light for streets, public grounds and buildings. For such use it is rapidly being adopted by the cities and villages of Canada and of the States, and we know of no instance where, once fairly tried, its use has not been adhered to. The electric light is the only known mode of satisfactorily illuminating at moderate cost, streets, squares, and all large outdoor and indoor spaces.

MANUFACTURERS AND MILL OWNERS find their output, while using the electric light, to be nearly as great as during the hours of daylight. In many instances the amount of work done has been increased 20 to 50 per cent. over that done by gas light, and the saving in cost of manufacture has repaid the full cost of the plant in a short time. For manufacturers having surplus power, the electric light is cheaper than gas or oil, and is in all cases safer and more desirable.

MERCHANTS find their evening trade greatly increased by the use of the electric light; colors can be distinguished by it as well as by daylight, and a brilliantly lighted store always draws custom. The cost is usua" 10 greater than for lighting a store well by gas; me air is not vitiated, and goods are not injured by smoke and soot.

PARKS, HOTELS, SUMMER RESORTS, and all places of public resort and recreation, should be provided with the electric light, for, aside from being the only available means of general and satisfactory illumination, experience has shown that the lights, through making the resorts attractive, draw enough additional to fully repay the expense.

OWNERS OF WATER AND STEAM POWER, situated in or near a city or village, can in many instances render their power the source of considerable income during the hours of darkness by renting or selling power, in the form of light, to merchants, manufacturers or municipalities.

JOINT STOCK COMPANIES are being formed in many cities and villages for the purpose of putting in and operating electric light plants, supplying light to merchants, manufacturers, hotels, etc., and for municipal purposes. A legitimate and profitable investment of capital is found in these enterprises.

people ect; it is vidently unicipal vantage led, and

electric cases is . health-

tent im-

ll cases



# THE BALL SYSTEM

OF ELECTRIC LIGHTING

#### ITS MERITS AND SUPERIORITY

The important factor in all systems of electric lighting is the Dynamo, or Current Generating Machine. These machines are all based upon the same general principle; all generate currents in the same manner, and, with the single exception of the Ball Dynamo, all machines bear a striking resemblance to each other in the essential elements of their construction, the current being generated in one armature or bobbin of wires, which is rotated within the inductive influence of both the positive and negative of a powerful electro-magnet.



BALL ARMATURE (Patented

The Ball Dynamo has two armatures or bobbins, one of them being rotated within the influence of the positive pole, and the other within the influence of the negative pole of an electro-magnet.

This construction has been proved to possess great merit, and the BALL DYNAMO is constructed with less material, has less internal resistance, has greater efficiency, generate less heat, and to give equal results requires less power than any other dynamo in the world.

The greatest difficulty with which electricians have to contend in the construction and operation of electric current generators, is the electrical heat developed by the current within the coils and armatures of the machines, which chars the material with which the wires are covered, and destroys the insulation. The Ball Dynamo does not heat.

ove

2000

aro hea hay

> her coo me

arn late

> spe for wit

wh ma de: ma be lar

ea reVI

ITY

These neiple; th the ses bear sential generrotated ye and

obins, of the

s great ith *less* ficiency, res *less* 

s have electric by the chines, overed, notheat.

By placing a given amount of insulated copper wire over two armatures, as in the Ball Dynamo, instead of over one amature, two very important results are obtained:


2000 2000 2000 2000 2000 2000

FIRST.—The thickness of the wire is greatly reduced, owing to the smaller number of layers of wire employed around the iron core; and it is quite evident that any heat generated in the armature is but one-half, and, having the same radiating surface, the temperature must be much less.

Results: It does not generate undue or excessive heat in its armature, and therefore we offer with it no cooling devices, ventilating apparatus or regulating attachment. Heat is prevented by the construction of the machine with two armatures, and no cure is required.

SECOND.—The iron core of each armature is brought much nearer the pole pieces than is possible with single armature machines, and the average distance of the insulated copper wire is also nearer to the pole piece, and consequently the electrical output is greater.

So free from heat is the Ball Dynamo, that the speed of the machine can be increased to furnish current for 50 per cent. more lamps that its nominal capacity, without danger of charring the insulation of the wires, white the speed of single armature Dynamos cannot be materially increased without great danger of immediate destruction. The single armature Dynamos in the market are rated at the full capacity to which they can be run, while the Ball Dynamos, as rated, have a very large margin for safety against injurious heat.



BALL DYNAMO

No other Dynamo is so simple in construction or easily understood. The very minimum of attention is required, even under the most adverse circumstances.

TOOK TOOK TOOK TOOK TOOK TOOK TOOK

REGULATORS DIALS OF CURRENT GOVERNORS

ano no

ger

any

wit

Dy

ha

ma

if a

inc

sh

be

clo

su

dυ

all


de of

at

oı ci

REGULATORS, DIALS OF CURRENT GOVERNORS are NOT REQUIRED; they are a useless expense and consumers of power, but will be furnished if called for.

An Ammeter or current indicator furnished with with each dynamo without extra charge.




BALL COMMUTATOR
CONSTRUCTION PATENTED

### THE BALL ARC LAMPS

Are of neat appearance and substantial construction. There are no springs, frictions, clutches or glycerine dash-pots in them to lose adjustment, but every movement is positive and mechanical. They do not wear or get out of order, and will run for years without repairs and with but slight attention. Their operation is unaffected by vibrations caused by storms, or jarring from machinery or other causes, and will be found reliable under any rough treatment to which they may be exposed. They do not "burn out," neither do they require constant cleaning and watching, as do those of other systems. The light given is white, powerful, *steady* and *noiseless*.

### THE CURRENT

We have adopted for our standard light a certain current and electro-motive force, which from experience we recommend as most satisfactory and economical; but we are prepared to furnish Dynamos and lamps for any current and electro-motive power which may be desired.



### THE BALL DYNAMO

# HAS THE FOLLOWING ADVANTAGES OVER ALL OTHERS

It produces a more constant and uniform current, and far more *clear*, *steady* and *noiseless lights*. It requires no cooling, regulating or safety devices whatever.

It will *outlast* any other Dynamo, as the normal heat generated within it is much less, and more readily radiated.

It does not require to be run at an exact speed, and any power of ordinary uniformity will produce good results.

It is the only Dynamo that will not overheat when subjected to the variable speed of engines used in mills, factories, etc. Over-speeding does not effect it.

It does not require the attendance of an expert, but any intelligent man can quickly be taught to operate it with success.

It has made the longest continuous runs of any Dynamo yet constructed without heating.

It has been in practical operation for six years, and has been subjected to more severe tests than any other machine in the market.

It has extraordinary efficiency, and leaves but little, if any, room for improvement in electrical generation by induction.

Its mechanical construction is of the best. The shaft is hammered steel, ground to standard size, the bearings gun metal, the frame forged iron, surface ground and finished bright. The workmanship will bear the closest inspection. The wear of commutators and consumption of brush copper is very slight.

It requires but two-thirds of one horse-power to produce each full arc light of 2,000 nominal candle-power.

It requires but two-thirds of the power required by all other Dynamos made in Canada or United States to produce an equal amount of light.

It is equivalent to two Dynamos of any other make, for the reason that if one armature is disabled by accident, the other armature will maintain nearly three-fourths of the full number of lights.

It will give more perfect results with less skilled attendance than any other Dynamo.

It can operate arc or incandescent lights separately, or both in combination, in one circuit, or in two separate circuits, at the same time.

moverear or repairs s unaf-

g from

uction.

cerine

RNORS

with

reliable aposed. re conother

certain perience pmical; mps for may be

#### THE

# BALL SUB-DIVIDED ARC LIGHT

We invite the special attention of Gas Companies to the following, believing that, if at all considering the consolidation of gas and electric light interests, the Eall System possesses advantages which cannot be offered by any other Company.

We call your special attention to a new departure in Electric Lighting made by this Company. We have lately perfected a new Dynamo of this system for operating small "sub-divided" arc lights of 800 nominal candle power.

We confidently believe that we can to-day offer you the most economical, noiseless and steady are light known.


We guarantee to produce these lights on less than onc-third of a horse-power each, and the economy in the introduction of this dynamo as compared with incandescent lighting can readily be seen. In producing a light of this power and cheapness we believe that we fully overcome the objections heretofore raised to the use of are light in machine shops, stores and factories, as the lesser cost per light and the economy in running will enable the purchaser, by putting in a larger number of the subdivided arcs, to thoroughly distribute the light, thus overcoming the shadows from the more powerful are lights, and thoroughly light his premises at much less expense than by any incandescent system. The subdivided arc will also, in our opinion, supercede the 1,200, and 2,000 c. p. lights for town and village lighting where shade trees have made economical lighting by lights of large candle power an impossibility.

We continue to make as before, our 6, 8 and 10 Ampere Dynamos and Lamps, with the same attention to mechanical and electrical detail, good work and superiority of finish, that has in the past secured for them a national reputation.

--10-

(00) <00) <000 <000 <000

# INDIVIDUAL CUT-OUT FOR INCANCESCENT LAMPS ON ARC CIRCUITS



PATENTED JULY 25TH, 1887, AND APRIL 25TH, 1888.

The only Automatic Cut-Out that is perfectly reliable under all circumstances. Any or all of the lamps may be turned off or on at will.

Guaranteed to protect circuit and other lamps, should lamp filament give out from long usage, or should lamps be removed during daytime.

during daytime.

SIMPLE.—No adjustment or cut-out required. Cost of wiring nominal, as, if desired, only one or two wires at most need enter any room, no matter how many lamps in use. Thus the wiring has a much neater appearance than when separate wires are run to each lamp from a wall controller, as in some other systems.

ECONOMICAL.—Incandescent lamps can be run on Arc circuits at any point and with less power than by any other method.

SAFE.—No danger from over heated resistance. Complies with the Board of Underwriter's rules.

MANUFACTURED BY

THE BALL ELECTRIC LIGHT CO., (LIMITED) 57 ADELAIDE ST. WEST, TORONTO, ONT.

-- I I --

100 100 100 100 100 100 100

CHT

nies to ng the ne Ball ered by

parture e have r operominal

er you e light

in the candesa light re fully use of

as the ng will nber of e light,

rful arc ch less

ne sub-1,200, where

lights

and 10 ation to aperior-

hem a

MODE MODE

# BALL INCANDESCENT SYSTEM

IMPROVED

~@\$\\ \@\$\\\

Although, from an economical view of the various methods of lighting, we have always, and do still recommend the Arc system as preferable to the Incandescent system for lighting all large areas, such as stores, halls, streets, and factories with large work rooms; yet there are many places where Incandescent lights would be preferable, on account of securing a greater subdivision of the electric current, which makes the Incandescent system desirable for lighting public buildings, hotels, flour and cotton mills, residences, mines, steamboats, etc.

To supply the demand for Incandescent lights, we have recently perfected apparatus for Incandescent lighting, which we can confidently recommend to the public as being more simple, economical, safe and reliable than any other Incandescent system.

Our dynamos for Incandescent lighting are self-regulating, without the aid of any mechanical device or attachment. Any desired number of lamps can be run from one up to the capacity of the dynamo. When lamps are turned off there is a corresponding reduction of power.

We guarantee 10 16 candle power lamps to the horse power, and with the new economy lamp, 14 to the horse power.

For design and mechanical perfection of construction, our dynamos are not excelled. They take up less floor space than any other make, and they run cool and noiseless.

Our lamps, sockets and wiring appliances, are perfect in construction, design and insulation, thus ensuring safety from fire.

We have a skilled erection force, competent to install any sized plant, either Arc or Incandescent, and guarantee first-class work.

Estimates of complete Incandescent plants, including erection, furnished upon receiving plan of building, showing location and number of lamps required.

### **ELECTRIC MOTORS**

We build efficient electric motors to give any horse power desired, constructed either for constant current or constant potential circuit. Motors furnished with either hand or automatic regulation as required.

-12-

dyn to is a lan by

arra

ano

or of

or

Es

the

the be

of it i

# **EXTRACTS FROM ELECTRICAL PAPERS**

### Test at Chicago Exposition

Electrical Review, Oct. 16th, 1886.

Prominent at the Industrial Exhibition is a Ball dynamo, and a system of twenty Ball lamps. In addition to the arc circuit proper, a group of incandescent lights is arranged to be substituted for one or more of the larger lamps. In a plant, which is solely an exhibit, is driven by a 40 horse-power Ide & Son engine, which has a new arrangement in the form of a horse-power indicator, the truthfulness of which is capable of demonstration at any time while the engine is in motion.

Cards taken by Mr. A. L. Ide are figured by him, and given as follows:

Friction 9x12 inch engine and dynamo and		
power required for 20 arc lights	17.12	H.P.
Friction card, engine alone	4.30	٠.
	12.82	

or  $\frac{64}{100}$  horse-power per light per hour, including friction of dynamo, or the power required at pulley of dynamo.

aynamo, or the power required at pulley	oi dynamo.
Friction card of engine and dynamo	6.00 H.P.
Friction card of engine	4.30 "
12.82	1.70 H.P.
1.70	
11.12 H.P.	

or 15.5 H.P. per lamp, deducting the friction of dynamo.

#### The Ball Machine is Second to None

Extract from the London Electrical Review (the principal English electric journal), of April, 1883.

By dividing a given quantity of wire into two armatures a considerable advantage is evidently gained, for the heating of the wire must necessarily be less, and therefore the internal circuit does not consume so much energy.

Indeed, according to Mr. Robert Sabine's report, the h. p. accounted for in the external circuit appears to be in excess of the figures given by the committee of the late Electrical Exhibition held in Paris, for various types of well-known machines, and from the tests made public it is evident that the Ball machine is second to none.

-13-

1000 1000 1000 1000 1000

arious ecom escent halls, there ald be vision scent lings,

EM

its, we t lightpublic e than

nces,

selfdevice an be When nding

e horse e horse

ip less ool and

re pernsuring ent to

nt, and includ-

horse rent or either

eng also

care

use

cou

arc

and

the

Mi

Mi

ligl

the

20-

an

mi

are

co

 $\mathbf{M}$ 

co

ca

no

St

wi

or

tu

Α

pl

F

ei

to

th

fu

## The Ball Light at Providence, R.I.

Electrical World, November 14th, 1885.

One of the most successful installations of the Ball system in the New England States is the plant at the Providence Worsted Mills, Providence, R. I. In the early part of last spring, Mr. Charles Fletcher, the owner of the above-named mills, consented that a small plant of 20 are lights be installed simply on trial, and so well pleased has that gentlemen been with the system, that he has increased the number of the lights (same system) from time to time, until the plant now comprises the following: One 30-light dynamo machine, running 35 lights; one 20-light machine, running 19 lights; one 20light machine, running 21 lights; and one 20-light machine, running 20 lights; making a total of 95 arc lights of the Ball system now being in constant use. Mr. Fletcher, on being questioned, without any hesitancy said: "The Ball system, in use in my mills since last spring, has proven all that is claimed by its promoters, and has not only afforded an efficient and reliable light, but has given thorough satisfaction." The engineer of the same mills, Mr. Nathan Slater, who enjoys not only the confidence and esteem of his employer, but is the possessor of a reputation for being a skillful mechanic, as well as a competent engineer, has had exclusive control of the Ball plant in the Providence Worsted Mills since the day of his installation, and his opinion is worthy of mention.

In reply to queries put to him in regard to the Ball system, he remarked as follows; "I have been in charge of these dynamos from the very day that they were placed in this mill, and have never experienced the least amount of trouble with either of them. Having had considerable experience (previous to taking charge of the Ball dynamos) around mills where various systems of electric lighting have been in use, I consider myself competent to give an unbiased opinion of a good electric lighting system, more especially after being in charge of same for nearly nine months. I take pleasure in saying for the unipolar dynamo of 20 lights, it runs easily and smoothly, and can do the work required just as well with a two-inch belt as with a larger one.

"Have had all four dynamos at times running steadily for 16 hours, and no excessive heat could be discerned on the armatures or fields of either.

-14-

1937 1900 1900 1900 1900 1900 1900 1

"They derive their power from a 350 horse-power engine made by Geo. M. Corliss, of Providence, which also drives 152 looms for weaving cloths, four sets of cards, three sets of jacks, together with all the machinery used in cleaning, scouring and finishing.

"The belting to each dynamo runs from off a counter-shaft, and although each belt is laced, yet the arc lights show no imperfection, always burning clearly and steadily without a hiss or flicker. My confidence in the unipolar dynamo is deep-reached and sincere."

Messrs. Taft, Weedon & Co., of the Weybossett Mills, only a short distance from the Providence Worsted Mills, learned of the satisfactory performance of the Ball lights at the works of their neighbor, and soon made up their minds to have the same system, and recently had a 20-light unipolar dynamo installed in their engine room, and are now running it from the ordinary shafting of the mill by a 2½ inch belt. At present only 20 arc lights are being used, and these are giving satisfaction.

Electrical World, March 13th, 1886.

The Ball Electric Light Company have received the contract for the installation of its system of both arc and incandescent lighting on the premises of the Dunnell Manufacturing Company, Providence, R.I. The plant will consist of 40 arc lights, and 50 incandescent lights of 16 candle-power each, the latter being run off the arc circuit.

# Unquestionable Evidence of Perfect Satisfaction

From the Electrical World of April 30th, 1887

The Wunder & Abbott Illuminating Company, who now have plants at 103 State Street and 156 Fifth Avenue, are erecting a third plant at 188 Washington Street. This plant will be the largest of the three, and will have a capacity of 500 arc lights. They will use the Ball Electric Light Company's system, two Buckeye and one Westinghouse engines, Munson's Belting, and three tubular boilers. This Company's State Street and Fifth Avenue plants will also be increased. The State Street plant has at present seven Ball dynamos, three Westinghouse 50 h. p. engines, and one 50 h. p. Ide engine. The Fifth Avenue plant has four Ball, one Brush and two Fuller dynamos, with Munson's belting, and Buckeye The State Street and Fifth Avenue plants together now have a capacity of 350 lights, so that when the Washington Street plant is completed (and it is now fully half-way to completion) the Wunder & Abbott stations in Chicago will have a capacity of 850 arc lights.

running ould be

Ball

t the

i the

plant

well

, that

stem)

e fol-

ig 35 ne 20-

o-light

5 arc

t use.

itancy

e last

noters,

light,

eer of

t only

is the

hanic,

clusive orsted

nion is

ie Ball

charge

placed

amount

derable

l dyna-

electric

npetent

lighting

ame for

for the

noothly,

CON CON CON CON CON CON CON

## Electric Light and Water-Gas from the same Plant. Successful Installation at Cottage City, Martha's Vineyard, Mass.

Special Correspondent of the Electrical Review.

The electric plant consists of two 30-light Ball unipoiar dynamos, driven by a slide-valve engine manufacfactured by Pitkin Bros., Hartford, Conn. Two separate circuits are run, amounting in all to about four miles of wire. The current developed is eight amperes, and an ingenious indicator, consisting of a vertical solenoid, enables the current to be exactly regulated. In circuit there is included a lamp of peculiar construction, which is placed in the dynamo room. When, by an increase in the speed of the engine, or by turning off lights in the circuit, the current increases, the mechanism of the signal light causes the carbons to separate and form an arc, thus introducing sufficient resistence to keep the current uniform. The attendant, noticing the increased brilliancy of the signal light, can, by moving the brushes, reduce the current until it no longer burns. Variations of speed and load are thus compensated for automatically, and as soon as the position of the brushes is changed, an amount of power proportionate to the amount of lights out is saved. The power consumed is six-tenths of a horsepower for each 2,000 candle-power lamp. A six ampere machine of the same type has given, in a recent test, two and one-quarter 1,2000 candle-power (half arc) lamps per horse-power, as measured by the dynamometer.

The steadiness of the light was a subject of much favorable comment on the part of towns-people and summer visitors, and the result is the more remarkable if we consider that the motive power was a slow stroke This installation deserves throttle governor engine. especial notice as a pioneer in the field of combined electric and gas plants. The utilization of the waste heat of a gas works for the generation of motive power for a dynamo has here been first realized. The station is so conveniently arranged that one man can manufacture gas till dark, and then run the engine and dynamos, so simple and easy is their management. In many sections of the West, bituminous slack can be bought for 50 cents per ton, and at this price for fuel arc lights and fuel gas can be produced at an extremely low rate.

Cottage City, with the combination of gas and electric lights, will become one of the most attractive

seasi meet Cotts The have rostr

abor so-c any Ball orde

thei

Fro

ope a b firs sup and

ab an ver

kir

fre

H fa

100 100 100 100 100

ame e

Ball aufacturate es of an noid, ircuit which ase in the signal

thus.

ıt uni-

liancy educe speed and as mount out is horsempere t test, lf arc)

namo-

much le and cable if stroke eserves ed elecheat of r for a n is so cure gas esimple of the

as and tractive

nts per

gas can

seaside resorts on the Atlantic Coast. The Baptist camp meeting at the Highlands, and the Methodist camp at Cottage, will be thoroughly illuminated with arc lights. The tabernacle and grounds of the Methodist camp have twelve lights, and whatever may be said on the rostrum, it may be confidently affirmed that the arc lights will not hiss.

# The Ball System Supercedes, but is Never Superceded

From Lewis F. Lyne, Superintendent of the Jersey City Electric Light Co.

Our customers are satisfied with our lights, and pay their bills in full, making no complaints. We wasted about \$25,000 in trying to make the Fuller-Wood, or so-called American system, work, but it failed to develop any merit, and was therefore abandoned. We have nine Ball dynamos in use to our entire satisfaction, and shall order more very soon. We are now running 275 Ball arc lamps, 91 of which are for the city.

## We Run Day and Night Here

From W. S. Wright, Electrical Engineer, New York Aqueduct Works.

Ardsley, Westchester Co., N.Y.,

May 15th, 1886.

The ten-light dynamo has been received and is doing good work. The dynamo working next to it has been in operation just one year. In that time it has run without a breakdown, repairs or stoppage of any kind, and is in first-class order. We run day and night here, and are supposed to have no shut-down from one year's end to another.

Tunnel work on dynamos and lamps is of the worst kind to which they can be subjected, owing to the frequent shifting of lamps, dampness and the unavoidable grounding of wires, and from our own observation and experience I have no hesitation in declaring it the very best dynamo manufactured. The different inspectors and engineers say we have the best lights along the line. Hoping the mac he just sent may give the same satisfaction.



# = TESTIMONIALS =

## OF RECENT DATE FROM PARTIES USING BALL ELECTRIC LIGHT **APPARATUS**



BOWMANVILLE ELECTRIC LIGHT Co., Bowmanville, Ont., Feb. 9, 1888.

We are well pleased with your dynamos and lamps. We know it is the best system now in use in Canada.

W. J. JONES, Secretary.

THE HAMILTON BRIDGE AND TOOL CO., Hamilton, Ont., Feb. 9, 1888.

Our works are fitted up with the Ball system of electric lighting, and we have pleasure in stating that the same has given us every satisfaction. The power required to drive dynamos is very moderate, and we have no trouble in keeping the apparatus in perfect working order without employing expert help. Our shop engine has been a good many years in use and is of the ordinary side valve type, and we drive the dynamo from it, and can testify to the uniform and steady burning of the lights. We consider your system specially adapted for manufacturing purposes.

C. TEIPER, Manager.

AYLMER ELECTLIC LIGHT Co., Aylmer, Ont., Feb. 15, 1888.

The 35-light plant purchased from you has now been running about fourteen months, and has given us entire satisfaction. We consider it the best system of Arc lighting we have yet seen.

> MT. FOREST ELECTRIC LIGHT Co., Mt. Forest, Ont., Feb. 13, 1888.

We are very much pleased indeed with the 25-light Ball plant bought from you. Strangers say that we have the best light in the country. We have been running about fifteen months.

WM. KINGSTON, President. --18-

for ab It has remer broad not s would

> your thing we h thinl

> > for sim afte

> > > per

tro co the

NORTHUMBERLAND PAPER Co., Campbellford, Ont., Feb. 16th, 1888.

We have been running your system of *Electric Light* for about two years and it has given us entire satisfaction. It has been *no trouble or expense* to us, and you must remember that we *run it constantly from twilight till broad day again*, every working day in the year. We do not see now how we managed without it before, and would not be without it now for twice what it cost us.

EDMUND G. BURK, Prop.

RENFREW ELECTRIC LIGHT Co., Renfrew, Ont., Feb. 9, 1888.

We have the honor to state that we have been using your system of Arc lighting for over two years, and everything about it has given us perfect satisfaction. So far we have seen no system for which we would for a moment think of exchanging.

A. A. WRIGHT & CO.

UXBRIDGE ELECTRIC LIGHT Co., Uxbridge, Ont., Feb. 10, 1888.

We have used the Ball system of electric lighting for ten months, and consider that we purchased the best, simplest, most reliable and economical system in the market, after a careful examination of the various makes.

I. J. GOULD, M.P.P.

Town of Orillia, Orillia, Ont., Feb. 13, 1888.

I take great pleasure in stating that all three dynamos I have had in charge since last the giving perfect satisfaction. The whole plant is a general satisfaction to all parties using the light. I have no trouble in running the dynamos. They run perfectly cool, and I never need to shift any of the brushes during the night's run.

A. KERR.

ve have

running

25-light

888.

IT

388. lamps.

ary.

388.

em of

nat the

quired

trouble without been a e valve

testify

. We

ager.

888. w been s *entire* 

rc light-

dent.

THOROLD, May 10th, 1883.

THE BALL ELECTRIC LIGHT CO.

Toronto, Ont.

Gentlemen,—I have the honor of handing copy of report p ssed unanimously by our Council, in reference to the electric plant furnished by you for our Corporation. Very truly yours,

WILLIAM McCLEARY, Mayor. (Signed)

## Report of Committee re Electric Light,

To the Mayor and Council of the Town of Thorold:

Your Committee on Electric Light beg leave to present this report, in reference to the Electric Light plant purchased for the town.

Immediately after receiving instructions from this Council your Committee advertised for tenders for furnishing a complete Electric Light plant of 50 Arc lights of 2,000 candle power each. We received proposals from all the leading Electric Light Companies in Canada and the United States.

After making a very careful inquiry into the merits of each system, as well as visiting several cities and towns where some of the different systems were in operation, we decided to purchase from the Ball Electric Light Co. of Toronto, two 25 light dynamos, with all the necessary equipment and apparatus, put up and run to our approval for 30 days.

That your Committee made a wise choice in the system, and that the Council, in adopting the recommendation of the Committee, acted in the best interests of the Corporation, stands without question. The plant has now been in operation about three months, and we have yet to hear one word of dissatisfaction, either from those who have the light in their places of business, or from the citizens in regard to the street lights.

Our town has been visited by several gentlemen interested in electric lighting, and the dynamos and lights have been examined by them, and all who have thus examined have pronounced the light superior to any they have seen. The machines are 'ess cumbersome, more easily operated, and better results obtained than from any other.

We would recommend that the Mayor be authorized to issue his cheque in favor of the Ball Electric Light Company for \$400.00, this being the balance due them on the purchase contract for the plant.

All of which is respectfully submitted.

WILLIAM McCLEARY, Mayor and Chairman. WILLIAM WILLIAMS. LESLIE MCMANN. GEO. H. WILLIAMS. GEO. TURNER.

Passed in Council this 8th day of May, 1888.

effici purc three red y After with with with exce macl

Yor in ce nish tion able stead any

> light Wm

nigh

Man

in th Has the

" Ba

foui

fact pur

Per But ing

Car sup exc tee Bu

ing of t 2002 2002 2002 2002 2002 2003 2003

Gananoque Electric Light Co., Gananoque, Ont., Feb. 14, 1888.

We have much pleasure in bearing testimony to the efficiency of your system of electric lighting. Before we purchased the Ball plant we investigated it and two or three others, and came to the conclusion that we preferred your system on account of a uniform and steady light. After a year's use of the system we are more than pleased with it, and those of our customers who have compared with lights elsewhere claim that they are being furnished with a light superior to any they have seen. With the exception of an accident, which was no fault of the machine, we have had no repairs to put upon it.

TAYLOR & WALTON, Props.

THE AMERICAN INSTITUTE OF THE CITY OF NEW YORK, Chas. Wager, Gen. Supt.:—I take great pleasure in certifying to the fact that the forty-two arc lights furnished by you in the machinery department of this exhibition have proven entirely satisfactory. So far as I am able to judge, the light is certainly better, in that it is steadier, softer, and at the same time more brilliant, than any light ever furnished on these premises.

N. Y. & SEA BEACH RAILWAY Co., Alrick H. Man, Managing Director and Treasurer:—.....The Ball lights give the utmost satisfaction.

OAKLAND HOTEL, St. Clair Mineral Springs, Mich., Wm. S. Hopkins (Telegram):—Plant in operation last night. It is the most beautiful and satisfactory are light in the world. I congratulate myself for adopting it."

GOLDIE & McCullough, Galt, Ontario, Can.: Has given us entire satisfaction....We repeatedly run the lights from dark to daylight...... Before using the "Ball," we had the —— Incandescent System, but found it too much trouble and cost to continue its use.

ONTARIO BOLT Co., Toronto, Ontario, Can.: Satisfactory. We consider it the best light obtainable for our purpose, and much cheaper than any other.

DOMINION BRIDGE Co., Toronto, Ontario, Can.: Perfectly satisfactory. No repairs have been needed... But little attention given to dynamo and the cost of lighting is practically only the cost of carbon and fuel.

Grimsby Camp Ground Co., Grimsby, Ontario, Can.: Your promise to illuminate our grounds in a superior manner has been carried out by you in a way exceeding our most sanguine expectations. Our committee carefully investigated the various systems at Toronto, Buffalo, Chatauqua and Cleveland, and now unhesitatingly endorse your statements regarding the superiority of the Ball system of Electric Lighting.

---

opy of erence ration.

Mayor.

ave to Light

m this
rs for
o Arc
d pronies in

merits towns ration, ght Co. cessary proval

in the recomterests e plant and we er from ess, or

tlemen I lights te thus they they more from

norized Light them

*irman.* Mann. Er. PORT HOPE ELECTRIC LIGHT C 'ort Hope, Ontario, Can.: Have not found any reason for complaint. The plant has worked with a brilliancy and steadiness that causes almost universal comment from strangers coming to our town from places where other systems are

JOHN DOTY ENGINE Co., Toronto, Ontario, Can.: Dynamo and lamps have given us entire satisfaction.... The dynamo simply needs to be started and stopped... Our output has increased considerably since adopting the Electric Light to replace gas.

JERSEY CITY ELECTRIC LIGHT Co., Jersey City, N. J. (Lewis F. Lyne, Supt.): I consider your system the most economical of any I have ever used or seen..... While our other machines and lamps have given us an endless amount of trouble, yours have taken care of themselves.... Our machines during the past year have only required the turning up of the commutators, and the lamps only occasional oiling. Thus our repairs have cost practically nothing.

The above Company have now some 200 Ball Arc Lights in circuit. An armature of a "Fuller" dynamo in their station was recently burned through the wires of outside circuit being brought into contact by men engaged in moving a building. Our competitors are reporting it to have been a "Ball" dynamo. No armature of a "Ball"

dynamo has ever yet been burned.

Waterloo Woollen Manuf's Co., Waterloo, N.Y. (A. M. Patterson, President) says: .... Our opinion in regard to the thirty-light dynamo, purchased after examination and observation of a number of different systems, is that we have seen no reason to regret our selection. Of all the systems we have seen this is the simplest in operation. The attendants have no knowledge of electricity, nor have they had any previous experience, yet we never had one moment's trouble.

CLYDE BLEACHING AND PRINTING WORKS (S. H. Greene & Sons), Riverport, R.I: The thirty-light dynamo we purchased from you last fall has given entire satisfaction, and the care required has been very little to keep both the dynamo and lamps in good order. We drive it from the main shaft through a 2½ inch cotton leather belt, running rather less than 5,000 feet per minute, and the belt has been laced only once since the machine was started. The light is extremely pleasing, especially to our machine printers, who require for their work only the very best of light.

NATIONAL WORSTED Co., Olneyville, R. I.: Has proved entirely satisfactory..... One great point in our light is, they are steady and do not flicker, as many other kinds of lights do.

and our inte and ... nois exp We

has

mai our diff

goo

whi of i satistical power indicate with been without the satistical power with the satistical power and the satistical power indicates and the satistic power indicates and the s

ser Th ativ

sto

Mr we wa thu ligh ord spe Th

tha

Bri Jei spo Ba fai wa

int

sin

Hope, implaint. eadiness trangers tents are

o, Can.: ion.... oped... idopting

City, N. tem the n.....en us an of themove only and the nave cost

Ball Arc namo in is of outgaged in ing it to "Ball"

oo, N.Y.
inion in
er examsystems,
election.
nplest in
of elecee, yet we

s (S. H. dynamo satisfacto keep drive it leather and hine was cially to only the

I.: Has nt in our my other HOTEL MADISON, New York City: Has never failed; has not stopped or been stopped since starting. No repairs, and is tended (or rather started and stopped daily) by our ordinary hotel engineer.....Lamps burn without interruption, and are the steadiest in New York City, and we think we have the best lighted house in the city.....The lights are pure white, mellow and perfectly noiseless and steady; never have a hiss or splutter. We expect to increase the plant and light up our neighbors. We are lighting the Metropolitan Opera House now.

JOSEPH SCATCHARD'S SON'S WOOLLEN MILLS, Germantown, Pa.: Satisfactory. We have another system in our mill. The "Ball" takes less power, and we see no difference in the light.

DOMINION BARE WIRE Co., Montreal, Can.: Gives good satisfaction

MACULLAR, PARKER & Co., Boston, Mass.: We are much pleased with the working of the thirty-light dynamo which you put in for us in Octobe ast.... The expense of repairs is very slight, and the light furnished is perfectly satisfactory, being steady and noiseless to a greater degree than any other style of light we have ever used. The power required is but six-tenths of one horse per light, as indicated by careful testing. In fact, we may say that we are perfectly satisfied with the system; and hope that with the second dynamo of thirty lights, which has just been arranged for, we shall have a perfectly well lighted store.

WEYBOSSETT MILLS, Providence, R. I.: Excellent service. The machine has met your representations. The light is clear and steady, and is liked by our operatives.

RIVERSIDE AND OSWEGO MILLS, Providence, R. I.: Mr. R. T. Robinson, Electrician, writes: It does its work well with a three-inch single belt...... We shall shortly weigh the power, when will give you the result.... Have watched nearly all the other systems very closely, and thus far consider the "Ball" the best in the market. The light is clear, very steady, lamps not likely to get out of order, can run as few as you wish, and by an increase of speed burn a correspondingly increased number of lamps. The one here is a 25 lighter; we burn 32 and do not feel that we have reached the limit yet.

WM. M. BENT & Co., Chicago, Ill.: Mr. Clemens Brinkmann, of this firm, says: Having visited New York, Jersey City, Philadelphia and Boston, besides corresponding with several parties who have already used the Ball system for some time, I fail to find a single case of failure or accident of any kind. . . . . In one case the run was thirty-six days of 24 hours each, without a single interruption of the current, and the stop was then made simply to clean up.

-23-

THE BAY STATE SUGAR REFINERY, Boston, Mass.: The engineer—a man of much experience with other incandescent systems—says: "There is no use in talking, it lays over them all." It is self regulating, perfectly, from one to two hundred lights. No resistance box or traps of any kind.

GLEN COVE MANUFACTURING Co., Glen Cove, N. Y.: E. E. Duryea, Superintendent, says: Having some years since tried the electric light in our works without any satisfactory result, we finally installed one of your plants, and gladly declare it the best system that has come under our observation. We would not, and, from an economical point of view, could not, dispense with its use.

Moss Park Skating and Curling Rink Co., Toronto, Ont.: We are much pleased with the electric dynamo and lamps you furnished us in 1883, and are satisfied that we purchased the best system in the market, after a careful examination of them all.

INGERSOLL ROCK DRILL Co., New York City: .... Has given entire satisfaction in every way.

CENTENNIAL BREWING Co., Philadelphia, Pa.: It has worked to our satisfaction....We have observed the lights of other companies, and find that the result of ours is superior.

SERGEANT & CULLINGWORTH Co., New York City: We have had in our works during the last four years one of your Electric Light plants. It has never given us any trouble, and lights our shop to our entire satisfaction. The wear of the plant, we might say, is nothing.

The Clark Insulated Electric Wire Co., Philadelphia, Pa.: The Ball dynamo made for our Bristol factory some months ago operates very successfully ten arc and twenty-four incandescent lamps in separate circuits at the same time. It seems to be always ready, although it is, of necessity, in the old rubber room, the most dusty apartment of our works.

THE CYCLORAMA, Philadelphia, Pa.: Very satisfactory. Never have had any trouble with lamps or dynamo in the six months running. Your electric system is perfect in every respect. The light is very powerful, very white, and steadier than any other arc light I have ever employed. The motto of your Company ought to be "White and steady light."

McIlvain & Son's Boiler Plate Works, Reading, Pa.: .... We think better of this machine than any other that we have heard of . . . .

Iones, Denton & Co., New York Aqueduct Works: Satisfactory. --- 24 ---

IN SI

Aylmo Almo Brant Bellev Brock Berlin Bown Carlet Chan Clarry Chath Crow Domi Domi Domi Doty Frede Guel Gana Grim Goldi Ham Hanl Josep King Lond Long Mt. Mun: Moss Mass McD New Napa Nort Onta Osha Pert Port Pols Peni

Wal CON CON CON CON CON CON CON CON CON

Pari:

Ren Stra

Sim

Tow

Tow Uxl

# PARTIAL LIST OF BALL PLANTS

# IN SERVICE IN CANADA AND UNITED STATES FOR PUBLIC AND PRIVATE ILLUMINATION

#### NOTE THE LARCE NUMBER OF INCREASED PLANTS

Aylıner Electric Light Co	Aylmer, Ont.
Almonte Electric Light Co. (increased)	Almonte, Ont.
Brantford Electric Light Co. (increased)	Brantford, Ont.
Belleville Gas Co. (increased)	Belleville, Ont.
Brockville Gas Co	Brockville, Ont.
Berlin Gas Co. (increased)	Berlin, Ont.
Bowmanville Electric Light Co. (increased)	Bowmanville, Ont.
Carleton Place Electric Light Co. (Increasedy).	Carleton Place Ont
Chandler Electric Light Co	Halifay N.S.
Clarry Wool and Mfg. Co. (increased)	Markham Ont
Chatham Gas Co	Chatham, Ont.
Crowe Iron Works	Cualph Ont
Crowe from Works	M-marcal Ouc
Dominion Bridge Co	Tt- Que.
Dominion Bridge Co	I oronto, Ont.
Dominion Barb Wire Co. (increased)	Montreal, Que.
Doty Engine Co. (increased)	Loronto, Ont.
Fredericton Gas Co	. Fredericton, 2011.
Guelph Gas Co. (increased)	Guelph, Ont.
Gananoque Electric Light Co. (increased)	Gananoque, Ont.
Grimsby Park Co. (increased)	Grimsby, Ont.
Goldie & McCulloch (increased)	Galt, Ont.
Hamilton Tool and Bridge Co	Hamilton, Ont.
Hanlan's Point Ferry Co. (increased)	Toronto, Ont.
Joseph E. Seagram, Distiller	Waterloo, Ont.
Kingston & Pembroke Railway Co	Kingston, Ont.
London Electric Light Co. (increased)	London, Ont.
Long Branch Park Co	near Toronto, Ont.
Mt. Forest Electric Light Co. (increased)	Mt. Forest, Ont.
Munson, C. A., Steam Dredge	Belleville, Ont.
Moss Park Skating Rink Co	Toronto, Ont.
Massey Mfg. Co	Toronto, Ont.
McDougall, A. & Son, Distillers	Halifax, N.S.
Newmarket Electric Light Co. (increased)	Newmarket, Ont.
Napanee Paper Co	Napanee, Ont.
Northumberland Paper Co. (increased)	Campbellford, Ont.
Ontario Bolt Works Co. (increased)	Toronto, Ont.
Oshawa Electric Light Co. (increased)	Oshawa, Ont.
Perth Electric Light Co. (increased)	Perth, Ont.
Port Hope Electric Light Co. (increased)	Port Hope, Ont.
Polson Iron Works Co., Limited	Toronto, Ont.
Peninsular Park Hotel Co	Barrie, Ont.
Paris Electric Light Co. (increased)	Paris, Ont.
Renfrew Electric Light Co. (increased)	Renfrew, Ont.
Stratford Gas Co. (increased)	Stratford, Ont.
Simcoe Electric Light Co. (increased)	Simcoe, Ont.
Town of Orillia (increased)	Orillia Ont
Town of Thorold	Thorold Ont
Uxbridge Electric Light Co. (increased)	Uxbridge Ont
Walkerton Electric Light Co. (increased)	Walkerton Ont
Walkerton Electric Light Co. (increased)	,, walkerton, Out.

--25-

THE THE THE THE THE THE THE THE

Mass.:
other
alking,
fectly,
oox or

ve, N.
some

f your nat has l, from e with

c Co., electric ed are narket,

Pa.: It red the of ours

: **.**...

c City: ars one us any action.

, Phila-Bristol lly ten circuits though st dusty

atisfaclynamo is *per*ul, very re ever to be

eading, ıy other

Works:

Wunder & Abbott Illuminating Co. (increased)	Chicago, Ill.
Pullman Palace Car Co. (increased)	
Hartford Electric Light Co. (increased)	
Jersey City Electric Light Co. (increased)	
Ingersoll Rock Drill Co. (increased	
Ball Illuminating Co	
Erie Basin Dry Docks	
Reading Iron Works	Reading, Pa.
Cottage City E. L. & Gas Co. (increased) Marth	
Lansdale Electric Light Co	
Plymouth Electric Light Co	
Portsmouth Electric Light Co. (increased)	
Rochester Electric Light Co. (increased) Scranton Electric Light Co	
Spencer Electric Light Co. (increased)	
National Worsted Mills (increased)	Olpoville R I
Phœnix Woollen Mills	
Riverside and Oswego Mills (increased)	
Clyde Bleach and Print Works	
Waterloo Woollen Mfg. Co. (increased)	Waterloo, N. V.
Scatchard Woollen Mills	
Seyfert Rolling Mills	
Plymouth Rolling Mills	
Iron Bay Manufacturing Co. (increased)	
Traction Car Co	
Brill Car Co	
Boisc Car Wheel Co	Scranton, Pa.
Hotel Madison (increased)	New York City.
Oakland Hotel	
Lake Hapatcong Hotel Co. (increased)	
Cable Railroad Co	Philadelphia, Fa.
Duryea Starch Co. (increased)	
American Optical Co	Southbridge, N.II.
Pfannkuche Manufacturing Co	
Godfrey Pocket Co	
New York Lumber Auction Co	
Clark Insulated Wire Co	
Beaver Head Hydraulic Mining Co	
Tamarack Copper Mfg. Co. (increased)	
Saguache Tunnel, Wm. A. Douglass and Co. (	increased)
	Leadville, Colo.
Orman, Cooke & Co	Leadville, Colo.
Cascade Tunnel, Nelson Bennett (increased)	Washington Ter.
Lion Brewery	Philadelphia, Fa.
Centennial Brewery	Philadelphia, Pa.
Jorden, Marsh & Co. (increased)	Boston, Mass.
MacCuller, Parker & Co. (increased)	Boston, Mass.
Grommes & Ullrich	Chicago, Ill,
Wm. M. Bent & Co. (increased)	
Webster & Son	
H. A. Kimball	
Geo, S. Crawford	
The "Cyclorama" (increased)	Philadelphia Pa
The "Cyclorama"	Boston Mace
C. M. C. Danier, Contraction (forested). N	V. A dura W

Jone Paig McIBro Isaa Con S. 1 Mar Ord W. San C. I Wey N. 3 Glei McI Bost Sou Bak

L. (Win Iron Jno. Pen T. I. A. (R. I. Gala

Bay Stea St.

Clar Tan Gra McI Parl Cleg

Ar

-

G

Smith & Brown, Contractors (increased)...N.Y. Aqueduct Works. —26—

ARRA A
cago, Ill.
man, Ill.
1 Conn
ity, N.J.
rk, N.Y.
rk, N.Y.
rk, N.Y. rk, N.Y. yn, N.Y.
mg, ia.
rd, Mass.
lale, Pa. h, Mass.
h, Mass.
th, N.H. er, N.H.
er, N.H.
nton, Pa. er, Mass.
er, Mass.
ille, R.I. ich, R.I.
nee P I
nce, R.I.
00, N.Y.
own. Pa.
own, Pa. yfert, Pa.
ken, Pa.
te, Mich.
phia, Pa.
phia, Pa.
phia, Pa. nton, Pa.
ork City.
ir, Mich.
ir, Mich. w Jersey.
mhia l'a
ve, N.Y. ge, N.H. er, N.H. th, Mass.
ge, N.II.
er, N.H.
th, Mass.
ork City. ol, Penn. ol, Penn Idaho. on, Mich.
ol, Penn.
ol, l'enn.
Idano.
on, Mich.
Ile, Colo.
Ile, Colo. Ile, Colo.
gton Ter.
gton Ter. phia, Fa.
phia, Pa.
on, Mass.
on, Mass.
icago, Ill, icago, Ill. phta, Pa.
icago, Ill.
phta, Pa.

nton, R.I.

innati, O. lyn, N.Y.

lphia, Pa. ton, Mass.

ct Works.

Jones, Denton & Co
Paige, Carey & Co
McLaughlin, Reilly & Co. (increased)N. Y. Aqueduct Worl-
Brown, Howard & Co. (3 plants) N. Y. Aqueduct Weeks.
Isaac McHose & Sons
Combination Iron & Steel Co
S. II. Green & Son (increased) Riverport, Pa.
Manz & CoChicago, Ill.
Order of Cincinnatus Cincinnati, Ohio.
W. A. KnappBeloit, Wis.
Sanderson Bros.' Steel Works (increased) Syracuse, N.Y.
C. M. Groff
Weybossett Mills (increased) Providence, R.I.
N. Y. Lumber Auction Co New York City.
Glen Cove Mfg. Co. (increased) Glen Cove, N.Y.
McDonald & BrosLa Crosse, Wis.
Boston Steam and Power CoBoston, Mass.
South Pennsylvania Railway CoRay's Hill, Pa.
Baker Electric Co Chicago, Ill.
Clark's Cove Guano Co New Bedford, Mass.
Tamarack Mining Co. (2nd plant)Opechee, Mich.
Granite MillsPascoag, R.I.
McIlvain & Sons' Boiler Plate Works Reading, Pa.
Parkhill Manufacturing Co Fitchburg, Mass.
Cleghorn Mills Fitchburg, Mass.

#### INCANDESCENT PLANTS

L. C. Porter Milling Co
Winona Lumber Co
Iron Silver Mining Co. (Arc and Incandescent) Leadville, Col.
Jno. A. Roebling's Sons Co
Pennsylvania Co. Depot, Shop and TracksFt. Wayne, Ind.
T. R. Benton Fairchild, Wis.
A. C. Foster Fairchild, Wis.
R. L. Bergland
Galaxy MillsMinneapolis, Minn.
Bay State Sugar Refining CoBoston, Mass.
Steamboat Carmona
St. Clair Tunnel Co., On Grand Trunk Railway, Sarnia, Ont.

We manufacture and supply

Arc and Incandescent Dynamos and Lamps,

Electric Motors, Switch-Boards for stations,

Cut-Offs and Individual Cut-Outs

for Incandescent lighting

on Arc Circuits.

Globes, Carbons, Insulators, Line Wire, Etc, constantly in stock.

100 100 100 100 100 100 100 100

## LIST OF ARC DYNAMOS

e.	zhts	ghts	shts	s s s s s s s s s s s s s s s s s s s	ver	single thes.			SIZE IN INCHES,		
Designation of Machine.	Z No. Lights ro amp.	X No. Lights roamp. X No. Lights 8 amp.	No. Lights No. Lights No. Lights 800 c. p., 4 am	No. Lights 800 c. p., 4 amp.	No. Lights 800 c. p., 4 at Horse Power at Pulley of Dynamo.	Width of Single Belt in inches. Belt Speed Required.		Weight of Dynamo.	Length.	Width.	Height.
ABCCCCEEEFFFGGGKK	20	20 25 	26 32	25	2.0 3.5 6.5 6.3 7.0 8.0 12.0 15.0 15.0 15.0 18.7 21.8 21.5 21.5 52.5 56.5	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5,000 FEET PER MINUTE.	160 300 530 530 530 780 780 780 990 990 1,360 1,360 1,360 1,360 3,090 3,090	2' 9" 3' 3"  3' 10"  4' 2"  4' 5"  5' 10"	1' 2" 1' 3" '' 1' 4" '' 1' 7" '' 1' 8" '' 2' 1"	1'5' 1'9' '' 1'10 '' 1'11 '' 2'00 '' '' 4' ''

The C and G Dynamos of 800 c. p. give most perfect results—about 3½ lights to the h. p. — for Manufacturing Establishments, and for Street Lighting (placed 100 to 150 feet apart) will give unequalled illumination, and are not produced by any other system.

The K Dynamos are unequalled is, any system, either for electrical out-put or comparative weight of metal.

Observe size of Belt as proof of economy of power.

## LIST OF INCANDESCENT DYNAMOS

پ ،			ite,	wer of	of Belt	pa.	٠,	SIZE I	N INC	HES.
Number of Machine.	ts.	Ampers,	Lights,	Horse Power at Pulley of Dynamo.		Belt Speed Required.	Weight of Dyanmo.	Length.	Width.	Height.
Nu	Volts.	Am	No. J 16 h.	Hon Dyn	Width Single in inch	Bel	We Dy	Len	Wie	Hei
C	53	Sı	66 66	$\frac{6\frac{1}{2}}{6\frac{1}{2}}$	2	MIN.	530 530	3', 3"	1', 3"	1' 9"
CCEEFF	95	43 83	66 121	$12\frac{1}{2}$	2 3	N X	530 780	3' 3" 3' 10"	I' 3"	1'9" 1'10"
E	74	102	116	12	3	PE	780	3' 10"	1'4"	1' 10"
H H	100 50	107 200	164 154	$15\frac{1}{2}$ $15\frac{1}{2}$	$\frac{3\frac{1}{2}}{3\frac{1}{2}}$	E	990 990	4'2"	1'7"	1' 11" 1' 11"
G	75	100	230	23	5	5,000 FT. PER	1,360	4'5"	i'8"	2'0"


SPECIAL DYNAMOS FOR POWER OR PLATING MADE TO SPECIFICATIONS

Lamps, holders, wiring, etc., on the most favorable terms.


—28—

# SWITCH BOARDS FOR ANY NUMBER OF CIRCUITS

No. 1



No. 2



OR DYNAMOS

INCHES.

Height. Width.

1'5" 1'9" 66

4" 1'10" . 6 1' 11" 6 6

8" 2'00" . . 6 6 J" 2' 10"

p. give he h. p. nd for art) will iced by

់; any parative

omy of

OS

INCHES. Width.

1'9" 1'9" 1'10" 1'10" 1'11" 1'11" 2'0" 3", 3", 4", 4", 7", 7", 7", 8"

ICATIONS

e terms.

# HON ARM ARM ARM ARM ARM ARM

dyr

ligh

pla

sys

of

de

wo

CO

No

the

tri

me

ME

13

m

# -- Points --

- - OF - -

# EXCELLENCE AND SUPERIORITY

THAT WE STAND READY TO MAINTAIN ACAINST ALL COMPETITORS.

1. To produce a Steadier Light, no Hissing or Flickering.

2. To produce lights of equal Candle Power with Far Less Power (less coal) than any other system.

3. Armatures will not "burn out" from any practical use, nor except through violence or the acts of malice.

4. Repairs average less than one per cent. per annum—far less than those of any other system.

5. Dynamo will give much greater efficiency than any other for given metal, power, and kind of work.

6. Our (double armature) Dynamo is virtually equivalent to two of other systems, for the reason that in case of accident to one armature the other will maintain nearly three-fourths of the full number of lights.

7. Will give incandescent lights from arc circuits in number and location required.

8. Length of circuits from Ball Dynamos unsurpassed by any system.

9. Patents have never been challenged, and are guaranteed unassailable.

10. Our Lamps require no cleaning of carbon rods and necessary renewal of same.

11. Our Improved Double Lamp excels in its action that of any other system.

We CHALLENGE COMPETITION, in a public or private test, if any one disputes these claims.

--30--

## FACTS

OUR DYNAMOS are about one-third the weight of dynamos of other systems carrying the same number of lights.

OUR DYNAMOS require no foundation, but can be placed without bolting down on the floor of any building.

OUR DYNAMOS will outlast the dynamos of any other system.

Our Dynamos require the least amount of attention of any in the world.

OUR LAMPS are purely mechanical and do not depend upon springs and dash pots for their proper working.

OUR LAMPS do not burn out, neither do they require constant cleaning.

OUR LAMPS are not affected by thunder storms, nor extinguished by blasting or like causes.

### No other system possesses these advantages.

Any mechanic can install and successfully operate the "Ball System" without the aid of an expert or electrician.

## WE GUARANTEE

- I.—Our 4-ampere or 800-c.p. Dynamos to give the most perfect results for Manufacturing Establishments and for Street Lighting. Power required less than 1/3 of a horse power per light.
- 2.—Our 6-ampere Dynamos do not require over ½ H. P. per light.
- 3.—Our 8-ampere Dynamos do not require over
- 4.—Our 10-ampere Dynamos do not require over 3/4 H. P. per light.
- 5.—To renew any "Ball" Armature should it ever "burn out" from any inherent cause.
- 6.—To insure any Armature or Commutator that may fail from inherent defects, during three years, for the sum of \$25.
- 7.—To substitute successfully our Dynamos to maintain lamps of other systems now in use.

ITY

ing or

er with stem.

ractic**a**l lice. nt. per

y than

k.

irtually on that er will ber of

cuits in

unsur-

nd are


n rods

action

ublic

s


~ 400 ~ 400 ~ 400 ~ 400 ~ 400 ~ 400 ~ 400 ~



## THE BALL SYSTEM

#### OF ELECTRIC LIGHTING

E offer THE BALL Tystem on its merits, and invite thorough investigation as to its superiority in all matters of detail. We claim for it Durability and Simplicity, and the Maximum of Economy in Cost, Operation and Maintenance, as compared with any other system. We claim much, but not more than we are prepared to prove and perform.



Single Lamp

Double Lamp

NOTE.—The falsehoods and misrepresentations of competitors have probably given this system more valuable and free advertising than it has received from any other source, except through the excellence of its operations.

~~~

I


, and iority Durany in any e are

tions stem has h the

1000 TO

# (6)(6)(6)(6)(6)

OR INCANDESCENT LICHTING



ORNAMENTAL BALL LAMP



