





**IMAGE EVALUATION
TEST TARGET (MT-3)**



**Photographic
Sciences
Corporation**

23 WEST MAIN STREET
WEBSTER, N.Y. 14580
(716) 872-4503

**CIHM/ICMH
Microfiche
Series.**

**CIHM/ICMH
Collection de
microfiches.**



Canadian Institute for Historical Microproductions / Institut canadien de microreproductions historiques

© 1986

Technical and Bibliographic Notes/Notes techniques et bibliographiques

The Institute has attempted to obtain the best original copy available for filming. Features of this copy which may be bibliographically unique, which may alter any of the images in the reproduction, or which may significantly change the usual method of filming, are checked below.

L'Institut a microfilmé le meilleur exemplaire qu'il lui a été possible de se procurer. Les détails de cet exemplaire qui sont peut-être uniques du point de vue bibliographique, qui peuvent modifier une image reproduite, ou qui peuvent exiger une modification dans la méthode normale de filmage sont indiqués ci-dessous.

- Coloured covers/
Couverture de couleur
- Covers damaged/
Couverture endommagée
- Covers restored and/or laminated/
Couverture restaurée et/ou pelliculée
- Cover title missing/
Le titre de couverture manque
- Coloured maps/
Cartes géographiques en couleur
- Coloured ink (i.e. other than blue or black)/
Encre de couleur (i.e. autre que bleue ou noire)
- Coloured plates and/or illustrations/
Planches et/ou illustrations en couleur
- Bound with other material/
Relié avec d'autres documents
- Tight binding may cause shadows or distortion along interior margin/
La reliure serrée peut causer de l'ombre ou de la distorsion le long de la marge intérieure
- Blank leaves added during restoration may appear within the text. Whenever possible, these have been omitted from filming/
Il se peut que certaines pages blanches ajoutées lors d'une restauration apparaissent dans le texte, mais, lorsque cela était possible, ces pages n'ont pas été filmées.
- Additional comments:/
Commentaires supplémentaires:

- Coloured pages/
Pages de couleur
- Pages damaged/
Pages endommagées
- Pages restored and/or laminated/
Pages restaurées et/ou pelliculées
- Pages discoloured, stained or foxed/
Pages décolorées, tachetées ou piquées
- Pages detached/
Pages détachées
- Showthrough/
Transparence
- Quality of print varies/
Qualité inégale de l'impression
- Includes supplementary material/
Comprend du matériel supplémentaire
- Only edition available/
Seule édition disponible
- Pages wholly or partially obscured by errata slips, tissues, etc., have been refilmed to ensure the best possible image/
Les pages totalement ou partiellement obscurcies par un feuillet d'errata, une pelure, etc., ont été filmées à nouveau de façon à obtenir la meilleure image possible.

This item is filmed at the reduction ratio checked below/
Ce document est filmé au taux de réduction indiqué ci-dessous.

10X	12X	14X	16X	18X	20X	22X	24X	26X	28X	30X	32X
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

The copy filmed here has been reproduced thanks to the generosity of:



National Library of Canada

The images appearing here are the best quality possible considering the condition and legibility of the original copy and in keeping with the filming contract specifications.

Original copies in printed paper covers are filmed beginning with the front cover and ending on the last page with a printed or illustrated impression, or the back cover when appropriate. All other original copies are filmed beginning on the first page with a printed or illustrated impression, and ending on the last page with a printed or illustrated impression.

The last recorded frame on each microfiche shall contain the symbol \rightarrow (meaning "CONTINUED"), or the symbol ∇ (meaning "END"), whichever applies.

Maps, plates, charts, etc., may be filmed at different reduction ratios. Those too large to be entirely included in one exposure are filmed beginning in the upper left hand corner, left to right and top to bottom, as many frames as required. The following diagrams illustrate the method:



L'exemplaire filmé fut reproduit grâce à la générosité de:


Bibliothèque nationale du Canada

Les images suivantes ont été reproduites avec le plus grand soin, compte tenu de la condition et de la netteté de l'exemplaire filmé, et en conformité avec les conditions du contrat de filmage.

Les exemplaires originaux dont la couverture en papier est imprimée sont filmés en commençant par le premier plat et en terminant soit par la dernière page qui comporte une empreinte d'impression ou d'illustration, soit par le second plat, selon le cas. Tous les autres exemplaires originaux sont filmés en commençant par la première page qui comporte une empreinte d'impression ou d'illustration et en terminant par la dernière page qui comporte une telle empreinte.

Un des symboles suivants apparaîtra sur la dernière image de chaque microfiche, selon le cas: le symbole \rightarrow signifie "A SUIVRE", le symbole ∇ signifie "FIN".

Les cartes, planches, tableaux, etc., peuvent être filmés à des taux de réduction différents. Lorsque le document est trop grand pour être reproduit en un seul cliché, il est filmé à partir de l'angle supérieur gauche, de gauche à droite, et de haut en bas, en prenant le nombre d'images nécessaire. Les diagrammes suivants illustrent la méthode.



INSTRUCTIONS

FOR THE

EXPEDITION TOWARD THE NORTH POLE

FROM

HON. GEO. M. ROBESON,

SECRETARY OF THE NAVY.

WITH

AN APPENDIX FROM THE NATIONAL ACADEMY OF SCIENCES.

WASHINGTON:
GOVERNMENT PRINTING OFFICE.
1871.

EXP

SIR
States
and th
ioned,
mand
of the
ceed in
yard in
ceed t
west co
St. Joh
on the
berg, y
(or Liv
above n
the De
you wil
Polaris
either o
of her
of the i
in comm
supply y
measur
purpose
Holstein

INSTRUCTIONS
TO
CAPTAIN C. F. HALL,
COMMANDER OF THE
EXPEDITION TOWARD THE NORTH POLE
BY
HON. GEO. M. ROBESON,
SECRETARY OF THE NAVY.

NAVY DEPARTMENT, *June 9, 1871.*

SIR: Having been appointed, by the President of the United States, commander of the expedition toward the North Pole, and the steamer *Polaris* having been fitted, equipped, provisioned, and assigned for the purpose, you are placed in command of the said vessel, her officers and crew, for the purposes of the said expedition. Having taken command, you will proceed in the vessel, at the earliest possible date, from the navy yard in this city to New York. From New York you will proceed to the first favorable port you are able to make on the west coast of Greenland, stopping, if you deem it desirable, at St. Johns, Newfoundland. From the first port made by you, on the west coast of Greenland, if farther south than Holsteinberg, you will proceed to that port, and thence to Goodhaven, (or Lively,) in the island of Disco. At some one of the ports above referred to you will probably meet a transport, sent by the Department, with additional coal and stores, from which you will supply yourself to the fullest carrying capacity of the *Polaris*. Should you fall in with the transport before making either of the ports aforesaid, or should you obtain information of her being at, or having landed her stores at any port south of the island of Disco, you will at once proceed to put yourself in communication with the commander of the transport, and supply yourself with the additional stores and coal, taking such measures as may be most expedient and convenient for that purpose. Should you not hear of the transport before reaching Holsteinberg you will remain at that port, waiting for her and

your supplies, as long as the object of your expedition will permit you to delay for that purpose. After waiting as long as is safe, under all the circumstances as they may present themselves, you will, if you do not hear of the transport, proceed to Disco, as above provided. At Disco, if you hear nothing of the transport, you will, after waiting as long as you deem it safe, supply yourself, as far as you may be able, with such supplies and articles as you may need, and proceed on your expedition without further delay. From Disco you will proceed to Upernavik. At these two last-named places you will procure dogs and other Arctic outfits. If you think it of advantage for the purpose of obtaining dogs, &c., to stop at Tossak, you will do so. From Upernavik, or Tossak, as the case may be, you will proceed across Melville Bay to Cape Dudley Digges, and thence you will make all possible progress, with vessels, boats, and sledges, toward the North Pole, using your own judgment as to the route or routes to be pursued and the locality for each winter's quarters. Having been provisioned and equipped for two and a half years, you will pursue your explorations for that period; but, should the object of the expedition require it, you will continue your explorations to such a further length of time as your supplies may be safely extended. Should, however, the main object of the expedition, viz, attaining the position of the North Pole, be accomplished at an earlier period, you will return to the United States with all convenient dispatch.

There being attached to the expedition a scientific department, its operations are prescribed in accordance with the advice of the National Academy of Sciences, as required by the law. Agreeably to this advice, the charge and direction of the scientific operations will be intrusted, under your command, to Doctor Emil Bessels; and you will render Dr. Bessels and his assistants all such facilities and aids as may be in your power to carry into effect the said further advice, as given in the instructions herewith furnished in a communication from the president of the National Academy of Sciences. It is, however, important that objects of natural history, ethnology, &c., &c., which may be collected by any person attached to the expedition, shall be delivered to the chief of the scientific department, to be cared for by him, under your direction, and considered the property of the Government; and every person be strictly prohibited from keeping any such object. You will direct every qualified person in the expedition to keep a private

journal
events.
These
no pers
shall b
demand
ordered
that wh
receive
writer,
writer,
part or
You wi
all cap
sounding
veys as
Arctic r
You w
master
chief of
of your
may not
ner of e
which I
their co
writing,
any ever
death or
control a
Bessels s
departme
ations. I
as to the
same sole
to the Un
You wi
tunity off
search, de
most prom
uous skele
cordance v
record of

journal of the progress of the expedition, and enter on it events, observations, and remarks, of any nature whatsoever. These journals shall be considered confidential and read by no person other than the writer. Of these journals no copy shall be made. Upon the return of the expedition you will demand of each of the writers his journal, which it is hereby ordered he shall deliver to you. Each writer is to be assured that when the records of the expedition are published he shall receive a copy; the private journals to be returned to the writer, or not, at the option of the Government; but each writer, in the published records, shall receive credit for such part or parts of his journal as may be used in said records. You will use every opportunity to determine the position of all capes, headlands, islands, &c., the lines of coasts, take soundings, observe tides and currents, and make all such surveys as may advance our knowledge of the geography of the Arctic regions.

You will give special written directions to the sailing and ice master of the expedition, Mr. S. O. Buddington, and to the chief of the scientific department, Dr. E. Bessels, that in case of your death or disability—a contingency we sincerely trust may not arise—they shall consult as to the propriety and manner of carrying into further effect the foregoing instructions, which I here urge must, if possible, be done. The results of their consultations, and the reasons therefor, must be put in writing, and kept as part of the records of the expedition. In any event, however, Mr. Buddington shall, in case of your death or disability, continue as the sailing and ice master, and control and direct the movements of the vessel; and Doctor Bessels shall, in such case, continue as chief of the scientific department, directing all sledge journeys and scientific operations. In the possible contingency of their non-agreement as to the course to be pursued, then Mr. Buddington shall assume sole charge and command, and return with the expedition to the United States with all possible dispatch.

You will transmit to this Department, as often as opportunity offers, reports of your progress and results of your search, detailing the route of your proposed advance. At the most prominent points of your progress you will erect conspicuous skeleton stone monuments, depositing near each, in accordance with the confidential marks agreed upon, a condensed record of your progress, with a description of the route upon

which you propose to advance, making caches of provisions, &c., if you deem fit.

In the event of the necessity for finally abandoning your vessel, you will at once endeavor to reach localities frequented by whaling or other ships, making every exertion to send to the United States information of your position and situation, and as soon as possible to return with your party, preserving, as far as may be, the records of, and all possible objects and specimens collected in, the expedition.

All persons attached to the expedition are under your command, and shall, under every circumstance and condition, be subject to the rules, regulations, and laws governing the discipline of the Navy, to be modified, but not increased, by you as the circumstances may in your judgment require.

To keep the Government as well informed as possible of your progress, you will, after passing Cape Dudley Digges, throw overboard daily, as open water or drifting ice may permit, a bottle or small copper cylinder, closely sealed, containing a paper, stating date, position, and such other facts as you may deem interesting. For this purpose, you will have prepared papers containing a request, printed in several languages, that the finder transmit it by the most direct route to the Secretary of the Navy, Washington, United States of America.

Upon the return of the expedition to the United States, you will transmit your own and all other records to the Department. You will direct Dr. Bessels to transmit all the scientific records and collections to the Smithsonian Institution, Washington.

The history of the expedition will be prepared by yourself, from all the journals and records of the expedition, under the supervision of the Department. All the records of the scientific results of the expedition will be prepared, supervised, and edited by Dr. Bessels, under the direction and authority of the president of the National Academy of Sciences.

Wishing for you and your brave comrades health, happiness, and success in your daring enterprise, and commending you and them to the protecting care of the God who rules the universe,

I am, very respectfully, yours,

GEO. M. ROBESON,
Secretary of the Navy.

CHAS. F. HALL,
Commanding Expedition toward the North Pole.

WITH

SIR
the ex
scienti
emy ;
followi

The
gress p
Hall a
knowle
ieth de
the Po
which
the Ar
mander

In or
arrang
the way
the org
sistants
Hall ea
his frie
tain Bu
ice ; an
cially fu

It is c
tion, ex
a scient
entific o
vestigat
them sn

APPENDIX.

LETTER OF PROF. JOS. HENRY.

(*President of the National Academy of Sciences.*)

WITH INSTRUCTIONS FOR THE SCIENTIFIC OPERATIONS OF THE EXPEDITION.

WASHINGTON, D. C., *June 9, 1871.*

SIR: In accordance with the law of Congress authorizing the expedition for explorations within the Arctic Circle, the scientific operations are to be prescribed by the National Academy; and in behalf of this society I respectfully submit the following remarks and suggestions:

The appropriation for this expedition was granted by Congress principally on account of the representations of Captain Hall and his friends as to the possibility of improving our knowledge of the geography of the regions beyond the eightieth degree of north latitude, and more especially of reaching the Pole. Probably on this account and that of the experience which Captain Hall had acquired by seven years' residence in the Arctic regions, he was appointed by the President as commander of the expedition.

In order that Captain Hall might have full opportunity to arrange his plans, and that no impediments should be put in the way of their execution, it was proper that he should have the organization of the expedition and the selection of his assistants. These privileges having been granted him, Captain Hall early appointed as the sailing-master of the expedition his friend and former fellow-voyager in the Arctic Zone, Captain Biddington, who has spent twenty-five years amid polar ice; and for the subordinate positions, persons selected especially for their experience of life in the same regions.

It is evident from the foregoing statement that the expedition, except in its relations to geographical discovery, is not of a scientific character, and to connect with it a full corps of scientific observers whose duty it should be to make minute investigations relative to the physics of the globe, and to afford them such facilities with regard to time and position as would

be necessary to the full success of the object of their organization, would materially interfere with the views entertained by Captain Hall, and the purpose for which the appropriation was evidently intended by Congress.

Although the special objects and peculiar organization of this expedition are not primarily of a scientific character, yet many phenomena may be observed and specimens of natural history be incidentally collected, particularly during the long winter periods in which the vessel must necessarily remain stationary; and therefore, in order that the opportunity of obtaining such results might not be lost, a committee of the National Academy of Sciences was appointed to prepare a series of instructions on the different branches of physics and natural history, and to render assistance in procuring the scientific outfit.

Great difficulty was met with in obtaining men of the proper scientific acquirements to embark in an enterprise which must necessarily be attended with much privation, and in which, in a measure, science must be subordinate. This difficulty was, however, happily obviated by the offer of an accomplished physicist and naturalist, Dr. E. Bessels, of Heidelberg, to take charge of the scientific operations, with such assistance as could be afforded him by two or three intelligent young men that might be trained for the service. Dr. Bessels was the scientific director of the German expedition to Spitzbergen and Nova Zembla, in 1869, during which he made, for the first time, a most interesting series of observations on the depths and currents of the adjacent seas. From his character, acquirements, and enthusiasm in the cause of science, he is admirably well qualified for the arduous and laborious office for which he is a volunteer. The most important of the assistants was one to be intrusted, under Dr. Bessels, with the astronomical and magnetic observations, and such a one has been found in the person of Mr. Bryan, a graduate of Lafayette College, at Easton, Pennsylvania, who, under the direction of Professor Hilgard, has received from Mr. Schott and Mr. Keith, of the Coast Survey, practical instructions in the use of the instruments.

The Academy would therefore earnestly recommend, as an essential condition of the success of the objects in which it is interested, that Dr. Bessels be appointed as sole director of the scientific operations of the expedition, and that Captain Hall be instructed to afford him such facilities and assistance as may

be necessary to the full success of the object of their organization, would materially interfere with the views entertained by Captain Hall, and the purpose for which the appropriation was evidently intended by Congress.

Although the special objects and peculiar organization of this expedition are not primarily of a scientific character, yet many phenomena may be observed and specimens of natural history be incidentally collected, particularly during the long winter periods in which the vessel must necessarily remain stationary; and therefore, in order that the opportunity of obtaining such results might not be lost, a committee of the National Academy of Sciences was appointed to prepare a series of instructions on the different branches of physics and natural history, and to render assistance in procuring the scientific outfit.

Great difficulty was met with in obtaining men of the proper scientific acquirements to embark in an enterprise which must necessarily be attended with much privation, and in which, in a measure, science must be subordinate. This difficulty was, however, happily obviated by the offer of an accomplished physicist and naturalist, Dr. E. Bessels, of Heidelberg, to take charge of the scientific operations, with such assistance as could be afforded him by two or three intelligent young men that might be trained for the service. Dr. Bessels was the scientific director of the German expedition to Spitzbergen and Nova Zembla, in 1869, during which he made, for the first time, a most interesting series of observations on the depths and currents of the adjacent seas. From his character, acquirements, and enthusiasm in the cause of science, he is admirably well qualified for the arduous and laborious office for which he is a volunteer. The most important of the assistants was one to be intrusted, under Dr. Bessels, with the astronomical and magnetic observations, and such a one has been found in the person of Mr. Bryan, a graduate of Lafayette College, at Easton, Pennsylvania, who, under the direction of Professor Hilgard, has received from Mr. Schott and Mr. Keith, of the Coast Survey, practical instructions in the use of the instruments.

The Academy would therefore earnestly recommend, as an essential condition of the success of the objects in which it is interested, that Dr. Bessels be appointed as sole director of the scientific operations of the expedition, and that Captain Hall be instructed to afford him such facilities and assistance as may

The Academy would therefore earnestly recommend, as an essential condition of the success of the objects in which it is interested, that Dr. Bessels be appointed as sole director of the scientific operations of the expedition, and that Captain Hall be instructed to afford him such facilities and assistance as may

be necessary for the special objects under his charge, and which are not incompatible with the prominent idea of the original enterprise.

As to the route to be pursued with the greatest probability of reaching the Pole, either to the east or west of Greenland, the Academy forbears to make any suggestions, Captain Hall having definitely concluded that the route through Baffin's Bay, the one with which he is most familiar, is that to be adopted. One point, however, should be specially urged upon Captain Hall, namely, the determination with the utmost scientific precision possible of all his geographical positions, and especially of the ultimate northern limit which he attains. The evidence of the genuineness of every determination of this kind should be made apparent beyond all question.

On the return of the expedition the collections which may be made in natural history, &c., will, in accordance with a law of Congress, be deposited in the National Museum, under the care of the Smithsonian Institution; and we would suggest that the scientific records be discussed and prepared for publication by Dr. Bessels, with such assistance as he may require, under the direction of the National Academy. The importance of refusing to allow journals to be kept exclusively for private use, or collections to be made other than those belonging to the expedition, is too obvious to need special suggestion.

In fitting out the expedition, the Smithsonian Institution has afforded all the facilities in its power in procuring the necessary apparatus, and in furnishing the outfit for making collections in the various departments of natural history. The Coast Survey, under the direction of Professor Peirce, has contributed astronomical and magnetical instruments. The Hydrographic Office, under Captain Wyman, has furnished a transit instrument, sextants, chronometers, charts, books, &c. The Signal Corps, under General Myer, has supplied anemometers, thermometers, aneroid and mercurial barometers, besides detailing a sergeant to assist in the meteorological observations. The members of the committee of the Academy, especially Professors Baird and Hilgard, have, in discussing with Dr. Bessels the several points of scientific investigation and in assisting to train his observers, rendered important service.

The liberal manner in which the Navy Department, under your direction, has provided a vessel and especially fitted it out for the purpose, with a bountiful supply of provisions, fuel, and

all other requisites for the success of the expedition, as well as the health and comfort of its members, will, we doubt not, meet the approbation of Congress and be highly appreciated by all persons interested in Arctic explorations.

From the foregoing statement it must be evident that the provisions for exploration and scientific research in this case are as ample as those which have ever been made for any other Arctic expedition, and should the results not be commensurate with the anticipations in regard to them, the fact cannot be attributed to a want of interest in the enterprise or to inadequacy of the means which have been afforded.

We have, however, full confidence, not only in the ability of Captain Hall and his naval associates to make important additions to the knowledge of the geography of the polar region, but also in his interest in science and his determination to do all in his power to assist and facilitate the scientific operations.

Appended to this letter is the series of instructions prepared by the committee of the Academy, viz: the instructions on astronomy, by Professor Newcomb; on magnetism, tides, &c., by Professor J. E. Hilgard; on meteorology, by Professor Henry; on natural history, by Professor S. F. Baird; on geology, by Professor Meek; and on glaciers, by Professor Agassiz.

I have the honor to be, very respectfully, your obedient servant,

JOSEPH HENRY,

President of the National Academy of Sciences.

Hon. GEORGE M. ROBESON,
Secretary of the Navy.

INSTRUCTIONS.

GENERAL DIRECTIONS IN REGARD TO THE MODE OF KEEP- ING RECORDS.

Records of observations.—It is of the first importance that in all instrumental observations the fullest record be made, and that the original notes be preserved carefully.

In all cases the actual instrumental readings must be recorded, and if any corrections are to be applied, the reason for these corrections must also be recorded. For instance, it is not sufficient to state the index error of a sextant; the manner of ascer-

taining
reco-

The
that i
on sh
sledg
latitu
mapp
entere
rence.
in the
venier
vation

The
back s
whate
entry
crosse

Astr

most v
the sta
as prac
with th
sons e

Who
should
time;
watch
observ
should
any mi

Whe
should
dinal p
altitude

As th
be quit
sary to

taining it and the readings taken for the purpose must be recorded.

The log-book should contain a continuous narrative of all that is done by the expedition and of all incidents which occur on shipboard, and a similar journal should be kept by each sledge party. The actual observations for determining time, latitude, the sun's bearing, and all notes having reference to mapping the shore, soundings, temperature, &c., should be entered in the log-book or journal in the regular order of occurrence. When scientific observations are more fully recorded in the note-books of the scientific observer than can be conveniently transcribed into the log-book, the fact of the observation and reference to the note-book should be entered.

The evidence of the genuineness of the observations brought back should be of the most irrefragable character. No erasures, whatever, with rubber or knife, should be made. When an entry requires correction, the figures or words should be merely crossed by a line and the correct figures written above.

[J. E. H.]

ASTRONOMY.

Astronomical observations.—One of the chronometers, the most valuable, if there is any difference, should be selected as the standard by which all observations are to be made, as far as practicable. The other chronometers should all be compared with this every day at the time of winding, and the comparisons entered in the astronomical note-book.

When practicable, the altitude or zenith distance of the sun should be taken four times a day—morning and evening for time; noon and midnight for latitude. The chronometer or watch times of the latitude observations, as well as of the time observations, should always be recorded. Each observation should always be repeated at least three times in all, to detect any mistake.

When the moon is visible, three measures of her altitude should be taken about the time of her passage over each cardinal point of true bearing, and the chronometer time of each altitude should be recorded.

As the Greenwich time deduced from the chronometers will be quite unreliable after the first six months, it will be necessary to have recourse to lunar distances. These should be

measured from the sun, in preference to a star, whenever it is practicable to do so.

If a sextant is used in observation, a measure of the semi-diameter of the sun or moon should be taken every day or two for index error.

The observations are by no means to be pretermitted when lying in port, because they will help to correct the position of the port.

The observations should, if convenient, be taken so near the standard chronometer that the observer can signal the moment of observation to an assistant at the chronometer, who is to note the time. If this is not found convenient, and a comparing watch is used, the watch-time and the comparison of the watch with the chronometer should both be carefully recorded.

The observations made by the main party should be all written down in full in a continuous series of note-books, from which they may be copied in the log. Particular care should be exercised in always recording the *place, date, and limb* of sun or moon observed, and any other particulars necessary to the complete understanding of the observation.

[S. N.]

Observations at winter quarters.—The astronomical transit instrument will be set up in a suitable observatory. A meridian mark should be established as soon as practicable, and the instrument kept with constant care in the vertical plane passing through the mark, in order that all observations may be brought to bear on determining the deviation of that plane from the meridian of the places. The transits of circumpolar stars, on both sides of the Pole, and those of stars near the Equator, should be frequently observed.

Moon culminations, including the transits of both first and second limbs, should be observed for the determination of longitude independently of the rates of the chronometers. Twelve transits of each limb is a desirable number to obtain—more, if practicable. If any occultations of bright stars by the moon are visible, they should be likewise observed.

The observations for latitude will be made with the sextant and artificial horizon, upon stars both north and south of the zenith.

All the chronometers of the expedition should be compared daily, as nearly as practicable about the same time.

Whenever a party leaves the permanent station for an exploration and immediately upon its return, its chronometer should be compared with the standard chronometer of the station.

Observations during sledge or boat journeys.—The instruments to be taken are the small Casella theodolite, or a pocket sextant and artificial horizon, one or more chronometers, and a prismatic compass, for taking magnetic bearings of the sun. In very high latitudes the time of the sun's meridian altitude is not readily determined; it will be advisable, therefore, to take altitudes when the sun is near the meridian, as indicated by the compass, with regard to the variations of the compass, as derived from an isogonic chart. The time when the observation is taken will, of course, be noted by the chronometer. Altitudes should be taken in this way, both to the south and north of the zenith; they will enable the traveler to obtain his latitude at once very nearly, without the more laborious computation of the time.

The observations for time should be taken as nearly as may be when the sun is at right angles to the meridian, to the east and west, the compass being again used to ascertain the proper direction. This method of proceeding will call for observations of altitude at or near the four cardinal points, or nearly six hours apart in time.

When the party changes its place in the interval between their observations, it is necessary to have some estimate of the distance and direction traveled. The ultimate mapping of the route will mainly depend upon the astronomical observations, but no pains should be spared to make a record every hour of the estimated distance traveled—by log, if afloat—of the direction of the route, by compass, and of bearings of distant objects, such as peaks, or marked headlands, by which the route may be plotted.

In case of a few days halt being made when a very high latitude has been reached, or at any time during the summer's explorations, a special object of care should be to ascertain the actual rate of the chronometers with the party. To this end, a well-defined, fixed object, in any direction, should be selected as a mark, the theodolite pointed on it, and the transit of the sun over its vertical observed on every day during the sojourn at the place. If the party be only provided with a sextant, then the same angular distances of the sun from a fixed object

should be observed on successive days, the angles being chosen so as to be between 30° and 45° . For instance, set the sextant successively to 40° , to $40^\circ 20'$, $40^\circ 40'$, &c., and note the time when the sun's limb comes in contact with the object. The same distances will be found after twenty-four hours, with a correction for change in the sun's declination. The sun's altitude should be observed before and after these observations, and its magnetic bearing should be noted, as well as that of the mark. The altitude of the mark should also be observed, if practicable, either with the sextant or clinometer, but this is not essential.

[J. E. H.]

MAGNETISM.

On the voyage and sledge-journey, at all times when traveling, the *declination* or variation of the compass should be obtained by observing the magnetic bearing of the sun, at least once every day on which the sun is visible. On ship-board or in boats the azimuth compass is to be used; on land the small theodolite will be found preferable.

When afloat, no valuable observations of the magnetic *dip* and *intensity* are practicable. On the sledge-journey the dip-circle may be carried, and when halts are made longer than necessary to determine the place by astronomical observations, the *dip* and relative *intensity*, according to Lloyd's method, should be ascertained.

At winter quarters, in addition to the above-mentioned observations, those of *absolute horizontal intensity* should be made with the theodolite magnetometer, including the determination of moment of inertia. Also with the same instrument the absolute declination should be determined.

The least that the observer should be satisfied with is the complete determination of the three magnetic elements, namely, declination, dip, and horizontal intensity. At one period, say within one week, three determinations of each should be made.

It is advisable that the same observations be repeated on three successive days of each month during the stay at one place; and that on three days of each month, as the 1st, 14th, and 21st, or any other days, the variation of the declination-magnet be read every half hour during the twenty-four hours; also that the magnetometer, or at least a theodolite with compass, remain mounted at all times, that the variation of the needle

may be observed as often as practicable, and especially when unusual displays of *aurora borealis* take place.

In all cases the *time*, which forms an essential part of the record, should be carefully noted.

Not long before starting on a sledge-journey from a winter station, and soon after returning, the observations with the loaded dipping needles for relative intensity should be repeated, in order to have a trustworthy comparison for the observations which have been made on the journey.

FORCE OF GRAVITY.

As the long winter affords ample leisure, pendulum experiments may be made to determine the force of gravity, in comparison with that at Washington, where observations have been made with the Hayes pendulum lent to the expedition. The record of the Washington observations, a copy of which is furnished, will serve as a guide in making the observations. Special care should be taken while they are in progress to determine the rate of the chronometer with great precision, by observations of numerous stars with the astronomical transit instrument, the pointing of which on a fixed mark should be frequently verified.

OCEAN PHYSICS.

Depths.—Soundings should be taken frequently, when in moderate depths, at least sufficiently often to give some indication of the general depth of the strait or sound in which the vessel is afloat at the time. If an open sea be reached, it should be considered of the greatest importance to get some measure of its depth, and since no bulky sounding apparatus can be carried across the ice barrier, the boat party should be provided with 1,000 fathoms of small twine, marked in lengths of 10 fathoms. Stones, taken on board when the boat is launched, may serve as weights.

Bottom should be brought up whenever practicable, and specimens preserved. Circumstances of time and opportunity must determine whether a *dredge* can be used, or merely a *specimen-cup*.

Temperature of the sea should be observed with the "Miller protected bulb thermometer" made by Casella, near the surface, about two fathoms below the surface, and near the bottom. When time permits, observations at an intermediate

depth should be taken. These observations have a particular bearing on the general circulation of the ocean, and are of great importance.

Tides.—Observations of high and low water, as to time and height, should be made continuously at winter quarters. The method adopted by Dr. Hayes is recommended. It consists of a graduated staff anchored to the bottom, directly under the "ice-hole," by a mushroom-anchor, or heavy stone and a chain, which is kept stretched by a counterweight attached to a rope that passes over a pulley rigged overhead. The readings are taken by the height of the water in the "ice-hole." In the course of a few days' careful observations the periods of high and low water will become sufficiently well known to predict the turns approximating from day to day, and subsequently, observations taken every five minutes for half an hour, about the anticipated turn, will suffice, provided they be continued until the turn of the tide has become well marked.

Tidal observations taken at other points, when a halt is made for some time, even if continued not longer than a week, will be of special value as affording an indication as to the direction in which the tide-wave is progressing, and inferentially as to the proximity of an open sea. If, as the expedition proceeds, the tide is found to be later, the indication is that the open sea is far distant, if indeed the channel be not closed. But if the tide occurs earlier, as the ship advances, the probability is strongly in favor of the near approach to an open, deep sea, communicating directly with the Atlantic Ocean.

In making such a comparison, attention must be paid to the semi-monthly inequality in the time of high water, which may be approximately taken from the observations at winter quarters. Observations made at the same age of the moon, in different places, may be directly compared.

When the water is open, the tide may be observed by means of a graduated pole stuck into the bottom; or, if that cannot be conveniently done, by means of a marked line, anchored to the bottom, and floated by a light buoy, the observation being taken by hauling up the line taut over the anchor.

Currents.—It is extremely desirable to obtain some idea of the currents in the open polar sea, if such is found. No special observations can be indicated, however, except those of the drift of icebergs, if any should be seen.

Density.—The density of the sea-water should be frequently

observed to the f
brought
specimen
a view
tents.

The e
ments,
baromet
standar
fessor B
of instr
meteorol
shall the
to the so

Tempe
the baro
phere sh
and whe
of two, t
of the o
sailing o

The m
ters, sho
depths, a

The t
exposed t
should be
and at gi
observati
in the sha

Experie
foens of
the sky.
ter may h
thermome
perature t
and terres
ably serv
higher.

observed with delicate hydrometers, giving direct indications to the fourth decimal. Whenever practicable, water should be brought up from different depths, and its density tested. The specimens should be preserved in carefully-sealed bottles, with a view to the subsequent determination of their mineral contents.

[J. E. H.]

METEOROLOGY.

The expedition is well supplied with meteorological instruments, all the standards, with the exception of the mercurial barometers, manufactured by Casella, and compared with the standards of the Kew Observatory under the direction of Professor Balfour Stewart. Dr. Bessels is so familiar with the use of instruments and so well acquainted with the principles of meteorology, that minute instructions are unnecessary. We shall therefore merely call attention, by way of remembrance, to the several points worthy of special notice.

Temperature.—The registers of the temperature, as well as of the barometer, direction of the wind, and moisture of the atmosphere should, in all cases in which it is possible, be made hourly, and when that cannot be done they should be made at intervals of two, three, four, or six hours. The temperature of the water of the ocean, as well as of the air, should be taken during the sailing of the vessel.

The minimum temperature of the ice, while in winter quarters, should be noted from time to time, perhaps at different depths, also that of the water beneath.

The temperature of the black-bulb thermometer *in vacuo* exposed to the sun, and also that of the black-bulb free to the air, should be frequently observed while the sun is on the meridian, and at given altitudes in the forenoon and afternoon, and these observations compared with those of the ordinary thermometer in the shade.

Experiments should also be made with a thermometer in the focus of the silvered mirror, the face of which is directed to the sky. For this purpose the ordinary black-bulb thermometer may be used as well as the naked-bulb thermometer. The thermometer thus placed will generally indicate a lower temperature than one freely exposed to radiation from the ground and terrestrial objects, and in case of isolated clouds will probably serve to indicate those which are colder and perhaps higher.

Comparison may also be made between the temperature at different distances above the earth, by suspending thermometers on a spar at different heights.

The temperature of deep soundings should be taken with the thermometer with a guard to obviate the pressure of the water. As the tendency, on account of the revolution of the earth, is constantly to deflect all currents to the right hand of the observer looking down stream, the variations in temperature in connection with this fact may serve to assist in indicating the existence, source, and direction of currents.

The depth of frost should be ascertained, and also, if possible, the point of invariable temperature. For this purpose, augers and drills with long stems for boring deeply should be provided.

Pressure of air.—A series of comparative observations should be made of the indications of the mercurial and aneroid barometers. The latter will be affected by the variation of gravity as well as of temperature, while the former will require a correction due only to heat and capillarity.

As it is known that the normal height of the barometer varies in different latitudes, accurate observations in the Arctic regions, with this instrument, are very desirable, especially in connection with observations on the moisture of the atmosphere, since, to the small quantity of this in northern latitudes, the low barometer, which is observed there, has been attributed. I think, however, it will be found that the true cause is in the rotation of the earth on its axis, which, if sufficiently rapid, would project all the air from the pole.

In the latitude of about 60, there is a belt around the earth in which the barometer stands unusually high, and in which violent fluctuations occur. This will probably be exhibited in the projection of the curve representing the normal height of the barometrical column in different latitudes.

Moisture.—The two instruments for determining the moisture in the air are the wet and dry bulb thermometer and the dew-point instrument, as improved by Regnault. But to determine the exact quantity in the atmosphere in the Arctic regions will require the use of an aspirator, by which a given quantity of air can be passed through an absorbing substance, such as chloride of calcium, and the increase of weight accurately ascertained. It may, however, be readily shown that the amount is very small in still air.

A win
ure, and
the ice,
ture tha

The in
exhales
be obvia
Arctic v
the deck
a pot.

temperat
within o
of the di

The va
important
ever, are
more sor
into the
diminish
it exists,
increases
nomena e

Winds.
regularly
velocity
at which
tion; the
time of c
clouds; t
and the d
force and
of the win
sists of t
10°. The
be not too
the feath
direction
can be ob
refer to t
arisen on

In acco
in his wor

A wind from a more southern latitude will increase the moisture, and may give rise to fogs. Sometimes, from openings in the ice, vapor may be exhaled from water of a higher temperature than the air, and be immediately precipitated into fog.

The inconvenience which is felt from the moisture which exhales with the breath in the hold of the vessel may, perhaps, be obviated by adopting the ingenious expedient of one of the Arctic voyagers, viz, by making a number of holes through the deck and inverting over them a large metallic vessel like a pot. The exterior of this vessel being exposed to the low temperature of the air without would condense the moisture from within on its interior surface, and thus serve, on the principle of the diffusion of vapor, to desiccate the air below.

The variation of moisture in the atmosphere performs a very important part in all meteorological changes. Its effects, however, are probably less marked in the Arctic regions than in more southern latitudes. The first effect of the introduction into the atmosphere of moisture is to expand the air and to diminish its weight; but after an equilibrium has taken place, it exists, as it were, as an independent atmosphere, and thus increases the pressure. These opposite effects render the phenomena exceedingly complex.

Winds.—As to these the following observations are to be regularly and carefully registered, namely: The average velocity as indicated by Robinson's anemometer; the hour at which any remarkable change takes place in their direction; the course of their veering; the existence at the same time of currents in different directions as indicated by the clouds; the time of beginning and ending of hot or cold winds, and the direction from which they come. Observations on the force and direction of the wind are very important. The form of the wind-vane should be that of which the feather part consists of two planes, forming between them an angle of about 10° . The sensibility of this instrument, provided its weight be not too much increased, is in proportion to the surface of the feather planes. Great care must be taken to enter the direction of the wind from the true meridian, whenever this can be obtained, and in all cases to indicate whether the entries refer to the true or magnetic North. Much uncertainty has arisen on account of the neglect of this precaution.

In accordance with the results obtained by Professor Coffin, in his work on the resultant direction of the wind, there are

in the northern hemisphere three systems roughly corresponding with the different zones, viz, the tropical, in which the resultant motion is toward the west, the temperate, toward the east, and the Arctic, in which it is again toward the west.

In the discussion of all the observations the variation of the temperature and the moisture will appear in their connection with the direction of the wind. Hence the importance of simultaneous observations on these elements, and also on the atmospheric pressure.

Precipitation.—The expedition will be furnished with a number of rain-gauges, the contents of which should be measured after each shower. By inverting and pressing them downward into the snow, and subsequently ascertaining, by melting in the same vessel the amount of water produced, they will serve to give the precipitation of water in the form of snow. The depth of snow can be measured by an ordinary measuring rod. Much difficulty, however, is sometimes experienced in obtaining the depth of snow on account of its drifting, and it is sometimes not easy to distinguish whether snow is actually falling or merely being driven by the wind.

The character of the snow should be noted, whether it is in small rounded masses, or in regular crystals; also the conditions under which these different forms are produced.

The form and weight of hailstones should be noted, whether consisting of alternate strata, the number of which is important, of flocculent snow, or solid ice, or agglutinations of angular crystals, whether of a spherical form, or that of an oblate spheroid.

The color of the snow should be observed in order to detect any organisms which it may contain, and also any sediment which may remain after evaporation, whether of earthy or vegetable matter.

Clouds.—The character of the clouds should be described, and the direction of motion of the lower and the higher ones registered at the times prescribed for the other observations. Since the expedition is well supplied with photographic apparatus, frequent views of the clouds and of the general aspect of the sky should be taken.

Aurora.—Every phase of the aurora borealis will of course be recorded; also the exact time of first appearance of the meteor, when it assumes the form of an arch or a corona, and when any important change in its general aspect takes place.

The ma
at a giv
of the c
noted.

Two
one in t
tion the
Drawin
able. I
beneath
darknes
that a s
ness is c
ing of t
is worth

Wave
teresting
contrary
direction
the orde
theory o
appearan
should
stratified

The a
scope, an
pared wi

To set
and its
cone of l
thrown
been tra
thus con
the ray r
previous

Careful
aurora ev
land or c

The qu
noise has
settled.

The magnetic bearing of the crown of the arch, and its altitude at a given time, should be taken; also if it moves to the south of the observer, the time when it passes the zenith should be noted. The time and position of a corona are very important.

Two distinct arches have sometimes been seen coexisting—one in the east and the other in the west. In such an exhibition the position and crown of each arch should be determined. Drawings of the aurora, with colored crayons, are very desirable. In lower latitudes a dark segment is usually observed beneath the arch, the occurrence of which, and the degree of darkness, should be registered. It also sometimes happens that a sudden precipitation of moisture in the form of a haziness is observed to cover the face of the sky during the shooting of the beams of the aurora. Any appearance of this kind is worthy of attention.

Wave motions are sometimes observed, and it would be interesting to note whether these are from east to west or in the contrary direction, and whether they have any relation to the direction of the wind at the time. The colors of the beams and the order of their changes may be important in forming a theory of the cause of the phenomena. Any similarity of appearance to the phenomena exhibited in Geissler's tubes should be noted, especially whether there is anything like stratification.

The aurora should be frequently examined by the spectroscope, and the bright lines which may be seen carefully compared with one of Kirchoff's maps of the solar spectrum.

To settle the question as to the fluorescence of the aurora and its consequent connection with the electric discharge, a cone of light reflected from the silver-plated mirror should be thrown on a piece of white paper on which characters have been traced with a brush dipped in sulphate of quinine. By thus condensing the light on the paper, any fluorescence which the ray may contain will be indicated by the appearance of the previously invisible characters in a green color.

Careful observations should be made to ascertain whether the aurora ever appears over an expanse of thick ice, or only over land or open water, ice being a non-conductor of electricity.

The question whether the aurora is ever accompanied with a noise has often been agitated, but not yet apparently definitely settled. Attention should be given to this point, and perhaps

the result may be rendered more definite by the use of two ear-trumpets, one applied to each ear.

According to Hansteen, the aurora consists of luminous beams, parallel to the dipping needle, which at the time of the formation of the corona are shooting up on all sides of the observer, and also the lower portions of these beams are generally invisible. It is, therefore, interesting to observe whether the auroral beams are ever interposed between the observer and a distant mountain or cloud, especially when looking either to the east or west.

The effect of the aurora on the magnetism of the earth will be observed by abnormal motion of the magnetic instruments for observing the declination, inclination, and intensity. This effect, however, may be more strikingly exhibited by means of a galvanometer, inserted near one end of a long insulated wire extended in a straight line, the two extremities of which are connected with plates of metal plunged in the water, it may be through holes in the ice, or immediately connected with the ground.

To ascertain whether the effect on the needle is due to an electrical current in the earth, or to an inductive action from without, perhaps the following variation of the preceding arrangement would serve to give some indication. Instead of terminating the wire in a plate of metal, plunged in the water, let each end be terminated in a large metallic insulated surface, such, for example, as a large wooden disk, rounded at the edges and covered with tin-foil. If the action be purely inductive, the needle of the galvanometer inserted, say, near one end of the wire, would probably indicate a momentary current in one direction, and another in the opposite, at the moment of the cessation of the action. For the purpose of carrying out this investigation the Smithsonian Institution has furnished the expedition with two reels of covered wire, each a mile in length, one of which is to be stretched in the direction, perhaps, of the magnetic meridian, and the other at right angles to it. It would be well, however, to observe the effect with the wires in various directions, or united in one continuous length.

Electricity.—From the small amount of moisture in the atmosphere, and the consequent insulating capacity of the latter, and disturbances of the electrical equilibrium will be seen in the frequent production of light and sparks on the friction and

agitatio
usual c
from pe
of the a

A reg
acter a
means
metalli
lae to
—; and
ency of

be usec
tion or
elevate
say eig
again t
charged
air. O

of an i
attache
dried a

Thun
someti
the poi
the dire
the plac
ning—v
whether

Optic
serves t
sity, wh
lateral
surface.

The p
means o
a slice o
to its op
simple i
well as

Halos
all be r

agitation of all partially non-conducting substances. Any unusual occurrences of this kind, such as electrical discharges from pointed rods, from the ends of spars, or from the fingers of the observer, should be recorded.

A regular series of observations should be made on the character and intensity of the electricity of the atmosphere by means of an electrometer, furnished with a polished, insulated, metallic ball, several inches in diameter, and two piles of Delacé to indicate the character of the electricity, whether + or -; and also supplied with a scale to measure by the divergency of a needle the degree of intensity. This instrument can be used either to indicate the electricity of the air by induction or by conduction. In the first case it is only necessary to elevate it above a normal plane by means of a flight of steps, say eight or ten feet, to touch the ball at this elevation and again to restore it to its first position, when it will be found charged with electricity of the same character as that of the air. Or the ball may be brought in contact with the lower end of an insulated metallic wire, to the upper end of which is attached a lighted piece of twisted paper which has been dried after previous saturation in a solution of nitrate of lead.

Thunder-storms are rare in the Arctic regions, although they sometimes occur; and in this case it is important to observe the point in the horizon in which the storm-cloud arises; also the direction of the wind during the passage of the storm over the place of the observer; and also the character of the lightning—whether zig-zag, ramified, or direct; also its direction—whether from cloud to cloud, or from a cloud to the earth.

Optical phenomena.—Mirage should always be noted, as it serves to indicate the position of strata of greater or less density, which may be produced by open water, as in the case of lateral mirage, or by a current of wind or warmer air along the surface.

The polarization of the light of the sky can be observed by means of a polariscope, consisting of a plate of tourmaline with a slice of Iceland spar, or a crystal of nitre cut at right angles to its optical axis, on the side farthest from the eye. With this simple instrument the fact of polarization is readily detected, as well as the plane in which it is exhibited.

Halos, parhelia, coronæ, luminous arches, and glories should all be noted, both as to time of appearance and any peculi-

arity of condition of the atmosphere. Some of these phenomena have been seen on the surface of the ice by the reflection of the sun's beams, from a surface on which crystals had been formed by the freezing of a fog simultaneously with a similar appearance in the sky, the former being a continuation, as it were, and not a reflection of the latter.

In the latitude of Washington, immediately after the sun has sunk below the western horizon, there frequently appear faint parallel bands of colors just above the eastern horizon, which may very possibly be due to the dispersion of the light by the convex form of the atmosphere, and also, at some times, slightly colored beams crossing the heavens like meridians, and converging to a point in the eastern horizon. Any appearance of this kind should be carefully noted and described.

Meteors.—Shooting stars and meteors of all kinds should be observed with the spectroscope. The direction and length of their motion should be traced on star-maps, and especial attention given at the stated periods in August and November. A remarkable disturbance of the aurora has been seen during the passage of a meteor through its beams. Any phenomenon of this kind should be minutely described.

Ozone.—The expedition is furnished with a quantity of ozone test paper, observations with which can only be rendered comparable by projecting against the sensitized paper a given quantity of atmospheric air. For this purpose an aspirator should be used, which may be made by fastening together two small casks, one of which is filled with water, with their axes parallel, by means of a piece of plank nailed across the heads, through the middle of which is passed an iron axis on which the two casks may be made to revolve, and the full cask may readily be placed above the empty so that its contents may gradually descend into the latter. During the running of the water from the upper cask, an equal quantity of air is drawn through a small adjutage into a closed vessel and made to impinge upon the test-paper. The vessel containing the test-paper should be united with the aspirator by means of an India-rubber tube.

Miscellaneous.—The conduction of sound during still weather, through the air over the ice, through the ice itself, and through the water, may be studied.

Evaporation of snow, ice, and water may be measured by a balance, of which the pan is of a given dimension.

Exp
fined s
shells
of the
the per
shell, v
at the
vessels
since t
forced
which,
pressur
let ma
sel, exp
hollow
the lev
of stud
Expe
the con
ducting
zation.
simm, so
their ox
The n
as a me
tempera
mercury
Facts
scarcely

Object
and in a
on board
quired t
deliver t
charge o
Zoölogy
well kno
possible,
taken to

Experiments on the resistance of water to freezing in a confined space at a low temperature, may be made with small bombshells closed with screw-plugs of iron. The fact of the liquidity of the water at a very low temperature may be determined by the percussive of a small iron bullet, or by simply inverting the shell, when the ball, if the liquid remains unfrozen, will be found at the lowest point. It might be better, however, to employ vessels of wrought iron especially prepared for the purpose, since the porosity of cast-iron is such that the water will be forced through the pores, *e. g.*, the lower end of a gun barrel, which, from the smallness of its diameter, will sustain an immense pressure, and through which the percussive of the inclosed bullet may be more readily heard. Water, in a thin metallic vessel, exposed on all sides to the cold, sometimes gives rise to hollow crystals of a remarkable shape and size, projecting above the level surface of the water, and exhibits phenomena worthy of study.

Experiments may be made on regelation, the plasticity of ice, the consolidation of snow into ice, the expansion of ice, its conducting power for heat, and the various forms of its crystallization. The effect of intense cold should be studied on potassium, sodium, and other substances, especially in relation to their oxidation.

The melting point of mercury should be observed, particularly as a means of correcting the graduation of thermometers at low temperatures. The resistance to freezing of minute drops of mercury, as has been stated, should be tested.

Facts long observed, when studied under new conditions, scarcely ever fail to yield new and interesting results. [J. II.]

NATURAL HISTORY.

Objects of natural history of all kinds should be collected, and in as large numbers as possible. For this purpose all on board the vessel, both officers and sailors, should be required to collect, upon every favorable opportunity, and to deliver the specimens obtained to those appointed to have charge of them.

Zoölogy.—The terrestrial mammals of Greenland are pretty well known, but it is still desirable that a series, as complete as possible, of the skins should be preserved, great care being taken to always indicate upon the label to be attached the

sex, and probable age, as well as the locality and date of capture. The skeleton, and, when it is not possible to get this complete, any detached bones, particularly the skull and attached cervical vertebrae, are very desirable. Interesting soft parts, especially the brain, and also embryos, are very important. If it should be considered necessary to record measurements, they should be taken from specimens recently killed.

Of walruses and seals, there should be collected as many skeletons as possible, of old and young individuals; also skins, especially of the seals. Notes should be made regarding the habits in general, food, period of copulation, duration of gestation and time of migration, it being desirable to find out whether their migrations are periodical.

Of the *Cetacea*, when these are too large to be taken on board the vessel, the skull and cervical vertebrae, the bones of the extremities and penis, and whatever else may be deemed worthy of preservation, should be secured. All the animals should be examined for ecto and ento-parasites, and the means by which they become affixed to the animals noted.

Collect carefully the species of *Myodes*, (*lemmings*), *Arctomys*, and *Arvicola*, so as to determine the variations with locality and season. The relationship of two kinds of foxes, the blue and white, should be studied to determine their specific or other relationship. Any brown bears should be carefully collected, both skin and skeleton, to determine whether identical or not with the Old World *Ursus arctos*.

Reference has already been made to the seals and cetaceans: of these the *Phoca cristata*, the white whale, (*Beluga*), and the *Monodon* are particularly desired.

What has been said in regard to the mammals will apply equally well to the *birds*, skins and skeletons being equally desirable. It is especially important that the *fresh colors* of the bill, cere, gums, eyes, and feet, or caruncles, or bare skin, if there be any, should be noted, as the colors of these parts all change after the preparation of a specimen.

Of birds, the smaller land species are of the greatest interest, and complete series of them should be gathered. The northern range of the insectivorous species should be especially inquired into. The arctic falcons should be collected in all their varieties, to ascertain whether there are two forms, a brown and white, distinct through life, or whether one changes with age into the other.

Inq
copsis,
toltem

ter esp
genera

the *L*
Rhodo

ber of
churne
be ear

in reg
Of a
the sk

It w
the ext
and w
known

Egg
should

eases t
some p

by the
with t
parent

It shou
set upo

situatio
manner

of bre
polyga
and the

whether
whether

the ari
be kept
earliest,

Of fis
photogr
be pres

Amo
peido, w
enred.

Inquiry should be directed to the occurrence of *Bernicla leucopsis*, *Anser cinereus*, or other large gray geese, and the *Campotolemus Labrador*, and a large number of specimens, of the latter especially, should be obtained. Indeed the geese and ducks generally should form subjects of special examination. Among the *Laridae* the most important species is the *Larus rossii* or *Rhodostethia rosea*, scarcely known in collections. A large number of skins and of eggs will be a valuable acquisition. *Larus chburneus* is also worthy of being collected. The *Alcidae* should be carefully examined for any new forms, and inquiries directed in regard to the *Alca impennis*.

Of all birds' eggs an ample store should be gathered; and the skeletons of the *Arctic raptores* and the *Natatores* generally.

It will be a matter of much importance to ascertain what is the extreme northern range of the continental species of birds, and whether, in the highest latitudes, the European forms known to occur in Greenland cross Baffin's Bay.

Eggs and nests of birds, in as large numbers as possible, should be procured, great care being taken, however, in all cases to identify them by the parents which may be shot, and some portion, if not all of them, preserved, if not recognized by the collector. All the eggs of one set should be marked with the same number, that they may not be separated; the parent bird, if collected, likewise receiving the same number. It should also be stated, if known, how long the eggs have been set upon, as incubation influences very much their color; the situation of the nest also is very important. Notes on the manner of nesting, localities selected, and other peculiarities of breeding, should be carefully kept; whether they are polygamons, whether there are struggles between the males, and the manner in which the old birds feed their young; and whether these remain helpless in the nest for a given time, or whether they accompany the parents from birth. A journal of the arrival and departure of the migratory species should also be kept, to find out whether those which leave latest return earliest, and *vice versa*.

Of fishes that are obtained, the best specimens should be photographed, the fresh colors noted, and then they should be preserved in alcohol or carbolic acid.

Among the fishes the *Salmonidae*, *Cottidae*, *Gadidae* and *Clupeidae*, will be of most interest, and good series should be secured.

The terrestrial inferior animals should be all collected, each class in its appropriate way.

Try to get larvæ of insects, and observe their life, whether they are well adapted to their surroundings; for in proportion to the insects are the number of insectivorous animals, and for that reason the struggle for life would be more energetic, and, therefore, only those insects which are best adapted to the conditions will survive.

Inferior marine animals are usually collected by two methods, viz, with a pelagic net and by a dredg. Both these methods should be employed whenever practicable. Especial attention should be paid to the larvæ, of which sketches should be made. The results of the dredging should be noted in blanks printed for this purpose, the specimens to be preserved as their constitution requires. Muller's liquor, glycerine, solution of alcohol and sugar, &c.

It would be of peculiar interest to study the several deep regions, admitted by Forbes and others, to ascertain if in the Arctic regions the intensity of color increases with the depth, as has been stated to be the case with red and violet, which, if true, would be just the contrary to what is observed in the temperate and tropical regions.

Of shells two sets should be preserved, one dry and the other *with the animal*, in alcohol; the dry shell is necessary from the fact that the alcohol, by the acetic acid produced, is apt to destroy the color.

It is particularly important to get as full a series as possible of the members of the smaller families, with a view to the preparation of monographs.

There should be paid as much attention as possible to the fauna of fresh-water lakes to ascertain whether they contain marine forms, as has been found to be the case with some of those in North America, Scandinavia, Italy, and other countries. From this, important conclusions regarding the rising of the coast may be arrived at.

Botany.—Plants are to be collected in two ways. Of each species some specimens should be put in alcohol to serve for studying the anatomy; the others to be dried between sheets of blotting paper. The locality of each specimen should be noted, also its situation, the character of the soil and height above the sea,

the se
the ge
and ve

The
specim
—is, th
bed, ca
separat
the exa
beds of
occur a
should
bed in
the spo
the spe
found
ences o
found i
care sh
are of i
by pecu
what u
importa

Speci
usually
happens
already
of hard
be refer
by adhe
less per
but it is
specimen
any evid
other loc

All ex
should b
that har

the season, and whether there is *heliotropismus*, &c., &c. In the general notes there should be remarks on the horizontal and vertical distribution.

[S. F. B.]

GEOLOGY.

The most important point in the collection of geological specimens—whether they consist of rocks, minerals, or fossils—is, that on breaking or digging them from the matrix or bed, each individual specimen should be carefully wrapped separately in pliable but strong paper, with a label designating the exact locality from which it was obtained. If two or more beds of rock (sandstone, limestone, clay, marl, or other material) occur at the locality from which specimens are taken, the label should also have a number on it corresponding to the particular bed in which it was found, as designated in a section made on the spot in a note-book. This should be done in order that the specimens from each bed may be separated from those found in others, whether the beds are separable by differences of composition, or by differences in the groups of fossils found in each; and it is, moreover, often important that this care should be observed, even when one or more of the beds are of inconsiderable thickness, if such beds are characterized by peculiar fossils. For in such cases it often happens that what may be a mere seam at one place may represent an important formation at another.

Specimens taken directly from rocks in place are, of course, usually more instructive than those found loose; but it often happens that much better specimens of fossils can be found already weathered out, and lying detached about an outcrop of hard rock, than can be broken from it. These can generally be referred to their place in the section noted at the locality, by adhering portions of the matrix, or from finding more or less perfect examples of the same species in the beds in place; but it is usually the better plan to note on the labels of such specimens that they were found loose, especially if there are any evidences that they may have been transported from some other locality by drift agencies.

All exposures of rocks, and especially those of limestone, should be carefully examined for fossils, for it often happens that hard limestones and other rocks that show no traces of or-

ganic remains on the natural surfaces, (covered, as they often are, with lichens and mosses,) will be found to contain fossils when broken into. In cases where fossils are found to exist in a hard rock, if time and other circumstances permit, it is desirable that it should be vigorously broken with a heavy hammer provided for that purpose, and as many specimens of the fossils as possible (or as the means of transportation will permit) should be collected.

Fossils from rocks of all ages will, of course, be interesting and instructive, but it is particularly desirable that organic remains found in the later tertiary and quaternary formations of these high northern latitudes, if any such exist there, should be collected. These, whether of animals or plants, would throw much light on the question respecting the climatic conditions of the polar regions at, or just preceding, the advent of man.

Specimens illustrating the lithological character of all the rocks observed in each district explored should also be collected, as well as of the organic remains found in fossiliferous beds; also of all kinds of minerals. Those of rocks and amorphous minerals should be trimmed to as nearly the same size and form as can conveniently be done—say 3 by 4 inches wide and long, and $1\frac{1}{4}$ inches in thickness. Crystalline minerals ought, of course, to be broken from the matrix, rather with the view of preserving the crystals, as far as possible, than with regard to the size or form of the hand specimens; and the same remark applies equally to fossils.

On an overland journey the circumstances may not *always* be such as to allow the necessary time to wrap carefully and label specimens on the spot where they were collected; but in such cases numbers or some other marks should be scratched with the point of a knife, or other hard-pointed instrument, on each, by means of which the specimens collected at different times and places during the march can be correctly separated, labeled, and wrapped when the party stops for rest.

All specimens should be packed tightly in boxes as soon as enough have been collected to fill a box, and a label should be attached to each box indicating the particular district of country in which the collections were obtained. For this purpose empty provision boxes or packages can generally be used.

In examining sections or exposures of rocks along a shore or elsewhere, it is a good plan to make a rough sketch in a note-book, thus :

5	Clay.
4	Shale
3	Clay.
2	Sands
1	Lime

Then
tions of
be writt
kind sh
which t
ought a
That is,
should b
and so o
already
against t

It gen
of the b

5	Unexp
4	Limest
3	Unexp
2	Limest
1	Sandst

In suc
without
that may
ing differ
the entire

The dip
and notec

SECTION 1.

5	Clay.	8 feet.
4	Shale.	7 feet.
3	Clay.	12 feet.
2	Sandstone.	12 feet.
1	Limestone.	10 feet.

Then on the same or following pages, more particular descriptions of the nature and composition of the several beds should be written, referring to each by its number. Sections of this kind should be numbered 1, 2, 3, and so on, in the order in which they were observed, and the specimens from each bed ought also to be numbered on its label so as to correspond. That is, specimens from the lowest bed of the first section should be, for instance, marked thus: "Section No. 1, bed No. 1," and so on. The name of the locality, however, should also, as already suggested, be written on the labels as a provision against the possible loss of note-books.

It generally happens that an outcrop will show only a part of the beds of which it is composed, thus:

5	Unexposed.	10 feet.
4	Limestone.	7 feet.
3	Unexposed space.	8 feet.
2	Limestone.	11 feet.
1	Sandstone.	15 feet.

In such a case the facts should be noted exactly as seen, without any attempt to guess at the nature of the material that may fill the unexposed spaces; but, generally, by comparing different sections of this kind taken in the same region, the entire structure of a district may be made out.

The dip and strike of strata should also be carefully observed and noted, as well as the occurrence of dikes or other outbursts

of igneous rocks, and the effects of the latter on the contiguous strata.

All evidences of the elevation or sinking of coasts should likewise be carefully observed and noted.

Especial attention should be given to glacial phenomena of every kind, such as the formation, size, movements, &c., of existing glaciers, their abrading and other effects upon the subjacent rocks, their formation of moraines, &c.; also, the formation, extent, and movements of icebergs, and their power of transporting masses of rock, &c.

At Cape Frazer, between latitude 50° north and longitude 70° west, Dr. Hayes found some upper silurian fossils in a hard gray limestone. This rock doubtless has a rather wide extension in the country referred to, as other explorers have brought silurian fossils from several localities farther southward and westward in this distant northern region. Should the party visit the locality from which Dr. Hayes collected his specimens, it is desirable that as complete a collection as possible should be obtained, as most of those found by Dr. Hayes were lost.

For making geological observations, and collecting geological specimens, very few instruments are required. For determining the elevations of mountains, and the general altitude of the country, a barometer is sufficiently accurate. For local elevations of less extent a pocket level (Locke's) should be provided. Tape-lines are also useful for measuring vertical overtops, and other purposes; and a good pocket-compass is indispensable. The latter should have a clinometer attached.

A good supply of well-tempered cast-steel hammers should also be provided. They should be of various sizes and forms, and ought to be made with large enough eyes to receive stout handles, of which a good number, made of well-seasoned hickory, should be prepared. Chisels of different sizes should also be prepared of well-tempered steel.

A pouch of leather or stout canvas, with a strap to pass over the shoulder, will be found useful to carry specimens for short distances.

[F. B. M.]

GLACIERS.

The progress of our knowledge of glaciers has disclosed two sides of the subject entirely disconnected with one another, and requiring different means of investigation. The study of the structure of glaciers as they exist now on the phenomena

connected with their formation, maintenance, and movement, constitute now an extensive chapter in the physics of the globe. On the other hand, it has been ascertained that glaciers had a much wider range during an earlier but nevertheless comparatively recent geological period, and have produced during that period phenomena which, for a long time, were ascribed to other agencies. In any investigation of glaciers now-a-days, the student should keep in mind distinctly these two sides of the subject. He ought also to remember at the outset what is now no longer a mooted point: that, at different times during the glacial period, the accumulations of ice covering larger or smaller areas of the earth's surface have had an ever-varying extension, and that whatever facts are observed, their value will be increased in proportion as the chronological element is kept in view.

From the physical point of view, the Arctic Expedition, under the command of Captain Hall, may render science great service should Doctor Bessels have an opportunity of comparing the present accumulations of ice in the Arctic regions with what is known of the glaciers of the Alps and other mountainous regions. In the Alps the glaciers are fed from troughs in the higher regions, in which snow accumulates during the whole year, but more largely during winter, and by a succession of changes is gradually transformed into harder and harder ice, moving down to lower regions where glaciers never could have been formed. The snow-like accumulations of the upper regions are the materials out of which the compact transparent brittle ice of the lower glaciers is made. Whatever snow falls upon the glaciers in their lower range during winter melts away during summer, and the glacier is chiefly fed from above and wastes away below. The water arising from the melting of the snow at the surface contributes only indirectly to the internal economy of the glacier. It would be superfluous here to rehearse what is known of the internal structure of glaciers and of their movement; it may be found in any treatise on glaciers. Nor would it be of any avail to discuss the value of conflicting views concerning their motion. Suffice it to say that an Arctic explorer may add greatly to our knowledge by stating distinctly to what extent the winter snow, falling upon the surface of the great glacial fields of the Arctic, melts away during summer and leaves bare an old icy surface covered with fragments of rock, sand,

dust, &c. Such an inquiry will teach us in what way the great masses of ice which pour into the Arctic ocean are formed, and how the supply that empties annually into the Atlantic is replenished. If the winter snows do not melt entirely in the lower part of the Arctic glaciers during summer, these glaciers must exhibit a much more regular stratification than the Alpine glaciers, and the successive falls of snow must in them be indicated more distinctly by layers of sand and dust than in those of the Alps by the dirt bands. Observations concerning the amount of waste of the glaciers by evaporation or melting, or what I have called *ablation* of the surface during a given time in different parts of the year, would also be of great interest as bearing upon the hygrometric condition of the atmosphere. A pole sunk sufficiently deep into the ice to withstand the effects of the wind could be used as a meter. But it ought to be sunk so deep that it will serve for a period of many months and rise high enough not to be buried by a snow-storm. It should also be ascertained, if possible, whether water oozes from below the glacier, or, in other words, whether the glacier is frozen to the ground or separated from it by a sheet of water. If practicable, a line of poles should be set out with reference to a rocky peak or any bare surface of rock, in order to determine the motion of the ice. It is a matter of deep interest with reference to questions connected with the former greater extension of glaciers, to know in what manner flat sheets of ice move on even ground, exhibiting no marked slope. It may be possible to ascertain, after a certain time, by the change of position of poles sunk in the ice, whether the motion follows the inequalities of the surface or is determined by the lay of the land and the exposure of the ice to the atmospheric agents, heat, moisture, wind, &c. It would be of great interest to ascertain whether there is any motion during the winter season, or whether motion takes place only during the period when water may trickle through the ice. The polished surfaces in the immediate vicinity of glacier ice exhibit such legible signs of the direction in which the ice moves, that wherever ledges of rocks are exposed the scratches and furrows upon their surface may serve as a sure register of its progress: but before taking this as evidence it should, if possible, be ascertained that such surfaces actually belong to the area over which the adjoining ice moves during its expansion leaving them bare in its retreat.

The
fional
Arctic
surface
rocky s
express
polishin
can nev
be reco
with tra
takable
had. I
of facts
imity of
a direct
for insta
the loos
the Ho
extende
extensio
with oth
it may b
to the A
the whol
was once
signs of
instance,
history o
former e
of North
has yet n
surfaces
in the A
Hall's ex
they coul
they may
It would b
of such gl
would be
pebbles, u
the surfac
selves pol

The geological agency of glaciers will no doubt receive additional evidence from a careful examination of this point in the Arctic regions. A moving sheet of ice, stretching over a rocky surface, leaves such unmistakable marks of its passage that rocky surfaces which have once been *glaciated*, if I may thus express the peculiar action of ice upon rocks, viz, the planing, polishing, scratching, grooving, and furrowing of their surfaces, can never be mistaken for anything else, and may everywhere be recognized by a practiced eye. These marks, in connection with transported loose materials, drift, and boulders, are unmistakable evidence of the great extension which glaciers once had. But here it is important to discriminate between two sets of facts, which have generally been confounded. In the proximity of existing glaciers, these marks and these materials have a direct relation to the present sheet of ice near by. It is plain, for instance, that the polished surfaces about the Grimsel, and the loose materials lying between the glacier of the Aar and the Hospice, are the work of the glacier of the Aar when it extended beyond its present limits, and step by step its greater extension may be traced down to Meyringen, and, in connection with other glaciers from other valleys of the Bernese Oberland, it may be tracked as far as Thun or Berne, when the relation to the Alps becomes complicated with features indicating that the whole valley of Switzerland, between the Alps and the Jura, was once occupied by ice. On the other hand, there are evident signs of the former presence of local glaciers in the Jura, as, for instance, on the Dent de Vaulion, which mark a later era in the history of glaciation in Switzerland. Now the traces of the former existence of extensive sheets of ice over the continent of North America are everywhere most plainly seen, but no one has yet undertaken to determine in what relation these glaciated surfaces of past ages stand to the ice fields of the present day in the Arctic. The scientific men connected with Captain Hall's expedition would render science an important service if they could notice the trend and bearing of all the glacial scratches they may observe upon denuded surfaces wherever they land. It would be advisable for them, if possible, to break off fragments of such glaciated rocks and mark with an arrow their bearing. It would be equally important to notice how far the loose materials, pebbles, boulders, &c., differ in their mineralogical character from the surface on which they rest, and to what extent they are themselves polished, rounded, scratched, or furrowed, and also what

is the nature of the clay or sand which holds them together. It would be particularly interesting to learn how far there are angular boulders among these loose materials, and what is their position with reference to the compacted drift made up of rounded, polished, and scratched pebbles and boulders. Should an opportunity occur of tracing the loose materials of any locality to some rock *in situ*, at a greater or less distance, and the nature of the materials should leave no doubt of their identity, this would afford an invaluable indication of the direction in which the loose materials have traveled. Any indication relating to the differences of level among such materials would add to the value of the observation. I have purposely avoided all theoretical considerations, and only called attention to the facts which it is most important to ascertain, in order to have a statement as unbiased as possible.

[L. A.]

It
are
is
of
ould
lo-
and
their
rec-
ica-
ials
sely
cion
r to

]

