

**CIHM
Microfiche
Series
(Monographs)**

**ICMH
Collection de
microfiches
(monographies)**



Canadian Institute for Historical Microreproductions / Institut canadien de microreproductions historiques

© 1994

Technical and Bibliographic Notes / Notes techniques et bibliographiques

The Institute has attempted to obtain the best original copy available for filming. Features of this copy which may be bibliographically unique, which may alter any of the images in the reproduction, or which may significantly change the usual method of filming, are checked below.

L'Institut a microfilmé la meilleur exemplaire qu'il lui e été possible de se procurer. Les détails de cet exemplaire qui sont peut-être uniques du point de vue bibliographique, qui peuvent modifier une image reproduite, ou qui peuvent axiger une modification dans la méthode normale de filmage sont indiqués ci-dessous.

- | | |
|--|---|
| <input type="checkbox"/> Coloured covers/
Couverture de couleur | <input type="checkbox"/> Coloured pages/
Pages de couleur |
| <input type="checkbox"/> Covers damaged/
Couverture endommagée | <input type="checkbox"/> Pages damaged/
Pages endommagées |
| <input type="checkbox"/> Covers restored and/or laminated/
Couverture restaurée et/ou pelliculée | <input type="checkbox"/> Pages restored and/or laminated/
Pages restaurées et/ou pelliculées |
| <input type="checkbox"/> Cover title missing/
Le titre de couverture manque | <input checked="" type="checkbox"/> Pages discoloured, stained or foxed/
Pages décolorées, tachetées ou piquées |
| <input type="checkbox"/> Coloured maps/
Cartes géographiques en couleur | <input type="checkbox"/> Pages detached/
Pages détachées |
| <input type="checkbox"/> Coloured ink (i.e. other than blue or black)/
Encre de couleur (i.e. autre que bleue ou noire) | <input checked="" type="checkbox"/> Showthrough/
Transparence |
| <input type="checkbox"/> Coloured plates end/or illustrations/
Planches et/ou illustrations en couleur | <input type="checkbox"/> Quality of print varies/
Qualité inégale de l'impression |
| <input checked="" type="checkbox"/> Bound with other material/
Relié avec d'autres documents | <input type="checkbox"/> Continuous pagination/
Pagination continue |
| <input checked="" type="checkbox"/> Tight binding may cause shadows or distortion
along interior margin/
La reliure serrée peut causer de l'ombre ou de la
distorsion le long de la marge intérieure | <input type="checkbox"/> Includes index(es)/
Comprend un (des) index |
| <input type="checkbox"/> Blank leaves added during restoration may appear
within the text. Whenever possible, these have
been omitted from filming/
Il se peut que certaines pages blanches ajoutées
lors d'une restauration apparaissent dans la texte,
mais, lorsque cela était possible, ces pages n'ont
pas été filmées. | <p>Title on header taken from: /
La titre de l'en-tête provient:</p> <input type="checkbox"/> Title page of issue/
Page de titre de la livraison |
| <input type="checkbox"/> Additional comments: /
Commentaires supplémentaires: | <input type="checkbox"/> Caption of issue/
Titre de départ de la livraison |
| | <input type="checkbox"/> Masthead/
Générique (périodiques) de la livraison |

This item is filmed at the reduction ratio checked below /
Ce document est filmé au taux de réduction indiqué ci-dessous.

10X	14X	18X	22X	26X	30X
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12X	16X	20X	24X	28X	32X

The copy filmed here has been reproduced thanks to the generosity of:



Library
Agriculture Canada

The images appearing here are the best quality possible considering the condition and legibility of the original copy and in keeping with the filming contract specifications.

Original copies in printed paper covers are filmed beginning with the front cover and ending on the last page with a printed or illustrated impression, or the back cover when appropriate. All other original copies are filmed beginning on the first page with a printed or illustrated impression, and ending on the last page with a printed or illustrated impression.

The last recorded frame on each microfiche shall contain the symbol \rightarrow (meaning "CONTINUED"), or the symbol ∇ (meaning "END"), whichever applies.

Maps, plates, charts, etc., may be filmed at different reduction ratios. Those too large to be entirely included in one exposure are filmed beginning in the upper left hand corner, left to right and top to bottom, as many frames as required. The following diagrams illustrate the method:



thanks

L'exemplaire filmé fut reproduit grâce à la générosité de:

Bibliothèque
Agriculture Canada

ality
bility
e

Les images suivantes ont été reproduites avec le plus grand soin, compte tenu de la condition et de la netteté de l'exemplaire filmé, et en conformité avec les conditions du contrat de filmage.

filmed
on
mpres-
All
on the
es-
nted



Les exemplaires originaux dont la couverture en papier est imprimée sont filmés en commençant par le premier plat et en terminant soit par la dernière page qui comporte une empreinte d'impression ou d'illustration, soit par le second plat, selon le cas. Tous les autres exemplaires originaux sont filmés en commençant par la première page qui comporte une empreinte d'impression ou d'illustration et en terminant par la dernière page qui comporte une telle empreinte.

e
ON-
D").

Un des symboles suivants apparaîtra sur la dernière image de chaque microfiche, selon le cas: le symbole \rightarrow signifie "A SUIVRE", le symbole ∇ signifie "FIN".


t
to be
t to
s
the

Les cartes, planches, tableaux, etc., peuvent être filmés à des taux de réduction différents. Lorsque le document est trop grand pour être reproduit en un seul cliché, il est filmé à partir de l'angle supérieur gauche, de gauche à droite, et de haut en bas, en prenant le nombre d'images nécessaire. Les diagrammes suivants illustrent la méthode.



MICROCOPY RESOLUTION TEST CHART

(ANSI and ISO TEST CHART No. 2)



APPLIED IMAGE Inc

1653 East Main Street 14609 USA
Rochester, New York
(716) 482 - 0300 - Phone
(716) 288 - 5989 - Fax

335
BULLETIN No 34

WHAT THE BACON HOG MUST BE

— BY —

JOSEPH PASQUET

PROFESSOR OF ANIMAL HUSBANDRY

SCHOOL OF AGRICULTURE

SAINTE-ANNE DE LA POCATIERE, P. Q.

TRANSLATED FROM THE FRENCH

BY

J. J. GAUTREAU, B. S. A.



Young hogs
raised on the farm of the School of Agri-
culture at Ste-Anne.

PUBLISHED BY ORDER OF
THE HONORABLE JOSEPH-ÉDOUARD CARON
MINISTER OF AGRICULTURE
PROVINCE OF QUEBEC

1917





Side which is too fat



Side which is too lean

From the Dominion live-stock branch

3
V
w
I
M
h
w
b
t
t
p
e
p
is
of
ov
ho
ye
co
ca



WHAT THE BACON HOG MUST BE

Hog-raising is already prosperous in the province of Quebec, where there are almost 662,000 hogs or 397 per 1000 inhabitants. In 1901 there were only 245. The increase is therefore important. Must we conclude that progress in this line can make no further headway? I believe in such a country as the province of Quebec, where dairying is so well developed, leaving skim milk and whey as by-product, that the number of hogs could be doubled and perhaps tripled. I even know enthusiasts, who would like us to quadruple the hog population of this province.

We have seen, that there are over 760,000 dairy cows in the province; now, there is no doubt that the ration of 2 to 3 pigs can easily be completed by the skim milk of one cow. Therefore the hog population could easily attain 2,000,000.

Do not fear an under selling price. The British market, which is partly supplied by Canada, can easily dispose of a larger amount of bacon than is produced by our Canadian breeders. And a look over the statistics will convince us of the fact.

The British market disposes of an average of about 150,000 hogs weekly.

70,000	are supplied by	United States
35,000	"	" Denmark
30,000	"	" Canada
10,000	"	" Ireland
5,000	"	" Europe.

Therefore Canada does not supply 20 p.c. of the demand. And yet, we must remember that 75 p.c. to 80 p.c. of the bacon exported comes from Ontario. Then we can conclude that the hog production can take a still larger extension.

War has temporarily modified the British market. England imports very little from Denmark who retains her food supplies for herself, or sells them to Germany at a very high price. Canada has temporarily replaced Denmark in the supply of bacon. Our bacon hog exportations have increased as follows :

1914.—23,620,821 lbs.

1915.—72,036,025 lbs.

1916.—149,150,309 lbs.

But after the war, Denmark shall again become dangerously in opposition and to retain the British market, and also to partly satisfy the local market, a well determined type of bacon hog must be produced.

It is up to us to satisfy the consumer, who manifests his taste, outlines the product he desires, and if we wish to obtain top-prices, we must live up to his exigencies.

Through the packing houses, the consumer demands little fat pork, he looks for interlarded pork; half fat, firm and of good quality. Having consulted the directors of the different packing-houses of Montreal, I am certain that satisfaction will be given by producing a hog of the following description :

Live weight 180 to 220 lbs. on an empty stomach seems to be the ideal weight.

Aged 5 to 7 months, younger hogs often produce a soft bacon; and older ones are undesirable. In the Province of Quebec, we have often noticed that hogs still lacked weight and finish at 9 or 10 months of age. Exaggerated economy becomes very costly in this case.

MODERATELY FAT, so as to have a 1½ inch layer of fat and as uniform as possible. With a straight and well filled side; that is very straight from the thigh to the point of the shoulder.

FIRM LARD (fat), so as not to melt in summer temperature.

We shall study what there is to do so as to produce this type of hog which is in great demand, and exactly the one which is advantageous, which will give profits. Canadian, Danish and American experiments prove it.

Professor Henry cites an experiment which is very conclusif, because ih has been made in the different experiment stations of U. S. with 2,200 hogs.

The following table proves very evidently, that the younger the hog the less feed it takes for 1 lb. of gain.

Weight of hogs	Feed eaten per day	Gain per day	Feed eaten per 100 lbs of gain
From 15 to 50lbs	2.2	0.8	293
From 50 to 100lbs	3.4	0.8	400
From 100 to 150lbs	4.8	1.1	437
From 150 to 200lbs	5.9	1.2	482
From 200 to 250lbs	6.6	1.3	498
From 250 to 300lbs	7.4	1.5	511
From 300 to 3.50lbs	7.5	1.4	535

The Denmark experiments at Copenhogen gave similar results.

Weight of hogs	Grain per 100 lbs gain
From 35 to 75lbs	376lbs
From 115 to 155lbs	466lbs
From 155 to 195lbs	513lbs
From 195 to 235lbs	540lbs
From 235 to 275lbs	614lbs
From 275 to 315lbs	639lbs

Grisdale of the Ottawa experimental farm, obtained similar results and says: "There is economy in selling hogs when their live weight is between 180 and 200lbs". The hog which Mr. Grisdale finds economical is just the type demanded by the market.

There is no room for hesitation. The Americans who can dispose of immense corn fields will produce the lard hog and here in Quebec, we will produce the bacon hog, which sells at the top-notch price.

Now, how is this type of hog produced ?

We can produce this hog, by selecting parents having the desired conformation and giving the young hog abundant food, chosen in such a way as to produce firm fat.

The parents must be of following conformation.

Long, as long as possible.

Deep, very deep.

Moderately wide.

Rectangular rather than cylindrical.

Top-line straight or slightly convex.

Side-lines straight from the angular part of the hind leg to the shoulder. A very angular shoulder is a defect even for the male.

Under-line straight.

Extremities fine but without exaggeration, and solid.

Clean head.

Feeding as well as heredity, will act upon the preparation of the hog. Good feeding should be practised during youth, even when the young are still suckling, for it is proved that hog production is particularly economical at this period of age.

One could scarcely feed the nursing¹ sow too well. Very often the dam grows thin and the young thrive very little; because the dam's ration is not sufficient. The dam should be always furnished green forage or roots, and a liberal supply of concentrates.

Weaning can take place when the young are 4 weeks old, though it would be preferable to wait until they are 2 months of age, and teaching them to eat from the trough as soon as possible.

After weaning and until the hogs weigh from 120 to 130 lbs (5 to 6 month) the most advantageous feeds are pasture, soiling crops or roots with a supplement of grain.

Danish experiments permit us to estimate that 600 lbs of skim-milk or 800lbs of roots are equal to 100 lbs of grain.

Skim-milk has its greatest value when only 3lbs to 1 of meal are given; 327lbs of skim-milk being equal to 100lbs of grain. Roots (turnips, beets) are worth $\frac{1}{4}$ the value of grain, when fed in equal weight, that is 400lbs of roots costing \$0.40, can replace 100lbs of grain worth \$2.00, 4½ lbs of green clover were worth 1lb of grain in certain experiments.

One can easily see the advantage of skim-milk, roots and soiling crops in the ration of hogs.

No doubt the hog will not be as fat, but will have a better framework than if fed on grain alone. He will have a more solid flesh,

will be
period

M
ving t
hogs a
one.



Hog
concentrate

A c
product
softness

The

- 1.—
- 2.—
- 3.—

will be more vigorous and be better prepared for the final fattening period.

Mr. Grisdale's experiment on this point is very interesting, proving that a good sufficient but limited ration, gave more vigorous hogs and producing the gain on a cheaper basis than the unlimited one.



Yorkshire Boar
The best breed for bacon

From the Dominion live-stock branch

Hogs thus prepared, are easily finished by the use of a more concentrated ration during the last period of fattening.

A certain quantity of bacon produced is soft and is a 2nd class product commanding a lower price. What are the causes of this softness ?

They are no doubt numerous. Following are the principle ones:

- 1.—Hog being too young.
- 2.—Irregular-thriving and ill-health.
- 3.—Lack of exercise.

4.—Cold temperature, Kellner in Germany and Trips in Denmark, have remarked that hogs fattened in cold quarters gave a softer pork than those fattened in warmer quarters.

5.—Certain foods. The numerous experiments made by Mr. Shutt of Ottawa and professor Day of the Ont. Agricultural College, have given evidence upon the bad effect of corn and beans in the production of firm bacon. Kellner fed a ration of 80 p.c. corn and 20 p.c. palmetto-cake which produced a very firm pork.

The results obtained by M. Shutt, must be remembered. Skim-milk with corn gave a firm bacon. This is very interesting for the Québec farmer who can dispose of an immense quantity of skim-milk.

Turnips, mangels, and especially sugar-beets fed in a ration of half corn, half mixed grains and skim milk gave a remarkably firm bacon.

This is very interesting because these are economical feeds easily produced.

I sincerely believe that in making a good selection of the parents (especially the sire) and practising an intelligent breeding, by giving an abundant, economical ration (without exaggeration), by the use of skim-milk, you can easily produce the type of hog demanded by the packing-houses.

The packing-houses will no doubt, in the near future, pay extraordinary high prices. You certainly would be at fault, did you not take the advantages offered by the present market.

Breed a large quantity of bacon hogs.





