O. H. M. S.

Deputy Minister.

LABORATORY


OF THE

INLAND REVENUE DEPARTMENT

OTTAWA, CANADA

BULLETIN No. 113

PATENT MEDICINES AND HEADACHE POWDERS



LABORATORY

OF THE

INLAND REVENUE DEPARTMENT

OTTAWA, CANADA

BULLETIN No. 113

PATENT MEDICINES AND HEADACHE POWDERS

OTTAWA, Ont., January 9, 1906.

W. J. GERALD, Esq., Deputy Minister of Inland Revenue.

SIR,—I beg to submit herewith a report addressed to me by Mr. A. McGill concerning certain samples of patent medicines and headache powders which were collected in accordance with your request. In addition to what Mr. McGill has said regarding these, I beg to offer the following remarks for your consideration :---

Peruna.—From the small percentage of total solids contained in this article, less than is found in ordinary rye or Scotch whiskey, it does not appear to belong to the class of patent medicines. The quantity of alcohol found in it (40 per cent proof spirit) is considerably higher than the strongest port wine and about two-thirds that of the ordinary grades of whiskey. It becomes a question as to whether it can be legally sold by druggists without a liquor license.

In the New Hampshire Sanitary Bulletin of the present month, it is stated that an order has been issued by the Commissioner of Internal Revenue, Treasury Department of the United States, requiring dealers in certain patent medicines to pay a revenue tax as liquor dealers. The following medicines are referred to in this ruling. :

3

113-11

Atwood's La Grippe Specific. Cuban Gingeric. De Witt's Stomach Bitters. Dr. Bouvier's Buchu Gin. Dr. Fowler's Meat and Malt. Duffy's Malt Whisky. Gilbert's Rejuvenating Iron and Herb Juice. Hostetter's Stomach Bitters. Kudros Peruna. Rockandy Cough Cure.

These preparations contain so small an amount, if any, of effective drugs or medicines, and so large an amount of alcohol, as to make their use as intoxicants not uncommon.

Ozone.—Since this article contains a substance whose properties are the opposite of those indicated by the name, its sale would appear to be illegal under section 2 of the Adulteration Act, according to which a drug shall be deemed to be adulterated 'if its strength quality or purity falls below or differs from the professed standard under which it is sold or offered for sale.'

Extract of Sarsaparilla.—The foregoing quotation from the Adulteration Act scems also to apply to some of the samples sold under this name.

Headache Powders.—Although these cannot very well be classed as patent medicines, they are no doubt proprietary. It does not appear possible to prove adulteration in connection with any of them, but they seem to deserve the attention of the different Provincial Boards of Health. The course prescribed by section 34 of the Pharmacy Act of Ontario, as to the inspection and analysis of patent or proprietary medicines, would seem to be well fitted for application to some of these headache powders.

I have the honour to be, sir,

Your obedient servant,

THOMAS MACFARLANE, Chief Analyst.

OTTAWA, December 18, 1905.

THOS. MACFARLANE, Esq., F.R.S.C., &c., Chief Analyst.

SIR,—I beg to hand you a report, dealing with the analyses of thirty samples of headache powders and similar preparations, and fifteen samples of patent medicines. These last were collected with a view to their examination for alcohol; but in addition to this determination, I have given the contents of iodide of potassium found in six (6) of them, and that of sulphurous acid, which is the most characteristic substance in so-called 'Ozone' (No. 26689) and 'Liquozone,' (No. 24897).

The quantity of iodide present in every case, much less than the minimum pharmacopocial dose (5 to 10 grains).

With regard to the headache powders, I may say that quantitative estimation of the active drug (acetanilide-antifebrin or phenacetin) has, in every case, been attempted. Owing to the presence of interfering substances of very indefinite nature, such as ginger, liquorice, &c., these estimations are less exact than could be wished, but they have

.

demonstrated that acetanilide is present to the extent of about three grains in most of the powders containing it, while the amount of phenacetin present in the two (2) preparations containing it does not exceed five grains.

Of the three drugs which are recognized as having specific effect in relieving headache, and which have lately come into popular use for this purpose, acetanilide is not only prescribed in smallest doses by the British Pharmacopæia, but is much the lowest priced drug. The respective doses prescribed by the B.P., are as follows:

																		6	ral	ns.
Acetanilide.										 	 							 1	to	3
Phenacetin	 		 								 							 5	to	10
Phenazone	 					 												 5	to	20

or

of he its ch

ms

es.

in

cy

es,

s of nes. ion (6) in man of ted. ger, iave The prices at which these drugs are quoted by the vendors named, are as follows :

	Harrington Bros., 1905, per lb.	Evans & Sons, 1903.
Acetanilide	. 1 shilling,	\$0 50
Phenacetin	3s. 3d.	2 00
Phenozone	. 10s. 8d.	4 50

If there be any different degrees of toxicity in the use of these drugs, it remains for the medical fraternity to pass a verdict upon the matter. I may say, however, that the habitual use of any substance so potent in its physiological effects as acetanilide must be attended with danger to the person who uses it. It will be noted that in most cases the depressant effect upon the heart is sought to be counteracted by the addition of caffeine, bi-carbonate of soda or other drug of like character.

A large share of the work here recorded has been done by Mr. Lemoine.

I have the honor to be, sir,

Your obedient servant,

A. McGILL.

MISCELLANEOUS

Date of Collection.		Nature of Sample,	No. of Sample.	Name and Address of Vendor.	Cost.	Name and Address of Manufacturer or Furnisher.	• Inspector's Report.
Date			No. 0				
					\$ cts.		
June		Peruna		Bleury St., Montreal	3 bottles	Peruna Medicine Co., Columbus, Ohio.	Co.
"		Ayer's Sarsaparilla			3 hottles	D. J. C. Ayer & Co., Lowell, Mass.	
11	28	Bristol's Sarsapar- illa.	26688	Dr. J. Leduc & Co., 2453 St. Catherine St., Montreal.	1 30 2 bottles	Lanman & Kemp, New York.	
	28	Ozone	26689		2 25 3 hottles	The Public Drug Co., Bridgeburg, Canada.	
"		Peruvian Tonic.		Dr. J. G. Laviolette, 1605 Notre Dame	2 25 3 bottles	The Madison Pharma- cal Co., New York	•••••
				J. D. Tully, 401 George	2 25	J. D. Tully, Peter-	
"	22	Standard Sarsapar- illa.	24896	John Nugent, 389 George St., Peter- borough.	2 40 3 bottles	The Canadian Pharma- cal Association, To- ronto.	•••••
0	22	Liquozone	24897	H. H. Edmison, George	2 50 3 bottles	The Liquozone Co.,	
"	22	Nyal's Celery Ner- vine.	24898	" "	2 25 3 hottles	Toronto, Can. New York and London Drug Co., New York, U.S.A.	
"	22	Paine'sCeleryCom- pound.	24899		2 40	Wells, Richardson & Co., Burlington, Ver- mont.	
July	17	Massey's Sarsapar- illa.	24890	G. D. Reid, 684 Queen St. West, Toronto.	2 10 3 bottles	D. Massey Laboratory Co., London, Eng., and Toronto, Can.	
	17	Burdock Blood Bitters.	24891	J. R. Bond, 453 Yonge St., Toronto.	1 40	The T. Milburn Co., Toronto.	
"	17	Stringer's Nervine.	24892		3 60	Stringer Medical Co., 77 Victoria St., To-	
"		Dr. Hodder's Bur- dock and Sarsa- parilla Com- pound.			3 bottles	Union Medicine Co., Toronto.	
"	17	Dr. Pierce's Fav- ourite Prescrip- tion.		Yonge St., Toronto.	3 bottles	World's Dispensary Medical Association, Proprs., Buffalo, N.Y	

DRUG SAMPLES.

		SULTS OF	ANALYS	us.		
of	of ol.	Alec	ohol Con	tent.		Remarks.
Specific Gravity of Sample.	Specific Gravity of Distillate to equal Vol.	Weight.	Volume.	Proof Spirit.	Solids.	
p. c.	p. c.	p. 2.	p. c.	p. c.	p. c.	and the second sec
0.9752	.9740	18.08	22.18	38.87	0.44	Contains no iodide of potassium.
1.0789	·9741	18.00	22.09	38.71	23.53	Contai es 0.415 grms. potassium iodide per 100 cc.
1.0537	·9903	5.69	7.09	12.43	14 · 49	(=1.81 grains per ounce). Contains 0.282 grms, potassium iodode per 100 cc. (=1.23 grains per ounce).
1.0096	1.0000	None.	None.	None.	1.60	Contains no iodides ; contains 0 1568 grms. sulphur-
9980	·9820	11.62	14.37	25.18	3.62	ous acid per 100 cc. Contains 0.066 grms. potassium iodide per 100 cc. (=0.288 grains per ounce).
·1889	·9969	1.75	2.20	3.82	41.53	Contains no iodides although these are claimed to
1 · 0688	.9785	14.36	17.70	31.03	38.33	be present. Contains 0.349 grms, iodide of potassium per 100 cc. (=1.525 grains per ounce).
1.0091	1.000	None.	None.	None.	1.51	Contains no iodides ; contains 0.1728 grms. sulphur-
1.0455	·9821	11.54	14.27	25.01	15.57	ous acid per 100 cc. Contains no iodides.
0162	9779	14.91	18.36	32.19	10.62	•
1.1775	·9960	2.28	2.86	5.01	39.18	Contains 0.398 grms, potassium iodide per 100 cc. $(=1.739$ grains per ounce).
0298	9799	13.23	16.33	28.62	15.66	Contains no iodides.
1.1309	.9987	0.68	0.86	1.21	25.08	
1.0429	·9767	15.92	19.29	34.32	15.81	Contains 0.083 grms, potassium iodide per 100 cc. (=0.363 grains per ounce).
1.1041	1.0000	None.	None.	None.	40.83	Contains no iodides.
0.9739	.9722	19.50	23 88	41.85	0.37	

7

US

14

sons

Date of Collec- tion.	Nature of Sample.	No. of Sampie.	Name and Address of Vendor.	Cost.	Name and Address of Manufacturer or Furnisher,	Description as found on the Label.
1905.	District of Montreal-	_J.J.	Costigan, Inspector.	\$ cts.		
June 27	Mathieu's Nervine Powders.	26680	John T. Lyons, 6 Bleury St., Mon- treal.	0 75 (3 pkgs.)		Mathieu's Nervine Powders for head- ache and neuralgia; contains no opium, morphine or chloral. One powder will re- lieve and a few pow- ders will cure yon. If you have a bad head- ache; if you are fev- erish; if you are fev- erish; if you are fev- erish; if you are feu- la grippe; if you suf- fer from neuralgia. These powders are
						very good for child ren cutting their teeth.
21	Cachets du Dr. F. J. Demers.	26681	Dr. E. J. Demers, Montreal.	0 54 (3 boxes)	Depot: 1157 Rue St. Laurent, Montreal.	Cachets du Dr. F. J. Demers, contre la mal de tête—a sure cure for headache Guérison prompte e certaine des névral gies et de tous maux de tête nerveux ou bilieux; ce cachete es inoffensif et supéri eur à tous les autres Dépôt, 1167 rue St Laurent, Montréal.
, 2	8 Orangeine	2668	4 J. E. Tremble,2480 St.Catherine St., Montreal.			Orangeine cures con gestive h ead a c h e neuvalgia, sciatica sick headache, hem icrania, painful men struation, la grippe rheumatism, etc.
., 2	8 Lyman's Headache Wafers.	2668	5	0 71 (3 boxes) Lyman,Sons &Co.,) Montreal.	Lyman's Headach Wafers, a positiv cure for sick and bil ious headache an neuralgria : prace 25c a box ; manufacture by Lyman, Sons & Co., Montreal, estab

AND SIMILAR PREPARATIONS.

			R	SULTS OF	ANALYS	SIS.			
Directions for use, as found on the Label.	Cont	ht of tents one rder.	Acetani- lide= anti- febrin.	Phen- acetin.	Phena- zone= anti- pyrine.	Caffeine	Carbon- ate of Soda.	Remarks.	
Directions—One powder every 3 hours; however, the dose can be repeated after one hour if not re- lieved; for children, 1 to 2 years old, divide 1 powder in 12; 3 to 4 years, divide 1 powder in 8; 5 to 10 years, di- vide 1 powder in 4, 10 to 15 years, divide one powder in 2. How to take them: place a pow- der on the tongue and drink a little water af- ter. 25c. per box.		surg 22	Present.	None	None	Do'btful	Present.		
Directions—S of t e n the wafer by placing it for a moment in a little water, then swallow with a drink of water; if relief is not obtained, a second wafer may be taken half an hour or an hour later, but more than two wafers should not be taken in success		0.62				Present.	"		
sion ; the wafers should be taken as early in the attack as possible. A grand rule of health ; take an orangeine pow- der whenever chilled, cxposed, overwrought, nervous or upset ; all goed prescriptions should be taken only ac- cording to carefully pre- pared directions, and to secure best results, you should never take more than six 'Orangeine'	5.0	0.35		"			"	An enclosure contain the following stat ments Compositio tains in a harmlessfiv grain powder the fo lowing well-known r medies : podophylli versicolor iris, sod bicarb, acetanild, nu vomica and caffeine, ; carefully balanced h	
powders at regular in- tervals during the 24 hours. Directions—S of ten the wafer by placing it for a moment in a little wa	8.0	0.25	"			и.		years of human text to be aven no trace of drug effect from con- tinued use. 'Maxim um effect-minimu dose.' An enclosure contain the following: Con- tain neither morphin	
ter, then swallow with a drink of water; if re- lief be not obtained, a second wafer may be taken half an hour or an hour later. 113—2								antipyrine, bromid nor any other artic which could injure th most delicate, they at therefore the best an safest remedy in a	

Date of Collec- tion.	Nature of Sample.	No. of Sample.	Name and Address of Vendor.	Cost.	Name and Address of Manufacturer or Furnisher.	Description as found on the Label.
1905.	Dist. of Montreal-J	J. J. C	ostigan, InspCon	\$ cts.		
June 28	Alpha Wafers	26686	J. H. Harte, 2450 St. Catherine St., Montreal.	0 60 (3 boxes)	W. J. Brown, De- troit, Mich.	W. J. Brown's Alpha Wafers, aguaranteed cure for headache & neuralgia, never fail if taken as directed. W.J. Brown, Detroit, Mich., and Windsor, Ont., for sale at all drug stores. Price 25
., 28	Raphael's Head- ache Wafers.	26687	Dr. J. Leduc & Co., 2453, St. Cathe- rine St., Mont- real.	(3 boxes)	Raphael Chemical Co., London, Paris and New York.	cents. Raphael's H e a d ache Wafers, RaphaelChe- mical Co., London, Paris and NewYork.
., 28	Lambly's Head- ache Cure.	26690	R. H. Bryson, 2391 St. Catherine St., Montreal	0 75 (3 boxes)	J. W. Lambly, Montreal,	Lambly's Headache Cure, warranted to cure headache, tooth- ache, neuralgia, ear- ache, pain in theback, bowels or stomach.
., 2	Campbell's Head- ache Wafers.	26691	Kenneth Camp- bell Co., St. Ca therine St., Mon treal.	- (3 boxes)	Kenneth Campbell & Co., Montreal.	Campbell's Headach Wafers for the imme diate relief of nerv ous, bilious or neu ralgic h e a d a c h e s Kenneth Campbell & Co., Montreal.
July 1	0 Nelson's Headache Cachets.	2669:	2 Dr. J. G. Lavio lette, 1605 Notr Dame St., Mont real.	e (3 boxes	Put up for vendor by the Toronto Pharmacal Co. (Vendor's state- ment).	relief, Nelson Medi
						•
July 1	0 Albert's Headache Wafers.	2669	M. Albert, 169 St Lawrence Street Montreal.) Vendor	Albert's Headache Wa fers, immediate cur for headache an neuralgia, M. Al bert, druggist, 16 St. Lawrence St. cor. Dorchester, Mon treal.

7

đ

			RE	SULTS OF	ANALYS	IS.		
Directions for use, as found on the Label.	Cont	tents one der.	Acetani- lide= ante- febrin.	Phen- acetin.	Phena- zone= anti- pyrine.	Caffeine	Carbon- ate of Soda.	
Directions—To prepare the wafer, put it into a glass of water, leave there until it is perfect- ly soft, about 1 minute, place it in the mouth when soft, and swallow with a drink of water; see full directions in-		0.45	Present.	None.	None.	Do'btful	Present.	cases of neuralgia and headache, wh eth e i arising from indiges tion, biliousness or nervous troubles. Directions—Allow the cachet to remain in a teaspoonful of wa's till softened, which
side. Directions—Place the wa- fer in a glass of water till thoroughly softened and place in the mouth while soft, swallow with a little water; the wafer should be taken'as early in the attack as possible. If relief is not obtained, repeat in an hour, then not for four hours.		0.65		0		Present.	"	will require about ½ to I minute, then place if in the mouth and swal low with a little water. If relief be not obtain- ed, an other wafer should be taken if about one hour; if any depression be felt, take a small glass of wine or whiskey.
Dose—One powder every 2 to 8 hours; children one quarter to one-half of above quantity; to be taken in a little water, broth, etc. Pre- pared by J.W. Lambly,	10.0	0.62	"	u 3.		H	None	The following note is printed on the box :- These powders contain no antipyrine, mor- phine, or any other injurious substance. Instead of acting as a
Montreal. Directions—After moist- ening it thoroughly, swallow a wafer with a wineglass full of water ; it may be repeated in half an hour or an hour.	11.0	0.72	None	Present.	"	"	Present.	depressant, they sti- mulate and strengthen the heart. They can be taken at any time with perfect safety, but act better when taken on an empty stomach.
Directions—Place the ca- chet for a few moments in a glass of water until thoroughly so ft en ed, then swallow; another may be taken in an hour if the first has not given sufficient relief; a seid- litz powder frequently gives valuable assist-	13.0	0.84	"	"	"	Do'btful		
ance. Directions.—Soften the wafer by placing it for a moment in a little water, then swallow with a drink of water. If relief be not obtain- ed, a second wafer may be taken half an hour or an hour later.	9.0	0.28		9	"	Present.	"	These wafers contain no injurious ingredients, and are warranted free from antipyrine, mor- phine, chloral on opium.

,

Date of Collec- tion.	Nature of Sample	No. of Sample.	Name and Address of Vendor.	Cost.	Name and Address of Manufacturer or Furnisher.	Description as found on the Label.
1905. June 22	District of Kingsto In Stearn's Headache Cure.	spector.		\$ cts. 0 60 (3 boxes)	Not known to ven- dor.	Stearn's Headache Cure.
n 2	2 Perfect Headache Powders.	26583	u u	0 30 (3 boxes)		Perfect Headach Powders.
., 2	2 Hedrite	26584	L.T. Best, Princes St., Kingston.	0 50 (2 boxes)	The Herald Rem- edy Co., Chicago; Montreal, Can- ada.	Cures headache ; plea- sant, h a r m l e s s , speedy relief.
	22 Bromo-Seltzer 22 Phenyo-Caffein	. 26585 . 26586		0 30 (3 bot's. 0 75 (3 boxes	Phenyo-Caffein Co.	Phenyo-Caffein, 25c. size. These anodine and nervine pills con- tain no opium, and are the most efficient remedy for sick and nervous he a d a c h e and neuralgia, giving almost immediate re- lief. Inestimable in relieving r he u m a - tism, lumbago, ner- vousness, leepless, ness, feverishness and colds.
. :	22 Hoffman's Harn less Headach Powders.		7	0 75 (3 boxes	Hoffman Drug Co. Bridgeburg, Ont Can., New Roch elle, N.Y.	Hoffman's Harmles

12

-

			RE	SULTS OF	ANALYS	518.		
Directions for use, as found on the Label.			Acetani- line= anti- febrin.	Phen- acetin.	Phena- zone = anti- pyrine.	Caffeine	Carbon- ate of Soda.	Remarks.
Place the wafer in a glass of water until thorough- ly softened (about one- half to one minute) and place it in the mouth while still soft; swallow with a drink of water, If relief is not obtained, repeat it in an hour, but it is not advisable to take more than two		0.25 0.25	Present.	None.	None.	Do'btful	None.	These wafers contain n injurious narcotics and and are warranted free from antipyrine, mor phine, chloral or opium.
take more than two wafers in succession. The wafers should be taken as early in the attack as possible. Take one powder dry on the tongue, or in a little water, and repeat in half an hour if not relieved. Take as early in the attack as possi- ble. Do not repeat needlessly.	11.2	0.72		u			u	A re an instantaneou cure for sick or ner vous headache an ô neuralgia. They pro mptly relief sick sto mach, ex ha us te ô nerves, mental strain, sleeplessness, worry and anxiety, and al forms of depression o
Place the lozenge on the tongue and swall ow with a drink of water. The imprint in the mid- dle of the lozenge makes it easy to break in two pieces, and is conven- ient for people who are troubled with enlarged		0.68	п				Present.	spirits. Directions.—Take one powder in a little
tonsils. Take early in the attack. Dose. — Two or three pills; if these do not afford entire relief at end of one hour, take two more. Repeat above every 6 or 8 hours if necessary. Between ages of 5 and 10, half the above. These pills may be pulverized and taken in water, spirits or jelly.	4.0	0.36			"	Present.	"	They are much prefer able to any opiate, at they are efficient and curative, without any unpleasant action or thestomach or nervou sy stem. Continued use does not require at increase of the dose nor does the system be come habituated tt them. We have neve
Directions.—Place a pow- der on the tongue and swallow with a draught of water, if not relieved in half an hour take		0.28	s			Do'btful	".	known of but one cas in which more than eight of these pill were required durin 24 hours, and that wa an unusually sever case of dysmenorrhea

Date of Collec- tion.	Nature of Sample.	No. of Sample.	Name and Addres of Vendor.	ⁱ⁸ Cost.	Name and Address of Manufacturer or Furnisher.	Description as found on the Label.
1905.	District of Kinysta Inspecto	on−J. r−Con	J. Costigan, Actin	g 8 cts.		tee these powders to contain no opium, quinine, bromides or narcotics, price 25c. For sale by all drug- gists or sent by mall on receipt of price. The Hoffman Drug Co., Brid geburg, Ont., Can., New Rochelle, N.Y.
	-			1		
une 23	Standard Head- ache Powders.	26588	R. Templeton Co., Belleville.	(3 boxes)	cal Association, Toronto.	harmless and almost instantaneous relief for headache from any cause; prepared by the Canadian Pharmacal Associa-
23	Miller's Headache and Grip Powders	26589		. 0 75 (3 boxes)	C. H. Gunn & Co., Chatham, Ont.	tion, Toronto. Miller's headache and grip powders; a quick cure for ner- vous headache, sick headache, neuralgic pains or pains from any cause; putup by C. H. Gunn & Co., Chatham, Ontario; Successors to E. Mil- ler & Co., Dresden, Ont. Price 25 cents.
. 23	Templeton's Head- ache Wafers.	26590	"	. 0 75 (3 boxes)	R. Templeton & Co., Belleville, Ont.	Templeton's headache wafers; a safe and positive relief for all forms of nervous headache or neural-

			RE	SULTS OF	ANALYS	18.		
Directions for use, as found on the Label.	Con	one	Acetani- lide= ante- febrin.	Phen- acetin.	Phena- zone= anti- pyrine.	Caffeine	Carbon- ate of Soda.	Kemarks.
another powder. Is not a cathartic.	Gms.	G m	Present.	None	None	Doubt- ful.	None	when fifteen wer taken, causing "con plete relief." They pills contain no opiu nor morphine. Usu ally a dose of three or not less than tw pills is to be taken, <i>i</i> the beneficial effect more certain than froi re pe ated s malle doses. A possible en ception to this rule doses. A possible en ception to this rule doses. A possible en ception to this rule doses, when one pi repeated every ha hour till three ar taken, sometimes an swers best. Children can take proportion ately larger doses tha adults. One-fourth o a pill for a child on year old nearly alway has a happy effect i allaying fever and per ducing sleep. If second dose is requi ed, it could be give at the expiration c
Directions—Place a pow- der on the tongue and swallow with a draught of water; if not re- lieved in half an hour, take another powder; do not repeat again for four hours.	7.0	0.42						contain no cathart medicines.
Dose—Adults, 1 powder; 5 years, 1 of a powder; 8 years, 2 of a powder; 12 years, 2 of a powder; repeated in one hour if necessary, and if after four hours all pain is not gone, repeat; one or two doses will arrest the worst case of sick headache, and will cure the most distressing attack of nervous head- ache.		0.39				"	u .:	
ache. Directions regarding use- For ordinary headache arising from a disor- dered condition of the stomach, or from	16.0	1.04	"		"	Present.		

Sample. Date Name and Address Description as found on the Label. Name and Address of Cost. of Manufacturer Nature of Sample. Collecof Vendor. or Furnisher. tion. of No. District of Kingston--J. J. Costigan, Acting Inspector - Concluded. \$ cts. 1905. gia; they are guar-anteed to be abso-lutely free from morphine, opium, cocaine or drugs in the least way harmful; for additional descrip-tion as well as directions regarding use, see circular accompanying each pack-age; R. Templeton & Co., wholesale druggists Belleville, Ont.: in the treat-ment of sick or nervous headache, neur-algia, rheumatism or menstrual pains, these wafers will be found a most appro-priate specific; for the relief of sleep-0 75 B. N. Robinson & Zuto tablets, Japanese June 23 Zutoo Tablets 26591 F. C. Clark, Belleheadache cure. B.N. Robinson Co., Coati-cook, Que., sole owners for Canada and United States. (3 boxes) Co., Coaticook, Que. ville. Price 25c. Zutoo tab-lets cure sick head-ache, bilious head-ache, nervous headache, neuralgia and car sickness; they break up a cold and give prompt relief to r h u e m a t i c pains; District of Toronto-J. J. Costigan, Acting Inspector. guaranteed not to 0 75 boxes) Vendors by H.K. (This statement made by vendor.) Headache powders : prepared by Medical Hall (R. O. Snider, Hall (R. O. Snider, St., Toronto, Ont. (3 boxes) ders.

EXAMINATION OF HEADACHE POWDERS

1

			RE	SULTS OF	ANALYS	18.		
Directions for use, as found on the Label.	Con	ght of itents one vder.	Acetani- lide= anti- febrin.	Phen- acetin.	Phena- zone= anti- pyrine.	Catfeine	Car- bonate of Soda.	Remarks.
biliousness, constipa- tion, &c., one (1) wafer should be taken and repeated every three (3) hours if necessary; for neuralgia, cheumatic or menstrual pains, one (1) every two (2) or three (3) hours as required; for sleeplessness or ner- vousness, one (1) on retiring to be repeated in one (1) hour if sleep is not produced.		Grms.	Present.	None	Doubt-ful.	Present.	Present	
Dose—Take two tablets and repeat in half an hour if not relieved by first dose; females and delicate persons will require only one tablet repeated as second dose (see special directions on inside circular).		0.26	11	и				
Directions—For head ache, one powder re- peated in twenty or thirty minutes if neces- sary; for neuralgia, rheumatic pains, &c., one powder every two or three hours, as re- quired; for sleepless- nees and nervousness, one powder on retiring, to be repeated in one hour if sleep is not pro- duced; taken in a little water they will lower the temperature and induce sleep; for sick	8.0	0.25	Present.	None	Doubt-ful.	Present.	Present.	These powders have met with wonderful success and are certainly de- serving of all praise. They are guaranteed absolutely free from opium, morphine, co- deine, coccaine and other similar narcotics and have proved their efficiency where such drugs as phenacetine and antipyrine have failed. For sick or ner- vous headache, neur- algia, rheumatic and menstrual pains these

17

all.

Date of Collec- tion.	Nature of Sample.	Name and Add of Vendor.		Name and Address of Manufacturer or Furnisher.	Description as found on the Label.
1905.		-J. J. Costigon, Acti r—Continued.	ing 8 cts.		
July 17	The Chemists' Headache Pow- ders.	24882 R. O. Snider, Yonge St., ronto.			The Chemists' head- ache powders; harm- less, pleasant to the taste, easily taken; these powders are an effective cure for headache and neural- gia. They are effi- cient and prompt in their action, without disturbing the stom- ach or nervous sys-
., 17	7 Da Costa's Head- ache Wafers.	24883 "	0 75 (3 boxes)		tem. DaCosta's headache wafers; a safe and positive relief for all forms of nervous headache or neural- gia; they are guar- anteed to be abso- lutely free from mor- phia, opium, occaine or drugs in the least way harmful; pre- pared by Medical Hall (R. O. Snider, prop.)133 Yonge St., Toronto, Ont.
. 1	7 The Chemists' Headache Pow- ders.	24884 G. D. Reid, Queen St. W Toronto.	684 0 75 Vest, (3 boxes) of Canada, Ltd., Hamilton, Tor- onto and Winni-	
July 1	7 Bond's Headache Powders.	24885 J. R. Bond, Yonge St., ronto.	453 0 75 To- (3 boxes	peg.	
., 1	7 Hoffman's Harm- less Headache Powders.	24886 D. L. Thomp 394 Yonge Toronto.	pson, 0 75 St., (3 boxes	Hoffman Drug Co.,) Bridgeburg, Ont., & New Rochelle, N.Y.	

-

11s ... et al ...

al

vre u-

al

Directions for use, as found on the Label,	RESULTS OF ANALYSIS.							
	Weig Cont of c Pow	tents	Acetani- lide= anti- febrin.	Phen- acetin.	Phena- zone= anti- pyrine.	Caffeine	Car- bonate of Soda.	Remarks.
	Grns.	Grms.						
and nervous headache and neuralgia, also a cure in cases of sudden cold with fever; direc- tions inside.								powders are unsurpass ed and their soothin qualities are also esp cially indicated i cases of sleeplessness
Directions—For adults, place the powder on the tongue and swallow with adraught of water; if not relieved in half an hour, take another powder; do not repeat again for four hours.		1.04	Present.	Present.	None	Doubt- ful.	None	nervousness, &c. These powders do no contain any opium morphia, quinine, bre mide or any narcotic
Directions regarding use- For ordinary headache, arising from a disorder- ed condition of the stomach or from bilous- ness, constipation, &c., one (1) wafer should be taken, and repeated in from twenty (20) to thirty (30) minutes if necessary; for neural- gia, rheumatic or men- strual pains, one (1) every two (2) or three (3) hours as required; for sleeplessness or ner- try ousness, one (1) on re- tring, to be repeated in one (1) hour if sleep is not produced.		1.30				Present.		
Directions—Place a pow- der on the tongue and swallow with a draught of water. If not re- lieved in half an hour take another. Price 75c. J. R. Bond, chemist and draggist, 453 Yonge St., opp. Bank of Com- merce, Telephone North 350, Toronto.		0.65	None	Present.	None	Present.	None	

Date of Collec- tion.	Nature of Sample.	No. of Sample.	Name and Address of Vendor.	Cost.	Name and Address of Manufacturer or Furnisher.	Description as found on the Label.
1905.	District of Toronto Inspect	J. J	. Costigan, Acting oncluded.	8 cts.		
July 1	7 Goodman's Head- ache Powders.	24887	E. A. Goodman, 380 Yonge St., Toronto.	0 75 (3 boxes)	Vendor	Goodman's headache powders, safe, pleas- ant and effectual, giving almost instant relief; contains no dangerous drugs.
						•
. 1	7 Dr. Weston's Head ache Tablets.	24888	W. R. Hoar, 356 Yonge St., To- ronto.	0 40 (3 boxes)	Dr. Weston Pill Co., 356 Yonge St., Toronto.	Dr. Weston's headache tablets.
., 1	7 Carter's Pleasant Headache Pow- ders.		H. W. Burgess, 278 Yonge St., Toronto.	0.50 $(2\frac{1}{2}$ bxs.	Carter Drug Co., Toronto.	Carter's pleasant head- ache powders cure nervous or sick head-
						ache, headache aris- ing from neuralgia, fatigue of body of mind, over-eating, alcohol or tobacce habit, etc. These powders are gu.r anteed to contain ne opium, quinine, bro mides or narcotics. Manufactured only by the Carter Drug Co., Toronto.

.....

Directions for use, as found on the Label.	RESULTS OF ANALYSIS.							
	Cont	ents	Acetani- lide= anti- febrin.	Phen- acetin.	Phena- zone = anti- pyrine.	Caffeine	Car- bonate of Soda.	Remarks,
	Grns.	Grms.						
Directions—Place a pow- der on the tongue, swallow with a draught of water, if not relieved in half an hour take another powder. Do not repeat again for 3 or 4hours. For children $\frac{1}{2}$ to $\frac{1}{2}$ a powder. E. A.		0.28	Present.	None .	None	Doubt- ful.	Present.	
Goodman, chemist, 380 Yonge street, Toronto. These tablets immedia- tely relieve nervous and sick headache, neural- gia, pains in any part of the body; perfectly safe—do not contain any opiates—are new and very efficacious. Dose—Two tablets at once; repeat by taking I in $\frac{1}{2}$ hour if necessary. Pour les directions en Francais voir le circu-	6.2	0.45	н.			Present.		
Practicals volt to circu- laire inclus. Directions - Place th is powder on the tongue and swallow with a draught of water, or stir the powder briskly in water and drink quick- ly; if not relieved in one hour take another powder; children under twelve years old, half a powder.		0.78	ч.			Doubt- ful.		